




The Road Inventory of Grand Teton National Park GRTE – 1460



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
Cycle 3



Grand Teton National Park in Wyoming





TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
1. INTRODUCTION	1 - 1
2. PARK SUMMARY INFORMATION	
National Park Summaries	2 - 1
Cost to Improve Based on Historical and Estimated Data	2 - 2
Paved Route Miles and Percentages by Functional Class and PCR	2 - 3
3. PARK SUMMARY MAPS	
Route Location Key Map	3 - 1
Route Condition Key Map – PCR Mile by Mile	3 - 7
4. PARK ROUTE INVENTORY	
Route Identification Lists (Numeric and Alphabetic)	4 - 1
5. PAVED ROUTE CONDITION RATING SHEETS	5 - 1
6. MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS	6 - 1
7. PARKING LOT CONDITION RATING SHEETS	7 - 1
Paved parking Areas	
8. PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY	8 - 1
9. PARK ROUTE MAINTENANCE FEATURES ROAD LOG	9 - 1
10. APPENDIX	
A. Glossary of Terms and Abbreviations	10 - 1
B. Description of Rating System	10 - 3
C. Digital Image Information	10 - 7
D. Metadata	10 - 8

INTRODUCTION

Background: In July 1976, the National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). In 1980, the NPS and the FHWA terminated the 1976 MOA and entered into a new MOA that provided for the completion of the initial phase of the RIP. The purpose of the RIP, per the 1980 MOA, was to maintain and update RIP data in order to develop long-range and short-range costs and programs to bring National Park Service (NPS) roads up to, or to maintain, designated standards, and to establish a maintenance management program.

The FHWA's Federal Lands Highway (FLH) was assigned the task of identifying condition deficiencies and corrective priorities along with associated corrective costs, inventorying maintenance features (e.g., culverts, signs, guardrail, etc.), summarizing the data and findings in a report, and providing a photographic record of the road system.

The FLH completed the initial phase of the RIP in the early 1980's. As a result of this effort, each park received a RIP book, also known as the "Brown Book," that included the information collected during this initial RIP phase.

In an effort to maintain and update the RIP data, a cyclical data collection and reporting process was re-established in the 1990's. The FLH completed two cycles of RIP data collection between 1994 and 2001. Cycle 1 data was collected in 44 large parks from 1994 to 1995. This data was found to be unusable for comparison to future cycles. Cycle 2 data was collected from March 1997 to January 2001 in 79 large parks and 5 small parks containing 4,874 route miles. Each park received a copy of a Cycle 2 RIP Report, also known as the "Blue Book."

Since 1984, the RIP Program has been funded through the Federal Lands Highway Program's Park Roads and Parkways (PRP) Program. Currently, the NPS Washington Headquarters' Park Facility Management Division is responsible for coordinating the RIP program with the FLH. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) which requires the Federal Highway Administration and the National Park Service, to develop, by rule, a Pavement Management System (PMS) for the park roads and parkways serving the National Park System. As a result of the requirements in TEA-21, the NPS and the FHWA are in the process of developing a PMS. The PMS will assist the decision-makers in effectively spending limited PRP Program funds. The PMS will provide information for planning and programming road maintenance, rehabilitation, and reconstruction activities. RIP data will provide the basic information for this system.

Key information included in the RIP is the mileage inventory and condition assessments accomplished by the RIP Program. The mileage and condition data are used in the current allocation formula of PRP Program funds.

RIP Cycle 3: A third RIP cycle was initiated in 2001. Data was collected from March 2001 to July 2004, and is included in the Cycle 3 Reports. Cycle 3 includes 254 large and small parks with a combined total of 5,455 route miles.

In the Cycle 3 Reports, a general condition rating of excellent, good, fair and poor is ascribed to each one-mile section of paved roadway, and to each paved parking area. This condition rating system provides a realistic means of assessing the general funding needs for road improvements. Along with these descriptive condition ratings, a numerical rating between 0 and 100 is ascribed to each mile of road and to each parking area.. This numerical rating is called a Pavement Condition Rating (PCR). The PCR rating system is described in Section 10 of this report.

All of the fieldwork required for obtaining inventory, condition, and maintenance feature information is coordinated with each park and the regional offices to ensure that the information in the RIP reports is accurate.

The FLH is responsible for all of the data presented in this report. Anyone having questions or comments regarding the contents of this report is encouraged to contact the FHWA RIP Coordinator. It is our aim to provide exceptional customer satisfaction in our delivery of the RIP program.

FHWA RIP Coordinator:

James A. Amenta
FHWA/EFLHD
Technical Services, HTS-15
21400 Ridgetop Circle
Sterling, VA 20166
(703) 404-6366

GRAND TETON NATIONAL PARK Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
Paved ARAN Driven Route Miles	122.18	10/4/2001
Unpaved Estimated Route Miles	74.90	10/4/2001
Paved ARAN and Unpaved Route Miles	197.08	
Paved ARAN Driven Lane Miles	241.33	10/4/2001
Paved MRR Lane Miles	18.49	10/4/2001
Parking Lot Lane Miles	39.35	10/4/2001
Total Paved Lane Miles	299.16	

Notes: Total Paved Lane Miles includes the sum of Paved ARAN Driven Lane Miles, Paved MRR Lane Miles, and Parking Lot Lane Miles

Unpaved Route Miles are estimates, they have not been inventoried by the Roadway Inventory Program (RIP)

GRAND TETON NATIONAL PARK Summaries

Cost to Improve to "Excellent" Condition

SOURCE	WORK PERFORMED	COST PER MILE	INITIAL CONDITION
FHWA Awarded Projects	Surface Maintenance	\$30,000	Excellent
FHWA Awarded Projects	3-R (Resurfacing)	\$110,000	Good
FHWA Awarded Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	\$560,000	Fair
FHWA Awarded Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	\$1,540,000	Poor

Based on the above table, the cost to improve ARAN driven paved road condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to Improve
Excellent	40.67	\$1,220,100
Good	37.62	\$4,138,200
Fair	35.40	\$19,824,000
Poor	8.49	\$13,074,600
Totals	122.18	\$38,256,900

The above numbers include the 35% PE, CE and contingency costs and are national averages. The cost estimates were used in the calculations for the 2004 Reauthorization Bill to determine the level of funding required to bring all the NPS roads into a Pavement Condition Rating (PCR) of Good (85).


These numbers are for preliminary planning purposes only and should not be used for project level proposals. For park planning level analysis, apply your park multiplier for more accurate regional costs.

GRAND TETON NATIONAL PARK Summaries

Paved Route Miles and Percentages by Functional Class and PCR for ARAN Driven Paved Roads

F.C.	Pavement Condition Rating								TOTAL MILES
	Poor (<=60)		Fair (61-84)		Good (85-94)		Excellent (95-100)		
	MILES	%	MILES	%	MILES	%	MILES	%	
1	1.80	1.47%	17.32	14.18%	23.84	19.51%	32.79	26.84%	75.75
2	5.44	4.45%	16.38	13.41%	12.86	10.53%	7.39	6.05%	42.07
3	0.94	0.77%	0.90	0.74%	0.74	0.61%	0.42	0.34%	3.00
4	0.08	0.07%	0.06	0.05%	0.04	0.03%			0.18
5	0.23	0.19%	0.74	0.61%	0.14	0.11%	0.07	0.06%	1.18
6									
7									
8									
Totals	8.49	6.95%	35.40	28.97%	37.62	30.79%	40.67	33.29%	122.18


Grand Teton National Park Route Location Key Map



 Park Owned Routes




Grand Teton National Park Route Location Area Map 1



Unique colors used to differentiate routes




Grand Teton National Park Route Location Area Map 2



Unique colors used to differentiate routes




Grand Teton National Park Route Location Area Map 3



Unique colors used to differentiate routes




Grand Teton National Park Route Location Area Map 5



Unique colors used to differentiate routes




Grand Teton National Park Route Condition Key Map PCR - Mile by Mile




PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.




Grand Teton National Park Route Condition Area Map 1 PCR - Mile by Mile





PCR	Poor		Fair		Good		Excellent	
		(≤ 60)		(61 - 84)		(85 - 94)		(95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



Grand Teton National Park Route Condition Area Map 2 PCR - Mile by Mile




Grand Teton National Park Route Condition Area Map 3 PCR - Mile by Mile




PCR	Poor	Fair	Good	Excellent
	(<=60)	(61 - 84)	(85 - 94)	(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



Grand Teton National Park Route Condition Area Map 4 PCR - Mile by Mile




PCR Poor ■ Fair ■ Good ■ Excellent ■
 (≤60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



Grand Teton National Park Route Condition Area Map 5 PCR - Mile by Mile



PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0010	1364	NORTH-SOUTH HIGHWAY	FROM SOUTH PARK BOUNDARY	TO EAST PARK BOUNDARY	27.95	0.00	27.95	1	2	0	AS
0011	1365	TETON PARK ROAD	FROM ROUTE 0010 AT MP 7.98	TO ROUTE 0013 AT MP 4.00	20.82	0.00	20.82	1	2	0	AS
0013	1362	NORTH PARK ROAD	FROM ROUTE 0010 AT MP 25.72	TO PARK BOUNDARY AT YELLOWSTONE NATIONAL PARK	26.98	0.00	26.98	1	2	0	AS
0100	4330	MOOSE / WILSON ROAD	FROM ROUTE 0011 AT MP 0.66	TO SOUTH PARK BOUNDARY	4.77	1.38	6.15	2	2	0	AS
0101	4289	ANTELOPE FLATS ROAD	FROM ROUTE 0010 AT MP 9.16	TO ROUTE 0102 AT MP 2.44	3.30	0.00	3.30	2	2	0	AS
0102	36755	TETON FOREST ACCESS ROAD	FROM ROUTE 0104 AT MP 8.10	TO EAST PARK BOUNDARY	4.00	0.24	4.24	2	2	0	AS
0103	4358	COLTER BAY ENTRANCE ROAD	FROM ROUTE 0013 AT MP 9.46	TO 4-WAY STOP (INTERSECTING ROUTES 0215 & 0968)	0.66	0.00	0.66	2	2	0	AS
0104	4090	GROS VENTRE ROAD	FROM ROUTE 0010 AT MP 2.50	TO EAST PARK BOUNDARY	10.31	0.00	10.31	2	2	0	AS
0105	31295	SOUTH JENNY LAKE ENTRANCE ROAD	FROM ROUTE 0011 AT MP 7.81	TO END OF LOOP	0.59	0.00	0.59	2	2	0	AS
0106		FLAGG SOUTH PARKING LOT ACCESS ROAD	FROM ROUTE 0117 AT MP 0.02	TO GRAVEL PARKING LOT ENTRANCE	0.30	0.00	0.30	2	2	0	AS
0107	31523	MORAN DEVELOPMENT ROAD	FROM ROUTE 0010 AT MP 25.92	TO END OF RESIDENTIAL LOOP	0.26	0.00	0.26	2	2	0	AS
0108	4291	TETON SCIENCE SCHOOL ROAD	FROM ROUTE 0102 AT MP 0.90	TO EAST PARK BOUNDARY	1.76	0.86	2.62	2	2	0	AS
0109	4334	BEAVER CREEK MAINTENANCE ROAD	FROM ROUTE 0011 AT MP 0.18	TO CONCESSIONAIRE PARKING AREA	0.26	0.00	0.26	2	2	0	AS
0110	4345	STRING LAKE ROAD	FROM ROUTE 0500 AT MP 1.50	TO END OF LOOP	0.53	0.00	0.53	2	2	0	AS
0111	4352	SIGNAL MOUNTAIN ROAD	FROM ROUTE 0011 AT MP 16.70	TO ROUTE 0944	4.73	0.00	4.73	2	2	0	AS
0112	4353	SIGNAL MOUNTAIN MARINA ROAD	FROM ROUTE 0011 AT MP 17.80	TO END OF LOOP	0.60	0.00	0.60	2	2	0	AS
0113	4311	JACKSON LAKE LODGE ROAD	FROM ROUTE 0013 AT MP 5.06	TO END OF LOOP	0.62	0.00	0.62	2	2	0	AS
0114	4305	PACIFIC CREEK ROAD	FROM ROUTE 0013 AT MP 1.18	TO EAST PARK BOUNDARY	3.36	0.00	3.36	2	2	0	AS
0115	4315	LEEK'S MARINA ROAD	FROM ROUTE 0013 AT MP 10.30	TO ROUTE 0971	0.62	0.00	0.62	2	2	0	AS
0116	4303	PILGRIM CREEK ROAD	FROM ROUTE 0013 AT MP 7.56	TO TRAILHEAD	0.00	2.36	2.36	2	2	0	GR
0117		GRASSY LAKE ROAD	FROM ROUTE 0013 AT MP 25.00	TO W. JDR JR. MEMORIAL PARKWAY BOUNDARY	1.16	7.56	8.72	2	2	0	AS
0118	35858	BLACKTAIL PONDS OVERLOOK ROAD	FROM ROUTE 0010 AT MP 9.22	TO END OF LOOP	0.27	0.00	0.27	2	2	0	AS
0119	4285	LOST CREEK RANCH ROAD	FROM ROUTE 0010	TO END OF GRAVEL	0.00	1.40	1.40	2	2	0	GR
0120	4306	TWO OCEAN LAKE ROAD	FROM ROUTE 0114 AT MP 2.06	TO END AT TWO OCEAN LAKE	0.00	2.43	2.43	2	2	0	GR
0200	36013	GOLF COURSE / TRAP CLUB ROAD	FROM ROUTE 0010 AT MP 2.50	TO WEST PARK BOUNDARY AT 4-WAY INTERSECTION	0.52	0.00	0.52	3	2	0	AS
0201	4537	MORMON ROW	FROM ROUTE 0104 AT MP 4.91 ACROSS ROUTE 0101 AT MP 0.88	TO END	0.00	2.85	2.85	3	2	0	GR

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0202	4298	GROS VENTRE CAMPGROUND	FROM ROUTE 0104 AT MP 4.58	THROUGH CAMPGROUND EAST & WEST SPUR LOOPS	4.43	0.00	4.43	3	1	280,558	OC
0203		SARGENT'S BAY FISHING ACCESS	FROM ROUTE 0013 AT MP 12.84	TO LAKE (AKA "OLD WAGON ROAD")	0.00	0.18	0.18	4	1	0	GR
0204	4336	CHAPEL OF TRANSFIGURATION ROAD	FROM ROUTE 0011 AT MP 1.20	TO END OF LOOP	0.55	0.00	0.55	3	2	0	AS
0205	4343	JENNY LAKE CAMPGROUND	FROM ROUTE 0105 AT MP 0.12	THROUGH 1-WAY CAMPGROUND LOOP	0.94	0.00	0.94	3	2	49,843	AS
0206	35847	ARIZONA CREEK TRAILHEAD ROAD	FROM ROUTE 0013 AT MP 14.21	TO TRAILHEAD	0.00	0.20	0.20	4	1	0	GR
0207	36482	PACIFIC CREEK FOREST ACCESS	FROM ROUTE 0114 AT MP 2.16	TO EAST PARK BOUNDARY	0.00	3.85	3.85	4	2	0	GR
0208	4349	DEATH CANYON TRAILHEAD ROAD	FROM ROUTE 0100 AT MP 3.06	TO TRAILHEAD	0.64	1.02	1.66	3	2	0	AS
0209	30962	CLIMBERS RANCH ROAD	FROM ROUTE 0011 AT MP 4.70	TO RANCH	0.29	0.20	0.49	3	2	0	AS
0210	4308	ARIZONA LAKE TRAILHEAD ROAD	FROM ROUTE 0013 AT MP 11.83	TO TRAILHEAD	0.00	0.50	0.50	4	1	0	GR
0211	4354	SIGNAL MOUNTAIN CAMPGROUND	FROM ROUTE 0112 AT MP 0.07	THROUGH CAMPGROUND	0.82	0.00	0.82	3	1	52,082	AS
0212	4356	JACKSON DAM FISHING ACCESS ROAD	FROM ROUTE 0011 AT MP 19.78	TO GRAVEL PARKING AREA	0.26	0.00	0.26	3	2	0	AS
0213	4300	SPREAD CREEK ROAD	FROM ROUTE 0010 AT MP 21.26	TO BORROW SITE	0.00	1.60	1.60	3	1	0	GR
0214	36789	WOLFF RANCH ROAD	FROM ROUTE 0010 AT MP 22.06	TO RANCH	0.00	2.60	2.60	3	2	0	GR
0215	4243	COLTER BAY CAMPGROUND	FROM END OF ROUTE 0103	THROUGH CAMPGROUND	7.37	0.00	7.37	3	2	466,963	AS
0216	4317	CUNNINGHAM CABIN ROAD	FROM ROUTE 0010 AT MP 20.32	TO ROUTE 0911 ON LEFT	0.34	0.00	0.34	3	2	0	AS
0217	35917	DEADMANS BAR ROAD	FROM ROUTE 0010 AT MP 16.92	TO END AT SNAKE RIVER	0.00	0.75	0.75	3	2	0	GR
0218	35867	BRUSH CREEK FOREST ACCESS ROAD	FROM ROUTE 0010 AT MP 19.55	TO SOUTH PARK BOUNDARY	0.00	0.20	0.20	3	1	0	GR
0219	4299	TRIANGLE X RANCH ROAD	FROM ROUTE 0010	TO RANCH	0.00	0.52	0.52	3	2	0	GR
0220	4335	MURIE CENTER ROAD	FROM ROUTE 0100 AT MP 0.05	TO MURIE CENTER	0.00	0.61	0.61	3	2	0	GR
0221	30026	COLTER BAY DAY USE AREA	FROM NORTH SIDE OF ROUTE 0968	TO END OF LOOP	0.34	0.00	0.34	3	2	19,921	AS
0222	4327	DEADMANS BAR FLOAT SPUR	FROM ROUTE 0217	TO END AT SNAKE RIVER	0.00	0.35	0.35	3	1	0	GR
0223	4312	LIZARD CREEK CAMPGROUND	FROM ROUTE 0013 AT MP 17.44	THROUGH CAMPGROUND	0.96	0.00	0.96	3	2	40,677	OC
0224		SNAKE RIVER CAMPGROUND	FROM ROUTE 0013 AT MP 24.10	THROUGH CAMPGROUND (CURRENTLY A PICNIC LOOP)	0.22	0.00	0.22	3	2	11,669	AS
0225	31129	LUPINE MEADOWS PARK ACCESS	FROM ROUTE 0011 AT MP 7.14	TO ROUTE 0994 (UNPAVED PARKING)	0.25	1.34	1.59	3	2	0	AS
0226	31649	SOUTH JENNY LAKE BOAT RAMP	FROM ROUTE 0225	TO END OF LOOP	0.00	0.18	0.18	3	1	0	GR
0227	36735	SPALDING BAY ACCESS ROAD	FROM ROUTE 0011 AT MP 12.26	TO END AT BAY	0.00	2.19	2.19	3	1	0	GR

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0228	36624	SNAKE RIVER ACCESS ROAD	FROM ROUTE 0011 AT MP 16.43	TO END AT RIVER	0.00	3.75	3.75	4	1	0	GR
0229	4338	BAR BC RANCH ROAD	FROM ROUTE 0011 AT MP 3.86	TO ROUTE 0228	0.00	14.52	14.52	4	1	0	GR
0230	4302	GRANDVIEW POINT TRAILHEAD ROAD	FROM ROUTE 0013 AT MP 5.805	TO TRAILHEAD	0.00	1.10	1.10	4	1	0	GR
0231	4325	SCHWABACHER LANDING ROAD	FROM ROUTE 0010	TO SNAKE RIVER	0.00	1.07	1.07	3	1	0	GR
0232	4304	COLTER BAY STORAGE ROAD	FROM ROUTE 0013 AT MP 8.75	TO NORTH PARK BOUNDARY	0.18	1.82	2.00	4	2	0	AS
0233	35851	ARIZONA LAKE ROAD	FROM ROUTE 0013 AT MP 12.61	TO EAST PARK BOUNDARY	0.00	2.83	2.83	4	1	0	GR
0234	35927	EXUM MOUNTAIN GUIDES AND CLIMBING SCHOOL ROAD	FROM ROUTE 0226	TO END	0.00	0.15	0.15	3	2	0	GR
0235	30029	COLTER BAY BOAT LAUNCH	FROM SOUTH SIDE OF ROUTE 0968 AROUND LOOP	TO ROUTE 0968	0.10	0.00	0.10	3	1	8,026	AS
0236	4310	CATTLEMAN'S BRIDGE TRAILHEAD ROAD	FROM ROUTE 0013 AT MP 3.44	TO SNAKE RIVER FOOT BRIDGE	0.00	1.01	1.01	3	2	0	GR
0237	35897	CASCADE CANYON TRAILHEAD SPUR	FROM ROUTE 0225	TO END OF ROAD	0.00	0.20	0.20	4	1	0	GR
0238		GRASSY LAKE CAMPGROUND SPUR #1	FROM ROUTE 0117 AT MP 0.38	TO END	0.00	0.16	0.16	4	1	0	GR
0239		GRASSY LAKE CAMPGROUND SPUR #2	FROM ROUTE 0117 AT MP 0.93	TO END	0.00	0.04	0.04	4	1	0	GR
0240		GRASSY LAKE CAMPGROUND SPUR #3	FROM ROUTE 0117 AT MP 1.62	TO END	0.00	0.10	0.10	4	1	0	GR
0241		GRASSY LAKE CAMPGROUND SPUR #4	FROM ROUTE 0117 AT MP 1.84	TO END	0.00	0.06	0.06	4	1	0	GR
0242		GRASSY LAKE CAMPGROUND SPUR #5	FROM ROUTE 0117 AT MP 2.43	TO END	0.00	0.01	0.01	4	1	0	GR
0243		GRASSY LAKE CAMPGROUND SPUR #6	FROM ROUTE 0117 AT MP 4.36	TO END	0.00	0.06	0.06	4	1	0	GR
0244		GRASSY LAKE CAMPGROUND SPUR #7	FROM ROUTE 0117 AT MP 5.91	TO END	0.00	0.03	0.03	4	1	0	GR
0245		GRASSY LAKE CAMPGROUND SPUR #8	FROM ROUTE 0117 AT MP 6.42	TO END	0.00	0.09	0.09	4	1	0	GR
0247	36779	THREE RIVERS RANCH ROAD	FROM ROUTE 0013 AT MP 0.24	TO END	0.00	0.39	0.39	4	2	0	GR
0248		SHEFFIELD CREEK FOREST ACCESS ROAD	FROM ROUTE 0013 AT MP 24.30	TO JDR JR. MEMORIAL PARKWAY EAST BOUNDARY	0.00	0.40	0.40	4	1	0	GR
0249		SOUTH GATE PICNIC / RIVER ACCESS	FROM ROUTE 0013 AT MP 26.48	TO END OF LOOP	0.00	0.20	0.20	4	2	0	GR
0250	35925	DOUG'S BARN ROAD	FROM ROUTE 0013 AT MP 4.56	TO CEMETERY	0.00	0.50	0.50	4	1	0	GR
0251	36479	OLD HIGHWAY LOOP ROAD	FROM ROUTE 0013 AT MP 16.28	TO ROUTE 0013 AT MP 16.16	0.15	0.00	0.15	3	2	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0400	4247	MOOSE RESIDENCE AREA ROADS	FROM ROUTE 0408 AT MP 0.30 ON RIGHT, AROUND LOOP	TO ROUTE 0408 AT MP 0.38	1.10	0.00	1.10	5	2	58,238	AS
0401	30381	BEAVER CREEK RESIDENCE ROAD	FROM ROUTE 0011 AT MP 2.90	THROUGH RESIDENCE AREA	0.92	0.00	0.92	5	2	28,987	AS
0402	4244	COLTER BAY RESIDENCE AREA ROADS	FROM ROUTE 0403 AT MP 0.06	THROUGH RESIDENCES	1.08	0.00	1.08	5	2	56,760	AS
0403	4245	COLTER BAY MAINTENANCE YARD ROAD	FROM ROUTE 0103 AT MP 0.18	TO ROUTE 0965	0.11	0.00	0.11	5	2	0	AS
0404		FLAGG HOUSING ROAD	FROM ROUTE 0117 AT MP 0.32	TO END OF LOOP	0.00	0.38	0.38	5	2	0	GR
0405		FLAGG MAINTENANCE AREA ACCESS ROAD	FROM ROUTE 0404 SOUTH, EAST BY LAGOONS	TO ROUTE 0404 NORTH	0.00	0.22	0.22	5	2	0	GR
0406		FLAGG RESERVOIR ACCESS ROAD	FROM ROUTE 0405	TO END	0.00	0.50	0.50	5	1	0	GR
0407		FLAGG HOUSING RV SPUR	FROM ROUTE 0404	TO END	0.00	0.15	0.15	5	2	0	GR
0408	36420	MOOSE HOUSING/ MAINTENANCE/ BOAT LAUNCH ACCESS ROAD	FROM ROUTE 0011 AT MP 0.49 NORTHEAST AND THEN SOUTH	TO ROUTE 0011 TO MP 0.68	0.48	0.00	0.48	5	2	0	AS
0409	4328	4 LAZY F RANCH ROAD	FROM ROUTE 0400	TO RANCH	0.00	0.75	0.75	5	1	0	GR
0411	31652	LEEKs MARINA SERVICE ROAD	FROM ROUTE 0970	TO END OF LOOP	0.00	0.25	0.25	5	2	0	GR
0412	31653	LEEKs MARINA TWO TRACK	FROM ROUTE 0411	TO END	0.00	0.20	0.20	5	1	0	GR
0413	30028	COLTER BAY LAGOON ACCESS ROAD	FROM CORRALS	TO LAGOONS	0.00	0.30	0.30	5	1	0	GR
0414	35808	A.M.K. RANCH ROAD	FROM ROUTE 0115 AT MP 0.52	TO END OF LOOP	0.34	0.00	0.34	5	1	0	AS
0415	35800	COLTER BAY EMPLOYEE ROAD	FROM ROUTE 0011	TO END	0.00	0.36	0.36	5	2	0	GR
0416	31547	BUFFALO DORMATORY ROAD	FROM ROUTE 0013 AT MP 0.20, WEST AT ROUTE 0925	TO END OF LOOP	0.00	0.15	0.15	5	2	0	GR
0417	31508	MORAN PUMPHOUSE ROAD	FROM ROUTE 0416	TO PUMPHOUSE	0.00	0.18	0.18	5	1	0	GR
0418	30966	CLIMBERS RANCH SERVICE ROAD	FROM ROUTE 0011 AT MP 5.24	TO END	0.00	0.34	0.34	6	1	0	GR
0419	36743	TAGGART LAKE SERVICE ROAD	FROM ROUTE 0011 AT MP 3.62	TO CORRAL	0.00	0.25	0.25	5	1	0	GR
0420	36749	TAGGART PUMPHOUSE ROAD	FROM ROUTE 0419	TO PUMPHOUSE	0.00	0.20	0.20	5	1	0	GR
0421	31127	LUPINE MEADOWS EAST SIDE RESIDENTIAL AREA	FROM ROUTE 0225 AT MP 9.09	TO RESIDENCES	0.00	0.16	0.16	5	1	0	GR
0422	31128	LUPINE MEADOWS WEST SIDE RESIDENTIAL AREA	FROM ROUTE 0225	TO RESIDENCES	0.00	0.20	0.20	5	2	0	GR
0423	36731	SOUTH LANDING LAGOON ROAD	FROM ROUTE 0011 AT MP 9.09	TO LAGOON	0.00	0.15	0.15	5	1	0	GR
0424	36604	SIGNAL MOUNTAIN RESERVOIR ROAD	FROM ROUTE 0111 AT MP 9.09	TO RESERVOIR	0.00	0.12	0.12	5	1	0	GR
0425	4329	JENNY LAKE EXUM ROAD	FROM ROUTE 0226	TO END	0.00	0.20	0.20	5	1	0	GR

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMS Asset #	Route Name	Route Description From To	Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0426	4249	BEAVER CREEK MAINTENANCE ROAD	FROM ROUTE 0922 TO END OF LOOP	0.00	0.25	0.25	5	1	0	GR
0427	36139	GROS VENTRE CAMPGROUND RESIDENTIAL SPUR	FROM ROUTE 0202 TO END	0.00	0.15	0.15	5	1	0	GR
0428	4288	HUNTER HEREFORD ROAD	FROM ROUTE 0102 AT MP 2.44 TO END AT GATE	0.25	0.00	0.25	5	1	0	AS
0429		SNAKE RIVER PIT ROAD	FROM ROUTE 0013 AT MP 9.09 IN JDR JR. MEMORIAL PARKWAY TO END	0.00	0.25	0.25	5	1	0	GR
0430	35857	BLACKTAIL STORAGE AREA ROAD	FROM ROUTE 0010 AT MP 9.09 NEAR AIRPORT ROAD TO STORAGE AREA	0.00	0.25	0.25	5	1	0	GR
0431	4301	ELK RANCH ROAD	FROM ROUTE 0010 TO SPREAD CREEK DIVERSION	0.00	4.85	4.85	5	1	0	GR
0432	4295	KELLY GRAVEL PIT ROAD	FROM ROUTE 0104 TO PIT	0.00	0.23	0.23	6	1	0	GR
0500	31647	JENNY LAKE LOOP ROAD	FROM ROUTE 0011 AT MP 10.8 TO ROUTE 0011 AT MP 8.46	3.97	0.00	3.97	2	2	0	AS
0900	36018	GRAND TETON NATIONAL PARK SOUTH ENTRANCE PARKING	FROM ROUTE 0010 AT MP 0.55 TO ROUTE 0010	0.00	0.00	0.00	9	0	23,838	AS
0901	36510	PARKING	FROM ROUTE 0010 AT MP 1.70 ON LEFT TO ROUTE 0010	0.00	0.00	0.00	9	0	17,054	AS
0902	36511	PARKING	FROM ROUTE 0010 AT MP 5.25 ON RIGHT TO ROUTE 0010	0.00	0.00	0.00	9	0	20,538	AS
0903	36412	MEADOW ROAD PARKING	FROM ROUTE 0010 AT MP 6.06 ON LEFT AT MEADOW ROAD TO PARKING	0.00	0.00	0.00	9	0	17,034	AS
0904	36517	PARKING	FROM ROUTE 0010 AT MP 6.64 ON LEFT TO ROUTE 0010	0.00	0.00	0.00	9	0	20,742	AS
0905	30968	CLIMBERS PRACTICE AREA PARKING	FROM ROUTE 0010 AT MP 8.82 TO PARKING	0.00	0.00	0.00	9	0	14,636	AS
0906A	35859	BLACKTAIL PONDS OVERLOOK PARKING AREA A	ADJACENT TO ROUTE 0118 AT MP 0.22 ON RIGHT	0.00	0.00	0.00	9	0	2,363	AS
0906B		BLACKTAIL PONDS OVERLOOK PARKING AREA B	ADJACENT TO ROUTE 0118	0.00	0.00	0.00	9	0	2,962	AS
0907	36010	GLACIER VIEW TURNOUT PARKING	FROM ROUTE 0010 AT MP 11.30 ON LEFT TO ROUTE 0010	0.00	0.00	0.00	9	0	25,229	AS
0908	36772	TETON POINT TURNOUT PARKING	FROM ROUTE 0010 AT MP 13.27 ON LEFT TO ROUTE 0010	0.00	0.00	0.00	9	0	26,732	AS
0909	4318	SNAKE RIVER OVERLOOK PARKING	FROM ROUTE 0010 AT MP 16.26 ON LEFT TO END OF PARKING LOOP	0.00	0.00	0.00	9	0	54,541	OC
0910	35916	CUNNINGHAM CABIN PARKING	FROM ROUTE 0010 AT MP 20.42 TO ROUTE 0216	0.00	0.00	0.00	9	0	36,280	OC
0911	35856	BAR FLYING U PARKING	FROM END OF ROUTE 0216 ON LEFT TO ROUTE 0408 AT MP 0.48	0.00	0.00	0.00	9	0	3,445	OC
0912	4246	MOOSE VISITOR CENTER PARKING	FROM ROUTE 0408 AT MP 0.02 TO ROUTE 0408 AT MP 0.48	0.00	0.00	0.00	9	0	47,581	AS
0913	10314	MOOSE AREA MAINTENANCE YARD AND REAR VC PARKING	FROM ROUTE 0408 AT MP 0.38 ON LEFT THROUGH MAINTENANCE YARD AND PARKING	0.00	0.00	0.00	9	0	130,025	AS
0914A	36422	MOOSE BAT TRAILER PARKING AREA A	FROM ROUTE 0408 AT MP 0.22 ON LEFT TO PARKING	0.00	0.00	0.00	9	0	1,046	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0914B		MOOSE BAT TRAILER PARKING AREA B	FROM ROUTE 0408 AT MP 0.22 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	11,780	AS
0915A	29669	MOOSE VISITOR CENTER OVERFLOW PARKING AREA A	FROM ROUTE 0408 AT MP 0.06 ON RIGHT	TO ROUTE 0408 AT MP 0.12	0.00	0.00	0.00	9	0	15,601	AS
0915B		MOOSE VISITOR CENTER OVERFLOW PARKING AREA B	ADJACENT TO ROUTE 0408 AT MP 0.10 ON LEFT		0.00	0.00	0.00	9	0	2,722	AS
0915C		MOOSE VISITOR CENTER OVERFLOW PARKING AREA C	ADJACENT TO ROUTE 0408 AT MP 0.10 ON RIGHT		0.00	0.00	0.00	9	0	3,515	AS
0916	36425	MOOSE POST OFFICE PARKING	FROM ROUTE 0100 AT MP 0.01	TO ROUTE 0011 AT MP 0.58	0.00	0.00	0.00	9	0	27,746	AS
0917	30134	MOOSE PRE-STATION TURNAROUND	FROM ROUTE 0011 AT MP 0.85	TO ROUTE 0011	0.00	0.00	0.00	9	0	5,102	AS
0918	30137	MOOSE POST-STATION TURNAROUND AND PARKING	FROM ROUTE 0011 AT MP 1.01	TO PARKING	0.00	0.00	0.00	9	0	9,775	AS
0919	35914	CHAPEL OF TRANSFIGURATION PARKING	FROM ROUTE 0204 LOOP AT MP 0.50	TO ROUTE 0204	0.00	0.00	0.00	9	0	33,150	OC
0920	76788	WINDY POINT TURNOUT PARKING	FROM ROUTE 0011 AT MP 2.18	TO ROUTE 0011	0.00	0.00	0.00	9	0	21,876	AS
0921	36559	RESOURCE MANAGEMENT OFFICE PARKING	FROM ROUTE 0401	TO PARKING	0.00	0.00	0.00	9	0	6,603	AS
0922	30510	BEAVER CREEK MAINTENANCE YARD	FROM ROUTE 0401	TO PARKING	0.00	0.00	0.00	9	0	23,922	AS
0923	36745	TAGGART LAKE TRAILHEAD PARKING	FROM ROUTE 0011 AT MP 3.38	TO ROUTE 0011	0.00	0.00	0.00	9	0	37,684	AS
0924	35915	COTTONWOOD CREEK PARKING	FROM ROUTE 0011 AT MP 3.72	TO ROUTE 0011	0.00	0.00	0.00	9	0	12,089	OC
0925A	36546	PARKING AREA A (JUST PAST ROUTE 0229)	FROM ROUTE 0011 AT MP 4.22 ON LEFT		0.00	0.00	0.00	9	0	3,470	OC
0925B		PARKING AREA B (JUST PAST ROUTE 0229)	FROM ROUTE 0011 AT MP 4.22 ON RIGHT		0.00	0.00	0.00	9	0	3,253	OC
0926	36767	TETON GLACIER PARKING	FROM ROUTE 0011 AT MP 4.92	TO ROUTE 0011	0.00	0.00	0.00	9	0	25,530	OC
0927A	36001	GLACIER GULCH PARKING AREA A	FROM ROUTE 0011 AT MP 6.00 ON LEFT		0.00	0.00	0.00	9	0	6,012	AS
0927B		GLACIER GULCH PARKING AREA B	FROM ROUTE 0011 AT MP 6.00 ON RIGHT		0.00	0.00	0.00	9	0	5,772	AS
0928A	36396	LUPINE MEADOWS PARKING AREA A	FROM ROUTE 0011 AT MP 6.75 ON LEFT		0.00	0.00	0.00	9	0	6,199	AS
0928B		LUPINE MEADOWS PARKING AREA B	FROM ROUTE 0011 AT MP 6.75 ON RIGHT		0.00	0.00	0.00	9	0	5,821	AS
0929A	4342	SOUTH JENNY LAKE PARKING A	FROM ROUTE 0105 AT MP 0.30 ON RIGHT		0.00	0.00	0.00	9	0	3,705	AS
0929B		SOUTH JENNY LAKE PARKING B	FROM ROUTE 0105 AT MP 0.34 ON LEFT		0.00	0.00	0.00	9	0	2,699	AS
0929C		SOUTH JENNY LAKE PARKING C	FROM ROUTE 0105 AT MP 0.34 ON RIGHT		0.00	0.00	0.00	9	0	3,074	AS
0929D		SOUTH JENNY LAKE PARKING D	FROM ROUTE 0105 AT MP 0.38 ON LEFT		0.00	0.00	0.00	9	0	2,434	AS
0929E		SOUTH JENNY LAKE PARKING E	FROM ROUTE 0105 AT MP 0.38 ON RIGHT		0.00	0.00	0.00	9	0	2,395	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0929F		SOUTH JENNY LAKE PARKING F	FROM ROUTE 0105 AT MP 0.40 ON LEFT		0.00	0.00	0.00	9	0	2,454	AS
0929G		SOUTH JENNY LAKE PARKING G	FROM ROUTE 0105 AT MP 0.40 ON RIGHT		0.00	0.00	0.00	9	0	2,732	AS
0929H		SOUTH JENNY LAKE PARKING H	FROM ROUTE 0105 AT MP 0.43 ON LEFT		0.00	0.00	0.00	9	0	2,134	AS
0929I		SOUTH JENNY LAKE PARKING I	FROM ROUTE 0105 AT MP 0.43 ON RIGHT		0.00	0.00	0.00	9	0	2,601	AS
0929J		SOUTH JENNY LAKE PARKING J	FROM ROUTE 0105 AT MP 0.45 ON RIGHT		0.00	0.00	0.00	9	0	1,484	AS
0929K		SOUTH JENNY LAKE PARKING K	FROM ROUTE 0105 AT MP 0.48 ON LEFT		0.00	0.00	0.00	9	0	3,005	AS
0929L		SOUTH JENNY LAKE PARKING L	FROM ROUTE 0105 AT MP 0.48 ON RIGHT		0.00	0.00	0.00	9	0	5,109	AS
0929M		SOUTH JENNY LAKE PARKING M	FROM ROUTE 0105 AT MP 0.54 ON RIGHT		0.00	0.00	0.00	9	0	12,549	AS
0930	6546	JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING	FROM ROUTE 0105 AT MP 0.27	TO ROUTE 0205	0.00	0.00	0.00	9	0	103,569	AS
0931	35893	CASCADE CANYON PARKING AREA	FROM ROUTE 0011 AT MP 9.40 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	24,986	OC
0932A	36519	PARKING AREA A	FROM ROUTE 0500 AT MP 0.10 ON LEFT		0.00	0.00	0.00	9	0	3,982	AS
0932B		PARKING AREA B	FROM ROUTE 0500 AT MP 0.10 ON RIGHT		0.00	0.00	0.00	9	0	4,047	AS
0933	35911	CATHEDRAL GROUP PARKING	FROM ROUTE 0500 AT MP 0.76	TO ROUTE 0500	0.00	0.00	0.00	9	0	19,728	OC
0934	11288	JENNY LAKE OVERLOOK PARKING	FROM ROUTE 0500 AT MP 2.94	TO ROUTE 0500	0.00	0.00	0.00	9	0	13,667	AS
0935A	4344	LEIGH LAKE TRAILHEAD PARKING AREA A	FROM ROUTE 0110 AT MP 0.33	THRU PARKING TO ROUTE 0110	0.00	0.00	0.00	9	0	41,771	AS
0935B		LEIGH LAKE TRAILHEAD PARKING AREA B	FROM ROUTE 0110 AT MP 0.34	THRU PARKING TO ROUTE 0110	0.00	0.00	0.00	9	0	17,545	AS
0935C		LEIGH LAKE TRAILHEAD PARKING AREA C	FROM ROUTE 0110 AT MP 0.38	TO PARKING	0.00	0.00	0.00	9	0	5,452	AS
0936	4346	STRING LAKE CANOE LAUNCH	FROM ROUTE 0110 AT MP 0.21	TO PARKING	0.00	0.00	0.00	9	0	35,414	AS
0937	36742	STRING LAKE TRAILHEAD PARKING	FROM ROUTE 0110 AT MP 0.04	TO ROUTE 0110 AT MP 0.10	0.00	0.00	0.00	9	0	23,492	AS
0938	4294	MOUNTAIN VIEW PARKING	FROM ROUTE 0011 AT MP 11.13	TO PARKING	0.00	0.00	0.00	9	0	22,663	OC
0939	35872	BURNED RIDGE PARKING	FROM ROUTE 0011 AT MP 13.43 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	15,469	OC
0940	36041	MT. MORAN PARKING	FROM ROUTE 0011 AT MP 14.34 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	21,403	OC
0941	36551	POTHOLES PARKING	FROM ROUTE 0011 AT MP 15.10 ON RIGHT	TO END OF PARKING LOOP	0.00	0.00	0.00	9	0	21,486	OC
0942	36591	SIGNAL MOUNTAIN BOAT TRAILER PARKING	FROM ROUTE 0111 AT MP 0.02 (JUST OFF ROUTE 0011)	TO PARKING	0.00	0.00	0.00	9	0	20,385	AS
0943	36248	JACKSON POINT OVERLOOK PARKING	FROM ROUTE 0111 AT MP 3.94	TO PARKING	0.00	0.00	0.00	9	0	1,913	AS
0944	36593	SIGNAL MOUNTAIN OVERLOOK PARKING	FROM END OF ROUTE 0111	TO PARKING	0.00	0.00	0.00	9	0	9,765	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0945	36601	SIGNAL MOUNTAIN RANGER STATION PARKING	FROM ROUTE 0112 AT MP 0.04 ON RIGHT	TO ROUTE 0112	0.00	0.00	0.00	9	0	7,162	AS
0946	36597	SIGNAL MOUNTAIN DUMP STATION	FROM ROUTE 0112 AT MP 0.04 ON LEFT	TO ROUTE 0112	0.00	0.00	0.00	9	0	3,251	AS
0947	36781	TRAILER STORAGE PARKING	FROM ROUTE 0112 AT MP 0.36	TO PARKING	0.00	0.00	0.00	9	0	37,366	OC
0948A	36398	MARINA ACCESS PARKING AREA A	FROM ROUTE 0112 ON INSIDE AT END OF LOOP	TO PARKING	0.00	0.00	0.00	9	0	3,873	OC
0948B		MARINA ACCESS PARKING AREA B	FROM ROUTE 0112 ON RIGHT AT END OF LOOP	TO PARKING	0.00	0.00	0.00	9	0	5,443	OC
0948C		MARINA ACCESS BOAT RAMP	FROM ROUTE 0112	TO WATER	0.00	0.00	0.00	9	0	1,639	CO
0949	4355	CHAPEL OF THE SACRED HEART PICNIC AREA	FROM ROUTE 0011 AT MP 18.32	TO PICNIC AREA	0.00	0.00	0.00	9	0	28,191	AS
0950	36255	JACKSON LAKE PARKING	FROM ROUTE 0011 AT MP 18.80 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	8,146	AS
0951	35855	B.O.R. WEST PARKING	FROM ROUTE 0011 AT MP 19.44 ON LEFT	TO PARKING SOUTH OF DAM	0.00	0.00	0.00	9	0	31,300	AS
0952	4357	B.O.R. EAST PARKING	FROM ROUTE 0011 AT MP 19.44 ON RIGHT	TO PARKING SOUTH OF DAM OVERLOOKING DAM	0.00	0.00	0.00	9	0	9,327	AS
0953A	31535	MORAN DEVELOPMENT PARKING AREA A	FROM ROUTE 0107 AT MP 0.10 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	2,403	OC
0953B		MORAN DEVELOPMENT PARKING AREA B	FROM ROUTE 0107 AT MP 0.10 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	21,104	OC
0953C		MORAN DEVELOPMENT PARKING AREA C	FROM ROUTE 0107 AT MP 0.14 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	8,273	OC
0954	31546	MORAN RANGER STATION PARKING	FROM ROUTE 0013 AT MP 0.20 ON RIGHT AT ENTRANCE STATION	TO ROUTE 0013	0.00	0.00	0.00	9	0	8,173	OC
0955	36487	PACIFIC CREEK LANDING AND PARKING	FROM ROUTE 0013 AT MP 0.48	TO LANDING	0.00	0.00	0.00	9	0	33,187	AS
0956	4348	LOZIER HILL PARKING AREA	FROM ROUTE 0013 AT MP 2.38 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	18,573	OC
0957	1626	OXBOW BEND PARKING	FROM ROUTE 0013 AT MP 2.8	TO PARKING	0.00	0.00	0.00	9	0	11,285	OC
0958	36256	JACKSON LAKE JUNCTION PARKING	FROM ROUTE 0013 AT MP 4.22	TO PARKING	0.00	0.00	0.00	9	0	6,741	OC
0959	36787	WILLOW FLATS OVERLOOK PARKING	FROM ROUTE 0013 AT MP 4.48	TO ROUTE 0013	0.00	0.00	0.00	9	0	28,515	OC
0960	36532	PARKING AREA (BEFORE BRIDGE)	FROM ROUTE 0013 AT MP 6.62 ON LEFT PAST ROUTE 0230	TO PARKING	0.00	0.00	0.00	9	0	2,519	OC
0961	36536	PARKING AREA (AFTER BRIDGE)	FROM ROUTE 0013 AT MP 7.30 BEFORE PILGRIM CREEK	TO PARKING	0.00	0.00	0.00	9	0	2,982	OC
0962	36539	PARKING AREA	FROM ROUTE 0013 AT MP 7.70 ON RIGHT PAST PILGRIM CREEK ROAD	TO PARKING	0.00	0.00	0.00	9	0	3,215	OC
0963	30032	PARKING AREA	FROM ROUTE 0013 AT MP 8.70 ON LEFT (AT ROUTE 0232)	TO ROUTE 0013	0.00	0.00	0.00	9	0	2,338	OC
0964	30033	PARKING AREA	FROM ROUTE 0013 AT MP 8.80 ON RIGHT (JUST PAST ROUTE 0232)	TO ROUTE 0013	0.00	0.00	0.00	9	0	2,597	OC

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0965	29999	COLTER BAY MAINTENANCE YARD	FROM END OF ROUTE 0403	THROUGH MAINTENANCE YARD	0.00	0.00	0.00	9	0	61,165	AS
0966	37776	COLTER BAY RESIDENCE PARKING	FROM ROUTE 0402	TO PARKING	0.00	0.00	0.00	9	0	3,019	OC
0967	35802	COLTER BAY CAMPGROUND OFFICE PARKING	FROM ROUTE 0215	TO PARKING AT INTERSECTION OF LOOP SPURS	0.00	0.00	0.00	9	0	12,485	OC
0968	30025	COLTER BAY LOOP PARKING	FROM END OF ROUTE 0103 AT STOP SIGN	THROUGH PARKING LOOP	0.00	0.00	0.00	9	0	314,902	OC
0969A	30027	COLTER BAY DAY USE PARKING AREA A	FROM ROUTE 0221	TO PARKING	0.00	0.00	0.00	9	0	11,843	OC
0969B		COLTER BAY DAY USE PARKING AREA B	FROM ROUTE 0221	TO PARKING	0.00	0.00	0.00	9	0	4,648	OC
0970	4341	LEEK'S MARINA BOAT TRAILER PARKING	FROM ROUTE 0414	TO ROUTE 0115	0.00	0.00	0.00	9	0	40,601	AS
0971	31651	LEEK'S MARINA PARKING	FROM END OF ROUTE 0115	TO PARKING AND MARINA BOAT LAUNCH	0.00	0.00	0.00	9	0	26,162	AS
0972	36528	PARKING	FROM ROUTE 0013 AT MP 11.30 ON RIGHT	TO ROUTE 0013	0.00	0.00	0.00	9	0	17,967	AS
0973	36529	PARKING	FROM ROUTE 0013 AT MP 11.34 ON LEFT	TO ROUTE 0013	0.00	0.00	0.00	9	0	16,404	AS
0974	36530	PARKING	FROM ROUTE 0013 AT MP 13.66 ON LEFT	TO ROUTE 0013	0.00	0.00	0.00	9	0	11,586	AS
0975	36556	PULLOUT	FROM ROUTE 0013 AT MP 14.70 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	8,228	OC
0976	36785	WATERFALLS CANYON FIRE PULLOUT	FROM ROUTE 0013 AT MP 15.14 ON LEFT ALONG LAKE	TO PARKING	0.00	0.00	0.00	9	0	15,164	OC
0977	11217	GRAND TETON NORTH ENTRANCE PARKING	FROM ROUTE 0013 AT MP 20.26 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	9,065	OC
0978		JDR SOUTH ENTRANCE PARKING	FROM ROUTE 0013 AT MP 20.40 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	6,947	OC
0979		FLAGG SOUTH PARKING AREA	FROM ROUTE 0106 ON RIGHT	TO ROUTE 0980	0.00	0.00	0.00	9	0	112,204	AS
0980		FLAGG NORTH PARKING AREA	FROM ROUTE 0117 ON LEFT	TO ROUTE 0979	0.00	0.00	0.00	9	0	77,944	AS
0981		JDR NORTH ENTRANCE PARKING	FROM ROUTE 0013 AT YELLOWSTONE PARK BOUNDARY ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	11,768	OC
0982		YELLOWSTONE NATIONAL PARK SOUTH ENTRANCE PARKING	FROM ROUTE 0013 AT YELLOWSTONE PARK BOUNDARY ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	10,826	AS
0983	36146	GROS VENTURE RANGER STATION PARKING	FROM ROUTE 0202	TO PARKING	0.00	0.00	0.00	9	0	9,191	AS
0984	36124	GROSS VENTURE CAMPGROUND DUMP STATION	FROM ROUTE 0202	THROUGH DUMP STATION	0.00	0.00	0.00	9	0	7,905	AS
0985	36117	GROS VENTURE CAMPGROUND AMPITHEATER PARKING	FROM ROUTE 0202	TO PARKING	0.00	0.00	0.00	9	0	40,818	OC
0986	31650	JENNY LAKE CAMPGROUND PARKING	FROM ROUTE 0205	TO PARKING	0.00	0.00	0.00	9	0	2,001	AS
0987	36067	GRANITE CANYON TRAILHEAD PARKING	FROM ROUTE 0100	TO PARKING	0.00	0.00	0.00	9	0	10,500	GR

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GRTE

GRAND TETON NATIONAL PARK

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0988	36567	SAWMILL PONDS PARKING	FROM ROUTE 0100 AT MP 1.21	TO PARKING	0.00	0.00	0.00	9	0	11,340	GR
0989	36316	KELLY WARM SPRING PARKING	FROM ROUTE 0104	TO ROUTE 0104	0.00	0.00	0.00	9	0	12,500	GR
0990	36761	TETON FOREST ACCESS ROAD PARKING	FROM END OF ROUTE 0102	TO PARKING	0.00	0.00	0.00	9	0	4,900	GR
0991	36569	SCHWABACHER LANDING PARKING	FROM ROUTE 0231	TO PARKING AT END OF ROAD	0.00	0.00	0.00	9	0	6,300	GR
0992	35919	DEADMANS BAR PARKING	FROM ROUTE 0242	TO PARKING AT END OF ROAD	0.00	0.00	0.00	9	0	10,800	GR
0993	30954	HIGHLANDS RANCH PARKING	FROM ROUTE 0209 AT MP 0.18	TO PARKING	0.00	0.00	0.00	9	0	12,690	GR
0994	31130	LUPINE MEADOWS TRAILHEAD PARKING	FROM END OF ROUTE 0225	TO PARKING	0.00	0.00	0.00	9	0	43,470	GR
0995	36733	SOUTH LANDING TRAILHEAD PARKING	FROM ROUTE 0423	TO PARKING	0.00	0.00	0.00	9	0	2,914	GR
0996	35913	CHAPEL OF SACRED HEART PARKING	FROM ROUTE 0949	TO PARKING	0.00	0.00	0.00	9	0	21,000	GR
0997	35853	JACKSON DAM PICNIC AREA	FROM ROUTE 0212 AT MP 0.00	TO ROUTE 0212	0.00	0.00	0.00	9	0	21,218	GR
0998	35854	JACKSON LAKE DAM FISHING ACCESS PARKING	FROM END OF ROUTE 0212	TO PARKING	0.00	0.00	0.00	9	0	15,000	GR
0999	36626	SNAKE RIVER ACCESS PARKING	FROM ROUTE 0011 AT MP 20.20	TO PARKING BELOW DAM	0.00	0.00	0.00	9	0	3,040	GR
1000	36484	PACIFIC CREEK HUNT CAMP	FROM ROUTE 0114 AT MP 0.007	TO LARGE PARKING AREA CIRCLE	0.00	0.00	0.00	9	0	115,875	GR
1001	35912	CATTLEMANS BRIDGE PARKING	FROM END OF ROUTE 0236	TO PARKING AT FOOTBRIDGE	0.00	0.00	0.00	9	0	8,064	GR
1002	35810	A.M.K. PARKING	FROM ROUTE 0414	TO PARKING	0.00	0.00	0.00	9	0	17,640	GR
1003	35849	ARIZONA CREEK PICNIC PARKING AREA	FROM ROUTE 0013	TO END OF LOOP	0.00	0.00	0.00	9	0	13,260	GR
1004	36784	LIZARD CREEK UNPAVED PARKING	FROM ROUTE 0013	TO PARKING	0.00	0.00	0.00	9	0	2,740	GR
Totals:					140.46	74.90	215.36			3,692,202	

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1 - 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 - 9. State Routes Inventoried for Park. Route Numbers 5000-5999
- Class 2 Connector Park Road (Public Roads) - Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
- Class 3 Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Class 4 Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299.
Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.
- Class 5 Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
- Class 6 Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499.
Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.
- Class 7 Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- Class 8 City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.
- Class 9 Boat Ramp - (Public and Administrative) Route Numbers 800-899.
Parking Area - (Public and Administrative) Route Numbers 900-1999.


Surface Type Abbreviations:

- AS - Asphaltic Concrete Pavement
- CO - Portland Cement Concrete Pavement
- NC - New Chip Seal Pavement (Under 5 Years)
- OC - Old Chip Seal Pavement (5 Years and Greater)
- SS - Slurry Seal Pavement
- GR - Gravel Road Bed
- BR - Brick or Pavers Road Bed
- CB - Cobble Stone Road Bed
- SA - Sand Road Bed
- DT - Dirt or Native Material Road Bed
- OT - Other Materials Road Bed

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

ZZ Functional Class Routes were added from FMSS Database. Final Route Number and Functional Class will be established during Park visit for Cycle 4 data collection.



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0010 NORTH-SOUTH HIGHWAY **TOTAL LENGTH: 27.95 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	23
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	0	7	6	6	6
Roadway Condition Information					
PCR (Pavement Condition Rating)	99	99	98	99	99
RCI (Roughness Condition Index)	100	99	97	100	100
SCR (Surface Condition Rating)	99	99	99	99	99
Alligator Cracking Index	100	100	100	100	100
Rutting Index	99	99	100	99	99
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	100	99	99	100
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	N/A	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0010 NORTH-SOUTH HIGHWAY **TOTAL LENGTH: 27.95 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	21
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	5	7	6	6	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	99	99	99	97	91
RCI (Roughness Condition Index)	100	100	100	99	99
SCR (Surface Condition Rating)	99	99	99	96	85
Alligator Cracking Index	100	100	100	100	99
Rutting Index	100	100	100	99	96
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	99	99	98	95
Longitudinal Cracking Index	99	99	100	98	94
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK**

ROUTE: 0010 NORTH-SOUTH HIGHWAY TOTAL LENGTH: 27.95 Miles

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	21	21	21	22	22
Lane Width (ft)	10	11	11	11	11
Shoulder Width (ft)	5	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	90	93	91	91	91
RCI (Roughness Condition Index)	100	100	100	100	100
SCR (Surface Condition Rating)	83	88	86	85	86
Alligator Cracking Index	100	100	100	100	100
Rutting Index	89	89	86	85	87
Patching Index	100	100	99	100	100
Transverse Cracking Index	98	99	99	99	99
Longitudinal Cracking Index	95	99	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0010 NORTH-SOUTH HIGHWAY **TOTAL LENGTH: 27.95 Miles**

Section Number	15	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	22	22
Lane Width (ft)	11	11	11	11	10
Shoulder Width (ft)	4	4	4	4	5
Roadway Condition Information					
PCR (Pavement Condition Rating)	91	93	95	94	96
RCI (Roughness Condition Index)	100	99	100	100	99
SCR (Surface Condition Rating)	86	89	92	91	94
Alligator Cracking Index	100	100	100	100	100
Rutting Index	87	90	93	92	95
Patching Index	100	100	100	100	100
Transverse Cracking Index	98	99	99	99	99
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0010 NORTH-SOUTH HIGHWAY **TOTAL LENGTH: 27.95 Miles**

Section Number	20	21	22	23	24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	22	21	21	21
Lane Width (ft)	11	11	11	10	10
Shoulder Width (ft)	5	5	8	8	7
Roadway Condition Information					
PCR (Pavement Condition Rating)	92	86	66	73	80
RCI (Roughness Condition Index)	100	96	81	72	83
SCR (Surface Condition Rating)	87	80	57	74	78
Alligator Cracking Index	97	97	99	98	98
Rutting Index	94	96	81	91	90
Patching Index	100	98	82	94	100
Transverse Cracking Index	98	95	95	91	92
Longitudinal Cracking Index	96	93	98	97	97
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0010 NORTH-SOUTH HIGHWAY **TOTAL LENGTH: 27.95 Miles**

Section Number	25	26	27		
Section Length (mi)	1.00	1.00	0.95		
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2		
Paved Width (ft)	21	20	21		
Lane Width (ft)	10	10	11		
Shoulder Width (ft)	3	7	0		
Roadway Condition Information					
PCR (Pavement Condition Rating)	82	77	72		
RCI (Roughness Condition Index)	79	79	79		
SCR (Surface Condition Rating)	84	75	68		
Alligator Cracking Index	97	90	86		
Rutting Index	91	90	90		
Patching Index	96	97	95		
Transverse Cracking Index	98	98	97		
Longitudinal Cracking Index	99	97	97		
Shoulder Condition Rating	GOOD	GOOD	N/A		
Drainage Condition Rating	GOOD	GOOD	GOOD		

ROUTE: 0010 NORTH-SOUTH HIGHWAY

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0011 TETON PARK ROAD **TOTAL LENGTH: 20.82 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	19	21	21	21	21
Lane Width (ft)	9	10	10	11	11
Shoulder Width (ft)	6	2	2	3	3
Roadway Condition Information					
PCR (Pavement Condition Rating)	87	92	91	93	96
RCI (Roughness Condition Index)	96	99	100	98	100
SCR (Surface Condition Rating)	82	88	85	90	93
Alligator Cracking Index	99	100	100	100	100
Rutting Index	90	92	88	92	95
Patching Index	100	99	100	100	100
Transverse Cracking Index	96	96	98	99	99
Longitudinal Cracking Index	96	99	99	98	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0011 TETON PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0011 TETON PARK ROAD **TOTAL LENGTH: 20.82 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	19	20	20
Lane Width (ft)	10	10	9	10	10
Shoulder Width (ft)	4	4	4	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	98	98	97	98	98
RCI (Roughness Condition Index)	100	100	100	100	100
SCR (Surface Condition Rating)	96	96	96	97	97
Alligator Cracking Index	100	100	100	100	100
Rutting Index	96	96	96	97	97
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	99	100
Longitudinal Cracking Index	100	100	100	100	100
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0011 TETON PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0011 TETON PARK ROAD **TOTAL LENGTH: 20.82 Miles**

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	20	20	20
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	3	3	3	4	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	97	98	98	97	98
RCI (Roughness Condition Index)	100	100	99	99	99
SCR (Surface Condition Rating)	96	98	98	96	97
Alligator Cracking Index	100	100	100	100	100
Rutting Index	96	98	98	96	97
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Longitudinal Cracking Index	100	100	100	100	100
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0011 TETON PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0011 TETON PARK ROAD **TOTAL LENGTH: 20.82 Miles**

Section Number	15	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	21	21	19
Lane Width (ft)	10	10	10	10	10
Shoulder Width (ft)	2	3	3	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	97	97	95	93	87
RCI (Roughness Condition Index)	99	99	98	95	87
SCR (Surface Condition Rating)	96	96	94	91	87
Alligator Cracking Index	100	100	100	100	98
Rutting Index	96	96	94	92	92
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	99	99	98
Longitudinal Cracking Index	100	100	99	100	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0011 TETON PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0011 TETON PARK ROAD **TOTAL LENGTH: 20.82 Miles**

Section Number	20				
Section Length (mi)	0.82				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	3				
Roadway Condition Information					
PCR (Pavement Condition Rating)	83				
RCI (Roughness Condition Index)	83				
SCR (Surface Condition Rating)	84				
Alligator Cracking Index	100				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	95				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0011 TETON PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0013 NORTH PARK ROAD **TOTAL LENGTH: 26.98 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	2	2	2	2
Paved Width (ft)	22	22	22	22	20
Lane Width (ft)	11	11	11	11	10
Shoulder Width (ft)	2	2	7	2	5
Roadway Condition Information					
PCR (Pavement Condition Rating)	89	75	74	84	79
RCI (Roughness Condition Index)	78	81	85	81	80
SCR (Surface Condition Rating)	88	72	68	85	77
Alligator Cracking Index	98	98	99	99	99
Rutting Index	96	89	90	92	91
Patching Index	100	99	92	99	92
Transverse Cracking Index	95	89	90	95	94
Longitudinal Cracking Index	98	95	95	99	98
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0013 NORTH PARK ROAD **TOTAL LENGTH: 26.98 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	19	21	20	21
Lane Width (ft)	11	10	10	10	10
Shoulder Width (ft)	10	4	10	7	3
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	87	90	87	86
RCI (Roughness Condition Index)	91	94	95	88	88
SCR (Surface Condition Rating)	78	82	87	86	84
Alligator Cracking Index	99	100	100	100	100
Rutting Index	83	84	87	87	86
Patching Index	99	100	100	100	100
Transverse Cracking Index	96	98	99	99	99
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK**

ROUTE: 0013 NORTH PARK ROAD TOTAL LENGTH: 26.98 Miles

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	21	20	20	20
Lane Width (ft)	10	11	10	10	10
Shoulder Width (ft)	1	3	4	2	3
Roadway Condition Information					
PCR (Pavement Condition Rating)	89	91	90	90	90
RCI (Roughness Condition Index)	96	98	98	99	97
SCR (Surface Condition Rating)	83	86	85	84	86
Alligator Cracking Index	100	100	100	100	100
Rutting Index	84	87	85	85	86
Patching Index	100	99	100	100	100
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0013 NORTH PARK ROAD **TOTAL LENGTH: 26.98 Miles**

Section Number	15	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	20	21	20	20
Lane Width (ft)	10	10	11	10	9
Shoulder Width (ft)	4	3	2	2	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	86	77	88	87	80
RCI (Roughness Condition Index)	88	77	89	88	78
SCR (Surface Condition Rating)	84	77	87	86	81
Alligator Cracking Index	99	97	100	100	100
Rutting Index	86	82	88	86	82
Patching Index	100	99	100	99	99
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	98	99	100	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0013 NORTH PARK ROAD **TOTAL LENGTH: 26.98 Miles**

Section Number	20	21	22	23	24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	20	21	21	20	21
Lane Width (ft)	10	11	10	10	11
Shoulder Width (ft)	4	2	2	2	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	81	86	93	89	88
RCI (Roughness Condition Index)	81	80	87	84	82
SCR (Surface Condition Rating)	81	90	98	92	91
Alligator Cracking Index	100	100	100	100	100
Rutting Index	83	90	98	93	91
Patching Index	98	100	100	100	100
Transverse Cracking Index	99	99	100	99	99
Longitudinal Cracking Index	99	99	99	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	GOOD	N/A
Drainage Condition Rating	GOOD	POOR	POOR	POOR	POOR

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0013 NORTH PARK ROAD **TOTAL LENGTH: 26.98 Miles**

Section Number	25	26			
Section Length (mi)	1.00	0.98			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			
Shoulder Width (ft)	2	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	78			
RCI (Roughness Condition Index)	88	78			
SCR (Surface Condition Rating)	73	78			
Alligator Cracking Index	100	100			
Rutting Index	74	78			
Patching Index	100	100			
Transverse Cracking Index	99	99			
Longitudinal Cracking Index	99	99			
Shoulder Condition Rating	POOR	N/A			
Drainage Condition Rating	POOR	GOOD			

ROUTE: 0013 NORTH PARK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0100 MOOSE / WILSON ROAD **TOTAL LENGTH: 4.77 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	0.77
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	16	16	18	17	16
Lane Width (ft)	8	8	8	8	8
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	69	86	82	71	74
RCI (Roughness Condition Index)	73	75	71	50	42
SCR (Surface Condition Rating)	65	93	90	81	89
Alligator Cracking Index	90	100	100	95	100
Rutting Index	91	93	90	89	90
Patching Index	99	100	100	100	100
Transverse Cracking Index	88	100	100	97	99
Longitudinal Cracking Index	94	100	100	98	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	POOR	POOR	POOR	POOR

ROUTE: 0100 MOOSE / WILSON ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0101 ANTELOPE FLATS ROAD **TOTAL LENGTH: 3.30 Miles**

Section Number	0	1	2	3	
Section Length (mi)	1.00	1.00	1.00	0.30	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	21	19	17	18	
Lane Width (ft)	11	11	8	9	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	84	72	82	87	
RCI (Roughness Condition Index)	74	82	79	81	
SCR (Surface Condition Rating)	90	67	85	90	
Alligator Cracking Index	98	77	94	100	
Rutting Index	92	86	91	91	
Patching Index	100	99	98	100	
Transverse Cracking Index	99	99	99	99	
Longitudinal Cracking Index	99	99	99	99	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0101 ANTELOPE FLATS ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0102 TETON FOREST ACCESS ROAD **TOTAL LENGTH: 4.00 Miles**

Section Number	0	1	2	3	
Section Length (mi)	1.00	1.00	1.00	1.00	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	19	17	16	16	
Lane Width (ft)	9	8	8	8	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	78	75	70	52	
RCI (Roughness Condition Index)	78	64	74	58	
SCR (Surface Condition Rating)	78	83	68	49	
Alligator Cracking Index	99	99	90	87	
Rutting Index	83	84	90	87	
Patching Index	97	99	93	79	
Transverse Cracking Index	98	99	96	94	
Longitudinal Cracking Index	99	99	96	96	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0102 TETON FOREST ACCESS ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0103 COLTER BAY ENTRANCE ROAD **TOTAL LENGTH: 0.66 Miles**

Section Number	0				
Section Length (mi)	0.66				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	11				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	84				
RCI (Roughness Condition Index)	81				
SCR (Surface Condition Rating)	86				
Alligator Cracking Index	97				
Rutting Index	91				
Patching Index	98				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	POOR				
Drainage Condition Rating	POOR				

ROUTE: 0103 COLTER BAY ENTRANCE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0104 GROS VENTRE ROAD **TOTAL LENGTH: 10.31 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	18	18	17	17	17
Lane Width (ft)	9	9	9	9	8
Shoulder Width (ft)	0	0	4	4	2
Roadway Condition Information					
PCR (Pavement Condition Rating)	90	87	89	89	89
RCI (Roughness Condition Index)	99	98	95	95	97
SCR (Surface Condition Rating)	85	81	84	84	83
Alligator Cracking Index	100	100	100	100	100
Rutting Index	86	82	85	86	84
Patching Index	100	100	100	100	100
Transverse Cracking Index	98	99	99	98	98
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	N/A	N/A	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0104 GROS VENTRE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0104 GROS VENTRE ROAD **TOTAL LENGTH: 10.31 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	17	17	17	17	18
Lane Width (ft)	8	9	9	9	9
Shoulder Width (ft)	5	4	1	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	88	91	86	81	85
RCI (Roughness Condition Index)	98	99	88	76	84
SCR (Surface Condition Rating)	81	85	84	83	85
Alligator Cracking Index	100	100	100	100	100
Rutting Index	83	86	85	84	85
Patching Index	100	100	100	99	100
Transverse Cracking Index	98	99	99	99	100
Longitudinal Cracking Index	99	99	100	100	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0104 GROS VENTRE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0104 GROS VENTRE ROAD **TOTAL LENGTH: 10.31 Miles**

Section Number	10				
Section Length (mi)	0.31				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	17				
Lane Width (ft)	8				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	78				
RCI (Roughness Condition Index)	72				
SCR (Surface Condition Rating)	82				
Alligator Cracking Index	100				
Rutting Index	82				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0104 GROS VENTRE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0106 FLAGG SOUTH PARKING LOT ACCESS ROAD TOTAL LENGTH: 0.30 Miles

Section Number	0				
Section Length (mi)	0.30				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	97				
RCI (Roughness Condition Index)	97				
SCR (Surface Condition Rating)	97				
Alligator Cracking Index	100				
Rutting Index	97				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0106 FLAGG SOUTH PARKING LOT ACCESS ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0107 MORAN DEVELOPMENT ROAD **TOTAL LENGTH: 0.26 Miles**

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	77				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	77				
Alligator Cracking Index	98				
Rutting Index	82				
Patching Index	97				
Transverse Cracking Index	98				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0107 MORAN DEVELOPMENT ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0108 TETON SCIENCE SCHOOL ROAD **TOTAL LENGTH: 1.76 Miles**

Section Number	0	1			
Section Length (mi)	1.00	0.76			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	16	18			
Lane Width (ft)	8	8			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	55	72			
RCI (Roughness Condition Index)	79	66			
SCR (Surface Condition Rating)	39	72			
Alligator Cracking Index	57	89			
Rutting Index	87	89			
Patching Index	100	100			
Transverse Cracking Index	95	96			
Longitudinal Cracking Index	95	96			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	POOR	POOR			

ROUTE: 0108 TETON SCIENCE SCHOOL ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0109 BEAVER CREEK MAINTENANCE ROAD TOTAL LENGTH: 0.26 Miles

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	10				
Shoulder Width (ft)	3				
Roadway Condition Information					
PCR (Pavement Condition Rating)	87				
RCI (Roughness Condition Index)	93				
SCR (Surface Condition Rating)	85				
Alligator Cracking Index	100				
Rutting Index	92				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0109 BEAVER CREEK MAINTENANCE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0110 STRING LAKE ROAD **TOTAL LENGTH: 0.53 Miles**

Section Number	0				
Section Length (mi)	0.53				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	97				
RCI (Roughness Condition Index)	98				
SCR (Surface Condition Rating)	96				
Alligator Cracking Index	100				
Rutting Index	96				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0110 STRING LAKE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0111 SIGNAL MOUNTAIN ROAD **TOTAL LENGTH: 4.73 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	0.73
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	16	16	16	16	17
Lane Width (ft)	8	8	8	8	8
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	60	57	62	62	72
RCI (Roughness Condition Index)	42	41	46	48	53
SCR (Surface Condition Rating)	71	67	73	69	81
Alligator Cracking Index	94	91	94	93	97
Rutting Index	78	79	81	82	84
Patching Index	99	96	97	94	99
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	98	99	99	99	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	POOR	POOR	POOR	POOR

ROUTE: 0111 SIGNAL MOUNTAIN ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0113 JACKSON LAKE LODGE ROAD **TOTAL LENGTH: 0.62 Miles**

Section Number	0				
Section Length (mi)	0.62				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	11				
Shoulder Width (ft)	3				
Roadway Condition Information					
PCR (Pavement Condition Rating)	75				
RCI (Roughness Condition Index)	66				
SCR (Surface Condition Rating)	78				
Alligator Cracking Index	100				
Rutting Index	83				
Patching Index	96				
Transverse Cracking Index	98				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	POOR				
Drainage Condition Rating	GOOD				

ROUTE: 0113 JACKSON LAKE LODGE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0114 PACIFIC CREEK ROAD **TOTAL LENGTH: 3.36 Miles**

Section Number	0	1	2	3	
Section Length (mi)	1.00	1.00	1.00	0.36	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	20	19	19	15	
Lane Width (ft)	10	10	10	15	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	84	75	76	69	
RCI (Roughness Condition Index)	67	57	59	61	
SCR (Surface Condition Rating)	94	87	85	73	
Alligator Cracking Index	100	99	99	91	
Rutting Index	95	87	87	87	
Patching Index	100	100	100	99	
Transverse Cracking Index	99	99	98	96	
Longitudinal Cracking Index	99	99	99	99	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	POOR	POOR	POOR	POOR	

ROUTE: 0114 PACIFIC CREEK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0115 LEEKS MARINA ROAD **TOTAL LENGTH: 0.62 Miles**

Section Number	0				
Section Length (mi)	0.62				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	83				
RCI (Roughness Condition Index)	84				
SCR (Surface Condition Rating)	84				
Alligator Cracking Index	100				
Rutting Index	95				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0115 LEEKS MARINA ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0117 GRASSY LAKE ROAD **TOTAL LENGTH: 1.16 Miles**

Section Number	0	1			
Section Length (mi)	1.00	0.16			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	22	20			
Lane Width (ft)	12	10			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	78	56			
RCI (Roughness Condition Index)	88	48			
SCR (Surface Condition Rating)	71	60			
Alligator Cracking Index	89	86			
Rutting Index	92	78			
Patching Index	99	98			
Transverse Cracking Index	96	95			
Longitudinal Cracking Index	92	96			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	POOR			

ROUTE: 0117 GRASSY LAKE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0118 BLACKTAIL PONDS OVERLOOK ROAD **TOTAL LENGTH: 0.27 Miles**

Section Number	0				
Section Length (mi)	0.27				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	81				
RCI (Roughness Condition Index)	93				
SCR (Surface Condition Rating)	79				
Alligator Cracking Index	100				
Rutting Index	85				
Patching Index	100				
Transverse Cracking Index	94				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0118 BLACKTAIL PONDS OVERLOOK ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0200 GOLF COURSE / TRAP CLUB ROAD **TOTAL LENGTH: 0.52 Miles**

Section Number	0				
Section Length (mi)	0.52				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	11				
Shoulder Width (ft)	6				
Roadway Condition Information					
PCR (Pavement Condition Rating)	84				
RCI (Roughness Condition Index)	88				
SCR (Surface Condition Rating)	83				
Alligator Cracking Index	100				
Rutting Index	83				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	POOR				

ROUTE: 0200 GOLF COURSE / TRAP CLUB ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0204 CHAPEL OF TRANSFIGURATION ROAD **TOTAL LENGTH: 0.55 Miles**

Section Number	0				
Section Length (mi)	0.55				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	75				
RCI (Roughness Condition Index)	93				
SCR (Surface Condition Rating)	69				
Alligator Cracking Index	100				
Rutting Index	77				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0204 CHAPEL OF TRANSFIGURATION ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0208 DEATH CANYON TRAILHEAD ROAD **TOTAL LENGTH: 0.64 Miles**

Section Number	0				
Section Length (mi)	0.64				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	11				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	37				
RCI (Roughness Condition Index)	39				
SCR (Surface Condition Rating)	35				
Alligator Cracking Index	72				
Rutting Index	76				
Patching Index	88				
Transverse Cracking Index	96				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	POOR				

ROUTE: 0208 DEATH CANYON TRAILHEAD ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0209 CLIMBERS RANCH ROAD **TOTAL LENGTH: 0.29 Miles**

Section Number	0				
Section Length (mi)	0.29				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	16				
Lane Width (ft)	8				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	64				
RCI (Roughness Condition Index)	43				
SCR (Surface Condition Rating)	67				
Alligator Cracking Index	99				
Rutting Index	74				
Patching Index	96				
Transverse Cracking Index	98				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	POOR				

ROUTE: 0209 CLIMBERS RANCH ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK**

ROUTE: 0212 JACKSON DAM FISHING ACCESS ROAD TOTAL LENGTH: 0.26 Miles

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	91				
RCI (Roughness Condition Index)	94				
SCR (Surface Condition Rating)	91				
Alligator Cracking Index	99				
Rutting Index	91				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0212 JACKSON DAM FISHING ACCESS ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0216 CUNNINGHAM CABIN ROAD **TOTAL LENGTH: 0.34 Miles**

Section Number	0				
Section Length (mi)	0.34				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	80				
RCI (Roughness Condition Index)	75				
SCR (Surface Condition Rating)	83				
Alligator Cracking Index	98				
Rutting Index	91				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0216 CUNNINGHAM CABIN ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0225 LUPINE MEADOWS PARK ACCESS **TOTAL LENGTH: 0.25 Miles**

Section Number	0				
Section Length (mi)	0.25				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	9				
Shoulder Width (ft)	2				
Roadway Condition Information					
PCR (Pavement Condition Rating)	90				
RCI (Roughness Condition Index)	89				
SCR (Surface Condition Rating)	90				
Alligator Cracking Index	100				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0225 LUPINE MEADOWS PARK ACCESS

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0232 COLTER BAY STORAGE ROAD **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	49				
RCI (Roughness Condition Index)	63				
SCR (Surface Condition Rating)	50				
Alligator Cracking Index	62				
Rutting Index	93				
Patching Index	99				
Transverse Cracking Index	93				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	POOR				

ROUTE: 0232 COLTER BAY STORAGE ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0251 OLD HIGHWAY LOOP ROAD **TOTAL LENGTH: 0.15 Miles**

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	14				
Lane Width (ft)	7				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	20				
RCI (Roughness Condition Index)	16				
SCR (Surface Condition Rating)	18				
Alligator Cracking Index	25				
Rutting Index	81				
Patching Index	96				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	POOR				

ROUTE: 0251 OLD HIGHWAY LOOP ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0403 COLTER BAY MAINTENANCE YARD ROAD TOTAL LENGTH: 0.11 Miles

Section Number	0				
Section Length (mi)	0.11				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	17				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	69				
RCI (Roughness Condition Index)	93				
SCR (Surface Condition Rating)	69				
Alligator Cracking Index	84				
Rutting Index	89				
Patching Index	99				
Transverse Cracking Index	97				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0403 COLTER BAY MAINTENANCE YARD ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0408 MOOSE HOUSING/ MAINTENANCE/ BOAT LAUNCH ACCESS ROAD **TOTAL LENGTH: 0.48 Miles**

Section Number	0				
Section Length (mi)	0.48				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	75				
RCI (Roughness Condition Index)	88				
SCR (Surface Condition Rating)	75				
Alligator Cracking Index	100				
Rutting Index	79				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0408 MOOSE HOUSING/ MAINTENANCE/ BOAT LAUNCH ACCESS ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0414 A.M.K. RANCH ROAD **TOTAL LENGTH: 0.34 Miles**

Section Number	0				
Section Length (mi)	0.34				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	14				
Lane Width (ft)	14				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	73				
RCI (Roughness Condition Index)	50				
SCR (Surface Condition Rating)	80				
Alligator Cracking Index	100				
Rutting Index	81				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0414 A.M.K. RANCH ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK

ROUTE: 0428 HUNTER HEREFORD ROAD **TOTAL LENGTH: 0.25 Miles**

Section Number	0				
Section Length (mi)	0.25				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	12				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	68				
RCI (Roughness Condition Index)	74				
SCR (Surface Condition Rating)	68				
Alligator Cracking Index	90				
Rutting Index	82				
Patching Index	99				
Transverse Cracking Index	99				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	POOR				

ROUTE: 0428 HUNTER HEREFORD ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



**INTERMOUNTAIN REGION
GRTE : GRAND TETON NATIONAL PARK**

ROUTE: 0500 JENNY LAKE LOOP ROAD TOTAL LENGTH: 3.97 Miles

Section Number	0	1	2	3	
Section Length (mi)	1.00	1.00	1.00	0.97	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	1	1	
Paved Width (ft)	22	22	13	12	
Lane Width (ft)	11	11	13	12	
Shoulder Width (ft)	3	3	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	97	96	94	93	
RCI (Roughness Condition Index)	100	96	94	95	
SCR (Surface Condition Rating)	97	96	95	93	
Alligator Cracking Index	100	100	100	100	
Rutting Index	97	96	95	93	
Patching Index	100	100	100	100	
Transverse Cracking Index	100	100	99	100	
Longitudinal Cracking Index	100	100	100	100	
Shoulder Condition Rating	GOOD	GOOD	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0500 JENNY LAKE LOOP ROAD

* NC designates data not collected N/A designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>


GRAND TETON NATIONAL PARK

Route 0202

GROS VENTRE CAMPGROUND
FROM ROUTE 0104 AT MP 4.58

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0202	4.43	12.00	280558	4.83	FAIR / 73	OC

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0205

JENNY LAKE CAMPGROUND
FROM ROUTE 0105 AT MP 0.12

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0205	0.94	10.00	49843	0.86	GOOD / 90	AS

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0211

SIGNAL MOUNTAIN CAMPGROUND

FROM ROUTE 0112 AT MP 0.07

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0211	0.82	12.00	52082	0.90	GOOD / 90	AS

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0215

COLTER BAY CAMPGROUND
FROM END OF ROUTE 0103

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0215	7.37	12.00	466963	8.04	GOOD / 90	AS

* Lane miles are based on 11' lane widths





GRAND TETON NATIONAL PARK

Route 0221

COLTER BAY DAY USE AREA
FROM NORTH SIDE OF ROUTE 0968

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0221	0.34	11.00	19921	0.34	FAIR / 73	AS

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0223

LIZARD CREEK CAMPGROUND
FROM ROUTE 0013 AT MP 17.44

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0223	0.96	8.00	40677	0.70	FAIR / 73	OC

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0224

SNAKE RIVER CAMPGROUND
FROM ROUTE 0013 AT MP 24.10

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0224	0.22	10.00	11669	0.20	FAIR / 73	AS


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0235
 COLTER BAY BOAT LAUNCH
 FROM SOUTH SIDE OF ROUTE 0968 AROUND LOOP

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0235	0.10	16.00	8026	0.14	EXCELLENT / 97	AS

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0400

MOOSE RESIDENCE AREA ROADS

FROM ROUTE 0408 AT MP 0.30 ON RIGHT, AROUND LOOP

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0400	1.10	10.00	58238	1.00	FAIR / 73	AS

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0401

BEAVER CREEK RESIDENCE ROAD
FROM ROUTE 0011 AT MP 2.90

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0401	0.92	6.00	28987	0.50	POOR / 45	AS


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0402
 COLTER BAY RESIDENCE AREA ROADS
 FROM ROUTE 0403 AT MP 0.06

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0402	1.08	10.00	56760	0.98	FAIR / 73	AS

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0900

GRAND TETON NATIONAL PARK SOUTH ENTRANCE PARKING
FROM ROUTE 0010 AT MP 0.55

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0900	PUBLIC	9/1/2001	23838	0.41	AS	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0901

PARKING

FROM ROUTE 0010 AT MP 1.70 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0901	PUBLIC	9/1/2001	17054	0.29	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0902

PARKING

FROM ROUTE 0010 AT MP 5.25 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0902	PUBLIC	9/1/2001	20538	0.35	AS	POOR / 45

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK



Route 0903

MEADOW ROAD PARKING

FROM ROUTE 0010 AT MP 6.06 ON LEFT AT MEADOW ROAD

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0903	PUBLIC	9/1/2001	17034	0.29	AS	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0904

PARKING

FROM ROUTE 0010 AT MP 6.64 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0904	PUBLIC	9/1/2001	20742	0.36	AS	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0905

CLIMBERS PRACTICE AREA PARKING
FROM ROUTE 0010 AT MP 8.82

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0905	PUBLIC	9/1/2001	14636	0.25	AS	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0906A

BLACKTAIL PONDS OVERLOOK PARKING AREA A
ADJACENT TO ROUTE 0118 AT MP 0.22 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0906A	PUBLIC	9/1/2001	2363	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0906B

BLACKTAIL PONDS OVERLOOK PARKING AREA B
ADJACENT TO ROUTE 0118

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0906B	PUBLIC	9/1/2001	2962	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0907

GLACIER VIEW TURNOUT PARKING
FROM ROUTE 0010 AT MP 11.30 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0907	PUBLIC	9/1/2001	25229	0.43	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0908

TETON POINT TURNOUT PARKING
FROM ROUTE 0010 AT MP 13.27 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0908	PUBLIC	9/1/2001	26732	0.46	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0909

SNAKE RIVER OVERLOOK PARKING
FROM ROUTE 0010 AT MP 16.26 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0909	PUBLIC	9/1/2001	54541	0.94	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0910

CUNNINGHAM CABIN PARKING
FROM ROUTE 0010 AT MP 20.42

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0910	PUBLIC	9/1/2001	36280	0.62	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0911

BAR FLYING U PARKING
FROM END OF ROUTE 0216 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0911	PUBLIC	9/1/2001	3445	0.06	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0912

MOOSE VISITOR CENTER PARKING
FROM ROUTE 0408 AT MP 0.02

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0912	PUBLIC	9/1/2001	47581	0.82	AS	GOOD / 90

* Lane miles are based on 11' lane widths



300 150 0 300
Feet




GRAND TETON NATIONAL PARK

Route 0913

MOOSE AREA MAINTENANCE YARD AND REAR VC PARKING
FROM ROUTE 0408 AT MP 0.38 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0913	NONPUBLIC	9/1/2001	130025	2.24	AS	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0914A

MOOSE BAT TRAILER PARKING AREA A
FROM ROUTE 0408 AT MP 0.22 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0914A	NONPUBLIC	9/1/2001	1046	0.02	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0914B

MOOSE BAT TRAILER PARKING AREA B
FROM ROUTE 0408 AT MP 0.22 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0914B	NONPUBLIC	9/1/2001	11780	0.20	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0915A

MOOSE VISITOR CENTER OVERFLOW PARKING AREA A
FROM ROUTE 0408 AT MP 0.06 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0915A	PUBLIC	9/1/2001	15602	0.27	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0915B

MOOSE VISITOR CENTER OVERFLOW PARKING AREA B
ADJACENT TO ROUTE 0408 AT MP 0.10 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0915B	PUBLIC	9/1/2001	2722	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0915C

MOOSE VISITOR CENTER OVERFLOW PARKING AREA C
ADJACENT TO ROUTE 0408 AT MP 0.10 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0915C	PUBLIC	9/1/2001	3515	0.06	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0916

MOOSE POST OFFICE PARKING
FROM ROUTE 0100 AT MP 0.01

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0916	PUBLIC	9/1/2001	27746	0.48	AS	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0917

MOOSE PRE-STATION TURNAROUND
FROM ROUTE 0011 AT MP 0.85

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0917	PUBLIC	9/1/2001	5102	0.09	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0918

MOOSE POST-STATION TURNAROUND AND PARKING FROM ROUTE 0011 AT MP 1.01

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0918	PUBLIC	9/1/2001	9775	0.17	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0919

CHAPEL OF TRANSFIGURATION PARKING
FROM ROUTE 0204 LOOP AT MP 0.50

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0919	PUBLIC	9/1/2001	33150	0.57	OC	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0920

WINDY POINT TURNOUT PARKING
FROM ROUTE 0011 AT MP 2.18

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920	PUBLIC	9/1/2001	21876	0.38	AS	FAIR / 73

* Lane miles are based on 11' lane widths



200 100 0 200 Feet



7-25


GRAND TETON NATIONAL PARK

Route 0921

RESOURCE MANAGEMENT OFFICE PARKING FROM ROUTE 0401

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0921	NONPUBLIC	9/1/2001	6603	0.11	AS	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0922

BEAVER CREEK MAINTENANCE YARD
FROM ROUTE 0401

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0922	NONPUBLIC	9/1/2001	23922	0.41	AS	POOR / 45

* Lane miles are based on 11' lane widths



200 100 0 200
Feet




GRAND TETON NATIONAL PARK

Route 0923

TAGGART LAKE TRAILHEAD PARKING
FROM ROUTE 0011 AT MP 3.38

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0923	PUBLIC	9/1/2001	37684	0.65	AS	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0924

COTTONWOOD CREEK PARKING
FROM ROUTE 0011 AT MP 3.72

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0924	PUBLIC	9/1/2001	12089	0.21	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0925A

PARKING AREA A (JUST PAST ROUTE 0229)
FROM ROUTE 0011 AT MP 4.22 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925A	PUBLIC	9/1/2001	3470	0.06	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0925B

PARKING AREA B (JUST PAST ROUTE 0229)

FROM ROUTE 0011 AT MP 4.22 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925B	PUBLIC	9/1/2001	3253	0.06	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0926

TETON GLACIER PARKING
FROM ROUTE 0011 AT MP 4.92

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0926	PUBLIC	9/1/2001	25530	0.44	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0927A

GLACIER GULCH PARKING AREA A
FROM ROUTE 0011 AT MP 6.00 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0927A	PUBLIC	9/1/2001	6012	0.10	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0927B

GLACIER GULCH PARKING AREA B
FROM ROUTE 0011 AT MP 6.00 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0927B	PUBLIC	9/1/2001	5772	0.10	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0928A

LUPINE MEADOWS PARKING AREA A
FROM ROUTE 0011 AT MP 6.75 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0928A	PUBLIC	9/1/2001	6199	0.11	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0928B

LUPINE MEADOWS PARKING AREA B
FROM ROUTE 0011 AT MP 6.75 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0928B	PUBLIC	9/1/2001	5821	0.10	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0929A

SOUTH JENNY LAKE PARKING A
FROM ROUTE 0105 AT MP 0.30 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929A	PUBLIC	9/1/2001	3705	0.06	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929B

SOUTH JENNY LAKE PARKING B
FROM ROUTE 0105 AT MP 0.34 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929B	PUBLIC	9/1/2001	2699	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929C

SOUTH JENNY LAKE PARKING C
FROM ROUTE 0105 AT MP 0.34 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929C	PUBLIC	9/1/2001	3074	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929D

SOUTH JENNY LAKE PARKING D
FROM ROUTE 0105 AT MP 0.38 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929D	PUBLIC	9/1/2001	2434	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929E

SOUTH JENNY LAKE PARKING E
FROM ROUTE 0105 AT MP 0.38 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929E	PUBLIC	9/1/2001	2395	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929F

SOUTH JENNY LAKE PARKING F
FROM ROUTE 0105 AT MP 0.40 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929F	PUBLIC	9/1/2001	2454	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929G

SOUTH JENNY LAKE PARKING G
FROM ROUTE 0105 AT MP 0.40 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929G	PUBLIC	9/1/2001	2732	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929H

SOUTH JENNY LAKE PARKING H
FROM ROUTE 0105 AT MP 0.43 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929H	PUBLIC	9/1/2001	2134	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929I

SOUTH JENNY LAKE PARKING I
FROM ROUTE 0105 AT MP 0.43 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929I	PUBLIC	9/1/2001	2601	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929J

SOUTH JENNY LAKE PARKING J
FROM ROUTE 0105 AT MP 0.45 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929J	PUBLIC	9/1/2001	1484	0.03	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0929K

SOUTH JENNY LAKE PARKING K
FROM ROUTE 0105 AT MP 0.48 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929K	PUBLIC	9/1/2001	3005	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0929L

SOUTH JENNY LAKE PARKING L
FROM ROUTE 0105 AT MP 0.48 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929L	PUBLIC	9/1/2001	5109	0.09	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0929M

SOUTH JENNY LAKE PARKING M
FROM ROUTE 0105 AT MP 0.54 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929M	PUBLIC	9/1/2001	12549	0.22	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0930

JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING
FROM ROUTE 0105 AT MP 0.27

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0930	PUBLIC	9/1/2001	103569	1.78	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0931

CASCADE CANYON PARKING AREA
FROM ROUTE 0011 AT MP 9.40 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0931	PUBLIC	9/1/2001	24986	0.43	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0932A

PARKING AREA A

FROM ROUTE 0500 AT MP 0.10 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0932A	PUBLIC	9/1/2001	3982	0.07	AS	EXCELLENT / 97


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0932B
 PARKING AREA B
 FROM ROUTE 0500 AT MP 0.10 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0932B	PUBLIC	9/1/2001	4047	0.07	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0933

CATHEDRAL GROUP PARKING
FROM ROUTE 0500 AT MP 0.76

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0933	PUBLIC	9/1/2001	19728	0.34	OC	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0934

JENNY LAKE OVERLOOK PARKING
FROM ROUTE 0500 AT MP 2.94

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0934	PUBLIC	9/1/2001	13667	0.24	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0935A

LEIGH LAKE TRAILHEAD PARKING AREA A
FROM ROUTE 0110 AT MP 0.33

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0935A	PUBLIC	9/1/2001	41771	0.72	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0935B

LEIGH LAKE TRAILHEAD PARKING AREA B
FROM ROUTE 0110 AT MP 0.34

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0935B	PUBLIC	9/1/2001	17545	0.30	AS	EXCELLENT / 97


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0935C
LEIGH LAKE TRAILHEAD PARKING AREA C
FROM ROUTE 0110 AT MP 0.38

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0935C	PUBLIC	9/1/2001	5452	0.09	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0936

STRING LAKE CANOE LAUNCH
FROM ROUTE 0110 AT MP 0.21

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936	PUBLIC	9/1/2001	35414	0.61	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0937

STRING LAKE TRAILHEAD PARKING
FROM ROUTE 0110 AT MP 0.04

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0937	PUBLIC	9/1/2001	23492	0.40	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0938

MOUNTAIN VIEW PARKING
FROM ROUTE 0011 AT MP 11.13

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0938	PUBLIC	9/1/2001	22663	0.39	OC	EXCELLENT / 97


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0939
BURNED RIDGE PARKING
FROM ROUTE 0011 AT MP 13.43 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0939	PUBLIC	9/1/2001	15469	0.27	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0940

MT. MORAN PARKING

FROM ROUTE 0011 AT MP 14.34 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0940	PUBLIC	9/1/2001	21403	0.37	OC	EXCELLENT / 97


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0941
 POTHOLES PARKING
 FROM ROUTE 0011 AT MP 15.10 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0941	PUBLIC	9/1/2001	21486	0.37	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0942

SIGNAL MOUNTAIN BOAT TRAILER PARKING
FROM ROUTE 0111 AT MP 0.02 (JUST OFF ROUTE 0011)

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0942	PUBLIC	9/1/2001	20385	0.35	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0943

JACKSON POINT OVERLOOK PARKING
FROM ROUTE 0111 AT MP 3.94

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0943	PUBLIC	9/1/2001	1913	0.03	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0944

SIGNAL MOUNTAIN OVERLOOK PARKING
FROM END OF ROUTE 0111

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0944	PUBLIC	9/1/2001	9765	0.17	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0945

SIGNAL MOUNTAIN RANGER STATION PARKING
FROM ROUTE 0112 AT MP 0.04 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0945	NONPUBLIC	9/1/2001	7162	0.12	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0946

SIGNAL MOUNTAIN DUMP STATION
FROM ROUTE 0112 AT MP 0.04 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0946	PUBLIC	9/1/2001	3251	0.06	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0947

TRAILER STORAGE PARKING
FROM ROUTE 0112 AT MP 0.36

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0947	PUBLIC	9/1/2001	37366	0.64	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0948A

MARINA ACCESS PARKING AREA A
FROM ROUTE 0112 ON INSIDE AT END OF LOOP

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0948A	PUBLIC	9/1/2001	3873	0.07	OC	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0948B

MARINA ACCESS PARKING AREA B
FROM ROUTE 0112 ON RIGHT AT END OF LOOP

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0948B	PUBLIC	9/1/2001	5443	0.09	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0948C

MARINA ACCESS BOAT RAMP
FROM ROUTE 0112

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0948C	PUBLIC	9/1/2001	1639	0.03	CO	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0949

CHAPEL OF THE SACRED HEART PICNIC AREA
FROM ROUTE 0011 AT MP 18.32

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0949	PUBLIC	9/1/2001	28191	0.49	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



200 100 0 200
Feet



GRAND TETON NATIONAL PARK

Route 0950

JACKSON LAKE PARKING

FROM ROUTE 0011 AT MP 18.80 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0950	PUBLIC	9/1/2001	8146	0.14	AS	GOOD / 90

* Lane miles are based on 11' lane widths





GRAND TETON NATIONAL PARK

Route 0951

B.O.R. WEST PARKING
FROM ROUTE 0011 AT MP 19.44 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0951	PUBLIC	9/1/2001	31300	0.54	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0952

B.O.R. EAST PARKING
FROM ROUTE 0011 AT MP 19.44 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0952	PUBLIC	9/1/2001	9327	0.16	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0953A

MORAN DEVELOPMENT PARKING AREA A
FROM ROUTE 0107 AT MP 0.10 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0953A	PUBLIC	9/1/2001	2403	0.04	OC	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0953B

MORAN DEVELOPMENT PARKING AREA B
FROM ROUTE 0107 AT MP 0.10 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0953B	PUBLIC	9/1/2001	21104	0.36	OC	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0953C

MORAN DEVELOPMENT PARKING AREA C
FROM ROUTE 0107 AT MP 0.14 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0953C	PUBLIC	9/1/2001	8273	0.14	OC	POOR / 45

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0954

MORAN RANGER STATION PARKING
FROM ROUTE 0013 AT MP 0.20 ON RIGHT AT ENTRANCE STATION

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0954	PUBLIC	9/1/2001	8173	0.14	OC	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0955

PACIFIC CREEK LANDING AND PARKING
FROM ROUTE 0013 AT MP 0.48

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0955	PUBLIC	9/1/2001	33187	0.57	AS	GOOD / 90

* Lane miles are based on 11' lane widths



300 150 0 300 Feet




GRAND TETON NATIONAL PARK

Route 0956

LOZIER HILL PARKING AREA
FROM ROUTE 0013 AT MP 2.38 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0956	PUBLIC	9/1/2001	18573	0.32	OC	POOR / 45

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0957

OXBOW BEND PARKING
FROM ROUTE 0013 AT MP 2.8

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0957	PUBLIC	9/1/2001	11285	0.19	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0958

JACKSON LAKE JUNCTION PARKING
FROM ROUTE 0013 AT MP 4.22

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0958	PUBLIC	9/1/2001	6741	0.12	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0959

WILLOW FLATS OVERLOOK PARKING
FROM ROUTE 0013 AT MP 4.48

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0959	PUBLIC	9/1/2001	28515	0.49	OC	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0960

PARKING AREA (BEFORE BRIDGE)

FROM ROUTE 0013 AT MP 6.62 ON LEFT PAST ROUTE 0230

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0960	PUBLIC	9/1/2001	2519	0.04	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0961

PARKING AREA (AFTER BRIDGE)
FROM ROUTE 0013 AT MP 7.30 BEFORE PILGRIM CREEK

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0961	PUBLIC	9/1/2001	2982	0.05	OC	FAIR / 73

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0962

PARKING AREA

FROM ROUTE 0013 AT MP 7.70 ON RIGHT PAST PILGRIM CREEK ROAD

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0962	PUBLIC	9/1/2001	3215	0.06	OC	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0963

PARKING AREA

FROM ROUTE 0013 AT MP 8.70 ON LEFT (AT ROUTE 0232)

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0963	PUBLIC	9/1/2001	2338	0.04	OC	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0964

PARKING AREA

FROM ROUTE 0013 AT MP 8.80 ON RIGHT (JUST PAST ROUTE 0232)

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0964	PUBLIC	9/1/2001	2597	0.04	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0965

COLTER BAY MAINTENANCE YARD
FROM END OF ROUTE 0403

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0965	NONPUBLIC	9/1/2001	61165	1.05	AS	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0966

COLTER BAY RESIDENCE PARKING FROM ROUTE 0402

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0966	NONPUBLIC	9/1/2001	3019	0.05	OC	POOR / 45

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0967

COLTER BAY CAMPGROUND OFFICE PARKING
FROM ROUTE 0215

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0967	PUBLIC	9/1/2001	12485	0.21	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0968

COLTER BAY LOOP PARKING
FROM END OF ROUTE 0103 AT STOP SIGN

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0968	PUBLIC	9/1/2001	314902	5.42	OC	FAIR / 73


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0969A
 COLTER BAY DAY USE PARKING AREA A
 FROM ROUTE 0221

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0969A	PUBLIC	9/1/2001	11843	0.20	OC	FAIR / 73

* Lane miles are based on 11' lane widths





GRAND TETON NATIONAL PARK

Route 0969B

COLTER BAY DAY USE PARKING AREA B
FROM ROUTE 0221

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0969B	PUBLIC	9/1/2001	4648	0.08	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0970

LEEKS MARINA BOAT TRAILER PARKING
FROM ROUTE 0414

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0970	PUBLIC	9/1/2001	40601	0.70	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0971

LEEKS MARINA PARKING
FROM END OF ROUTE 0115

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0971	PUBLIC	9/1/2001	26162	0.45	AS	FAIR / 73


* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK
Route 0972
PARKING
FROM ROUTE 0013 AT MP 11.30 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0972	PUBLIC	9/1/2001	17967	0.31	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0973

PARKING

FROM ROUTE 0013 AT MP 11.34 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0973	PUBLIC	9/1/2001	16404	0.28	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0974

PARKING

FROM ROUTE 0013 AT MP 13.66 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0974	PUBLIC	9/1/2001	11586	0.20	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0975

PULLOUT

FROM ROUTE 0013 AT MP 14.70 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0975	PUBLIC	9/1/2001	8228	0.14	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0976

WATERFALLS CANYON FIRE PULLOUT
FROM ROUTE 0013 AT MP 15.14 ON LEFT ALONG LAKE

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0976	PUBLIC	9/1/2001	15164	0.26	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0977

GRAND TETON NORTH ENTRANCE PARKING
FROM ROUTE 0013 AT MP 20.26 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0977	PUBLIC	9/1/2001	9065	0.16	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0978

JDR SOUTH ENTRANCE PARKING
FROM ROUTE 0013 AT MP 20.40 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0978	PUBLIC	9/1/2001	6947	0.12	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0979

FLAGG SOUTH PARKING AREA
FROM ROUTE 0106 ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0979	PUBLIC	9/1/2001	112204	1.93	AS	GOOD / 90

* Lane miles are based on 11' lane widths





GRAND TETON NATIONAL PARK

Route 0980

FLAGG NORTH PARKING AREA
FROM ROUTE 0117 ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0980	PUBLIC	9/1/2001	77944	1.34	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK


Route 0981

JDR NORTH ENTRANCE PARKING

FROM ROUTE 0013 AT YELLOWSTONE PARK BOUNDARY ON LEFT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0981	PUBLIC	9/1/2001	11768	0.20	OC	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0982

YELLOWSTONE NATIONAL PARK SOUTH ENTRANCE PARKING
FROM ROUTE 0013 AT YELLOWSTONE PARK BOUNDARY ON RIGHT

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0982	PUBLIC	9/1/2001	10826	0.19	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0983

GROS VENTURE RANGER STATION PARKING
FROM ROUTE 0202

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0983	NONPUBLIC	9/1/2001	9191	0.16	AS	POOR / 45

* Lane miles are based on 11' lane widths



GRAND TETON NATIONAL PARK

Route 0984

GROSS VENTURE CAMPGROUND DUMP STATION
FROM ROUTE 0202

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0984	PUBLIC	9/1/2001	7905	0.14	AS	GOOD / 90

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0985

GROS VENTURE CAMPGROUND AMPITHEATER PARKING
FROM ROUTE 0202

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0985	PUBLIC	9/1/2001	40818	0.70	OC	FAIR / 73

* Lane miles are based on 11' lane widths




GRAND TETON NATIONAL PARK

Route 0986

JENNY LAKE CAMPGROUND PARKING
FROM ROUTE 0205

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0986	PUBLIC	9/1/2001	2001	0.03	AS	GOOD / 90

* Lane miles are based on 11' lane widths



GRTE: PARKWIDE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>PARK TOTAL</i>	<i>UNIT</i>
BRIDGE	15	EACH
CATTLE GUARD	1	EACH
CULVERT	87	EACH
CURB	23,871	LINEAR FEET
DROP INLET	8	EACH
GUARD WALL	0	LINEAR FEET
GUARDRAIL	18,153	LINEAR FEET
INTERSECTION	407	EACH
LOW WATER CROSSING	0	EACH
OVERHEAD SIGN	0	EACH
PARK BOUNDARY	5	EACH
PAVED DITCH	6,325	LINEAR FEET
PULLOUT	37	EACH
RAILROAD CROSSING	0	EACH
RETAINING WALL	1	EACH
STATE BOUNDARY	0	EACH
TRAFFIC LIGHT	0	EACH
TUNNEL	0	EACH
TURNOUT	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0010 NORTH-SOUTH HIGHWAY</i>	<i>ROUTE 0011 TETON PARK ROAD</i>	<i>ROUTE 0013 NORTH PARK ROAD</i>	<i>ROUTE 0100 MOOSE / WILSON ROAD</i>	<i>ROUTE 0101 ANTELOPE FLATS ROAD</i>	<i>ROUTE 0102 TETON FOREST ACCESS ROAD</i>	<i>UNIT</i>
BRIDGE	4	3	4	1	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	20	1	39	4	2	2	EACH
CURB	1,346	4,261	9,198	0	0	0	LINEAR FEET
DROP INLET	2	2	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	12,392	2,851	2,809	0	0	0	LINEAR FEET
INTERSECTION	52	66	73	7	8	8	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	1	0	2	0	0	0	EACH
PAVED DITCH	0	1,885	3,717	0	0	0	LINEAR FEET
PULLOUT	0	3	20	1	0	1	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	1	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0103 COLTER BAY ENTRANCE ROAD</i>	<i>ROUTE 0104 GROS VENTRE ROAD</i>	<i>ROUTE 0105 SOUTH JENNY LAKE ENTRANCE ROAD</i>	<i>ROUTE 0106 FLAGG SOUTH PARKING LOT ACCESS ROAD</i>	<i>ROUTE 0107 MORAN DEVELOPMENT ROAD</i>	<i>ROUTE 0108 TETON SCIENCE SCHOOL ROAD</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	1	0	0	0	0	EACH
CULVERT	0	7	0	0	0	1	EACH
CURB	0	0	4,409	0	63	0	LINEAR FEET
DROP INLET	0	0	1	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	6	31	19	7	6	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	1	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0109 BEAVER CREEK MAINTENANCE ROAD</i>	<i>ROUTE 0110 STRING LAKE ROAD</i>	<i>ROUTE 0111 SIGNAL MOUNTAIN ROAD</i>	<i>ROUTE 0112 SIGNAL MOUNTAIN MARINA ROAD</i>	<i>ROUTE 0113 JACKSON LAKE LODGE ROAD</i>	<i>ROUTE 0114 PACIFIC CREEK ROAD</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	5	1	0	2	EACH
CURB	0	2,196	158	359	887	0	LINEAR FEET
DROP INLET	0	0	0	1	1	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	2	11	5	14	25	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	1	EACH
PAVED DITCH	0	0	0	723	0	0	LINEAR FEET
PULLOUT	0	1	4	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

FEATURE	ROUTE 0115 LEEKS MARINA ROAD	ROUTE 0117 GRASSY LAKE ROAD	ROUTE 0118 BLACKTAIL PONDS OVERLOOK ROAD	ROUTE 0200 GOLF COURSE ROAD	ROUTE 0204 CHAPEL OF TRANSFIGURATION ROAD	ROUTE 0208 DEATH CANYON TRAILHEAD ROAD	UNIT
BRIDGE	0	1	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	2	0	0	0	0	1	EACH
CURB	0	0	528	0	0	0	LINEAR FEET
DROP INLET	0	0	0	0	1	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	3	5	2	2	5	1	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	1	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0209 CLIMBERS RANCH ROAD</i>	<i>ROUTE 0212 JACKSON DAM FISHING ACCESS ROAD</i>	<i>ROUTE 0216 CUNNINGHAM CABIN ROAD</i>	<i>ROUTE 0225 LUPINE MEADOWS PARK ACCESS</i>	<i>ROUTE 0232 COLTER BAY STORAGE ROAD</i>	<i>ROUTE 0251 OLD HIGHWAY LOOP ROAD</i>	<i>UNIT</i>
BRIDGE	1	0	0	1	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	0	0	0	0	0	0	LINEAR FEET
DROP INLET	0	0	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	100	0	0	0	0	LINEAR FEET
INTERSECTION	2	4	3	2	0	0	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	1	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0403 COLTER BAY MAINTENANCE YARD ROAD</i>	<i>ROUTE 0408 MOOSE HOUSING/ MAINTENANCE/ BOAT LAUNCH ACCESS RD</i>	<i>ROUTE 0414 AMK RANCH ROAD</i>	<i>ROUTE 0428 HUNTER HEREFORD ROAD</i>	<i>ROUTE 0500 JENNY LAKE LOOP</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	EACH
CURB	0	465	0	0	0	LINEAR FEET
DROP INLET	0	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	LINEAR FEET
INTERSECTION	1	15	2	0	14	EACH
LOW WATER CROSSING	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	5	EACH
RAILROAD CROSSING	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	LINEAR FEET

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : NORTH-SOUTH HIGHWAY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT S BDRY, NORTH
0.002	0.002	PARK BOUNDARY	N/A	
0.010	0.014	GUARDRAIL	RIGHT	
0.012	0.012	INTERSECTION	RIGHT	
0.029	0.029	INTERSECTION	LEFT	
0.317	0.317	INTERSECTION	LEFT	
0.548	0.548	INTERSECTION	RIGHT	RT 900 GRAND TETON NATIONAL PARK SOUTH ENTRANCE
0.622	0.622	INTERSECTION	RIGHT	RT 900 GRAND TETON NATIONAL PARK SOUTH ENTRANCE
1.390	1.390	INTERSECTION	RIGHT	PETERSON'S SPRING (UNPAVED)
1.654	1.654	INTERSECTION	RIGHT	
1.671	1.805	CURB	LEFT	
1.684	1.684	INTERSECTION	LEFT	RTE 901 PARKING
1.694	1.775	CURB	LEFT	
1.788	1.788	INTERSECTION	LEFT	RTE 901 PARKING
1.927	1.927	INTERSECTION	RIGHT	
1.939	2.018	GUARDRAIL	RIGHT	
1.944	2.015	GUARDRAIL	LEFT	
1.954	2.002	BRIDGE	N/A	
2.170	2.210	GUARDRAIL	LEFT	
2.179	2.213	GUARDRAIL	RIGHT	
2.186	2.199	BRIDGE	N/A	
2.475	2.475	INTERSECTION	LEFT	RT 200 GOLF COURSE ROAD
2.487	2.487	INTERSECTION	RIGHT	RT 104 GROS VENTRE ROAD
4.048	4.048	INTERSECTION	RIGHT	RT 430 BLACKTAIL STORAGE AREA ROAD

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : NORTH-SOUTH HIGHWAY

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
4.376	4.376	INTERSECTION	LEFT	
5.248	5.248	INTERSECTION	RIGHT	RT 902 PARKING
5.326	5.326	INTERSECTION	RIGHT	RT 902 PARKING
6.061	6.061	INTERSECTION	LEFT	RTE 903 MEADOW ROAD PARKING
6.068	6.068	INTERSECTION	RIGHT	
6.637	6.637	INTERSECTION	LEFT	RTE 904 PARKING
6.706	6.706	INTERSECTION	LEFT	RTE 904 PARKING
7.025	7.025	INTERSECTION	LEFT	
7.961	7.961	INTERSECTION	LEFT	RT 011 TETON PARK ROAD
8.824	8.824	CULVERT	N/A	
8.828	8.828	INTERSECTION	RIGHT	RT 905 CLIMERS PRACTICE AREA PARKING
9.005	9.119	GUARDRAIL	LEFT	
9.007	9.119	GUARDRAIL	RIGHT	
9.017	9.017	CULVERT	N/A	
9.060	9.060	CULVERT	N/A	
9.104	9.104	CULVERT	N/A	
9.141	9.141	CULVERT	N/A	
9.142	9.142	INTERSECTION	RIGHT	RT 101 ANTELOPE FLATS ROAD
9.227	9.227	INTERSECTION	LEFT	RT 118 BLACKTAIL PONDS OVERLOOK ROAD
9.242	9.242	CULVERT	N/A	
11.266	11.266	INTERSECTION	LEFT	RTE 907 GLACIER VIEW TURNOUT PARKING
11.371	11.371	INTERSECTION	LEFT	RTE 907 GLACIER VIEW TURNOUT PARKING
11.923	11.923	INTERSECTION	LEFT	RTE 231
13.267	13.267	INTERSECTION	LEFT	RT 908 TETON POINT TURNOUT PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : NORTH-SOUTH HIGHWAY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
13.366	13.366	INTERSECTION	LEFT	RT 908 TETON POINT TURNOUT PARKING
16.095	16.095	INTERSECTION	RIGHT	RTE 119 LOST CREEK RANCH ROAD
16.255	16.255	INTERSECTION	LEFT	RT 909 SNAKE RIVER OVERLOOK PARKING
16.622	16.908	GUARDRAIL	LEFT	
16.622	16.922	GUARDRAIL	RIGHT	
16.624	16.624	CULVERT	N/A	
16.732	16.732	CULVERT	N/A	
16.824	16.824	CULVERT	N/A	
16.879	16.879	CULVERT	N/A	
16.915	16.915	INTERSECTION	LEFT	RT 217 DEADMANS BAR ROAD
17.576	17.693	GUARDRAIL	RIGHT	
17.627	17.627	CULVERT	N/A	
17.669	17.669	CULVERT	N/A	
17.785	17.926	GUARDRAIL	RIGHT	
17.827	17.827	CULVERT	N/A	
17.850	17.933	GUARDRAIL	LEFT	
17.880	17.880	CULVERT	N/A	
17.902	17.902	CULVERT	N/A	
17.977	18.082	GUARDRAIL	RIGHT	
17.991	18.121	GUARDRAIL	LEFT	
18.023	18.023	CULVERT	N/A	
18.075	18.075	CULVERT	N/A	
18.195	18.360	GUARDRAIL	LEFT	
18.226	18.370	GUARDRAIL	RIGHT	
18.418	18.418	INTERSECTION	RIGHT	RTE 219
18.507	18.693	GUARDRAIL	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : NORTH-SOUTH HIGHWAY

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
19.064	19.064	INTERSECTION	LEFT	
19.591	19.591	INTERSECTION	LEFT	
19.618	19.618	INTERSECTION	RIGHT	
20.316	20.316	INTERSECTION	RIGHT	RT 218 BRUSH CREEK FOREST ACCESS ROAD
20.319	20.319	INTERSECTION	LEFT	RT 216 CUNNINGHAM CABIN ROAD
20.414	20.414	INTERSECTION	LEFT	RT 910 CUNNINGHAM CABIN PARKING
21.285	21.285	INTERSECTION	RIGHT	RT 213 SPREAD CREEK ROAD
21.546	21.576	GUARDRAIL	LEFT	
21.554	21.574	GUARDRAIL	RIGHT	
21.688	21.688	INTERSECTION	LEFT	
21.923	21.957	BRIDGE	N/A	
21.923	21.964	GUARDRAIL	LEFT	
21.926	21.961	GUARDRAIL	RIGHT	
22.030	22.030	INTERSECTION	RIGHT	RT 214 WOLFF RANCH ROAD
22.219	22.219	INTERSECTION	RIGHT	
22.980	22.980	CULVERT	N/A	
23.003	23.003	INTERSECTION	LEFT	
23.003	23.003	INTERSECTION	RIGHT	
23.051	23.051	CULVERT	N/A	
23.094	23.094	CULVERT	N/A	
23.487	23.487	INTERSECTION	LEFT	
24.995	24.995	INTERSECTION	RIGHT	
25.423	25.423	DROP INLET	RIGHT	
25.545	25.602	GUARDRAIL	RIGHT	
25.546	25.596	BRIDGE	N/A	
25.549	25.602	GUARDRAIL	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : NORTH-SOUTH HIGHWAY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
25.601	25.641	CURB	RIGHT	
25.606	25.606	DROP INLET	RIGHT	
25.711	25.711	INTERSECTION	LEFT	RT 013 NORTH PARK ROAD
25.918	25.918	INTERSECTION	LEFT	RT 107 MORAN DEVELOPMENT ROAD
26.629	26.672	RETAINING WALL	LEFT	
27.081	27.081	INTERSECTION	RIGHT	
27.625	27.625	INTERSECTION	RIGHT	
27.950	27.950			ROUTE ENDS AT E BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011 : TETON PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ MP 790, NORTH
0.185	0.185	INTERSECTION	RIGHT	RT 109 BEAVER CREEK MAINTENANCE ROAD
0.224	0.287	PAVED DITCH	RIGHT	
0.249	0.288	PAVED DITCH	LEFT	
0.355	0.450	GUARDRAIL	LEFT	
0.356	0.451	GUARDRAIL	RIGHT	
0.361	0.446	BRIDGE	N/A	
0.506	0.506	INTERSECTION	RIGHT	RT 408 MOOSE HOUSING/MAINTENANCE/BOAT LAUNCH AC
0.580	0.580	INTERSECTION	LEFT	RT 916 MOOSE POST OFFICE PARKING
0.661	0.661	INTERSECTION	LEFT	RT 100 MOOSE WILSON ROAD
0.669	0.669	INTERSECTION	RIGHT	RT 408 MOOSE HOUSING/MAINTENANCE/BOAT LAUNCH AC
0.851	0.851	INTERSECTION	RIGHT	RT 917 MOOSE PRE-STATION TURNAROUND
0.888	0.888	INTERSECTION	RIGHT	RT 917 MOOSE PRE-STATION TURNAROUND
0.975	0.985	CURB	LEFT	
1.005	1.005	INTERSECTION	RIGHT	RT 918 MOOSE POST-STATION TURNAROUND AND PARKIN
1.023	1.023	INTERSECTION	RIGHT	RT 918 MOOSE POST-STATION TURNAROUND AND PARKIN
1.198	1.198	INTERSECTION	RIGHT	RT 204 CHAPEL OF TRANSFIGURATION ROAD
1.578	1.589	PULLOUT	RIGHT	
2.177	2.177	INTERSECTION	RIGHT	RT 920 WINDY POINT TURNOUT PARKING
2.253	2.253	INTERSECTION	RIGHT	RT 920 WINDY POINT TURNOUT PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011 : TETON PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.880	2.880	INTERSECTION	LEFT	RT 401 BEAVER CREEK RESIDENCE ROAD
3.380	3.380	INTERSECTION	LEFT	RTE 923
3.429	3.429	INTERSECTION	LEFT	RT 923 TAGGART LAKE TRAILHEAD PARKING
3.641	3.641	INTERSECTION	LEFT	RT 419 TAGGART LAKE SERVICE ROAD
3.726	3.726	INTERSECTION	RIGHT	RT 924 COTTONWOOD CREEK PARKING
3.769	3.769	INTERSECTION	RIGHT	RT 924 COTTONWOOD CREEK PARKING
3.794	3.843	GUARDRAIL	RIGHT	
3.797	3.842	GUARDRAIL	LEFT	
3.808	3.831	BRIDGE	N/A	
3.959	3.959	INTERSECTION	RIGHT	RT 29 BAR BC RANCH ROAD
4.210	4.210	INTERSECTION	RIGHT	RT 925 PARKING AREA (JUST PAST RTE 229)
4.211	4.211	INTERSECTION	LEFT	RT 925 PARKING AREA (JUST PAST RTE 229)
4.236	4.236	INTERSECTION	LEFT	RT 925 PARKING AREA (JUST PAST RTE 229)
4.241	4.241	INTERSECTION	RIGHT	RT 925 PARKING AREA (JUST PAST RTE 229)
4.709	4.709	INTERSECTION	LEFT	RT 209 CLIMBERS RANCH ROAD
4.917	4.917	INTERSECTION	LEFT	RT 926 TETON GLACIER PARKING
4.989	4.989	INTERSECTION	LEFT	RT 926 TETON GLACIER PARKING
5.257	5.257	INTERSECTION	LEFT	RT 418 CLIMBERS RANCH SERVICE ROAD
6.015	6.015	INTERSECTION	RIGHT	RT 927 GLACIER GULCH PARKING
6.016	6.016	INTERSECTION	LEFT	RT 927 GLACIER GULCH PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011 : TETON PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.066	6.066	INTERSECTION	RIGHT	
6.068	6.068	INTERSECTION	LEFT	
6.745	6.745	INTERSECTION	LEFT	RT 928 LUPINE MEADOWS PARKING
6.748	6.748	INTERSECTION	RIGHT	RT 928 LUPINE MEADOWS PARKING
6.794	6.794	INTERSECTION	RIGHT	
6.796	6.796	INTERSECTION	LEFT	
7.129	7.129	INTERSECTION	LEFT	RT 225 LUPINE MEADOWS PARK ACCESS
7.824	7.824	INTERSECTION	LEFT	RT 105 SOUTH JENNY LAKE ENTRANCE ROAD
8.458	8.458	INTERSECTION	LEFT	RT 500, NO ENTRANCE
9.361	9.361	INTERSECTION	LEFT	RTE 931
9.439	9.439	INTERSECTION	LEFT	RTE 931
10.772	10.772	INTERSECTION	LEFT	RT 500 JENNY LAKE LOOP
11.132	11.132	INTERSECTION	LEFT	RT 938 MOUNTAIN VIEW PARKING
11.455	11.622	PAVED DITCH	LEFT	
12.100	12.100	INTERSECTION	LEFT	RT 227 SPALDING BAY ACCESS ROAD
12.144	12.232	PAVED DITCH	RIGHT	
13.430	13.430	INTERSECTION	RIGHT	RT 939 BURNED RIDGE PARKING
13.482	13.482	INTERSECTION	RIGHT	RTE 939
14.347	14.347	INTERSECTION	LEFT	RT 940 MT MORAN PARKING
14.420	14.420	INTERSECTION	LEFT	RTE 940
15.089	15.089	INTERSECTION	RIGHT	RT 941 POTHOLES PARKING
15.446	15.501	PULLOUT	LEFT	
16.436	16.436	INTERSECTION	LEFT	RT 423 SOUTH LANDING LAGOON ROAD

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011 : TETON PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
16.436	16.436	INTERSECTION	RIGHT	RT 228 SNAKE RIVER ACCESS ROAD
16.694	16.694	INTERSECTION	RIGHT	RT 111 SIGNAL MOUNTAIN ROAD
17.744	17.844	PULLOUT	RIGHT	
17.788	17.788	INTERSECTION	LEFT	RT 112 SIGNAL MOUNTAIN MARINA ROAD
18.322	18.322	INTERSECTION	LEFT	RT 949 CHAPEL OF THE SACRED HEART PICNIC AREA
18.803	18.803	INTERSECTION	LEFT	RT 950 JACKSON LAKE PARKING
19.003	19.003	INTERSECTION	LEFT	
19.083	19.083	INTERSECTION	LEFT	
19.134	19.423	CURB	LEFT	
19.140	19.385	CURB	RIGHT	
19.387	19.387	INTERSECTION	RIGHT	
19.388	19.419	CURB	RIGHT	
19.422	19.443	CURB	RIGHT	
19.423	19.423	INTERSECTION	RIGHT	
19.438	19.438	INTERSECTION	LEFT	RT 951 BOR WEST PARKING
19.445	19.448	CURB	LEFT	
19.450	19.450	DROP INLET	RIGHT	
19.452	19.452	INTERSECTION	RIGHT	RT 952 BOR EAST PARKING
19.457	19.457	DROP INLET	LEFT	
19.464	19.482	CURB	RIGHT	
19.471	19.484	GUARDRAIL	RIGHT	
19.480	19.525	BRIDGE	N/A	
19.526	19.714	GUARDRAIL	RIGHT	
19.526	19.716	CURB	RIGHT	
19.565	19.565	INTERSECTION	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011 : TETON PARK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
19.659	19.714	GUARDRAIL	LEFT	
19.765	19.765	INTERSECTION	LEFT	
19.768	19.768	INTERSECTION	RIGHT	RT 212 JACKSON DAM FISHING ACCESS ROAD
20.033	20.033	CULVERT	N/A	
20.404	20.404	INTERSECTION	RIGHT	RT 812 SNAKE RIVER ACCESS PARKING
20.806	20.806	INTERSECTION	LEFT	END @ RTE 13
20.811	20.811	INTERSECTION	RIGHT	END @ RTE 13
20.820	20.820			ROUTE ENDS AT RTE 013 @ MP 3920

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ 2572, NORTH
0.181	0.195	GUARDRAIL	LEFT	
0.182	0.193	GUARDRAIL	RIGHT	
0.195	0.195	INTERSECTION	RIGHT	RT 954 MORAN RANGER STATION PARKING
0.196	0.196	INTERSECTION	LEFT	RTE 416 BUFFALO DORMATORY ROAD
0.197	0.209	GUARDRAIL	RIGHT	
0.197	0.210	GUARDRAIL	LEFT	
0.240	0.240	INTERSECTION	RIGHT	RTE 954
0.338	0.338	INTERSECTION	RIGHT	RT 247 THREE RIVERS RANCH ROAD
0.396	0.396	INTERSECTION	RIGHT	
0.458	0.458	INTERSECTION	LEFT	RT 955 PACIFIC CREEK LANDING AND PARKING
0.529	0.529	INTERSECTION	LEFT	RTE 955
0.871	0.897	GUARDRAIL	LEFT	
0.871	0.899	GUARDRAIL	RIGHT	
0.876	0.895	BRIDGE	N/A	
1.174	1.174	INTERSECTION	RIGHT	RT 114 PACIFIC CREEK ROAD
1.998	1.998	CULVERT	N/A	
2.066	2.066	CULVERT	N/A	
2.169	2.169	CULVERT	N/A	
2.357	2.357	CULVERT	N/A	
2.375	2.375	INTERSECTION	LEFT	RT 956 LOZIER HILL PARKING AREA
2.599	2.599	CULVERT	N/A	
2.689	2.689	CULVERT	N/A	
2.767	2.767	INTERSECTION	LEFT	RT 957 OXBOW BEND PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.774	2.774	CULVERT	N/A	
2.819	2.819	INTERSECTION	LEFT	RT 957 OXBOW BEND PARKING
3.060	3.060	CULVERT	N/A	
3.449	3.449	INTERSECTION	LEFT	RT 236 CATTLEMAN'S BRIDGE TRAILHEAD ROAD
3.989	3.989	INTERSECTION	LEFT	RT 011 TETON PARK ROAD
4.230	4.230	INTERSECTION	LEFT	RTE 958
4.261	4.261	INTERSECTION	LEFT	RT 958 JACKSON LAKE JUNCTION PARKING
4.473	4.473	INTERSECTION	LEFT	RT 959 WILLOW FLATS OVERLOOK PARKING
4.569	4.569	INTERSECTION	LEFT	RT 959 WILLOW FLATS OVERLOOK PARKING
4.570	4.570	INTERSECTION	RIGHT	RT 250 DOUG'S BARN ROAD
4.784	4.890	GUARDRAIL	LEFT	
4.787	4.883	BRIDGE	N/A	
4.787	4.889	GUARDRAIL	RIGHT	
5.052	5.052	INTERSECTION	LEFT	RT 113 JACKSON LAKE LODGE ROAD
5.780	5.920	CURB	LEFT	
5.951	5.951	INTERSECTION	RIGHT	RT 230 GRANDVIEW POINT TRAILHEAD ROAD (UNPAVED)
6.617	6.617	INTERSECTION	LEFT	RTE 960
6.641	6.641	INTERSECTION	LEFT	RT 960 PARKING AREA (BEFORE BRIDGE)
7.018	7.087	GUARDRAIL	LEFT	
7.019	7.088	BRIDGE	N/A	
7.022	7.089	GUARDRAIL	RIGHT	
7.081	7.168	CURB	LEFT	
7.307	7.307	INTERSECTION	RIGHT	RTE 961

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
7.339	7.339	INTERSECTION	RIGHT	RT 961 PARKING AREA (AFTER BRIDGE)
7.485	7.485	INTERSECTION	RIGHT	RT 116 PILGRIM CREEK ROAD (UNPAVED)
7.688	7.688	INTERSECTION	RIGHT	RT 962 PARKING AREA
7.719	7.719	INTERSECTION	RIGHT	RTE 962
8.710	8.710	INTERSECTION	LEFT	RTE 963
8.732	8.732	INTERSECTION	RIGHT	RT 232 COLTER BAY STORAGE ROAD
8.737	8.737	INTERSECTION	LEFT	RT 963 PARKING AREA
8.803	8.803	INTERSECTION	RIGHT	RTE 964
8.825	8.825	INTERSECTION	RIGHT	RT 964 PARKING AREA
9.278	9.278	CULVERT	N/A	
9.353	9.353	CULVERT	N/A	
9.406	9.406	INTERSECTION	LEFT	RT 103 COLTER BAY ENTRANCE ROAD
9.411	9.427	CURB	LEFT	
9.430	9.458	CURB	LEFT	
9.451	9.451	INTERSECTION	LEFT	
9.465	9.557	CURB	LEFT	
9.684	9.684	CULVERT	N/A	
9.751	9.751	CULVERT	N/A	
9.803	9.803	CULVERT	N/A	
9.898	9.898	CULVERT	N/A	
10.103	10.131	PULLOUT	RIGHT	
10.306	10.306	INTERSECTION	LEFT	RT 115 LEEKS MARINA ROAD
10.547	10.547	INTERSECTION	RIGHT	UNPAVED ROAD
11.097	11.097	CULVERT	N/A	
11.171	11.171	CULVERT	N/A	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
11.192	11.298	PULLOUT	LEFT	
11.302	11.302	INTERSECTION	RIGHT	RT 972 PARKING
11.345	11.345	INTERSECTION	LEFT	RTE 973 PARKING
11.377	11.377	INTERSECTION	RIGHT	RTE 972
11.411	11.411	INTERSECTION	LEFT	RTE 973
11.525	11.525	CULVERT	N/A	
11.639	11.639	CULVERT	N/A	
11.894	11.894	INTERSECTION	RIGHT	RT 210 ARIZONA LAKE TRAILHEAD ROAD
12.286	12.286	CULVERT	N/A	
12.362	12.383	PULLOUT	LEFT	
12.649	12.649	INTERSECTION	RIGHT	RT 233 ARIZONA LAKE ROAD
12.937	12.937	INTERSECTION	LEFT	RT 203 SARGENT'S BAY FISHING ACCESS
13.060	13.060	CULVERT	N/A	
13.159	13.159	CULVERT	N/A	
13.650	13.734	PULLOUT	RIGHT	
13.654	13.654	INTERSECTION	LEFT	RTE 974
13.718	13.718	INTERSECTION	LEFT	RT 974 PARKING
13.850	13.850	CULVERT	N/A	
14.277	14.277	INTERSECTION	RIGHT	RT 206 ARIZONA CREEK TRAILHEAD ROAD
14.499	14.499	INTERSECTION	RIGHT	RT 975 PULLOUT, JUST BEFORE ARIZONA ISLAND PICN
14.622	14.737	PULLOUT	LEFT	
14.795	14.795	INTERSECTION	LEFT	RTE 1003 ARIZONA ISLAND PICNIC AREA
14.837	15.541	PAVED DITCH	RIGHT	
15.092	15.092	CULVERT	N/A	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
15.134	15.134	CULVERT	N/A	
15.229	15.229	INTERSECTION	LEFT	RT 976 WATERFALLS CANYON FIRE PULLOUT
15.379	15.379	CULVERT	N/A	
15.427	15.467	PULLOUT	LEFT	
15.645	15.679	PULLOUT	LEFT	
16.173	16.173	INTERSECTION	LEFT	RTE 251
16.270	16.270	INTERSECTION	LEFT	RTE 251
16.413	16.413	CULVERT	N/A	
16.593	16.593	CULVERT	N/A	
16.650	16.650	CULVERT	N/A	
16.719	16.772	PULLOUT	LEFT	
16.721	16.779	CURB	LEFT	
17.084	17.245	CURB	RIGHT	
17.347	17.347	INTERSECTION	RIGHT	UNPAVED ROAD
17.427	17.446	PULLOUT	RIGHT	
17.431	17.431	INTERSECTION	LEFT	RT 223 LIZARD CREEK CAMPGROUND
17.761	17.761	CULVERT	N/A	
18.321	18.321	INTERSECTION	RIGHT	
18.347	18.347	INTERSECTION	RIGHT	
18.466	18.466	CULVERT	N/A	
18.651	18.832	CURB	LEFT	
18.653	18.739	CURB	RIGHT	
18.974	18.974	CULVERT	N/A	
19.165	19.165	CULVERT	N/A	
19.223	19.223	CULVERT	N/A	
19.378	19.378	CULVERT	N/A	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
19.394	19.437	CURB	RIGHT	
19.813	19.813	CULVERT	N/A	
19.874	19.874	CULVERT	N/A	
19.950	19.950	CULVERT	N/A	
20.043	20.043	CULVERT	N/A	
20.247	20.283	PULLOUT	RIGHT	
20.259	20.259	INTERSECTION	LEFT	RT 977 GRAND TETON NORTH ENTRANCE PARKING
20.269	20.302	CURB	LEFT	
20.304	20.304	INTERSECTION	LEFT	RTE 977
20.316	20.316	PARK BOUNDARY	N/A	
20.400	20.400	INTERSECTION	RIGHT	RT 978 JDR SOUTH ENTRANCE PARKING
20.422	20.449	CURB	RIGHT	
20.445	20.445	INTERSECTION	RIGHT	RTE 978
20.870	20.918	PULLOUT	RIGHT	
21.092	21.148	PULLOUT	LEFT	
21.354	21.401	PULLOUT	LEFT	
21.566	21.566	CULVERT	N/A	
21.596	21.656	PULLOUT	RIGHT	
22.033	22.081	PULLOUT	LEFT	
23.105	23.105	INTERSECTION	LEFT	UNPAVED ROAD
23.255	23.299	PULLOUT	RIGHT	
23.321	23.369	CURB	LEFT	
23.394	23.420	CURB	LEFT	
23.739	23.800	PULLOUT	RIGHT	
23.766	23.766	INTERSECTION	LEFT	RTE 429 SNAKE RIVER PIT ROAD
24.018	24.084	CURB	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
24.084	24.084	INTERSECTION	LEFT	RT 224 SNAKE RIVER CAMPGROUND
24.088	24.088	INTERSECTION	RIGHT	RT 248 SHEFFIELD CREEK FOREST ACCESS ROAD
24.098	24.157	CURB	LEFT	
24.390	24.390	INTERSECTION	RIGHT	
24.466	24.509	GUARDRAIL	LEFT	
24.467	24.509	BRIDGE	N/A	
24.468	24.509	GUARDRAIL	RIGHT	
24.521	24.545	CURB	LEFT	
24.522	24.667	CURB	RIGHT	
24.527	24.683	PULLOUT	RIGHT	
24.552	24.552	INTERSECTION	LEFT	OLD CAMPGROUND PARKING
24.564	24.593	CURB	LEFT	
24.600	24.610	PULLOUT	LEFT	
24.613	24.657	CURB	LEFT	
24.781	24.846	CURB	LEFT	
24.990	24.990	INTERSECTION	LEFT	RT 117 GRASSY LAKE ROAD
25.760	25.863	CURB	LEFT	
25.777	25.867	CURB	RIGHT	
25.879	25.903	PULLOUT	LEFT	
26.323	26.326	CURB	LEFT	
26.644	26.644	INTERSECTION	RIGHT	
26.789	26.789	INTERSECTION	RIGHT	RT 249 SOUTH GATE PICNIC/ RIVER ACCESS
26.880	26.885	CURB	LEFT	
26.887	26.887	INTERSECTION	LEFT	RT 981 JDR NORTH ENTRANCE PARKING
26.895	26.930	CURB	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0013 : NORTH PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
26.908	26.908	INTERSECTION	RIGHT	RT 982 YELLOWSTONE NATIONAL PARK SOUTH ENTRANCE
26.919	26.955	CURB	RIGHT	
26.937	26.937	INTERSECTION	LEFT	RT 981 JDR NORTH ENTRANCE PARKING
26.940	26.945	CURB	LEFT	
26.966	26.966	INTERSECTION	RIGHT	RT 982 YELLOWSTONE NATIONAL PARK SOUTH ENTRANCE
26.966	26.973	CURB	RIGHT	
26.973	26.973	INTERSECTION	LEFT	
26.976	26.976	PARK BOUNDARY	N/A	
26.980	26.980			ROUTE ENDS AT YELLOWSTONE NP BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0100 : MOOSE / WILSON ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 71, SOUTH
0.023	0.023	INTERSECTION	LEFT	RT 916 MOOSE POST OFFICE PARKING
0.056	0.056	INTERSECTION	LEFT	RT 220 MURIE CENTER
1.219	1.219	INTERSECTION	LEFT	RT 988 SAWMILL PONDS PARKING
1.568	1.568	CULVERT	N/A	
2.100	2.100	CULVERT	N/A	
2.107	2.107	CULVERT	N/A	
2.605	2.605	INTERSECTION	LEFT	UNPAVED ROAD
2.622	2.622	INTERSECTION	LEFT	
2.658	2.658	INTERSECTION	LEFT	
3.017	3.017	CULVERT	N/A	
3.054	3.054	INTERSECTION	RIGHT	RT 208 DEATH CANYON TRAILHEAD ROAD
3.714	3.745	PULLOUT	LEFT	
4.474	4.484	BRIDGE	N/A	
4.770	4.770			ROUTE ENDS AT S BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0101 : ANTELOPE FLATS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ MP 909, EAST
0.170	0.170	INTERSECTION	RIGHT	
0.583	0.583	INTERSECTION	RIGHT	
0.757	0.757	INTERSECTION	LEFT	
0.779	0.779	INTERSECTION	LEFT	
0.887	0.887	CULVERT	N/A	
0.897	0.897	CULVERT	N/A	
1.645	1.645	INTERSECTION	LEFT	RT 201 MORMON ROAD
1.648	1.648	INTERSECTION	RIGHT	RT 201 MORMON ROAD
3.294	3.294	INTERSECTION	RIGHT	
3.296	3.296	INTERSECTION	LEFT	
3.300	3.300			ROUTE ENDS AT RTE 102 @ MP 2063

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0102 : TETON FOREST ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 104 @ MP 800, NORTH
0.009	0.009	INTERSECTION	RIGHT	BEGIN AT RT 104
0.412	0.440	PULLOUT	LEFT	
0.883	0.883	INTERSECTION	LEFT	
0.895	0.895	INTERSECTION	RIGHT	RT 108 TETON FOREST ACCESS ROAD
0.915	0.915	CULVERT	N/A	
2.431	2.431	INTERSECTION	LEFT	RT 101 ANTELOPE FLATS ROAD
2.441	2.441	INTERSECTION	RIGHT	RT 428 HUNTER HEREFORD ROAD
2.957	2.957	INTERSECTION	LEFT	
3.431	3.431	CULVERT	N/A	
3.998	3.998	INTERSECTION	LEFT	
4.000	4.000			ROUTE ENDS AT E BDRY
4.001	4.001	INTERSECTION	RIGHT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0103 : COLTER BAY ENTRANCE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 946, WEST
0.013	0.013	INTERSECTION	RIGHT	BEGINS AT RT 013
0.066	0.066	INTERSECTION	LEFT	
0.188	0.188	INTERSECTION	RIGHT	RT 403 COLTER BAY MAINTENANCE YARD ROAD
0.491	0.491	INTERSECTION	RIGHT	UNPAVED ROAD
0.659	0.659	INTERSECTION	LEFT	RTE 968 STRAIGHT AHEAD
0.660	0.660			ROUTE ENDS AT 4-WAY STOP (INTERSECTING RTES 215 & 501)
0.660	0.660	INTERSECTION	RIGHT	END @ RTE 215

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0104 : GROS VENTRE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT RTE 010, EAST @ MP 242
0.036	0.036	CULVERT	N/A	
0.086	0.086	CULVERT	N/A	
0.135	0.135	INTERSECTION	RIGHT	
0.422	0.422	CATTLE GUARD	N/A	
0.429	0.429	INTERSECTION	LEFT	
0.433	0.433	INTERSECTION	RIGHT	
0.687	0.687	CULVERT	N/A	
0.790	0.790	CULVERT	N/A	
0.929	0.929	CULVERT	N/A	
0.962	0.962	INTERSECTION	LEFT	
1.203	1.203	INTERSECTION	RIGHT	
2.064	2.064	INTERSECTION	RIGHT	
2.189	2.189	INTERSECTION	RIGHT	
2.436	2.436	INTERSECTION	RIGHT	
3.450	3.450	INTERSECTION	LEFT	
3.450	3.450	INTERSECTION	RIGHT	
4.286	4.286	INTERSECTION	LEFT	
4.287	4.287	INTERSECTION	RIGHT	
4.561	4.561	INTERSECTION	RIGHT	RT 202 GROS VENTRE CAMPGROUND
4.970	4.970	INTERSECTION	LEFT	RT 102 TETON FOREST ACCESS ROAD
5.487	5.487	INTERSECTION	RIGHT	RTE 432
6.241	6.241	INTERSECTION	RIGHT	
6.745	6.745	INTERSECTION	RIGHT	
6.768	6.768	INTERSECTION	RIGHT	
6.789	6.789	INTERSECTION	RIGHT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0104 : GROS VENTRE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.806	6.806	INTERSECTION	RIGHT	
6.834	6.834	INTERSECTION	RIGHT	
6.859	6.859	CULVERT	N/A	
6.865	6.865	INTERSECTION	RIGHT	
6.976	6.976	INTERSECTION	RIGHT	
7.069	7.069	INTERSECTION	RIGHT	
7.471	7.471	INTERSECTION	RIGHT	
7.970	7.970	INTERSECTION	LEFT	
7.972	7.972	INTERSECTION	RIGHT	
7.987	7.987	CULVERT	N/A	
8.092	8.092	INTERSECTION	LEFT	RT 102 TETON FOREST ACCESS ROAD
8.413	8.413	INTERSECTION	RIGHT	RTE 989
8.451	8.451	INTERSECTION	LEFT	
8.511	8.511	INTERSECTION	LEFT	
10.310	10.310			ROUTE ENDS AT E BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0105 : SOUTH JENNY LAKE ENTRANCE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 781, WEST
0.119	0.119	INTERSECTION	RIGHT	RTE 205
0.133	0.262	CURB	RIGHT	
0.133	0.318	CURB	LEFT	
0.271	0.271	INTERSECTION	RIGHT	RTE 930
0.279	0.287	CURB	RIGHT	
0.292	0.292	INTERSECTION	RIGHT	RTE 929
0.295	0.308	CURB	RIGHT	
0.317	0.317	INTERSECTION	RIGHT	RTE 929
0.318	0.562	CURB	RIGHT	
0.321	0.321	INTERSECTION	LEFT	RTE 105, END OF LOOP
0.329	0.565	CURB	LEFT	
0.342	0.342	INTERSECTION	LEFT	RTE 929
0.345	0.345	INTERSECTION	RIGHT	RTE 929
0.371	0.371	INTERSECTION	LEFT	RTE 929
0.372	0.372	INTERSECTION	RIGHT	RTE 929
0.405	0.405	INTERSECTION	LEFT	RTE 929
0.405	0.405	INTERSECTION	RIGHT	RTE 929
0.423	0.423	INTERSECTION	LEFT	RTE 929
0.425	0.425	INTERSECTION	RIGHT	RTE 929
0.453	0.462	PULLOUT	RIGHT	
0.472	0.472	INTERSECTION	RIGHT	RTE 929
0.503	0.503	INTERSECTION	LEFT	RTE 929
0.517	0.517	INTERSECTION	RIGHT	RTE 929
0.540	0.540	DROP INLET	LEFT	
0.566	0.586	CURB	RIGHT	
0.568	0.568	INTERSECTION	RIGHT	RTE 929

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0105 : SOUTH JENNY LAKE ENTRANCE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.586	0.586	INTERSECTION	LEFT	
0.586	0.586	INTERSECTION	RIGHT	RTE 929
0.590	0.590			ROUTE ENDS AT END OF LOOP

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0106 : FLAGG SOUTH PARKING LOT ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 117 @ MP 02, WEST
0.007	0.007	INTERSECTION	RIGHT	BEGIN AT RT 117
0.081	0.081	INTERSECTION	RIGHT	
0.109	0.109	INTERSECTION	RIGHT	
0.111	0.111	INTERSECTION	LEFT	
0.154	0.154	INTERSECTION	RIGHT	END @ RTE 979
0.262	0.262	INTERSECTION	RIGHT	
0.287	0.287	INTERSECTION	RIGHT	
0.300	0.300			ROUTE ENDS AT SOUTH PARKING LOT ENTRANCE

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0107 : MORAN DEVELOPMENT ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ MP 2592, NORTH
0.084	0.090	CURB	LEFT	
0.089	0.089	INTERSECTION	LEFT	
0.094	0.094	INTERSECTION	RIGHT	
0.122	0.128	CURB	RIGHT	
0.146	0.146	INTERSECTION	LEFT	RT 953 MORAN DEVELOPMENT PARKING
0.148	0.148	INTERSECTION	RIGHT	RT 953 MORAN DEVELOPMENT PARKING
0.191	0.191	INTERSECTION	RIGHT	
0.199	0.199	INTERSECTION	LEFT	RTE 107 END OF LOOP
0.260	0.260			ROUTE ENDS AT END OF RESIDENTIAL LOOP

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0108 : TETON SCIENCE SCHOOL ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 102 @ MP 90, EAST
1.600	1.600	CULVERT	N/A	
1.664	1.664	INTERSECTION	LEFT	
1.687	1.687	INTERSECTION	LEFT	
1.746	1.746	INTERSECTION	LEFT	
1.760	1.760			ROUTE ENDS AT E BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0109 : BEAVER CREEK MAINTENANCE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011@ MP 08, NORTH
0.008	0.008	INTERSECTION	LEFT	RT 937 STRING LAKE TRAILHEAD PARKING
0.255	0.255	INTERSECTION	LEFT	
0.260	0.260			ROUTE ENDS AT CONCESSIONAIRE PARKING AREA

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0110 : STRING LAKE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 500, NORTH
0.033	0.033	INTERSECTION	LEFT	
0.089	0.097	CURB	LEFT	
0.099	0.099	INTERSECTION	LEFT	RT 937 STRING LAKE TRAILHEAD PARKING
0.101	0.110	CURB	LEFT	
0.196	0.201	CURB	LEFT	
0.202	0.202	INTERSECTION	LEFT	RTE 936
0.205	0.214	CURB	LEFT	
0.248	0.253	CURB	LEFT	
0.249	0.524	CURB	RIGHT	
0.254	0.254	INTERSECTION	LEFT	RTE 110, END OF LOOP
0.265	0.289	CURB	LEFT	
0.295	0.295	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING
0.302	0.309	CURB	LEFT	
0.317	0.317	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING
0.319	0.329	CURB	LEFT	
0.399	0.399	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING
0.453	0.464	CURB	LEFT	
0.456	0.456	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING
0.468	0.468	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING
0.468	0.521	CURB	LEFT	
0.473	0.511	PULLOUT	RIGHT	
0.523	0.523	INTERSECTION	LEFT	RTE 937 STRING LAKE TRAILHEAD PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0110 : STRING LAKE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.527	0.527	INTERSECTION	RIGHT	
0.530	0.530			ROUTE ENDS AT END OF LOOP AROUND RTE 935

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0111 : SIGNAL MOUNTAIN ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 1660, EAST
0.026	0.026	INTERSECTION	LEFT	RTE 942 SIGNAL MOUNTAIN BOAT TRAILER PARKING
1.196	1.196	INTERSECTION	LEFT	RT 424 SIGNAL MOUNTAIN RESERVOIR ROAD
2.064	2.103	PULLOUT	LEFT	
2.066	2.096	CURB	LEFT	
2.581	2.581	CULVERT	N/A	
2.655	2.655	CULVERT	N/A	
2.752	2.777	PULLOUT	LEFT	
2.787	2.787	CULVERT	N/A	
2.787	2.805	PULLOUT	RIGHT	
3.169	3.169	CULVERT	N/A	
3.250	3.250	CULVERT	N/A	
3.962	3.962	INTERSECTION	RIGHT	
3.974	3.974	INTERSECTION	LEFT	
4.664	4.678	PULLOUT	LEFT	
4.730	4.730			ROUTE ENDS AT PARKING AREA RTE 944 AT SUMMIT
4.730	4.730	INTERSECTION	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0112 : SIGNAL MOUNTAIN MARINA ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 1759, WEST
0.028	0.028	INTERSECTION	RIGHT	
0.040	0.040	INTERSECTION	LEFT	RTE 946
0.047	0.047	INTERSECTION	RIGHT	RT 945 SIGNAL MOUNTAIN RANGER STATION PARKING
0.061	0.061	DROP INLET	RIGHT	
0.070	0.070	INTERSECTION	RIGHT	RT 945 SIGNAL MOUNTAIN RANGER STATION PARKING
0.082	0.082	INTERSECTION	RIGHT	RT 211 SIGNAL MOUNTAIN CAMPGROUND
0.088	0.088	INTERSECTION	LEFT	RT 946 SIGNAL MOUNTAIN DUMP STATION
0.213	0.213	INTERSECTION	RIGHT	
0.233	0.233	INTERSECTION	RIGHT	
0.362	0.362	INTERSECTION	RIGHT	RT 947 TRAILER STORAGE PARKING
0.375	0.376	CURB	RIGHT	
0.419	0.489	PAVED DITCH	RIGHT	
0.442	0.442	CULVERT	N/A	
0.463	0.530	PAVED DITCH	LEFT	
0.524	0.549	CURB	RIGHT	
0.540	0.540	INTERSECTION	LEFT	RT 112 SIGNAL MOUNTAIN MARINA ROAD
0.543	0.545	CURB	LEFT	
0.553	0.553	INTERSECTION	LEFT	RT 948 MARINA ACCESS PARKING
0.557	0.557	INTERSECTION	RIGHT	RT 948 MARINA ACCESS PARKING
0.559	0.578	CURB	RIGHT	
0.578	0.578	INTERSECTION	RIGHT	RTE 948
0.580	0.601	CURB	RIGHT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0112 : SIGNAL MOUNTAIN MARINA ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.597	0.597	INTERSECTION	LEFT	RTE 948
0.600	0.600			ROUTE ENDS AT END OF LOOP AT BOAT RAMP RTE 948

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0113 : JACKSON LAKE LODGE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 500, WEST
0.168	0.168	INTERSECTION	RIGHT	
0.186	0.186	INTERSECTION	LEFT	RTE 113, END OF LOOP
0.223	0.223	INTERSECTION	RIGHT	
0.245	0.248	CURB	LEFT	
0.250	0.250	INTERSECTION	RIGHT	
0.251	0.251	INTERSECTION	LEFT	
0.253	0.267	CURB	LEFT	
0.265	0.265	INTERSECTION	LEFT	
0.269	0.275	CURB	LEFT	
0.275	0.275	INTERSECTION	RIGHT	
0.278	0.279	CURB	LEFT	
0.279	0.279	INTERSECTION	LEFT	
0.289	0.289	INTERSECTION	LEFT	
0.290	0.301	CURB	LEFT	
0.304	0.304	INTERSECTION	RIGHT	
0.306	0.313	CURB	LEFT	
0.310	0.348	CURB	RIGHT	
0.317	0.317	INTERSECTION	LEFT	
0.321	0.326	CURB	LEFT	
0.386	0.386	INTERSECTION	RIGHT	
0.386	0.421	CURB	LEFT	
0.393	0.410	CURB	RIGHT	
0.412	0.412	INTERSECTION	RIGHT	
0.428	0.428	INTERSECTION	LEFT	
0.430	0.430	INTERSECTION	RIGHT	
0.430	0.438	CURB	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0113 : JACKSON LAKE LODGE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.440	0.440	INTERSECTION	LEFT	
0.442	0.451	CURB	LEFT	
0.452	0.452	DROP INLET	LEFT	
0.453	0.453	INTERSECTION	LEFT	
0.455	0.455	INTERSECTION	RIGHT	
0.459	0.461	CURB	LEFT	
0.463	0.463	INTERSECTION	LEFT	
0.468	0.478	CURB	LEFT	
0.481	0.481	INTERSECTION	RIGHT	
0.483	0.483	INTERSECTION	LEFT	
0.483	0.485	CURB	LEFT	
0.566	0.566	INTERSECTION	RIGHT	
0.585	0.585	INTERSECTION	RIGHT	
0.620	0.620			ROUTE ENDS AT END OF LOOP AROUND CONCESSION PARKING
0.620	0.620	INTERSECTION	LEFT	
0.620	0.620	INTERSECTION	RIGHT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0114 : PACIFIC CREEK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 106, EAST
0.008	0.008	INTERSECTION	RIGHT	RT 1000 PACIFIC CREEK HUNT CAMP
1.412	1.412	CULVERT	N/A	
2.066	2.066	INTERSECTION	LEFT	RT 120 TWO OCEAN HUNT CAMP
2.135	2.135	CULVERT	N/A	
2.173	2.173	INTERSECTION	LEFT	RT 207 PACIFIC CREEK FOREST ACCESS
3.359	3.359	PARK BOUNDARY	N/A	
3.360	3.360			ROUTE ENDS AT E BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0115 : LEEKS MARINA ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 1036, WEST
0.077	0.077	CULVERT	N/A	
0.363	0.363	CULVERT	N/A	
0.526	0.526	INTERSECTION	RIGHT	RTE 414 AMK RANCH ROAD
0.604	0.604	INTERSECTION	RIGHT	RTE 970
0.620	0.620			ROUTE ENDS AT PARKING RTE 971
0.623	0.623	INTERSECTION	RIGHT	END @ RTE 971

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0117 : GRASSY LAKE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 2452, WEST
0.043	0.043	INTERSECTION	LEFT	RT 106 FLAGG SOUTH PARKING LOT ACCESS ROAD
0.108	0.108	INTERSECTION	LEFT	RT 980 FLAGG NORTH PARKING AREA
0.218	0.218	INTERSECTION	LEFT	
0.379	0.379	INTERSECTION	RIGHT	RT 404 FLAGG HOUSING ROAD
0.529	0.529	INTERSECTION	LEFT	
1.122	1.139	BRIDGE	N/A	
1.160	1.160			ROUTE ENDS AT W JDR Jr Memorial Parkway BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0118 : BLACKTAIL PONDS OVERLOOK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ MP 911, WEST
0.173	0.203	CURB	LEFT	
0.215	0.215	INTERSECTION	LEFT	
0.215	0.271	CURB	RIGHT	
0.217	0.231	CURB	LEFT	
0.218	0.218	INTERSECTION	RIGHT	
0.270	0.270			ROUTE ENDS AT END OF LOOP AT OVERLOOK, RTE

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0200 : GOLF COURSE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010, WEST @MP 242
0.503	0.503	PARK BOUNDARY	N/A	
0.509	0.509	INTERSECTION	LEFT	
0.515	0.515	INTERSECTION	RIGHT	
0.520	0.520			ROUTE ENDS AT W BDRY AT 4- WAY INTERSECTION

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0204 : CHAPEL OF TRANSFIGURATION ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011@ MP 1028, EAST
0.451	0.451	INTERSECTION	LEFT	RT 204 CHAPEL OF TRANSFIGURATION PARKING
0.509	0.509	DROP INLET	RIGHT	
0.511	0.511	INTERSECTION	RIGHT	RT 919 CHAPEL OF TRANSFIGURATION PARKING
0.522	0.522	INTERSECTION	RIGHT	RT 919 CHAPEL OF TRANSFIGURATION PARKING
0.547	0.547	INTERSECTION	RIGHT	
0.548	0.548	INTERSECTION	LEFT	
0.550	0.550			ROUTE ENDS AT END OF LOOP

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0208 : DEATH CANYON TRAILHEAD ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 100 @ MP 301, NORTH
0.443	0.443	CULVERT	N/A	
0.638	0.638	INTERSECTION	LEFT	
0.640	0.640			ROUTE ENDS AT TRAILHEAD

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0209 : CLIMBERS RANCH ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 470, WEST
0.177	0.177	INTERSECTION	LEFT	RT 993 HIGHLANDS RANCH PARKING
0.257	0.265	BRIDGE	N/A	
0.271	0.271	INTERSECTION	RIGHT	
0.290	0.290			ROUTE ENDS AT RANCH

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0212 : JACKSON DAM FISHING ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 1970, SOUTH
0.072	0.072	INTERSECTION	RIGHT	RT 997 JACKSON DAM PICNIC AREA
0.133	0.133	INTERSECTION	RIGHT	RT JACKSON DAM PICNIC AREA
0.195	0.195	INTERSECTION	RIGHT	
0.203	0.222	GUARDRAIL	RIGHT	
0.257	0.257	INTERSECTION	RIGHT	
0.260	0.260			ROUTE ENDS AT PARKING AREA

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0216 : CUNNINGHAM CABIN ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 010 @ MP 1955 LEFT, NORTH
0.058	0.058	INTERSECTION	RIGHT	RTE 910 CUNNINGHAM CABIN PARKING
0.071	0.071	INTERSECTION	RIGHT	RTE 910 CUNNINGHAM CABIN PARKING
0.340	0.340			ROUTE ENDS AT PARKING RTE 911
0.342	0.342	INTERSECTION	LEFT	END @ RT 911 BAR FLYING U PARKING

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0225 : LUPINE MEADOWS PARK ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 710, SOUTH
0.121	0.121	INTERSECTION	LEFT	RT 421 LUPINE MEADOWS WEST SIDE RESIDENTIAL ARE
0.146	0.169	PULLOUT	RIGHT	
0.187	0.203	BRIDGE	N/A	
0.215	0.215	INTERSECTION	RIGHT	
0.250	0.250			ROUTE ENDS AT PARKING AREA RTE 807

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0232 : COLTER BAY STORAGE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT RTE 013 @ MP 857 RIGHT, NORTH
0.180	0.180			ROUTE ENDS AT N BDRY

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0251 : OLD HIGHWAY LOOP ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT 013 N, WEST
0.150	0.150			ROUTE ENDS AT RTE 013 S

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0403 : COLTER BAY MAINTENANCE YARD ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 103 @ MP 18, NORTH
0.052	0.052	INTERSECTION	LEFT	RT 402 COLTER BAY MAINTENANCE YARD ROAD
0.110	0.110			ROUTE ENDS AT MAINTENANCE YARD RTE 965

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0408 : MOOSE HOUSING/ MAINTENANCE/ BOAT LAUNCH ACCESS RD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 W @ MP 49, NORTH, EAST AND THEN SOUTH
0.019	0.019	INTERSECTION	LEFT	RTE 912
0.071	0.113	CURB	LEFT	
0.072	0.072	INTERSECTION	RIGHT	RTE 915
0.072	0.118	CURB	RIGHT	
0.090	0.090	INTERSECTION	LEFT	RTE 915
0.092	0.092	INTERSECTION	RIGHT	RTE 915
0.140	0.140	INTERSECTION	RIGHT	
0.159	0.159	INTERSECTION	RIGHT	
0.228	0.228	INTERSECTION	RIGHT	RTE 914 RIGHT & LEFT
0.303	0.303	INTERSECTION	RIGHT	RTE 400
0.307	0.307	INTERSECTION	LEFT	RTE 913
0.373	0.373	INTERSECTION	LEFT	RTE 913
0.375	0.375	INTERSECTION	RIGHT	RTE 400
0.411	0.411	INTERSECTION	LEFT	
0.453	0.453	INTERSECTION	LEFT	RTE 912
0.480	0.480			ROUTE ENDS AT RTE 011 E
0.481	0.481	INTERSECTION	RIGHT	
0.482	0.482	INTERSECTION	LEFT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0414 : AMK RANCH ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 115 @ MP 60, NORTH
0.017	0.017	INTERSECTION	LEFT	
0.340	0.340			ROUTE ENDS AT END OF LOOP
0.604	0.604	INTERSECTION	RIGHT	

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0428 : HUNTER HEREFORD ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT RTES 102 @ MP 206 AND 101, EAST
0.250	0.250			ROUTE ENDS AT END OF LOOP

GRTE: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0500 : JENNY LAKE LOOP

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 011 @ MP 842, SOUTH
0.065	0.065	INTERSECTION	LEFT	
0.066	0.066	INTERSECTION	RIGHT	RTE 933 CATHEDRAL GROUP PARKING
0.099	0.099	INTERSECTION	LEFT	
0.106	0.106	INTERSECTION	RIGHT	
0.752	0.752	INTERSECTION	RIGHT	RT 933 CATHEDRAL GROUP PARKING
0.809	0.809	INTERSECTION	RIGHT	
1.485	1.485	INTERSECTION	LEFT	
1.488	1.488	INTERSECTION	RIGHT	RT 110 STRING LAKE ROAD
1.708	1.708	INTERSECTION	LEFT	
1.735	1.735	INTERSECTION	LEFT	
1.970	1.991	PULLOUT	RIGHT	
2.334	2.354	PULLOUT	RIGHT	
2.491	2.504	PULLOUT	LEFT	
2.940	2.940	INTERSECTION	RIGHT	RT 934 JENNY LAKE OVERLOOK PARKING
2.985	2.985	INTERSECTION	RIGHT	RTE 934
3.495	3.520	PULLOUT	RIGHT	
3.526	3.537	PULLOUT	RIGHT	
3.965	3.965	INTERSECTION	LEFT	END @ RTE 011
3.965	3.965	INTERSECTION	RIGHT	END @ RTE 011
3.970	3.970			ROUTE ENDS AT RTE 011

APPENDIX A: GLOSSARY OF TERMS AND ABBREVIATIONS

TERM OR ABBREVIATION	DESCRIPTION OR DEFINITION
1460	Numeric Code for Grand Teton National Park
AADT	Annually Adjusted Daily Traffic. Average daily traffic adjusted for the term period comprising 80% of annual visitation
CRS	Condition Rating Sheets. (Section 5)
Drainage Condition Rating	A visual rating (Good, Poor) of the drainage condition. (see Section 10)
Excellent	Excellent rating with an index value of 95 or greater
Fair	Fair rating with an index value between 61 and 84
Func. Class	Functional Classification (see Route ID, Section 4)
Good	Good rating with an index value between 85 and 94
GRTE	Alpha Code for Grand Teton National Park
IRI	International Roughness Index
Lane Width	Distance from road centerline to fogline, or from centerline to edge-of-pavement when no fogline exists
MRR	Manually Rated Route
NA	Not Applicable
NC	Not Collected
Paved Width	Distance from edge-of-pavement to edge-of-pavement
PCR	Pavement Condition Rating (see Section 10)

Poor	Poor Rating with an index value of 60 or less
RCI	Roughness Condition Index
SADT	Seasonal Annual Daily Traffic. Average daily traffic for the total defined "season"
SCR	Surface Condition Rating (see Section 10)
Shoulder Condition Rating	Visual rating (Good, Poor) of the condition of shoulder. (see Section 10)
Shoulder Width	Distance from fogline to hinge point, or if no fogline, from edge-of-pavement to hinge point

APPENDIX B: DESCRIPTION OF RATING SYSTEM

A numerical roadway rating system is used to describe the overall condition of the paved roadways and paved parking areas. In this system, a numerical rating between 1 and 100 is ascribed to each 0.02 miles of road. This numerical rating is called a Pavement Condition Rating (PCR). A “perfect” road, newly constructed with no surface distresses and a smooth surface, would be assigned a PCR rating of 100. Based on the type, severity, and extent of surface distresses points are deducted from 100 to arrive at the final PCR.

Data is collected on the following distresses and conditions:

- **Alligator Cracking** - a series of interconnecting cracks resembling alligator skin or chicken wire, which can occur anywhere in the lane.
- **Longitudinal Cracking** - cracks which are parallel to the pavement centerline or asphalt lay-down direction.
- **Transverse Cracking** - cracks perpendicular to the pavement centerline.
- **Pothole (patch)** - a bowl-shaped hole in the pavement surface. May be patched or not.
- **Rutting** - surface depressions in the wheel paths.

Roughness is collected as International Roughness Index (IRI) and is used in the PCR formula. Roughness is measured in inches of vertical displacement of the vehicle per mile traveled.

A Distress Rating Index value is calculated for each of the individual distresses at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

Alligator Cracking Index = $100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]$

Longitudinal Cracking Index = $100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]$

Transverse Cracking Index = $100 - [(20 * (low/15.1 + medium/7.5)) + (40 * (high/1.9))]$

Patching Index = $100 - [40 * (\%patching / 80)]$

Rutting Index: $100 - [40 * ((low/160) + (med/80) + (high/40))]$

Roughness Condition Index: (RCI) = $32 * [5 * e^{(-0.0041 * average\ IRI)}]$

These 0.02 Distress Rating Index values are then averaged over one mile sections for the mile-by-mile Distress Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

Surface Condition Rating (SCR) = $100 - [(100 - AC_INDEX) + (100 - LC_INDEX) + (100 - TC_INDEX) + (100 - PATCH_INDEX) + (100 - RUT_INDEX)]$

Pavement Condition Rating (PCR) = $(SCR * 0.60) + (RCI * 0.40)$

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 12 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Parking Lot and Manually Rated Road Condition Rating

Surface Condition Distresses- Chip Seal:

- Raveling – loss of surface rock chips revealing previous surface
- Bleeding – asphalt or tar is bleeding through to the surface where surface looks slick with asphalt
- Rutting
- Potholes/Patching

Ratings - Chip Seal:

- Excellent – None of the surface affected by the above (recently constructed)
- Good – Less than 10% of surface affected by the above
- Fair – Between 10% and 40% of surface affected by the above
- Poor – More than 40% of surface affected by the above

Surface Condition - Asphalt:

- Cracking of any type
- Rutting
- Potholes/Patching

Ratings - Asphalt:

- Excellent – None of the surface affected by the above (recently constructed)
- Good – Less than 10% of surface affected by the above
- Fair – Between 10% and 40% of surface affected by the above
- Poor – More than 40% of surface affected by the above

Index Values of Visual Ratings on Parking Lots and Manually Rated Roads

Excellent	97
Good	90
Fair	73
Poor	45

Drainage Condition Rating Definitions

- Good:** Minimal overall drainage problems. If funding were available for pavement maintenance, 25% or less is estimated to correct drainage deficiencies.
- Poor:** Problems exist that jeopardizes the integrity of the road in this section. If funding were available for pavement maintenance, 50% to 100% is estimated to correct drainage deficiencies.

Drainage Condition Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainage ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Drainage

Most water clears the road prism adequately with little concern of base saturation.

- X Pavement has minor deficiencies that interrupt water flow.
- X Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- X Curbs have deficiencies, but still function without erosion.
- X Down drains are placed properly, but show signs of some deterioration.
- X Culverts are adequate in numbers and size however, minor deficiencies are evident.
- X Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

Poor Drainage

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- X Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- X Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- X Portions of curbs are missing, allowing water to escape causing erosion.
- X Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- X Down drains show signs of water exiting in areas by the down drain causing erosion.
- X Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- X Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

- Good:** The shoulder is generally in good functional condition. If curbs are present, they are functional.
- Poor:** There is no shoulder because erosion has removed it. If curbs are present, they need to be replaced.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Shoulders

- X If shoulder is unpaved drop-offs are less than 1", but grading is required.
- X If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- X If curbs are present they are functional.

Poor Shoulder

- X If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- X If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- X If curbs are present they need replacement.
- X If curbs are present they need repairs, and there is erosion behind the curb.

APPENDIX C: DIGITAL IMAGE INFORMATION

All images collected in Cycle 3 are digital images. These images provide the best resolution for identifying sign inventories and pavement evaluations. The images can be viewed with an interactive software program called **Visi-Data**. Each park will have a copy of the Visi-Data program installed in the park for park personnel to access and use.

Only Cycle 3 data can be queried and reviewed using the Visi-Data software program. This program is a multimedia data presentation and analysis tool that can be accessed either at the individual park, park region or at NPS headquarters. The data is organized in a hierarchical manner and presented in tabular and graphical formats. The user is able to perform queries and drill down through the data to find the particular information they are trying to query. Associated digital right-of-way images from either the LAN, USB port, individual DVD, or from the Visi-web application, can be presented along with the GPS locations.

APPENDIX D: METADATA

ARAN ROUTE GPS DATA

Background information of route spatial data.

GPS Records: GPS data for NPS routes is stored in the MS Access database for the park. The coordinates of the road traces are stored in the 'PMS_20' table in the 'GPS_LAT' and 'GPS_LON' fields.

Data Collection Device:

Vehicle Information: Ford Van
Type of GPS Unit: NovAtel MiLLennium, 12 channel, dual frequency L1/L2, DGPS ready receiver w/MiLLennium 502 GPS antenna and OmniSTAR System 3000 LR
Inertial System: Applanix POS LV

Accuracy: Expected ground accuracy is 1 meter *

*The above accuracy assumes good GPS mission planning resulting in maximum GPS satellite observation and ideal environmental conditions. Due to less than ideal satellite and environmental conditions, some routes may lack the expected ground accuracy.

Geographic Datum: WGS 1984

Post Collection GPS Correction: Due to unanticipated GPS collection inaccuracies, some route locations have been digitized using DOQQ's and other data sources.

FHWA – NPS Road Inventory Program Cycle 3 Metadata for the Park Database

The purpose of these sheets is to provide users of the Road Inventory Program's data with data accuracies and tolerances to help users define ways in which the RIP data can and cannot be used. For further information on specifics of data collection equipment, data collection procedures, equipment calibrations, or quality control/quality assurance procedures, please contact Jim Kennedy, Project Manager, Data Quality Assurance, at 720-963-3560 or jim.kennedy@fhwa.dot.gov.

All Road Inventory Program data undergoes quality control and quality assurance testing. This document represents the known data accuracies and tolerances for the data collection equipment, data collection procedures, and data processing procedures currently in use. Many additional tests conducted on the park databases during the quality assurance phase to ensure data integrity are not listed as a part of this document. Before it is delivered, a park database undergoes a large set of table design consistency, field data format consistency, data completeness, uniqueness of key fields, data reasonableness, acceptable data range, within-field data consistency, between-field data consistency, and between-table data consistency tests. Additional data sampling checks are conducted to ensure proper data upload from raw files into the park database and to quality check the pavement crack analysis. Further information is detailed in the FHWA – NPS RIP Quality Assurance Manual, available upon request.

This description of metadata includes only the known accuracies with which a data field matches its expected value. The tables that follow this page show each database field's:

- Field – field name
- Format – data type and number of characters of field
- Expected Value – meaning of value assigned to field
- Source – when in process field value obtained
- Validation – how field value obtained
- Expected Accuracy – accuracy with which contents of field match Expected Value

Verifying and continually improving the accuracy of Road Inventory Program data is an ongoing goal of the Federal Highway Administration and the National Park Service. Field testing and post-collection analysis of ARAN (Automatic Road Analyzer) -collected data will continue in Cycle 4. Data quality is expected to improve as the FHWA – NPS Road Inventory Program continues to operate, due to the fact that future data collection cycles will consist in large part of data updates. Also, technological improvements are expected to render the data increasingly consistent with actual roadway conditions as data collection cycles progress.

Specific Caveats

- Three canned reports are titled “Features in Good Condition”, “Features in Fair Condition,” and “Features in Poor Condition.” These titles could be misleading. In Cycle 3, condition assessments have been conducted on **signs only**. Condition assessments have not been conducted on non-sign features, such as culverts, guardrails, pullouts, etc. Although the database and canned reports might report a default value of “good” for un-assessed features, these condition values are not valid for import into FMSS.
- Database records that show a concrete surface type sometimes include index values that seem to show a perfect roadway (e.g., a Pavement Condition Rating (PCR) of 100). The Road Inventory Program does not actually conduct condition assessments of concrete surfaces. The perfect values are just default values assigned to unassessed sections of pavement and do not represent an assessment of the roadway surface's quality.
- On the USB drive, in the Database folder, parks are provided with intersection lists and exceptions lists. These documents should be treated as raw files and are **not accurate**. Refer to the final database for accurately post-processed intersection data.
- Most roadway data is collected in the primary direction lane of a roadway. To save data storage

space and to reduce data analysis efforts, the assumption was made that the paved surface condition of a route's primary lane adequately represents the surface condition of the full roadway. Therefore, in the database, opposite-direction records in the PMS_Visidata table do not include assessed values for roadway surface distresses. Values such as 0, N/A, -1, or a repeat of the primary-direction assessed value indicate that no assessment was performed. The PMS_20 and PMS_Mile tables simply exclude all opposite routes.

- Most roadway features are collected relative to the primary direction lane of a roadway, using the primary-direction video. Signs are the only features collected using the opposite-direction video.

Key to Notes in Tables

(1): Note that only one value fits in field, so even if this value varies throughout the route, only one value is recorded here.

(2): Note that some MP values listed here are estimates recorded during the Route ID process for use by the data collection crew (e.g. "FROM ROUTE 0010 AT MILEPOST 30.3"). They are estimates only and are not expected to match the more accurate milepost values included elsewhere in the database in the BEG_MP, END_MP, and MP fields.

(3): Mileage is measured by the ARAN (Automatic Road ANalyzer) data collection vehicle out to the 0.001 decimal place. The DMI (distance measuring instrument) is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration.

(4): Features are measured differently depending on whether they are visible in the forward-facing video of the roadway, but every feature milepost measurement depends on the baseline measurement of the data collection vehicle's mileage. The ARAN (Automatic Road ANalyzer) data collection vehicle's mileage is measured by the DMI (distance measuring instrument) out to the 0.001 decimal place. The DMI is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration. If a feature will not be visible in the forward-facing video, its milepost is determined by the data collectors' key press tagging the milepost when the ARAN passes the feature. Key presses are entered into the ARAN software when the vehicle travels typically between 15 and 45 miles/hour, so a delay of a single second as the vehicle passes a feature would result in an inaccuracy of 0.004 miles (22 feet) to 0.012 miles (66 feet). If a feature is visible in the video, its milepost is determined during post-processing using a video measurement software called Surveyor. Features along the side of a roadway that are measured using the Surveyor software might not be located very accurately. Surveyor is known to be most accurate when measuring quantities near the center of the video frame, as opposed to in the edges of the video image.

(5): Only signs are evaluated for condition. No other features' conditions are assessed, so "N/A" was originally intended to be the default value for unassessed features. However, some non-sign features do have condition ratings in the database. These are not accurate, because no assessment was ever done on non-sign features.

(6): Condition assessments are not conducted on concrete (CO) surface types. Perfect values for concrete road sections are default values and do not represent a condition assessment of the concrete surfaces.

(7): Roadway cracking presence, type, severity, and extent are determined by filming the roadway in the primary lane continuously with two overlapping analog cameras of 640 x 480 resolution. The images from both cameras are stitched together in real time to create a continuous strip image of the roadway pavement in the primary lane. Cracks 3 mm or greater in width are visible in this video. A semi-automatic process running the WiseCrax software with additional input by human operators provides the cracking quantities recorded in these database fields. Quality checks have determined that a consistent 80% or better of the visible cracks are recorded.

Access Database Metadata

Master Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
RTE_NAME	(Text)	Route name	Route ID Meeting	Park Input	Untested. 50 characters fit in field
FUNCT_CLAS	X	Route functional classification	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP_EST	999.999 (miles)	Estimated starting MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
END_MP_EST	999.999 (miles)	Estimated ending MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
FROM_DESC	(Text)	Beginning terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
TO_DESC	(Text)	Ending terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
COMP_DIR	XX	Compass direction of route's primary lane (nearest cardinal direction)	Route ID Meeting	Park Input/FHWA Determination	Untested
COMMENTS	(Text)	Special information, if any	Contractor Post-processing	Contractor Input	Untested
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
BEG_MP	999.999 (miles)	Beginning MP collected	ARAN Data Collection	Automatic Output	100% (3)
END_MP	999.999 (miles)	Ending MP collected	ARAN Data Collection	Automatic Output	100% (3)

PMS_Feature Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLAS	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
MP	999.999 (miles)	Feature location along route	ARAN Data Collection/Contractor Post-processing	Survey Crew Input/Video Processing	Untested (4)
EVENT	XXXX	Event category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_CODE	XXXX	Event sub-category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_DESC	(Text)	Description of feature/contents of sign	Contractor Post-processing	Video Processing	Untested
MUTCD	"N/A"	N/A. Intended to be sign MUTCD code	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
CONDITION	XXX	Sign condition (G-D, F-R, P-R, N/A)	Contractor Post-processing	Video Processing	Untested (5)
COMMENT	(Text)	Sign label, intersecting route, etc.	Contractor Post-processing	Database Processing	Untested
OFFSET	"N/A"	N/A. Intended to be offset from pavement edge	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
SIDE	XXX	Side of route; "N/A" if not on one side	Contractor Post-processing	Video Processing	Untested
STR_NUMBER	XXXXXXXXXXXX	FHWA bridge structure number	FHWA Post-processing	Database Processing	Untested
GPS_LAT	"N/A"	N/A. Intended to be latitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_LON	"N/A"	N/A. Intended to be longitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_ELEV	"N/A"	N/A. Intended to be elevation	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_MODE	"N/A"	N/A. Intended to be GPS mode	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
VIDEO	<Park-C03VID-#>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing feature	Contractor Post-processing	Automatic Output	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISL_FROM	999999 (millimiles)	Raw MP of first video frame showing feature	Contractor Post-processing	Database Processing	Untested
VISL_TO	999999 (millimiles)	Raw MP of last video frame showing feature	Contractor Post-processing	Database Processing	Untested

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

PMS 20, PMS Mile & PMS Visidata Tables Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLASS	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP	999.999 (miles)	MP at start of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
END_MP	999.999 (miles)	MP at end of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
INT_LENGTH	999.9 (ft)	Length of road interval as aggregated for data table	Contractor Post-processing	Database Processing	100%
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
LANE_NO	X	Data collection lane	Contractor Post-processing	Database Processing	Untested
WX_LANE_WIDTH	99.999 (ft)	WiseCrax (crack detection software) analysis width	Contractor Post-processing	Automatic Output	Untested
LANE_WIDTH	99.999 (ft)	Width of lane	Contractor Post-processing	Video Processing	Untested
PAVE_WIDTH	99.999 (ft)	Full pavement width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_L	99.999 (ft)	Left shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_R	99.999 (ft)	Right shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_COND_L	XXXX	Left shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
SHLD_COND_R	XXXX	Right shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_L	XXXX	Left drainage condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_R	XXXX	Right drainage condition	ARAN Data Collection	Survey Crew Input	Untested
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
PCR	999	Pavement Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
RCI	999	Roughness Condition Index; -1 if invalid IRI	Contractor Post-processing	Database Processing	100% for calculation

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
SCR	999	Surface Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
IRI_AVG	999.9 (inches/mile)	Average IRI	Contractor Post-processing	Database Processing	Untested
IRI_SD	999.9 (inches/mile)	IRI standard deviation	Contractor Post-processing	Database Processing	Untested
IRI_L	999.9 (inches/mile)	Left wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_R	999.9 (inches/mile)	Right wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_FLAG	0 or -1	-1 if invalid IRI data	Contractor Post-processing	Database Processing	Untested
RUT_INDEX	999	Rut index	Contractor Post-processing	Database Processing	100% for calculation (6)
RUT_AVG	99.99 (inches)	Average rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MAX	99.99 (inches)	Maximum rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_SD	9.9	Rut depth standard deviation	Contractor Post-processing	Database Processing	Untested (6)
RUT_LOW	999 (%)	Percent of low severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MED	999 (%)	Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_HI	999 (%)	Percent of high severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
XFALL	999.9 (% slope)	Cross fall at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
GRADE	999.9 (% slope)	Grade at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
AC_INDEX	999	Alligator cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
AC_LOW	999.9999 (%)	Percent of WiseCrax measured lane area with low-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_MED	999.9999 (%)	Percent of WiseCrax measured lane area with medium-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_HI	999.9999 (%)	Percent of WiseCrax measured lane area with high-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
LC_INDEX	999	Longitudinal cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
LC_LOW	999.99 (%)	Low-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_MED	999.99 (%)	Medium-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_HI	999.99 (%)	High-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
TC_INDEX	999	Transverse cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
TC_LOW	999.99 (cracks)	Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_MED	999.99 (cracks)	Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_HI	999.99 (cracks)	Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
PATCH_INDEX	999	Patching index	Contractor Post-processing	Database Processing	100% for calculation (6)

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
PATCHING	999.9999 (%)	Percent of WiseCrax measured lane area affected by patching	Contractor Post-processing	Manual Pavement Video Processing	Untested (6)
GPS_LAT	999.9999999	Latitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_LON	-999.9999999	Longitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_ELEV	999999.9	Elevation	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_MODE	XXX	GPS mode during collection	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
VIDEO	<Par/>C03VID<#>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing road interval	Contractor Post-processing	Automatic Output	Untested
SPEED	999 (miles/hour)	Average ARAN speed during data collection	ARAN Data Collection	Automatic Output	Untested
BRIDGE_FLAG	0 or 1	Flag indicating presence of bridge in interval	ARAN Data Collection	Survey Crew Input	Untested
CONSTR_FLAG	0 or 1	Flag indicating construction in interval	ARAN Data Collection	Survey Crew Input	Untested
LANEDEV_FLG	0 or 1	Flag indicating lane deviation in interval	ARAN Data Collection	Survey Crew Input	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
NODISTRESS	0 OR 1	Flag indicating absence of pavement distress	Contractor Post-processing	Database Processing	100%
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISL_FROM	999999 (millimiles)	Raw MP of first video frame in section	Contractor Post-processing	Database Processing	Untested
VISL_TO	999999 (millimiles)	Raw MP of last video frame in section	Contractor Post-processing	Database Processing	Untested
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

Cycle 3 Shapefile Metadata

Metadata is provided for all shapefiles used for the creation of RIP report documents. The metadata for each shapefile associated with the park can be found in Section 10 of the PDF report provided on your park CD.

All shapefiles have the following spatial characteristics:

Geographic_Coordinate_Units: Decimal degrees
Spheroid: WGS 1984

grte_mrl_03_map

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Published Materials

Title: grte_mrl_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Copy of Manually Rated Roads - Lines

Purpose: Road Inventory Program

Supplemental_Information:

This shapefile is a copy of the source manually rated lines shapefile. The features are edited as needed for graphic purposes.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 7/23/1998

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -110.738043

East_Bounding_Coordinate: -110.612266

North_Bounding_Coordinate: 44.097114

South_Bounding_Coordinate: 43.610802

Keywords:

Theme:

Theme_Keyword_Thesaurus: GRTE

Theme_Keyword: GRTE

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 11

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: grte_mrl_03_map

Entity_Type_Definition_Source: GPS

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Enumerated_Domain:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route Number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NAME

Attribute_Definition: Route Name

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: SECTION_

Attribute_Definition: Route Section ID

Attribute_Definition_Source: Route ID Meeting / ARAN Data Collection

Attribute:

Attribute_Label: SURF_TYPE

Attribute_Definition: Surface type of route

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: CONDITION

Attribute_Definition: Condition rating

Attribute_Domain_Values:

Attribute:

Attribute_Label: COMMENT

Attribute_Definition: Field comment

Attribute:

Attribute_Label: GPS_DATE
Attribute_Definition: Date of GPS Collection

Attribute:

Attribute_Label: DATAFILE

Attribute:

Attribute_Label: PAVE_WIDTH
Attribute_Definition: Width of the paved area

Attribute:

Attribute_Label: PAVED_MI
Attribute_Definition: Calculated paved miles

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.037

Metadata_Reference_Information:

Metadata_Date: 20060124

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 14:34:23 2006

grte_pkg_03_map

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: grte_pkg_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Copy of Parking Areas

Purpose: Road Inventory Program

Supplemental_Information:

This shapefile is a copy of the source parking shapefile. The features are edited as needed for graphic purposes.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 8/1/1998

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -110.735489

East_Bounding_Coordinate: -110.506796

North_Bounding_Coordinate: 44.133385

South_Bounding_Coordinate: 43.545962

Keywords:

Theme:

Theme_Keyword_Thesaurus: GRTE

Theme_Keyword: GRTE

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: G-polygon

Point_and_Vector_Object_Count: 114

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: grte_pkg_03_map

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NAME

Attribute_Definition: Route name

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: FEATURE

Attribute:

Attribute_Label: SURF_TYPE

Attribute_Definition: Surface type of route

Attribute_Domain_Values:

Attribute:

Attribute_Label: CONDITION

Attribute_Definition: Condition rating for route

Attribute:

Attribute_Label: PHOTOS

Attribute_Definition: Photo filename associated with feature

Attribute:

Attribute_Label: COMMENT

Attribute_Definition: Field comment

Attribute:

Attribute_Label: GPS_DATE

Attribute_Definition: Date of GPS collection

*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Feature area in square feet

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.018

*Metadata_Reference_Information:**Metadata_Date:* 20060124*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 14:34:57 2006

grte_mrl_03

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Published Materials

Title: grte_mrl_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Manually Rated Roads - Lines

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 7/23/1998

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -110.738043

East_Bounding_Coordinate: -110.612266

North_Bounding_Coordinate: 44.097114

South_Bounding_Coordinate: 43.610802

Keywords:

Theme:

Theme_Keyword_Thesaurus: GRTE

Theme_Keyword: GRTE

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for parking areas*Lineage:**Source_Information:**Type_of_Source_Media:* GPS*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* String*Point_and_Vector_Object_Count:* 11*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* grte_mrl_03*Entity_Type_Definition_Source:* GPS*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Enumerated_Domain:**Unrepresentable_Domain:*

Sequential unique whole numbers that are automatically generated.

*Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route Number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route Name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* SECTION_*Attribute_Definition:* Route Section ID*Attribute_Definition_Source:* Route ID Meeting / ARAN Data Collection*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute_Definition_Source:* ARAN Data Collection*Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating*Attribute_Domain_Values:**Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS Collection*Attribute:**Attribute_Label:* DATAFILE

*Attribute:**Attribute_Label:* PAVE_WIDTH*Attribute_Definition:* Width of the paved area*Attribute:**Attribute_Label:* PAVED_MI*Attribute_Definition:* Calculated paved miles

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.037

*Metadata_Reference_Information:**Metadata_Date:* 20060124*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 14:34:02 2006

grte_pkg_03

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: grte_pkg_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Parking Areas

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 8/1/1998

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -110.735489

East_Bounding_Coordinate: -110.506796

North_Bounding_Coordinate: 44.133385

South_Bounding_Coordinate: 43.545962

Keywords:

Theme:

Theme_Keyword_Thesaurus: GRTE

Theme_Keyword: GRTE

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for parking areas*Lineage:**Source_Information:**Type_of_Source_Media:* GPS*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 114*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* grte_pkg_03*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:*

Sequential unique whole numbers that are automatically generated.

*Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* FEATURE*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute_Domain_Values:**Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating for route*Attribute:**Attribute_Label:* PHOTOS*Attribute_Definition:* Photo filename associated with feature*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT

Attribute_Definition: Feature area in square feet

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.018

Metadata_Reference_Information:

Metadata_Date: 20060124

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 14:34:42 2006