



**The Road Inventory
of
George Washington Memorial Parkway
GWMP – 3300
Volume – 1**



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
Cycle 3



George Washington Memorial Parkway in Washington DC





TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
1. INTRODUCTION	1 - 1
2. PARK SUMMARY INFORMATION	
National Park Summaries	2 - 1
Cost to Improve Based on Historical and Estimated Data	2 - 2
Paved Route Miles and Percentages by Functional Class and PCR	2 - 3
3. PARK SUMMARY MAPS	
Route Location Key Map	3 - 1
Route Condition Key Map – PCR Mile by Mile	3 - 5
4. PARK ROUTE INVENTORY	
Route Identification Lists (Numeric and Alphabetic)	4 - 1
5. PAVED ROUTE CONDITION RATING SHEETS	5 - 1
6. MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS	6 - 1
7. PARKING LOT CONDITION RATING SHEETS	7 - 1
Paved parking Areas	
8. PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY	8 - 1
9. PARK ROUTE MAINTENANCE FEATURES ROAD LOG	9 - 1
10. APPENDIX	
A. Glossary of Terms and Abbreviations	10 - 1
B. Description of Rating System	10 - 3
C. Digital Image Information	10 - 7
D. Metadata	10 - 8

INTRODUCTION

Background: In July 1976, the National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). In 1980, the NPS and the FHWA terminated the 1976 MOA and entered into a new MOA that provided for the completion of the initial phase of the RIP. The purpose of the RIP, per the 1980 MOA, was to maintain and update RIP data in order to develop long-range and short-range costs and programs to bring National Park Service (NPS) roads up to, or to maintain, designated standards, and to establish a maintenance management program.

The FHWA's Federal Lands Highway (FLH) was assigned the task of identifying condition deficiencies and corrective priorities along with associated corrective costs, inventorying maintenance features (e.g., culverts, signs, guardrail, etc.), summarizing the data and findings in a report, and providing a photographic record of the road system.

The FLH completed the initial phase of the RIP in the early 1980's. As a result of this effort, each park received a RIP book, also known as the "Brown Book," that included the information collected during this initial RIP phase.

In an effort to maintain and update the RIP data, a cyclical data collection and reporting process was re-established in the 1990's. The FLH completed two cycles of RIP data collection between 1994 and 2001. Cycle 1 data was collected in 44 large parks from 1994 to 1995. This data was found to be unusable for comparison to future cycles. Cycle 2 data was collected from March 1997 to January 2001 in 79 large parks and 5 small parks containing 4,874 route miles. Each park received a copy of a Cycle 2 RIP Report, also known as the "Blue Book."

Since 1984, the RIP Program has been funded through the Federal Lands Highway Program's Park Roads and Parkways (PRP) Program. Currently, the NPS Washington Headquarters' Park Facility Management Division is responsible for coordinating the RIP program with the FLH. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) which requires the Federal Highway Administration and the National Park Service, to develop, by rule, a Pavement Management System (PMS) for the park roads and parkways serving the National Park System. As a result of the requirements in TEA-21, the NPS and the FHWA are in the process of developing a PMS. The PMS will assist the decision-makers in effectively spending limited PRP Program funds. The PMS will provide information for planning and programming road maintenance, rehabilitation, and reconstruction activities. RIP data will provide the basic information for this system.

Key information included in the RIP is the mileage inventory and condition assessments accomplished by the RIP Program. The mileage and condition data are used in the current allocation formula of PRP Program funds.

RIP Cycle 3: A third RIP cycle was initiated in 2001. Data was collected from March 2001 to July 2004, and is included in the Cycle 3 Reports. Cycle 3 includes 254 large and small parks with a combined total of 5,455 route miles.

In the Cycle 3 Reports, a general condition rating of excellent, good, fair and poor is ascribed to each one-mile section of paved roadway, and to each paved parking area. This condition rating system provides a realistic means of assessing the general funding needs for road improvements. Along with these descriptive condition ratings, a numerical rating between 0 and 100 is ascribed to each mile of road and to each parking area.. This numerical rating is called a Pavement Condition Rating (PCR). The PCR rating system is described in Section 10 of this report.

All of the fieldwork required for obtaining inventory, condition, and maintenance feature information is coordinated with each park and the regional offices to ensure that the information in the RIP reports is accurate.

The FLH is responsible for all of the data presented in this report. Anyone having questions or comments regarding the contents of this report is encouraged to contact the FHWA RIP Coordinator. It is our aim to provide exceptional customer satisfaction in our delivery of the RIP program.

FHWA RIP Coordinator:

James A. Amenta
FHWA/EFLHD
Technical Services, HTS-15
21400 Ridgetop Circle
Sterling, VA 20166
(703) 404-6366

GEORGE WASHINGTON MEMORIAL PARKWAY Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
Paved ARAN Driven Route Miles	157.34	3/26/2004
Unpaved Estimated Route Miles	6.92	3/26/2004
Paved ARAN and Unpaved Route Miles	164.26	
Paved ARAN Driven Lane Miles	456.47	3/26/2004
Paved MRR Lane Miles	1.78	3/26/2004
Parking Lot Lane Miles	23.50	3/26/2004
Total Paved Lane Miles	481.75	

Notes: Total Paved Lane Miles includes the sum of Paved ARAN Driven Lane Miles, Paved MRR Lane Miles, and Parking Lot Lane Miles

Unpaved Route Miles are estimates, they have not been inventoried by the Roadway Inventory Program (RIP)

GEORGE WASHINGTON MEMORIAL PARKWAY Summaries

Cost to Improve to "Excellent" Condition

SOURCE	WORK PERFORMED	COST PER MILE	INITIAL CONDITION
FHWA Awarded Projects	Surface Maintenance	\$30,000	Excellent
FHWA Awarded Projects	3-R (Resurfacing)	\$110,000	Good
FHWA Awarded Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	\$560,000	Fair
FHWA Awarded Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	\$1,540,000	Poor

Based on the above table, the cost to improve ARAN driven paved road condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to Improve
Excellent	34.46	\$1,033,800
Good	34.70	\$3,817,000
Fair	58.21	\$32,597,600
Poor	29.97	\$46,153,800
Totals	157.34	\$83,602,200

The above numbers include the 35% PE, CE and contingency costs and are national averages. The cost estimates were used in the calculations for the 2004 Reauthorization Bill to determine the level of funding required to bring all the NPS roads into a Pavement Condition Rating (PCR) of Good (85).


These numbers are for preliminary planning purposes only and should not be used for project level proposals. For park planning level analysis, apply your park multiplier for more accurate regional costs.

GEORGE WASHINGTON MEMORIAL PARKWAY Summaries

Paved Route Miles and Percentages by Functional Class and PCR
for ARAN Driven Paved Roads

F.C.	Pavement Condition Rating								TOTAL MILES
	Poor (<=60)		Fair (61-84)		Good (85-94)		Excellent (95-100)		
	MILES	%	MILES	%	MILES	%	MILES	%	
1	14.12	8.97%	49.55	31.49%	30.75	19.54%	31.94	20.30%	126.36
2	8.94	5.68%	4.65	2.96%	2.40	1.53%	1.71	1.09%	17.70
3	3.52	2.24%	3.44	2.19%	1.19	0.76%	0.37	0.24%	8.52
4									
5	0.45	0.29%	0.05	0.03%					0.50
6									
7									
8	2.94	1.87%	0.52	0.33%	0.36	0.23%	0.44	0.28%	4.26
Totals	29.97	19.05%	58.21	37.00%	34.70	22.05%	34.46	21.90%	157.34


George Washington Memorial Parkway Route Location Key Map



 Park Owned Routes




George Washington Memorial Parkway Route Location Area Map 1



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 1A



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 2



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 2A



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 2B



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 3



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Location Area Map 3A



Unique colors used to differentiate routes




George Washington Memorial Parkway Route Condition Key Map PCR - Mile by Mile



PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	
* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.								



George Washington Memorial Parkway Route Condition Area Map 1 PCR - Mile by Mile





PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



George Washington Memorial Parkway Route Condition Area Map 1A PCR - Mile by Mile



George Washington Memorial Parkway Route Condition Area Map 2 PCR - Mile by Mile




PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



George Washington Memorial Parkway Route Condition Area Map 2A PCR - Mile by Mile





PCR	Poor	■	Fair	■	Good	■	Excellent	■
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.





George Washington Memorial Parkway Route Condition Area Map 2B PCR - Mile by Mile



George Washington Memorial Parkway Route Condition Area Map 3 PCR - Mile by Mile



George Washington Memorial Parkway Route Condition Area Map 3A PCR - Mile by Mile



NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0001A		GWMP - SOUTHBOUND LEFT LANE	FROM PARK BOUNDARY (PAVEMENT CHANGE AT I-495)	TO ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) AT 1ST STREET	15.12	0.00	15.12	7	1	0	AS
0001B		GWMP - SOUTHBOUND CENTER LANE	FROM PARK BOUNDARY (PAVEMENT CHANGE AT I-495)	TO ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) AT 1ST STREET	14.93	0.00	14.93	7	1	0	AS
0001C		GWMP - SOUTHBOUND RIGHT LANE	FROM ROUTE 0503F	TO ROUTE 0502AA	1.06	0.00	1.06	7	1	0	AS
0002A		GWMP - NORTHBOUND LEFT LANE	FROM ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) AT 1ST STREET	TO PARK BOUNDARY (PAVEMENT CHANGE AT I-495)	14.99	0.00	14.99	7	1	0	AS
0002B		GWMP - NORTHBOUND CENTER LANE	FROM ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) AT 1ST STREET	TO PARK BOUNDARY (PAVEMENT CHANGE AT I-495)	15.04	0.00	15.04	7	1	0	AS
0002C		GWMP - NORTHBOUND RIGHT LANE	FROM ROUTE 0502C	TO ROUTE 0503B	0.75	0.00	0.75	7	1	0	AS
0003A		MOUNT VERNON PARKWAY (SOUTHBOUND) LEFT LANE	FROM BEGINNING OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMITS)	TO HALF-WAY AROUND MOUNT VERNON CIRCLE	8.61	0.00	8.61	7	1	0	CO
0003B		MOUNT VERNON PARKWAY (SOUTHBOUND) RIGHT LANE	FROM BEGINNING OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMITS)	TO HALF-WAY AROUND MOUNT VERNON CIRCLE	8.58	0.00	8.58	7	1	0	CO
0003C		MOUNT VERNON PARKWAY (NORTHBOUND) LEFT LANE	FROM HALF-WAY AROUND MOUNT VERNON CIRCLE	TO END OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMITS)	8.62	0.00	8.62	7	1	0	CO
0003D		MOUNT VERNON PARKWAY (NORTHBOUND) RIGHT LANE	FROM HALF-WAY AROUND MOUNT VERNON CIRCLE	TO END OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMITS)	8.66	0.00	8.66	7	1	0	CO
0004A		SPOUT RUN EAST LEFT LANE	FROM PARK BOUNDARY (STOP LIGHT)	TO ROUTE 0004B	0.57	0.00	0.57	7	1	0	AS
0004B		SPOUT RUN EAST RIGHT LANE	FROM PARK BOUNDARY (STOP LIGHT)	TO ROUTE 0001B	1.00	0.00	1.00	7	1	0	AS
0005A		SPOUT RUN WEST LEFT LANE	FROM ROUTE 0002A	TO PARK BOUNDARY (STOP LIGHT)	0.77	0.00	0.77	7	1	0	AS
0005B		SPOUT RUN WEST RIGHT LANE	FROM ROUTE 0002A	TO PARK BOUNDARY (STOP LIGHT)	0.73	0.00	0.73	7	1	0	AS
0006A		CLARA BARTON PARKWAY - WEST LEFT LANE	FROM CHAIN BRIDGE (STOP LIGHT)	TO MCARTHUR BOULEVARD	6.92	0.00	6.92	7	1	0	AS
0006B		CLARA BARTON PARKWAY - WEST RIGHT LANE	FROM START SEGMENT 0.81 MILES PAST CHAIN BRIDGE (STOP LIGHT)	TO MP 1.21 AND START SEGMENT MP 2.708 TO MP 6.14	3.86	0.00	3.86	7	1	0	AS
0007A		CLARA BARTON PARKWAY - EAST LEFT LANE	FROM MCARTHUR BOULEVARD	TO MP 4.25 AND START SEGMENT MP 5.51 TO ROUTE 0007B (BY ROUTE 0931)	4.65	0.00	4.65	7	1	0	AS
0007B		CLARA BARTON PARKWAY - EAST RIGHT LANE	FROM START SEGMENT 0.55 MILES PAST MCARTHUR BOULEVARD	TO MP 3.30 AND START SEGMENT MP 3.54 TO CHAIN BRIDGE (STOP LIGHT)	6.06	0.00	6.06	7	1	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0011A		MEMORIAL AVENUE LEFT LANE	FROM MEMORIAL AVENUE (PAVEMENT CHANGE)	TO LINCOLN CIRCLE (NACC ROUTE 0025AD)	0.96	0.00	0.96	8	1	0	OC
0011B		MEMORIAL AVENUE CENTER LANE	FROM MEMORIAL AVENUE (PAVEMENT CHANGE)	TO LINCOLN CIRCLE (NACC ROUTE 0025AE AND ROUTE 0025BB)	0.96	0.00	0.96	8	1	0	OC
0011C		MEMORIAL AVENUE RIGHT LANE	FROM MEMORIAL AVENUE (PAVEMENT CHANGE)	TO MP 0.33 AND START SEGMENT MP 0.50 TO LINCOLN CIRCLE (NACC ROUTE 0510)	0.78	0.00	0.78	8	1	0	AS
0011D		MEMORIAL AVENUE LEFT LANE	FROM LINCOLN CIRCLE (NACC ROUTE 0025AA)	TO MP 0.51 AND START SEGMENT MP 0.63 TO END AT MP 0.96	0.84	0.00	0.84	8	1	0	AS
0011E		MEMORIAL AVENUE CENTER LANE	FROM LINCOLN CIRCLE (NACC ROUTE 0025AB)	TO MEMORIAL AVENUE (PAVEMENT CHANGE)	0.96	0.00	0.96	8	1	0	AS
0011F		MEMORIAL AVENUE RIGHT LANE	FROM LINCOLN CIRCLE (NACC ROUTE 0025AC)	TO MP 0.45 AND START SEGMENT MP 0.471 TO END AT MP 0.96	0.94	0.00	0.94	8	1	0	AS
0100	39658	WEST BOULEVARD DRIVE	FROM END OF ROUTE 0107	TO COLLINGWOOD ROAD	1.01	0.00	1.01	2	2	0	AS
0101		WELLINGTON ROAD	FROM ROUTE 0003B	TO ROUTE 0100 (AT PARK BOUNDARY)	0.02	0.00	0.02	2	2	0	CO
0102		CHADWICK AVENUE / HERBERT SPRINGS ROAD	FROM ROUTE 0100	TO ROUTE 0103 (CROSSES ROUTE 0003)	0.15	0.00	0.15	2	1	0	AS
0103	39657	EAST BOULEVARD DRIVE	FROM ROUTE 0003D	TO ROUTE 0104 AND ROUTE 0107	1.03	0.00	1.03	2	2	0	AS
0104		NORTHDOWN ROAD	FROM ROUTE 0103 AND ROUTE 0107	TO ROUTE 0003D	0.18	0.00	0.18	2	2	0	AS
0105		FORT HUNT ROAD	FROM ROUTE 0003B	TO PARK BOUNDARY (FENCE ON LEFT)	0.76	0.00	0.76	2	2	0	AS
0106		FORT HUNT ACCESS RAMP	FROM ROUTE 0105	TO ROUTE 0003D	0.21	0.00	0.21	2	2	0	AS
0107		ALEXANDRIA AVENUE	FROM ROUTE 0104 AND ROUTE 0103	TO ROUTE 0100	0.04	0.00	0.04	7	2	0	AS
0200A		WASHINGTON MARINA ACCESS ROAD	FROM ROUTE 0002B	TO END OF LOOP	0.34	0.00	0.34	3	2	0	AS
0200B		WASHINGTON MARINA ACCESS ROAD	FROM ROUTE 0200A	TO ROUTE 0200A	0.08	0.00	0.08	3	1	0	AS
0201	27285	GRAVELLY POINT ACCESS ROAD	FROM ROUTE 0002C	TO END OF LOOP	0.38	0.00	0.38	3	2	0	AS
0202A	27286	COLUMBIA MARINA ACCESS ROAD	FROM ROUTE 0001B	TO ROUTE 0947	0.10	0.00	0.10	3	2	0	AS
0202B		COLUMBIA MARINA BOAT LOOP	FROM ROUTE 0202A	TO ROUTE 202A	0.05	0.00	0.05	3	1	0	AS
0202C		COLUMBIA MARINA BOAT RAMP ROAD	FROM ROUTE 0947	TO ROUTE 0202A	0.09	0.00	0.09	3	2	0	AS
0203		IWO JIMA MEMORIAL ACCESS ROAD	FROM MARSHALL ROAD	TO END OF LOOP	0.53	0.00	0.53	3	2	0	AS
0204A		BELLE HAVEN MARINA ACCESS ROAD	FROM ROUTE 0003D	TO CONCRETE BARRIER	0.26	0.00	0.26	3	2	0	AS
0204B		BELLE HAVEN PICNIC ACCESS ROAD	FROM ROUTE 0204A	TO END OF LOOP	0.40	0.00	0.40	3	2	0	AS
0205		MORNINGSIDE LANE	FROM ROUTE 0003B	TO PARK BOUNDARY	0.10	0.00	0.10	8	2	0	AS
0206	39664	COLLINGWOOD PICNIC ACCESS ROAD	FROM ROUTE 0003D	TO ROUTE 0941	0.09	0.00	0.09	3	2	0	AS
0207A		FORT HUNT PICNIC LOOP A	FROM ROUTE 0105	TO END OF LOOP	1.34	0.00	1.34	3	2	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0207B		FORT HUNT PICNIC LOOP B	FROM ROUTE 0207A	TO ROUTE 0207A	0.52	0.00	0.52	3	1	0	AS
0208		RIVERSIDE PARK ROAD	FROM ROUTE 0003D	TO END OF LOOP	0.13	0.00	0.13	3	2	0	AS
0209		FORT MARCY ROAD	FROM ROUTE 0002B	TO END	0.15	0.00	0.15	3	2	0	AS
0210A		FHWA/CIA ACCESS RAMP	FROM ROUTE 0001B AT MP 1.96	TO PAVEMENT CHANGE (BY CIA GATE)	0.19	0.00	0.19	7	1	0	AS
0210B		FHWA/CIA ACCESS RAMP	FROM ROUTE 0002B AT MP 12.62	TO PAVEMENT CHANGE (BY CIA GATE)	0.41	0.00	0.41	7	1	0	AS
0210C		FHWA/CIA ACCESS RAMP	FROM PAVEMENT CHANGE AT GATE	TO ROUTE 0002B AT MP 012.92	0.39	0.00	0.39	7	1	0	AS
0210D		FHWA/CIA ACCESS RAMP	FROM PAVEMENT CHANGE AT GATE	TO ROUTE 0001B AT MP 2.28	0.24	0.00	0.24	7	1	0	AS
0211		PARKWAY HEADQUARTERS ACCESS ROAD	FROM ROUTE 0002B AT MP 13.22	TO ROUTE 0212 (TURKEY RUN ROAD) AT MP 0.88	0.10	0.00	0.10	3	2	0	AS
0212		TURKEY RUN ROAD	FROM ROUTE 0213B AT MP 0.26	TO ROUTE 0908	0.94	0.00	0.94	3	2	0	AS
0213A		TURKEY RUN PARK ACCESS ROAD	FROM ROUTE 0001B AT MP 1.48	TO ROUTE 0002B AT MP 13.52	0.75	0.00	0.75	3	1	0	AS
0213B		TURKEY RUN PARK ACCESS ROAD	FROM ROUTE 0002B	TO ROUTE 0001B	0.89	0.00	0.89	3	1	0	AS
0214		GREAT FALLS PICNIC ACCESS	FROM ROUTE 0215 TO MP 0.04	TO END OF LOOP	0.26	0.00	0.26	3	2	0	AS
0215		GREAT FALLS ACCESS	FROM FEE BOOTH	TO GATE TO RIVER BEND PARK ROAD	0.50	0.00	0.50	3	2	0	AS
0216	26833	CREST LANE	FROM CHAIN BRIDGE ROAD (VA HIGHWAY 123)	TO PARK BOUNDARY (SPEED BUMP)	0.80	0.00	0.80	8	2	0	AS
0217A		W. ABINGDON DRIVE	FROM SLATERS LANE	TO FIRST STREET	0.45	0.00	0.45	8	1	0	AS
0217B		W. ABINGDON DRIVE	FROM ROUTE 0001B AT MP 14.48	TO ROUTE 0001B AT MP 15.00	0.54	0.00	0.54	8	1	0	AS
0218A		E. ABINGDON DRIVE	FROM ROUTE 0218B	TO ROUTE 0218B	0.50	0.00	0.50	8	1	0	AS
0218B		E. ABINGDON DRIVE	FROM ROUTE 0002B AT MP 0.02	TO ROUTE 0002B AT MP 0.62	0.64	0.00	0.64	8	1	0	AS
0219A		WASHINGTON MARINA BOAT STORAGE AND LAUNCH ACCESS A	FROM ROUTE 0200A	TO ROUTE 0219B	0.17	0.00	0.17	3	2	0	AS
0219B		WASHINGTON MARINA BOAT STORAGE AND LAUNCH ACCESS B	FROM ROUTE 0219A	TO END OF ROUTE	0.37	0.00	0.37	3	1	0	AS
0220		FORT HUNT PICNIC SHELTER HANDICAPPED ACCESS ROAD	FROM ROUTE 0918A	TO PICNIC SHELTER	0.08	0.00	0.08	3	2	0	AS
0221		GATEHOUSE PAVILION OVERFLOW PARKING ACCESS	FROM ROUTE 0218B	TO END OF ROUTE	0.00	0.67	0.67	3	2	0	GR
0222		GATEHOUSE PAVILION ACCESS ROAD	FROM COLONIAL FARM ROAD	TO END OF ROUTE	0.00	0.23	0.23	3	2	0	GR
0400	26451	DAINGERFIELD NURSERY - MAINTENANCE ACCESS	FROM ROUTE 0200A	TO END OF PAVEMENT	0.27	0.35	0.62	5	1	0	AS
0401		FORT HUNT MAINTENANCE	FROM ROUTE 0207A AT MP 0.04	TO MAINTENANCE AREA	0.11	0.00	0.11	5	2	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0402		GREAT FALLS EMERGENCY ACCESS - OLD CARRIAGE ROAD	FROM ROUTE 0215	TO GEORGETOWN PIKE (VA HIGHWAY 193)	0.00	1.51	1.51	6	1	0	GR
0403	39668	PARKWAY MAINTENANCE AREA ACCESS	FROM ROUTE 0001B	TO MAINTENANCE AREA	0.89	0.00	0.89	5	2	103,412	AS
0406		FORT HUNT SERVICE ROAD	FROM ROUTE 0207A	TO ROUTE 0918	0.00	0.42	0.42	5	2	0	GR
0407		DIFFICULT RUN	FROM GEORGETOWN PIKE (VA HIGHWAY 193)	TO ROUTE 0410	0.00	0.73	0.73	5	2	0	GR
0408		OLD CARRIAGE ROAD SPUR	FROM	TO	0.00	0.00	0.00	5	2	0	GR
0409		OLD RIDGE TRAIL ROAD	FROM OLD DOMINION DRIVE (VA HIGHWAY 739)	TO ROUTE 0410	0.00	0.64	0.64	5	2	0	GR
0410		RIDGE TRAIL ROAD	FROM ROUTE 0402	TO ROUTE 0407	0.00	0.86	0.86	5	2	0	GR
0411		RIVER BEND ROAD	FROM ROUTE 0215	TO PARK BOUNDARY	0.00	0.49	0.49	5	2	0	GR
0412		SANDY LANDING	FROM ROUTE 0402	TO ROUTE 0803	0.00	0.17	0.17	5	2	0	GR
0413		SURGE ROAD	FROM ROUTE 0924	TO END OF ROUTE	0.00	0.20	0.20	5	2	0	GR
0414		CLAUDE MOORE FARM ADMINISTRATIVE ACCESS ROAD	FROM COLONIAL FARM ROAD	TO ROUTE 0909	0.12	0.00	0.12	5	2	0	AS
0415		FIRE ROAD	FROM ROUTE 0909	TO END OF ROUTE	0.00	0.17	0.17	5	2	0	GR
0416		ENVIRONMENTAL LEARNING CENTER ACCESS ROAD	FROM ROUTE 0415	TO END OF ROUTE	0.00	0.04	0.04	5	2	0	GR
0417		EQUIPMENT STORAGE ROAD	FROM ROUTE 0415	TO ROUTE 0415	0.00	0.06	0.06	5	2	0	GR
0418		OLD MARKET ACCESS ROAD	FROM ROUTE 0956	TO END OF ROUTE	0.00	0.20	0.20	5	2	0	GR
0419		ADMINISTRATIVE ROAD	FROM ROUTE 0415	TO ROUTE 0909	0.00	0.11	0.11	5	2	0	GR
0420		GATEHOUSE PAVILION ADMINISTRATIVE ROAD	FROM COLONIAL FARM ROAD	TO END OF ROUTE	0.00	0.07	0.07	5	2	0	GR
0500A		RAMPS TO AIRPORT SOUTH (NORTHBOUND)	FROM SMITH BLVD	TO ROUTE 0002B AT MP 2.36	0.10	0.00	0.10	7	2	0	AS
0500B		RAMPS TO AIRPORT SOUTH (SOUTHBOUND)	FROM SMITH BLVD	TO ROUTE 0001B AT MP 13.04	0.23	0.00	0.23	7	2	0	AS
0500C		RAMPS TO AIRPORT SOUTH	FROM ROUTE 0001B	TO VA HIGHWAY 233 (PAVEMENT CHANGE)	0.21	0.00	0.21	7	2	0	AS
0500D		RAMPS TO AIRPORT SOUTH	FROM ROUTE 0002B	TO AIRPORT SOUTH	0.18	0.00	0.18	7	2	0	AS
0502AA		RAMPS TO AIRPORT NORTH	FROM ROUTE 0001B	TO SMITH BOULEVARD	0.35	0.00	0.35	7	1	0	AS
0502AB		RAMPS TO AIRPORT NORTH	FROM ROUTE 0001C	TO SMITH BOULEVARD	0.36	0.00	0.36	7	1	0	AS
0502B		RAMPS TO AIRPORT NORTH	FROM ROUTE 0002B	TO SMITH BOULEVARD (PAVEMENT CHANGE)	0.16	0.00	0.16	7	1	0	AS
0502C		RAMPS TO AIRPORT NORTH	FROM SMITH BOULEVARD (PAVEMENT CHANGE)	TO ROUTE 0002C	0.09	0.00	0.09	7	1	0	AS
0503A		RAMPS TO I-395 AND 14TH STREET	FROM I-395 SOUTHBOUND	TO ROUTE 0002B	0.16	0.00	0.16	7	1	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0503B		RAMPS TO I-395 AND 14TH STREET	FROM ROUTE 0002C	TO US HIGHWAY 1	0.21	0.00	0.21	7	1	0	AS
0503C		RAMPS TO I-395 AND 14TH STREET	FROM US HIGHWAY 1	TO ROUTE 0503D	0.11	0.00	0.11	7	1	0	AS
0503D		RAMPS TO I-395 AND 14TH STREET	FROM ROUTE 0503C	TO I-395 SOUTHBOUND	0.18	0.00	0.18	7	1	0	AS
0503E		RAMPS TO I-395 AND 14TH STREET	FROM ROUTE 0001B	TO I-395 SOUTHBOUND	0.18	0.00	0.18	7	1	0	AS
0503F		RAMPS TO I-395 AND 14TH STREET	FROM I-395 SOUTHBOUND	TO ROUTE 0001C	0.15	0.00	0.15	7	1	0	AS
0503G		RAMPS TO I-395 AND 14TH STREET	FROM ROUTE 0001C	TO US HIGHWAY 1	0.12	0.00	0.12	7	1	0	AS
0503H		RAMPS TO I-395 AND 14TH STREET	FROM US HIGHWAY 1	TO ROUTE 0001C	0.21	0.00	0.21	7	1	0	AS
0505A		RAMPS TO PENTAGON PARKING	FROM ROUTE 0001B AT MP 9.74	TO WASHINGTON BLVD (VA ROUTE 27)	0.31	0.00	0.31	7	1	0	AS
0505B		RAMPS TO PENTAGON PARKING	FROM WASHINGTON BLVD (VA ROUTE 27)	TO NORTH ENTRANCE OF ROUTE 0910	0.44	0.00	0.44	7	1	0	AS
0505C		RAMPS TO PENTAGON PARKING	FROM NORTH ENTRANCE OF ROUTE 0910	TO ROUTE 0505A	0.31	0.00	0.31	7	1	0	AS
0506A		MEMORIAL AVENUE RAMPS	FROM ROUTE 0001B AT MP 9.54	TO ROUTE 0011C AT MP 0.24	0.31	0.00	0.31	7	1	0	AS
0506B		MEMORIAL AVENUE RAMPS	FROM ROUTE 0011F AT MP 0.76	TO VA HIGHWAY 110	0.18	0.00	0.18	7	1	0	AS
0508AA		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0508AB AT MP 0.07	TO ROUTE 508AB AT MP 0.36 AND START SEGMENT MP 0.46 TO MP 0.64	0.47	0.00	0.47	7	1	0	AS
0508AB		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0002A AT MP 5.04	TO ROUTE 0002A AT MP 5.76	0.74	0.00	0.74	7	1	0	AS
0508BA		RAMPS TO MEMORIAL CIRCLE	FROM WASHINGTON BOULEVARD (VA ROUTE 27) PAVEMENT CHANGE	TO US HIGHWAY 50	0.99	0.00	0.99	7	1	0	AS
0508BB		RAMPS TO MEMORIAL CIRCLE	FROM WASHINGTON BOULEVARD (VA ROUTE 27) PAVEMENT CHANGE	TO ROUTE 0011C	0.34	0.00	0.34	7	1	0	AS
0508BC		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0011F	TO ROUTE 0508BA	0.41	0.00	0.41	7	1	0	AS
0508CA		RAMPS TO MEMORIAL CIRCLE	FROM US HIGHWAY 50	TO ROUTE 0001B	0.35	0.00	0.35	7	1	0	CO
0508CB		RAMPS TO MEMORIAL CIRCLE	FROM US HIGHWAY 50	TO ROUTE 0508CA	0.20	0.00	0.20	7	1	0	CO
0508DA		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0508DC AT MP 0.03	TO ROUTE 0508DC AT MP 0.15 AND START SEGMENT MP 0.48 TO MP 0.62	0.26	0.00	0.26	7	1	0	AS
0508DB		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0508DC AT MP 0.03	TO ROUTE 0508DC AT MP 0.16 AND START SEGMENT MP 0.44 TO MP 0.63	0.32	0.00	0.32	7	1	0	AS
0508DC		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0508BA	TO WASHINGTON BOULEVARD (VA ROUTE 27) PAVEMENT CHANGE	0.63	0.00	0.63	7	1	0	AS
0508EA		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0011F	TO ROUTE 0001A	0.84	0.00	0.84	7	1	0	AS
0508EB		RAMPS TO MEMORIAL CIRCLE	FROM ROUTE 0508BA	TO ROUTE 0508EA	0.68	0.00	0.68	7	1	0	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0508F		RAMPS TO MEMORIAL CIRCLE	FROM WASHINGTON BOULEVARD (VA ROUTE 27) PAVEMENT CHANGE	TO ROUTE 0508EB	0.13	0.00	0.13	7	1	0	AS
0509A		RAMPS TO ROSSLYN CIRCLE	FROM ROUTE 0001B	TO EAST SIDE FRANCIS SCOTT KEY MEMORIAL BRIDGE	0.25	0.00	0.25	7	1	0	AS
0509B		RAMPS TO ROSSLYN CIRCLE	FROM EAST SIDE FRANCIS SCOTT KEY MEMORIAL BRIDGE	TO ROUTE 0002A	0.49	0.00	0.49	7	1	0	AS
0510A		RAMPS TO CHAIN BRIDGE	FROM ROUTE 0001B	TO VA HIGHWAY 123 WESTBOUND	0.13	0.00	0.13	7	1	0	AS
0510B		RAMPS TO CHAIN BRIDGE	FROM VA HIGHWAY 123	TO ROUTE 0002B AT MP 11.54	0.18	0.00	0.18	7	1	0	AS
0510C		RAMPS TO CHAIN BRIDGE	FROM ROUTE 0510D	TO VA HIGHWAY 123 EASTBOUND	0.19	0.00	0.19	7	1	0	AS
0510D		RAMPS TO CHAIN BRIDGE	FROM VA HIGHWAY 123 WESTBOUND	TO ROUTE 0510C	0.16	0.00	0.16	7	1	0	AS
0510E		RAMPS TO CHAIN BRIDGE	FROM VA HIGHWAY 123 EASTBOUND	TO ROUTE 0001B	0.26	0.00	0.26	7	1	0	AS
0510F		RAMPS TO CHAIN BRIDGE	FROM ROUTE 0002B AT MP 11.38	TO VA HIGHWAY 123 WESTBOUND	0.20	0.00	0.20	7	1	0	AS
0511A		RAMPS TO MCARTHUR BLVD.	FROM ROUTE 0007A AT MP 4.22	TO MCARTHUR BOULEVARD	0.21	0.00	0.21	7	1	0	AS
0511B		RAMPS TO MCARTHUR BLVD.	FROM MCARTHUR BOULEVARD	TO ROUTE 0006B	0.14	0.00	0.14	7	1	0	AS
0512A		RAMPS TO CABIN JOHN PARKWAY, MD	FROM ROUTE 0007B	TO TOP OF RAMP	0.16	0.00	0.16	7	1	0	AS
0512B		RAMPS TO CABIN JOHN PARKWAY, MD	FROM ROUTE 0006B	TO TOP OF RAMP	0.20	0.00	0.20	7	1	0	AS
0512C		RAMPS TO CABIN JOHN PARKWAY, MD	FROM TOP OF RAMP	TO ROUTE 0007B	0.15	0.00	0.15	7	1	0	AS
0512D		RAMPS TO CABIN JOHN PARKWAY, MD	FROM TOP OF RAMP	TO ROUTE 0006B	0.15	0.00	0.15	7	1	0	AS
0513A		RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEARCH CENTER	FROM ROUTE 0007B	TO CARDEROCK ROAD	0.17	0.00	0.17	7	1	0	AS
0513B		RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEARCH CENTER	FROM ROUTE 0006B	TO CARDEROCK ROAD	0.18	0.00	0.18	7	1	0	AS
0513C		RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEARCH CENTER	FROM CARDEROCK ROAD	TO ROUTE 0007B	0.15	0.00	0.15	7	1	0	AS
0513D		RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEARCH CENTER	FROM CARDEROCK ROAD	TO ROUTE 0006B	0.20	0.00	0.20	7	1	0	AS
0800		GRAVELLY POINT BOAT LAUNCH RAMP	FROM ROUTE 0201	TO WATER	0.00	0.00	0.00	9	0	8,185	CO
0801		COLUMBIA MARINA BOAT LAUNCH RAMP	FROM ROUTE 0947	TO WATER	0.00	0.00	0.00	9	0	1,751	CO
0802		BELLE HAVEN MARINA BOAT LAUNCH RAMP	FROM ROUTE 0204A	TO WATER	0.00	0.00	0.00	9	0	926	CO

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0803		SANDY LANDING RESCUE BOAT LAUNCH RAMP	FROM ROUTE 0412	TO WATER	0.00	0.00	0.00	9	0	3,828	AS
0804		WASHINGTON MARINA BOAT LAUNCH RAMP	FROM ROUTE 0219A	TO WATER	0.00	0.00	0.00	9	0	2,154	CO
0900		ROACHES RUN PARKING	FROM ROUTE 0001 AT MP 11.46 ON RIGHT	TO ROUTE 0001 AT MP 11.60 ON RIGHT	0.00	0.00	0.00	9	0	24,779	AS
0901	27287	NAVY AND MARINE MEMORIAL PARKING	ADJACENT TO ROUTE 0002B AT MP 4.62 ON RIGHT		0.00	0.00	0.00	9	0	4,207	AS
0902	26820	THEODORE ROOSEVELT ISLAND PARKING	ADJACENT TO ROUTE 0002B AT MP 6.48 ON RIGHT		0.00	0.00	0.00	9	0	39,154	AS
0903	26826	SOUTH DONALDSON RUN OVERLOOK	FROM ROUTE 0002B AT MP 9.05 ON RIGHT	TO ROUTE 0002B AT MP 9.14 ON RIGHT	0.00	0.00	0.00	9	0	15,328	AS
0904	26827	NORTH DONALDSON RUN OVERLOOK	FROM ROUTE 0002B AT MP 9.40 ON RIGHT	TO ROUTE 0002B AT MP 9.48 ON RIGHT	0.00	0.00	0.00	9	0	10,317	AS
0905		TURKEY RUN PARKING AREA C-1	FROM ROUTE 0212 AT MP 0.16 ON LEFT	TO ROUTE 0002B	0.00	0.00	0.00	9	0	22,309	AS
0906		TURKEY RUN PARKING AREA C-2	FROM ROUTE 0212 AT MP 0.30 ON LEFT	TO ROUTE 0002B	0.00	0.00	0.00	9	0	16,971	AS
0907		TURKEY RUN PARKING AREA B	FROM ROUTE 0212 AT MP 0.52	TO ROUTE 0212 AT MP 0.57 ON RIGHT	0.00	0.00	0.00	9	0	17,431	AS
0908		GWMP PARKWAY HEADQUARTERS	AT END OF ROUTE 0212		0.00	0.00	0.00	9	0	10,969	AS
0909		CLAUDE MOORE FARM ADMINISTRATIVE PARKING	FROM ROUTE 0414	TO PARKING	0.00	0.00	0.00	9	0	17,034	AS
0910	27288	LYNDON B. JOHNSON MEMORIAL GROVE PARKING	FROM END OF ROUTE 0505B ON LEFT (CHANNEL SIDE)	TO PARKING	0.00	0.00	0.00	9	0	22,757	AS
0911		GWMP BIKE TRAIL PARKING AT TULANE ROAD	ADJACENT TO ROUTE 0003D AT MP 6.58 ON RIGHT		0.00	0.00	0.00	9	0	2,083	AS
0912		DYKEMARSH OVERLOOK / GEORGE WASHINGTON BICENTENNAIL LOOP	ADJACENT TO ROUTE 0003B AT MP 2.56 ON RIGHT		0.00	0.00	0.00	9	0	11,465	CO
0913		POTOMAC RIVER OVERLOOK #1	ADJACENT TO ROUTE 0003D AT MP 3.48 ON RIGHT		0.00	0.00	0.00	9	0	6,336	CO
0914		WAYNEWOOD PARKING	ADJACENT TO ROUTE 0003D AT MP 5.10 ON LEFT		0.00	0.00	0.00	9	0	4,717	CO
0915		POTOMAC RIVER OVERLOOK #3	ADJACENT TO ROUTE 0003D AT MP 2.08 ON RIGHT		0.00	0.00	0.00	9	0	6,257	CO
0916	31642	MOUNT VERNON PARKING AREA #1 (WEST)	ADJACENT TO ROUTE 0003B AT MP 8.44 ON RIGHT		0.00	0.00	0.00	9	0	57,702	AS
0917	31640	MOUNT VERNON RV PARKING (EAST)	ADJACENT TO ROUTE 0003D AT MP 8.06 ON RIGHT		0.00	0.00	0.00	9	0	93,621	AS
0918A	56456	FORT HUNT PICNIC AREA A	FROM ROUTE 0207A AT MP 0.14 ON LEFT	TO ROUTE 0207A AT MP 0.28 ON LEFT	0.00	0.00	0.00	9	0	54,310	AS
0918B		FORT HUNT PICNIC AREA A HANDICAPPED PARKING	FROM ROUTE 0220	TO PARKING	0.00	0.00	0.00	9	0	1,231	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0919	33106	FORT HUNT PICNIC AREA B	FROM ROUTE 0207A AT MP 0.37 ON LEFT	TO ROUTE 0207A AT MP 0.42 ON LEFT	0.00	0.00	0.00	9	0	52,562	AS
0920A	56462	FORT HUNT PICNIC AREA C	FROM ROUTE 0207A AT MP 0.65 ON LEFT	TO ROUTE 0207A AT MP 0.76 ON LEFT	0.00	0.00	0.00	9	0	47,368	AS
0920B		FORT HUNT PICNIC AREA D1	FROM ROUTE 0207A	TO PARKING	0.00	0.00	0.00	9	0	2,236	AS
0920C		FORT HUNT PICNIC AREA D2	FROM ROUTE 0207A	TO PARKING	0.00	0.00	0.00	9	0	5,029	AS
0920D		FORT HUNT PICNIC AREA D3	FROM ROUTE 0207A	TO PARKING	0.00	0.00	0.00	9	0	2,378	AS
0921	33107	FORT HUNT PICNIC AREA E	FROM ROUTE 0207A AT MP 0.76 ON RIGHT	TO ROUTE 0207A AT MP 0.80 ON RIGHT	0.00	0.00	0.00	9	0	11,348	AS
0922		GREAT FALLS VISITOR CENTER SERVICE PARKING	FROM ROUTE 0215	TO PARKING	0.00	0.00	0.00	9	0	3,027	AS
0923	40452	GREAT FALLS VISITOR CENTER PARKING	FROM ROUTE 0215 AT MP'S 0.16, 0.25, & 0.31 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	87,613	AS
0924	27294	GREAT FALLS OVERFLOW PARKING	FROM ROUTE 0215 AT MP 0.40 ON RIGHT	TO ROUTE 0215 AT MP 0.47 ON RIGHT	0.00	0.00	0.00	9	0	52,795	AS
0925A	27295	GREAT FALLS PICNIC AREA PARKING A	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	289	AS
0925B		GREAT FALLS PICNIC AREA PARKING B	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	270	AS
0925C		GREAT FALLS PICNIC AREA PARKING C	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	302	AS
0925D		GREAT FALLS PICNIC AREA PARKING D	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	506	AS
0925E		GREAT FALLS PICNIC AREA PARKING E	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	1,223	AS
0925F		GREAT FALLS PICNIC AREA PARKING F	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	658	AS
0925G		GREAT FALLS PICNIC AREA PARKING G	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	1,867	AS
0925H		GREAT FALLS PICNIC AREA PARKING H	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	2,339	AS
0925I		GREAT FALLS PICNIC AREA PARKING I	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	4,195	AS
0925J		GREAT FALLS PICNIC AREA PARKING J	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	4,201	AS
0925K		GREAT FALLS PICNIC AREA PARKING K	FROM ROUTE 0214	TO PARKING	0.00	0.00	0.00	9	0	1,735	AS
0927		CLARA BARTON PARKWAY LOCK 10 PARKING	FROM ROUTE 0007B AT MP 2.52 ON RIGHT	TO ROUTE 0007B AT MP 2.80 ON RIGHT	0.00	0.00	0.00	9	0	15,554	AS
0928		CLARA BARTON PARKWAY LOCK 8 PARKING	FROM ROUTE 0007B AT MP 2.59 ON RIGHT	TO ROUTE 0007B AT MP 2.78 ON RIGHT	0.00	0.00	0.00	9	0	24,441	AS
0929		CLARA BARTON PARKWAY LOCK 7 PARKING	FROM ROUTE 0007B AT MP 4.02 ON RIGHT	TO ROUTE 0007B AT MP 4.08 ON RIGHT	0.00	0.00	0.00	9	0	6,519	AS
0930		CLARA BARTON PARKWAY SYCAMORE ISLAND PARKING	FROM ROUTE 0007B AT MP 4.62	TO ROUTE 0007B	0.00	0.00	0.00	9	0	6,426	AS
0931		CLARA BARTON PARKWAY LOCK 6 PARKING	FROM ROUTE 0007B AT MP 5.62 ON RIGHT	TO ROUTE 0007B AT MP 5.79 ON RIGHT	0.00	0.00	0.00	9	0	17,713	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0932		CLARA BARTON PARKWAY CHAIN BRIDGE PARKING	FROM ROUTE 0007B AT MP 6.74	TO ROUTE 0007B	0.00	0.00	0.00	9	0	11,139	AS
0933		GLEN ECHO SERVICE AREA	FROM MACARTHUR BLVD NEAR ROUTE 0511	TO TULANE AVENUE	0.00	0.00	0.00	9	0	49,765	AS
0934		GLEN ECHO PARKING	FROM OXFORD ROAD IN GLEN ECHO, MD	TO OXFORD ROAD IN GLEN ECHO, MD	0.00	0.00	0.00	9	0	83,485	AS
0935		US PARK POLICE AT FORT HUNT	ADJACENT TO ROUTE 0207A AT MP 0.54 ON RIGHT		0.00	0.00	0.00	9	0	13,034	AS
0936A		WASHINGTON MARINA PARKING AREA A	ADJACENT TO ROUTE 0200B AT MP 0.04 ON LEFT		0.00	0.00	0.00	9	0	1,242	AS
0936B		WASHINGTON MARINA PARKING AREA B	ADJACENT TO ROUTE 0200B AT MP 0.04 ON RIGHT		0.00	0.00	0.00	9	0	3,330	AS
0936C		WASHINGTON MARINA PARKING AREA C	ADJACENT TO ROUTE 0200A AT MP 0.18 ON RIGHT		0.00	0.00	0.00	9	0	2,485	AS
0936D		WASHINGTON MARINA PARKING AREA D	ADJACENT TO ROUTE 0200A AT MP 0.18 ON LEFT		0.00	0.00	0.00	9	0	2,826	AS
0936E		WASHINGTON MARINA PARKING AREA E	ADJACENT TO ROUTE 0200A AT MP 0.21 ON LEFT		0.00	0.00	0.00	9	0	3,302	AS
0936F		WASHINGTON MARINA PARKING AREA F	ADJACENT TO ROUTE 0200A AT MP 0.21 ON RIGHT		0.00	0.00	0.00	9	0	2,944	AS
0936G		WASHINGTON MARINA PARKING AREA G	ADJACENT TO ROUTE 0200A AT MP 0.28 ON RIGHT		0.00	0.00	0.00	9	0	3,406	AS
0936H		WASHINGTON MARINA PARKING AREA H	ADJACENT TO ROUTE 0200A AT MP 0.28 ON LEFT		0.00	0.00	0.00	9	0	3,311	AS
0936I		WASHINGTON MARINA PARKING AREA I	ADJACENT TO ROUTE 0200A AT MP 0.29 ON LEFT		0.00	0.00	0.00	9	0	2,820	AS
0936J		WASHINGTON MARINA PARKING AREA J	ADJACENT TO ROUTE 0200A AT MP 0.29 ON RIGHT		0.00	0.00	0.00	9	0	4,633	AS
0937		GRAVELLY POINT PARKING	FROM ROUTE 0201	TO PARKING	0.00	0.00	0.00	9	0	63,902	AS
0938A		BELL HAVEN MARINA PARKING AREA A	FROM ROUTE 0204A ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	4,304	AS
0938B		BELL HAVEN MARINA PARKING AREA B	FROM ROUTE 0204A AT MP 0.10 ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	1,659	AS
0938C		BELL HAVEN MARINA PARKING AREA C	FROM ROUTE 0204A AT MP 0.12 ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	1,007	AS
0939A		RIVERSIDE PARK PARKING AREA A	FROM ROUTE 0208 AT MP 0.07 ON LEFT	TO ROUTE 0208 AT MP 0.15 ON LEFT	0.00	0.00	0.00	9	0	2,436	AS
0939B		RIVERSIDE PARK PARKING AREA B	ADJACENT TO ROUTE 0208 AT MP 0.14 ON RIGHT		0.00	0.00	0.00	9	0	4,369	AS
0939C		RIVERSIDE PARK PARKING AREA C	FROM ROUTE 0208 AT MP 0.09 ON LEFT	TO ROUTE 0208 AT MP 0.12 ON LEFT	0.00	0.00	0.00	9	0	3,365	AS
0939D		RIVERSIDE PARK PARKING AREA D	ADJACENT TO ROUTE 0208 AT MP 0.08 ON RIGHT		0.00	0.00	0.00	9	0	2,912	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:

Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0940A		PARKWAY HEADQUARTERS ACCESS ROAD PARKING A	ADJACENT TO ROUTE 0211 AT MP 0.05 ON RIGHT		0.00	0.00	0.00	9	0	3,118	AS
0940B		PARKWAY HEADQUARTERS ACCESS ROAD PARKING B	ADJACENT TO ROUTE 0211 AT MP 0.05 ON LEFT		0.00	0.00	0.00	9	0	4,445	AS
0941		COLLINGWOOD PICNIC PARKING	ADJACENT TO ROUTE 0206 AT MP 0.09		0.00	0.00	0.00	9	0	5,276	AS
0942		FORT MARCY PARKING	ADJACENT TO ROUTE 0209 AT MP 0.12		0.00	0.00	0.00	9	0	4,958	AS
0944		GREAT FALLS MAINTENANCE YARD	FROM ROUTE 0215	TO PARKING	0.00	0.00	0.00	9	0	3,043	AS
0945		TURKEY RUN RANGER STATION RESOURCE MANAGERS COMPLEX AND USPP OFFICE PARKING	FROM ROUTE 0211	TO PARKING	0.00	0.00	0.00	9	0	23,121	AS
0946		GRAVELLY POINT TRAILER PARKING	FROM ROUTE 0201	TO PARKING	0.00	0.00	0.00	9	0	4,468	AS
0947		COLUMBIA MARINA PARKING	FROM ROUTE 0202A	TO PARKING	0.00	0.00	0.00	9	0	115,735	AS
0948		COLUMBIA MARINA SERVICE AREA	FROM ROUTE 0947	TO PARKING	0.00	0.00	0.00	9	0	23,235	AS
0949		IWO JIMA MEMORIAL PARKING	FROM ROUTE 0203	TO PARKING	0.00	0.00	0.00	9	0	8,940	AS
0952		WASHINGTON MARINA OVERFLOW PARKING	FROM ROUTE 0400	TO PARKING	0.00	0.00	0.00	9	0	38,241	GR
0953		DYKE MARSH WILDLIFE HABITAT PARKING	FROM ROUTE 0204A	TO PARKING	0.00	0.00	0.00	9	0	461	AS
0954A		BELLE HAVEN PICNIC ACCESS AREA A	FROM ROUTE 0204B	TO ROUTE 0204B	0.00	0.00	0.00	9	0	21,407	AS
0954B		BELLE HAVEN PICNIC ACCESS AREA B	FROM ROUTE 0204B	TO PARKING	0.00	0.00	0.00	9	0	4,068	AS
0954C		BELLE HAVEN PICNIC ACCESS AREA C	FROM ROUTE 0204B ON LEFT	TO PARKING	0.00	0.00	0.00	9	0	6,412	AS
0954D		BELLE HAVEN PICNIC ACCESS AREA D	FROM ROUTE 0204B ON RIGHT	TO PARKING	0.00	0.00	0.00	9	0	8,499	AS
0955A		FORT HUNT MAINTENANCE PARKING AREA A	ADJACENT TO ROUTE 0401		0.00	0.00	0.00	9	0	1,803	AS
0955B		FORT HUNT MAINTENANCE PARKING AREA B	AT END OF ROUTE 0401		0.00	0.00	0.00	9	0	19,920	AS
0956		CLAUDE MOORE VISITOR CENTER PARKING	FROM COLONIAL FARM ROAD	TO COLONIAL FARM ROAD	0.00	0.00	0.00	9	0	0	GR
0957		CLAUDE MOORE PAVILLION PARKING	ADJACENT TO ROUTE 0218		0.00	0.00	0.00	9	0	0	GR
0958		CLARA BARTON HOUSE PARKING	FROM GLEN ECHO PARKING 0934	TO PARKING	0.00	0.00	0.00	9	0	3,565	AS
0959		WASHINGTON MARINA BOAT STORAGE PARKING	FROM ROUTE 0219B	TO PARKING	0.00	0.00	0.00	9	0	13,560	AS
0960		WASHINGTON MARINA BOAT PIER PARKING	FROM ROUTE 0219A	TO PARKING	0.00	0.00	0.00	9	0	14,075	AS

NPS/RIP Route ID Report

(Numerical By Route #)

Shading Color Key:
Red text denotes approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

GWMP

GEORGE WASHINGTON MEMORIAL PARKWAY

Rte. #	FMSS Asset #	Route Name	Route Description		Paved Miles	Un-Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
			From	To							
0961		WASHINGTON MARINA BOAT MAINTENANCE AREA	FROM ROUTE 0219A	TO PARKING	0.00	0.00	0.00	9	0	0	GR
0962		GREAT FALLS ENTRANCE STATION HANDICAPPED PARKING	ADJACENT TO ROUTE 0215		0.00	0.00	0.00	9	0	905	AS
0963A		FORT HUNT PICNIC PARKING A	ADJACENT TO ROUTE 0207B		0.00	0.00	0.00	9	0	2,522	AS
0963B		FORT HUNT PICNIC PARKING B	ADJACENT TO ROUTE 0207B		0.00	0.00	0.00	9	0	6,246	AS
0963C		FORT HUNT PICNIC PARKING C	ADJACENT TO ROUTE 0207B		0.00	0.00	0.00	9	0	654	AS
0963D		FORT HUNT PICNIC PARKING D	ADJACENT TO ROUTE 0207B		0.00	0.00	0.00	9	0	1,109	AS
Totals					158.41	6.92	165.33			1,523,291	

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) - Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1 - 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 - 9. State Routes Inventoried for Park. Route Numbers 5000-5999
- Class 2 Connector Park Road (Public Roads) - Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
- Class 3 Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Class 4 Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299.
Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.
- Class 5 Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
- Class 6 Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499.
Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.
- Class 7 Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- Class 8 City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.
- Class 9 Boat Ramp - (Public and Administrative) Route Numbers 800-899.
Parking Area - (Public and Administrative) Route Numbers 900-1999.


A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

ZZ Functional Class Routes were added from FMSS Database. Final Route Number and Functional Class will be established during Park visit for Cycle 4 data collection.

Surface Type Abbreviations:

- AS - Asphaltic Concrete Pavement
- CO - Portland Cement Concrete Pavement
- NC - New Chip Seal Pavement (Under 5 Years)
- OC - Old Chip Seal Pavement (5 Years and Greater)
- SS - Slurry Seal Pavement
- GR - Gravel Road Bed
- BR - Brick or Pavers Road Bed
- CB - Cobble Stone Road Bed
- SA - Sand Road Bed
- DT - Dirt or Native Material Road Bed
- OT - Other Materials Road Bed



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**National Capital Region
GWMP : George Washington Memorial Parkway**

ROUTE: 0001A Gwmp - Southbound Left Lane TOTAL LENGTH: 15.12 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	33	22	22	22	22
Lane Width (ft)	12	10	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	79	88	93	93	96
RCI (Roughness Condition Index)	96	97	99	97	98
SCR (Surface Condition Rating)	68	82	89	91	95
Alligator Cracking Index	94	100	99	99	100
Rutting Index	77	83	90	92	96
Patching Index	99	100	100	100	100
Transverse Cracking Index	98	99	99	99	99
Longitudinal Cracking Index	95	99	99	98	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001A Gwmp - Southbound Left Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.epl.fhwa.dot.gov/nps/index.htm>




National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0001A Gwmp - Southbound Left Lane **TOTAL LENGTH: 15.12 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	23	23	32	26
Lane Width (ft)	11	10	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	91	91	88	74	69
RCI (Roughness Condition Index)	98	99	95	90	92
SCR (Surface Condition Rating)	86	86	82	63	53
Alligator Cracking Index	99	100	99	98	96
Rutting Index	87	86	83	70	83
Patching Index	100	100	100	100	99
Transverse Cracking Index	99	99	100	98	87
Longitudinal Cracking Index	99	100	99	96	85
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001A Gwmp - Southbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR Poor ■ Fair ■ Good ■ Excellent ■
 (<=60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0001A Gwmp - Southbound Left Lane **TOTAL LENGTH: 15.12 Miles**

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	27	41	23	23	30
Lane Width (ft)	13	11	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	71	83	85	89	83
RCI (Roughness Condition Index)	94	96	98	98	96
SCR (Surface Condition Rating)	55	74	75	83	77
Alligator Cracking Index	97	98	100	100	100
Rutting Index	76	82	79	84	78
Patching Index	100	100	100	100	100
Transverse Cracking Index	92	97	97	99	99
Longitudinal Cracking Index	89	96	99	99	98
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001A Gwmp - Southbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0001A Gwmp - Southbound Left Lane **TOTAL LENGTH: 15.12 Miles**

Section Number	15	0	1	2	3
Section Length (mi)	0.12	1.00	1.00	1.00	0.63
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	29	22	20	20
Lane Width (ft)	12	12	12	11	12
Shoulder Width (ft)	0	6	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	86	91	95	91	90
RCI (Roughness Condition Index)	100	94	96	99	98
SCR (Surface Condition Rating)	83	88	94	85	84
Alligator Cracking Index	100	99	99	100	99
Rutting Index	85	92	95	90	87
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	99	99	100	99
Longitudinal Cracking Index	99	96	99	95	96
Shoulder Condition Rating	N/A	GOOD	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001A Gwmp - Southbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.epl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0001B Gwmp - Southbound Center Lane **TOTAL LENGTH: 14.93 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	0.63	0.19
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	29	22	20	20	21
Lane Width (ft)	12	12	11	12	11
Shoulder Width (ft)	6	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	91	95	91	90	79
RCI (Roughness Condition Index)	94	96	99	98	99
SCR (Surface Condition Rating)	88	94	85	84	66
Alligator Cracking Index	99	99	100	99	87
Rutting Index	92	95	90	87	87
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	99	100	99	100
Longitudinal Cracking Index	96	99	95	96	91
Shoulder Condition Rating	GOOD	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001B Gwmp - Southbound Center Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.effhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0001B Gwmp - Southbound Center Lane **TOTAL LENGTH: 14.93 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	4	4	4	2
Paved Width (ft)	21	21	20	20	32
Lane Width (ft)	11	10	12	11	10
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	90	94	92	88	71
RCI (Roughness Condition Index)	98	99	99	95	91
SCR (Surface Condition Rating)	84	91	88	83	58
Alligator Cracking Index	97	99	99	100	94
Rutting Index	90	92	91	85	67
Patching Index	100	100	100	100	99
Transverse Cracking Index	99	99	100	99	98
Longitudinal Cracking Index	96	99	97	98	95
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001B Gwmp - Southbound Center Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0001B Gwmp - Southbound Center Lane **TOTAL LENGTH: 14.93 Miles**

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	4	4	4
Paved Width (ft)	21	20	36	21	20
Lane Width (ft)	11	10	11	21	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	58	60	82	86	88
RCI (Roughness Condition Index)	91	90	95	99	96
SCR (Surface Condition Rating)	35	39	73	78	83
Alligator Cracking Index	91	92	99	100	99
Rutting Index	65	64	78	79	83
Patching Index	99	99	99	100	100
Transverse Cracking Index	88	88	97	98	99
Longitudinal Cracking Index	89	92	98	99	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0001B Gwmp - Southbound Center Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0001B Gwmp - Southbound Center Lane **TOTAL LENGTH: 14.93 Miles**

Section Number	15	16			
Section Length (mi)	1.00	0.11			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	3	4			
Paved Width (ft)	20	21			
Lane Width (ft)	10	11			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	79			
RCI (Roughness Condition Index)	98	90			
SCR (Surface Condition Rating)	79	72			
Alligator Cracking Index	100	100			
Rutting Index	79	75			
Patching Index	100	100			
Transverse Cracking Index	99	99			
Longitudinal Cracking Index	99	97			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0001B Gwmp - Southbound Center Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.epl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0001C Gwmp - Southbound Right Lane **TOTAL LENGTH: 1.06 Miles**

Section Number	0	1			
Section Length (mi)	0.16	0.90			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	3			
Paved Width (ft)	39	39			
Lane Width (ft)	10	10			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	56	84			
RCI (Roughness Condition Index)	82	92			
SCR (Surface Condition Rating)	45	79			
Alligator Cracking Index	99	99			
Rutting Index	60	85			
Patching Index	100	100			
Transverse Cracking Index	91	98			
Longitudinal Cracking Index	93	96			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0001C Gwmp - Southbound Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002A Gwmp - Northbound Left Lane **TOTAL LENGTH: 14.99 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	2	4	4	4
Paved Width (ft)	58	24	26	22	36
Lane Width (ft)	11	10	10	10	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	88	93	91	92	72
RCI (Roughness Condition Index)	98	99	98	98	94
SCR (Surface Condition Rating)	82	88	86	88	58
Alligator Cracking Index	100	100	99	99	98
Rutting Index	87	89	89	90	77
Patching Index	100	100	100	100	99
Transverse Cracking Index	99	99	97	99	90
Longitudinal Cracking Index	95	99	99	98	92
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002A Gwmp - Northbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002A Gwmp - Northbound Left Lane **TOTAL LENGTH: 14.99 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	2	4	2
Paved Width (ft)	34	21	37	21	22
Lane Width (ft)	12	11	11	12	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	51	82	92	98	97
RCI (Roughness Condition Index)	93	94	97	100	99
SCR (Surface Condition Rating)	22	74	89	96	95
Alligator Cracking Index	76	100	99	100	100
Rutting Index	74	75	90	97	95
Patching Index	100	100	100	100	100
Transverse Cracking Index	83	99	99	99	99
Longitudinal Cracking Index	82	99	99	99	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002A Gwmp - Northbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002A Gwmp - Northbound Left Lane **TOTAL LENGTH: 14.99 Miles**

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	0.99
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	2	2
Paved Width (ft)	23	21	30	23	23
Lane Width (ft)	12	11	10	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	94	96	94	93	86
RCI (Roughness Condition Index)	97	99	97	98	96
SCR (Surface Condition Rating)	93	94	91	89	78
Alligator Cracking Index	100	99	100	99	97
Rutting Index	93	95	92	91	85
Patching Index	100	100	99	99	100
Transverse Cracking Index	99	99	99	99	98
Longitudinal Cracking Index	99	99	99	99	96
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002A Gwmp - Northbound Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor	Fair	Good	Excellent
	(≤ 60)	(61 - 84)	(85 - 94)	(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

National Capital Region
GWMP : George Washington Memorial Parkway



ROUTE: 0002B Gwmp - Northbound Center Lane **TOTAL LENGTH: 15.04 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	6
Paved Width (ft)	21	21	21	20	34
Lane Width (ft)	11	11	13	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	65	75	70	68	42
RCI (Roughness Condition Index)	97	97	97	99	82
SCR (Surface Condition Rating)	49	61	51	47	14
Alligator Cracking Index	99	100	99	100	60
Rutting Index	49	61	54	48	52
Patching Index	100	100	100	100	99
Transverse Cracking Index	99	100	97	99	82
Longitudinal Cracking Index	99	99	99	99	89
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002B Gwmp - Northbound Center Lane

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002B Gwmp - Northbound Center Lane **TOTAL LENGTH: 15.04 Miles**

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	2	2
Paved Width (ft)	21	20	20	19	20
Lane Width (ft)	12	11	10	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	39	66	67	59	63
RCI (Roughness Condition Index)	92	91	94	97	98
SCR (Surface Condition Rating)	5	50	52	34	40
Alligator Cracking Index	33	99	99	94	91
Rutting Index	51	53	58	51	57
Patching Index	100	99	99	99	99
Transverse Cracking Index	85	99	99	99	99
Longitudinal Cracking Index	86	98	93	89	90
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002B Gwmp - Northbound Center Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002B Gwmp - Northbound Center Lane **TOTAL LENGTH: 15.04 Miles**

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	4
Paved Width (ft)	19	21	21	21	20
Lane Width (ft)	11	11	11	11	20
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	78	81	93	91	89
RCI (Roughness Condition Index)	98	99	99	98	98
SCR (Surface Condition Rating)	66	70	89	87	85
Alligator Cracking Index	99	100	100	100	100
Rutting Index	71	76	95	97	95
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	94	94	94	90	90
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0002B Gwmp - Northbound Center Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0002B Gwmp - Northbound Center Lane **TOTAL LENGTH: 15.04 Miles**

Section Number	15				
Section Length (mi)	0.04				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4				
Paved Width (ft)	21				
Lane Width (ft)	20				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	88				
RCI (Roughness Condition Index)	97				
SCR (Surface Condition Rating)	82				
Alligator Cracking Index	100				
Rutting Index	96				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	85				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0002B Gwmp - Northbound Center Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0002C Gwmp - Northbound Right Lane **TOTAL LENGTH: 0.75 Miles**

Section Number	0				
Section Length (mi)	0.75				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	3				
Paved Width (ft)	30				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	91				
RCI (Roughness Condition Index)	97				
SCR (Surface Condition Rating)	88				
Alligator Cracking Index	100				
Rutting Index	91				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0002C Gwmp - Northbound Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003A Mount Vernon Parkway (Southbound) Left Lane TOTAL LENGTH: 8.61 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
ADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	4	4	4	4
Paved Width (ft)	33	30	20	35	33
Lane Width (ft)	10	9	9	9	9
Shoulder Width (ft)	8	0	8	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	76	69	66	73	68
RCI (Roughness Condition Index)	81	74	83	87	84
SCR (Surface Condition Rating)	71	65	55	63	56
Alligator Cracking Index	100	100	100	100	100
Rutting Index	71	65	55	63	56
Patching Index	99	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Longitudinal Cracking Index	100	100	100	100	100
Shoulder Condition Rating	GOOD	N/A	GOOD	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0003A Mount Vernon Parkway (Southbound) Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003A Mount Vernon Parkway (Southbound) Left Lane TOTAL LENGTH: 8.61 Miles

Section Number	5	6	7	8	
Section Length (mi)	1.00	1.00	1.00	0.61	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	
Paved Width (ft)	36	20	34	32	
Lane Width (ft)	9	8	9	8	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	74	69	73	73	
RCI (Roughness Condition Index)	75	75	74	85	
SCR (Surface Condition Rating)	73	64	72	65	
Alligator Cracking Index	100	100	100	100	
Rutting Index	73	64	72	65	
Patching Index	100	100	100	100	
Transverse Cracking Index	100	100	100	100	
Longitudinal Cracking Index	100	100	100	100	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0003A Mount Vernon Parkway (Southbound) Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003B Mount Vernon Parkway (Southbound) Right Lane **TOTAL LENGTH: 8.58 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	4	4	4	4
Paved Width (ft)	28	17	23	33	27
Lane Width (ft)	11	8	10	10	10
Shoulder Width (ft)	0	0	5	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	71	65	84	83	86
RCI (Roughness Condition Index)	77	73	83	79	81
SCR (Surface Condition Rating)	66	59	85	85	90
Alligator Cracking Index	100	100	100	100	100
Rutting Index	66	59	85	85	90
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Longitudinal Cracking Index	99	100	100	100	100
Shoulder Condition Rating	N/A	N/A	GOOD	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0003B Mount Vernon Parkway (Southbound) Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003B Mount Vernon Parkway (Southbound) Right Lane **TOTAL LENGTH: 8.58 Miles**

Section Number	5	6	7	8	
Section Length (mi)	1.00	1.00	1.00	0.58	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	
Paved Width (ft)	30	17	31	30	
Lane Width (ft)	9	10	10	10	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	83	82	82	83	
RCI (Roughness Condition Index)	77	76	71	77	
SCR (Surface Condition Rating)	87	86	89	87	
Alligator Cracking Index	100	100	100	100	
Rutting Index	87	86	89	87	
Patching Index	100	100	100	100	
Transverse Cracking Index	100	100	100	100	
Longitudinal Cracking Index	100	100	100	100	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0003B Mount Vernon Parkway (Southbound) Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003C Mount Vernon Parkway (Northbound) Left Lane **TOTAL LENGTH: 8.62 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	4	4	4	4
Paved Width (ft)	32	32	35	18	37
Lane Width (ft)	8	8	9	8	9
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	81	83	80	71	79
RCI (Roughness Condition Index)	78	73	77	73	84
SCR (Surface Condition Rating)	83	89	83	71	75
Alligator Cracking Index	100	100	100	100	100
Rutting Index	83	89	83	71	75
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Longitudinal Cracking Index	100	100	100	100	100
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0003C Mount Vernon Parkway (Northbound) Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003C Mount Vernon Parkway (Northbound) Left Lane **TOTAL LENGTH: 8.62 Miles**

Section Number	5	6	7	8	
Section Length (mi)	1.00	1.00	1.00	0.62	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	
Paved Width (ft)	36	32	34	38	
Lane Width (ft)	9	9	9	9	
Shoulder Width (ft)	0	0	10	10	
Roadway Condition Information					
PCR (Pavement Condition Rating)	82	77	79	81	
RCI (Roughness Condition Index)	80	78	78	84	
SCR (Surface Condition Rating)	83	77	80	79	
Alligator Cracking Index	100	100	100	100	
Rutting Index	83	77	80	79	
Patching Index	100	100	100	99	
Transverse Cracking Index	100	100	100	100	
Longitudinal Cracking Index	100	100	100	100	
Shoulder Condition Rating	N/A	N/A	GOOD	GOOD	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0003C Mount Vernon Parkway (Northbound) Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003D Mount Vernon Parkway (Northbound) Right Lane TOTAL LENGTH: 8.66 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	4
Paved Width (ft)	30	30	30	17	34
Lane Width (ft)	10	10	10	9	10
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	69	69	69	61	66
RCI (Roughness Condition Index)	78	73	80	68	83
SCR (Surface Condition Rating)	65	66	61	56	55
Alligator Cracking Index	100	100	100	100	100
Rutting Index	65	66	61	56	55
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Longitudinal Cracking Index	100	100	100	100	100
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0003D Mount Vernon Parkway (Northbound) Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR Poor ■ Fair ■ Good ■ Excellent ■
 (<=60) (61 - 84) (85 - 94) (95 - 100)
 * If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0003D Mount Vernon Parkway (Northbound) Right Lane TOTAL LENGTH: 8.66 Miles

Section Number	5	6	7	8	
Section Length (mi)	1.00	1.00	1.00	0.66	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	4	4	
Paved Width (ft)	31	28	29	30	
Lane Width (ft)	10	9	10	10	
Shoulder Width (ft)	0	0	5	5	
Roadway Condition Information					
PCR (Pavement Condition Rating)	67	66	65	64	
RCI (Roughness Condition Index)	74	80	79	66	
SCR (Surface Condition Rating)	63	57	56	58	
Alligator Cracking Index	100	100	100	100	
Rutting Index	63	57	56	59	
Patching Index	100	100	100	99	
Transverse Cracking Index	100	100	100	99	
Longitudinal Cracking Index	100	100	99	99	
Shoulder Condition Rating	N/A	N/A	GOOD	GOOD	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0003D Mount Vernon Parkway (Northbound) Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0004A Spout Run East Left Lane **TOTAL LENGTH: 0.57 Miles**

Section Number	0				
Section Length (mi)	0.57				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	27				
Lane Width (ft)	24				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	97				
RCI (Roughness Condition Index)	96				
SCR (Surface Condition Rating)	97				
Alligator Cracking Index	100				
Rutting Index	97				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0004A Spout Run East Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0004B Spout Run East Right Lane **TOTAL LENGTH: 1.00 Miles**

Section Number	0				
Section Length (mi)	1.00				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	93				
RCI (Roughness Condition Index)	92				
SCR (Surface Condition Rating)	94				
Alligator Cracking Index	100				
Rutting Index	94				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0004B Spout Run East Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0005A Spout Run West Left Lane **TOTAL LENGTH: 0.77 Miles**

Section Number	0				
Section Length (mi)	0.77				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	27				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	97				
RCI (Roughness Condition Index)	94				
SCR (Surface Condition Rating)	97				
Alligator Cracking Index	100				
Rutting Index	97				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0005A Spout Run West Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0005B Spout Run West Right Lane **TOTAL LENGTH: 0.73 Miles**

Section Number	0.05				
Section Length (mi)	0.73				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	95				
RCI (Roughness Condition Index)	91				
SCR (Surface Condition Rating)	97				
Alligator Cracking Index	100				
Rutting Index	97				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0005B Spout Run West Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



National Capital Region
GWMP : George Washington Memorial Parkway



ROUTE: 0006A Clara Barton Parkway - West Left Lane **TOTAL LENGTH: 6.92 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	3
Paved Width (ft)	19	25	21	26	24
Lane Width (ft)	10	10	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	96	95	83	77	75
RCI (Roughness Condition Index)	95	98	81	94	98
SCR (Surface Condition Rating)	95	92	83	65	59
Alligator Cracking Index	100	100	95	99	99
Rutting Index	95	92	90	84	76
Patching Index	100	100	99	100	100
Transverse Cracking Index	100	100	99	98	98
Longitudinal Cracking Index	100	100	96	83	85
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0006A Clara Barton Parkway - West Left Lane

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0006A Clara Barton Parkway - West Left Lane **TOTAL LENGTH: 6.92 Miles**

Section Number	5	6			
Section Length (mi)	1.00	0.92			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	3	4			
Paved Width (ft)	25	23			
Lane Width (ft)	10	10			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	74	94			
RCI (Roughness Condition Index)	93	97			
SCR (Surface Condition Rating)	61	93			
Alligator Cracking Index	92	100			
Rutting Index	74	93			
Patching Index	99	100			
Transverse Cracking Index	98	99			
Longitudinal Cracking Index	94	100			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0006A Clara Barton Parkway - West Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0006B Clara Barton Parkway - West Right Lane **TOTAL LENGTH: 3.86 Miles**

Section Number	0.81	1	2.708	3.008	4.008
Section Length (mi)	0.19	0.21	0.30	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	23	23	20
Lane Width (ft)	11	11	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	98	99	75	88	84
RCI (Roughness Condition Index)	100	100	62	94	97
SCR (Surface Condition Rating)	98	99	81	83	75
Alligator Cracking Index	100	100	99	99	98
Rutting Index	98	99	89	88	84
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	100	95	99	98
Longitudinal Cracking Index	100	100	97	96	94
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0006B Clara Barton Parkway - West Right Lane




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0006B Clara Barton Parkway - West Right Lane **TOTAL LENGTH: 3.86 Miles**

Section Number	5	6			
Section Length (mi)	1.00	0.16			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	21			
Lane Width (ft)	11	11			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	89	98			
RCI (Roughness Condition Index)	96	97			
SCR (Surface Condition Rating)	85	98			
Alligator Cracking Index	99	100			
Rutting Index	89	98			
Patching Index	100	100			
Transverse Cracking Index	98	100			
Longitudinal Cracking Index	98	100			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0006B Clara Barton Parkway - West Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.epl.fhwa.dot.gov/nps/index.htm>



PCR Poor ■ Fair ■ Good ■ Excellent ■
 (<=60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0007A Clara Barton Parkway - East Left Lane TOTAL LENGTH: 4.65 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	0.25
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	23	22	27	25
Lane Width (ft)	12	11	10	10	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	94	79	75	81	82
RCI (Roughness Condition Index)	97	96	96	97	97
SCR (Surface Condition Rating)	92	68	61	70	73
Alligator Cracking Index	100	99	96	99	100
Rutting Index	92	77	80	82	83
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	98	99	99	99
Longitudinal Cracking Index	100	93	85	89	90
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0007A Clara Barton Parkway - East Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0007A Clara Barton Parkway - East Left Lane TOTAL LENGTH: 4.65 Miles

Section Number	5				
Section Length (mi)	0.40				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	97				
RCI (Roughness Condition Index)	97				
SCR (Surface Condition Rating)	97				
Alligator Cracking Index	100				
Rutting Index	97				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0007A Clara Barton Parkway - East Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY

ROUTE: 0007B Clara Barton Parkway - East Right Lane **TOTAL LENGTH: 6.06 Miles**

Section Number	0	1	2	3	4
Section Length (mi)	0.45	1.00	1.00	0.30	0.46
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	4	2	4	2
Paved Width (ft)	39	21	20	21	20
Lane Width (ft)	8	11	11	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	98	87	88	91	90
RCI (Roughness Condition Index)	99	97	97	97	94
SCR (Surface Condition Rating)	98	80	82	87	86
Alligator Cracking Index	100	97	99	100	100
Rutting Index	98	90	88	94	87
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	98	99	99	100
Longitudinal Cracking Index	100	93	95	93	99
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0007B Clara Barton Parkway - East Right Lane





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0007B Clara Barton Parkway - East Right Lane TOTAL LENGTH: 6.06 Miles

Section Number	5	6	7		
Section Length (mi)	1.00	1.00	0.85		
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4	1		
Paved Width (ft)	20	20	18		
Lane Width (ft)	11	10	18		
Shoulder Width (ft)	0	0	0		
Roadway Condition Information					
PCR (Pavement Condition Rating)	96	97	88		
RCI (Roughness Condition Index)	99	99	98		
SCR (Surface Condition Rating)	95	95	81		
Alligator Cracking Index	100	100	100		
Rutting Index	95	95	81		
Patching Index	100	100	100		
Transverse Cracking Index	100	100	100		
Longitudinal Cracking Index	99	100	100		
Shoulder Condition Rating	N/A	N/A	N/A		
Drainage Condition Rating	GOOD	GOOD	GOOD		

ROUTE: 0007B Clara Barton Parkway - East Right Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





National Capital Region
GWMP : George Washington Memorial Parkway

ROUTE: 0011A Memorial Avenue Left Lane **TOTAL LENGTH: 0.96 Miles**

Section Number	0				
Section Length (mi)	0.96				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	48				
Lane Width (ft)	31				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	68				
RCI (Roughness Condition Index)	54				
SCR (Surface Condition Rating)	64				
Alligator Cracking Index	78				
Rutting Index	89				
Patching Index	99				
Transverse Cracking Index	94				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0011A Memorial Avenue Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0011B Memorial Avenue Center Lane TOTAL LENGTH: 0.96 Miles

Section Number	0				
Section Length (mi)	0.96				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4				
Paved Width (ft)	41				
Lane Width (ft)	28				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	68				
RCI (Roughness Condition Index)	54				
SCR (Surface Condition Rating)	63				
Alligator Cracking Index	77				
Rutting Index	86				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0011B Memorial Avenue Center Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0011C Memorial Avenue Right Lane **TOTAL LENGTH: 0.78 Miles**

Section Number	0	1			
Section Length (mi)	0.33	0.45			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	6			
Paved Width (ft)	42	33			
Lane Width (ft)	10	10			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	22	94			
RCI (Roughness Condition Index)	54	13			
SCR (Surface Condition Rating)	19	95			
Alligator Cracking Index	50	98			
Rutting Index	74	96			
Patching Index	99	99			
Transverse Cracking Index	81	99			
Longitudinal Cracking Index	83	99			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0011C Memorial Avenue Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0011D Memorial Avenue Left Lane **TOTAL LENGTH: 0.84 Miles**

Section Number	0	1			
Section Length (mi)	0.51	0.33			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	4	4			
Paved Width (ft)	51	51			
Lane Width (ft)	9	33			
Shoulder Width (ft)	0	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	85	31			
RCI (Roughness Condition Index)	30	41			
SCR (Surface Condition Rating)	85	24			
Alligator Cracking Index	98	47			
Rutting Index	89	76			
Patching Index	99	99			
Transverse Cracking Index	97	90			
Longitudinal Cracking Index	98	92			
Shoulder Condition Rating	N/A	GOOD			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0011D Memorial Avenue Left Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0011E Memorial Avenue Center Lane **TOTAL LENGTH: 0.96 Miles**

Section Number	0				
Section Length (mi)	0.96				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	6				
Paved Width (ft)	43				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	65				
RCI (Roughness Condition Index)	48				
SCR (Surface Condition Rating)	64				
Alligator Cracking Index	82				
Rutting Index	88				
Patching Index	99				
Transverse Cracking Index	94				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0011E Memorial Avenue Center Lane

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0011F Memorial Avenue Right Lane **TOTAL LENGTH: 0.94 Miles**

Section Number	0	1			
Section Length (mi)	0.45	0.49			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	6	2			
Paved Width (ft)	35	41			
Lane Width (ft)	9	15			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	96	37			
RCI (Roughness Condition Index)	54	51			
SCR (Surface Condition Rating)	95	33			
Alligator Cracking Index	95	61			
Rutting Index	99	80			
Patching Index	100	99			
Transverse Cracking Index	99	85			
Longitudinal Cracking Index	99	85			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0011F Memorial Avenue Right Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0100 West Boulevard Drive **TOTAL LENGTH: 1.01 Miles**

Section Number	0	1			
Section Length (mi)	1.00	0.01			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	23	17			
Lane Width (ft)	15	8			
Shoulder Width (ft)	0	4			
Roadway Condition Information					
PCR (Pavement Condition Rating)	54	0			
RCI (Roughness Condition Index)	81	-1			
SCR (Surface Condition Rating)	39	0			
Alligator Cracking Index	57	52			
Rutting Index	95	83			
Patching Index	99	100			
Transverse Cracking Index	85	76			
Longitudinal Cracking Index	90	78			
Shoulder Condition Rating	N/A	GOOD			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0100 West Boulevard Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0101 Wellington Road **TOTAL LENGTH: 0.02 Miles**

Section Number	0				
Section Length (mi)	0.02				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	82				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	82				
Alligator Cracking Index	98				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0101 Wellington Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0102 Chadwick Avenue / Herbert Springs Road TOTAL LENGTH: 0.15 Miles

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	9				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	40				
RCI (Roughness Condition Index)	43				
SCR (Surface Condition Rating)	34				
Alligator Cracking Index	59				
Rutting Index	70				
Patching Index	94				
Transverse Cracking Index	99				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0102 Chadwick Avenue / Herbert Springs Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0103 East Boulevard Drive **TOTAL LENGTH: 1.03 Miles**

Section Number	0	1			
Section Length (mi)	1.00	0.03			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	14	14			
Lane Width (ft)	7	7			
Shoulder Width (ft)	4	3			
Roadway Condition Information					
PCR (Pavement Condition Rating)	66	40			
RCI (Roughness Condition Index)	78	-1			
SCR (Surface Condition Rating)	66	40			
Alligator Cracking Index	80	63			
Rutting Index	96	96			
Patching Index	99	99			
Transverse Cracking Index	94	91			
Longitudinal Cracking Index	93	89			
Shoulder Condition Rating	GOOD	GOOD			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0103 East Boulevard Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0104 Northdown Road **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	15				
Lane Width (ft)	8				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	27				
RCI (Roughness Condition Index)	77				
SCR (Surface Condition Rating)	21				
Alligator Cracking Index	48				
Rutting Index	88				
Patching Index	99				
Transverse Cracking Index	83				
Longitudinal Cracking Index	89				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0104 Northdown Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0105 Fort Hunt Road **TOTAL LENGTH: 0.76 Miles**

Section Number	0				
Section Length (mi)	0.76				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	56				
RCI (Roughness Condition Index)	61				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	73				
Rutting Index	88				
Patching Index	99				
Transverse Cracking Index	90				
Longitudinal Cracking Index	90				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0105 Fort Hunt Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0106 Fort Hunt Access Ramp **TOTAL LENGTH: 0.21 Miles**

Section Number	0				
Section Length (mi)	0.21				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	24				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	70				
RCI (Roughness Condition Index)	68				
SCR (Surface Condition Rating)	70				
Alligator Cracking Index	85				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	96				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0106 Fort Hunt Access Ramp

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0107 Alexandria Avenue **TOTAL LENGTH: 0.04 Miles**

Section Number	0				
Section Length (mi)	0.04				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	10				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	100				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	100				
Alligator Cracking Index	100				
Rutting Index	100				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0107 Alexandria Avenue

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0200A Washington Marina Access Road TOTAL LENGTH: 0.34 Miles

Section Number	0				
Section Length (mi)	0.34				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	31				
RCI (Roughness Condition Index)	27				
SCR (Surface Condition Rating)	28				
Alligator Cracking Index	69				
Rutting Index	71				
Patching Index	99				
Transverse Cracking Index	62				
Longitudinal Cracking Index	86				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0200A Washington Marina Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0200B Washington Marina Access Road TOTAL LENGTH: 0.08 Miles

Section Number	0				
Section Length (mi)	0.08				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	0				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	0				
Alligator Cracking Index	0				
Rutting Index	58				
Patching Index	96				
Transverse Cracking Index	89				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0200B Washington Marina Access Road

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0201 Gravelly Point Access Road **TOTAL LENGTH: 0.38 Miles**

Section Number	0				
Section Length (mi)	0.38				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	67				
RCI (Roughness Condition Index)	52				
SCR (Surface Condition Rating)	77				
Alligator Cracking Index	96				
Rutting Index	88				
Patching Index	100				
Transverse Cracking Index	93				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0201 Gravelly Point Access Road

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0202A Columbia Marina Access Road TOTAL LENGTH: 0.10 Miles

Section Number	0				
Section Length (mi)	0.10				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	40				
RCI (Roughness Condition Index)	56				
SCR (Surface Condition Rating)	39				
Alligator Cracking Index	78				
Rutting Index	86				
Patching Index	100				
Transverse Cracking Index	85				
Longitudinal Cracking Index	88				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0202A Columbia Marina Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0202B Columbia Marina Boat Loop **TOTAL LENGTH: 0.05 Miles**

Section Number	0				
Section Length (mi)	0.05				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	78				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	78				
Alligator Cracking Index	100				
Rutting Index	86				
Patching Index	100				
Transverse Cracking Index	94				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0202B Columbia Marina Boat Loop

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0202C Columbia Marina Boat Ramp Road TOTAL LENGTH: 0.09 Miles

Section Number	0				
Section Length (mi)	0.09				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	68				
RCI (Roughness Condition Index)	48				
SCR (Surface Condition Rating)	77				
Alligator Cracking Index	95				
Rutting Index	93				
Patching Index	100				
Transverse Cracking Index	92				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0202C Columbia Marina Boat Ramp Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0203 Iwo Jima Memorial Access Road TOTAL LENGTH: 0.53 Miles

Section Number	0				
Section Length (mi)	0.53				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	48				
RCI (Roughness Condition Index)	64				
SCR (Surface Condition Rating)	38				
Alligator Cracking Index	73				
Rutting Index	83				
Patching Index	99				
Transverse Cracking Index	90				
Longitudinal Cracking Index	88				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0203 Iwo Jima Memorial Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0204A Belle Haven Marina Access Road **TOTAL LENGTH: 0.26 Miles**

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	27				
Lane Width (ft)	16				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	47				
RCI (Roughness Condition Index)	62				
SCR (Surface Condition Rating)	35				
Alligator Cracking Index	67				
Rutting Index	83				
Patching Index	99				
Transverse Cracking Index	75				
Longitudinal Cracking Index	90				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0204A Belle Haven Marina Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0204B Belle Haven Picnic Access Road **TOTAL LENGTH: 0.40 Miles**

Section Number	0				
Section Length (mi)	0.40				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	31				
RCI (Roughness Condition Index)	50				
SCR (Surface Condition Rating)	28				
Alligator Cracking Index	88				
Rutting Index	67				
Patching Index	97				
Transverse Cracking Index	70				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0204B Belle Haven Picnic Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0205 Morningside Lane **TOTAL LENGTH: 0.10 Miles**

Section Number	0				
Section Length (mi)	0.10				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	48				
RCI (Roughness Condition Index)	71				
SCR (Surface Condition Rating)	42				
Alligator Cracking Index	82				
Rutting Index	86				
Patching Index	100				
Transverse Cracking Index	81				
Longitudinal Cracking Index	92				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0205 Morningside Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0206 Collingwood Picnic Access Road **TOTAL LENGTH: 0.09 Miles**

Section Number	0				
Section Length (mi)	0.09				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	70				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	70				
Alligator Cracking Index	100				
Rutting Index	71				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0206 Collingwood Picnic Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0207A Fort Hunt Picnic Loop A **TOTAL LENGTH: 1.34 Miles**

Section Number	0	1			
Section Length (mi)	1.00	0.34			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	17	17			
Lane Width (ft)	9	9			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	81	75			
RCI (Roughness Condition Index)	64	63			
SCR (Surface Condition Rating)	89	83			
Alligator Cracking Index	100	100			
Rutting Index	89	83			
Patching Index	100	99			
Transverse Cracking Index	100	100			
Longitudinal Cracking Index	100	100			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0207A Fort Hunt Picnic Loop A

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0207B Fort Hunt Picnic Loop B **TOTAL LENGTH: 0.52 Miles**

Section Number	0				
Section Length (mi)	0.52				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	16				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	35				
RCI (Roughness Condition Index)	67				
SCR (Surface Condition Rating)	23				
Alligator Cracking Index	82				
Rutting Index	73				
Patching Index	99				
Transverse Cracking Index	62				
Longitudinal Cracking Index	84				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0207B Fort Hunt Picnic Loop B

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0208 Riverside Park Road TOTAL LENGTH: 0.13 Miles

Section Number	0				
Section Length (mi)	0.13				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	29				
RCI (Roughness Condition Index)	40				
SCR (Surface Condition Rating)	32				
Alligator Cracking Index	50				
Rutting Index	82				
Patching Index	98				
Transverse Cracking Index	91				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0208 Riverside Park Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0209 Fort Marcy Road **TOTAL LENGTH: 0.15 Miles**

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	85				
RCI (Roughness Condition Index)	78				
SCR (Surface Condition Rating)	89				
Alligator Cracking Index	99				
Rutting Index	94				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0209 Fort Marcy Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0210A Fhwa/Cia Access Ramp **TOTAL LENGTH: 0.19 Miles**

Section Number	0				
Section Length (mi)	0.19				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	20				
Lane Width (ft)	20				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	16				
RCI (Roughness Condition Index)	51				
SCR (Surface Condition Rating)	2				
Alligator Cracking Index	24				
Rutting Index	63				
Patching Index	97				
Transverse Cracking Index	84				
Longitudinal Cracking Index	70				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0210A Fhwa/Cia Access Ramp

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0210B Fhwa/Cia Access Ramp **TOTAL LENGTH: 0.41 Miles**

Section Number	0				
Section Length (mi)	0.41				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	25				
Lane Width (ft)	25				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	46				
RCI (Roughness Condition Index)	89				
SCR (Surface Condition Rating)	24				
Alligator Cracking Index	79				
Rutting Index	88				
Patching Index	100				
Transverse Cracking Index	75				
Longitudinal Cracking Index	67				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0210B Fhwa/Cia Access Ramp

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0210C Fhwa/Cia Access Ramp **TOTAL LENGTH: 0.39 Miles**

Section Number	0				
Section Length (mi)	0.39				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	22				
Lane Width (ft)	22				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	44				
RCI (Roughness Condition Index)	89				
SCR (Surface Condition Rating)	13				
Alligator Cracking Index	51				
Rutting Index	71				
Patching Index	99				
Transverse Cracking Index	76				
Longitudinal Cracking Index	75				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0210C Fhwa/Cia Access Ramp

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0210D Fhwa/Cia Access Ramp **TOTAL LENGTH: 0.24 Miles**

Section Number	0				
Section Length (mi)	0.24				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	22				
Lane Width (ft)	22				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	48				
RCI (Roughness Condition Index)	87				
SCR (Surface Condition Rating)	28				
Alligator Cracking Index	91				
Rutting Index	73				
Patching Index	99				
Transverse Cracking Index	92				
Longitudinal Cracking Index	70				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0210D Fhwa/Cia Access Ramp

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0211 Parkway Headquarters Access Road **TOTAL LENGTH: 0.10 Miles**

Section Number	0				
Section Length (mi)	0.10				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	68				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	68				
Alligator Cracking Index	98				
Rutting Index	71				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0211 Parkway Headquarters Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0212 Turkey Run Road **TOTAL LENGTH: 0.94 Miles**

Section Number	0				
Section Length (mi)	0.94				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	2				
Roadway Condition Information					
PCR (Pavement Condition Rating)	66				
RCI (Roughness Condition Index)	62				
SCR (Surface Condition Rating)	69				
Alligator Cracking Index	94				
Rutting Index	76				
Patching Index	99				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0212 Turkey Run Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0213A Turkey Run Park Access Road **TOTAL LENGTH: 0.75 Miles**

Section Number	0				
Section Length (mi)	0.75				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	12				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	66				
RCI (Roughness Condition Index)	87				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	79				
Rutting Index	81				
Patching Index	99				
Transverse Cracking Index	97				
Longitudinal Cracking Index	90				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0213A Turkey Run Park Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0213B Turkey Run Park Access Road **TOTAL LENGTH: 0.89 Miles**

Section Number	0				
Section Length (mi)	0.89				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	74				
RCI (Roughness Condition Index)	90				
SCR (Surface Condition Rating)	64				
Alligator Cracking Index	91				
Rutting Index	85				
Patching Index	99				
Transverse Cracking Index	97				
Longitudinal Cracking Index	90				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0213B Turkey Run Park Access Road

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0214 Great Falls Picnic Access **TOTAL LENGTH: 0.26 Miles**

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	10				
Roadway Condition Information					
PCR (Pavement Condition Rating)	83				
RCI (Roughness Condition Index)	64				
SCR (Surface Condition Rating)	87				
Alligator Cracking Index	100				
Rutting Index	87				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0214 Great Falls Picnic Access

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0215 Great Falls Access **TOTAL LENGTH: 0.50 Miles**

Section Number	0				
Section Length (mi)	0.50				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	38				
Lane Width (ft)	12				
Shoulder Width (ft)	4				
Roadway Condition Information					
PCR (Pavement Condition Rating)	82				
RCI (Roughness Condition Index)	61				
SCR (Surface Condition Rating)	91				
Alligator Cracking Index	100				
Rutting Index	91				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0215 Great Falls Access

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0216 Crest Lane **TOTAL LENGTH: 0.80 Miles**

Section Number	0				
Section Length (mi)	0.80				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	17				
Lane Width (ft)	9				
Shoulder Width (ft)	2				
Roadway Condition Information					
PCR (Pavement Condition Rating)	27				
RCI (Roughness Condition Index)	58				
SCR (Surface Condition Rating)	9				
Alligator Cracking Index	40				
Rutting Index	44				
Patching Index	99				
Transverse Cracking Index	94				
Longitudinal Cracking Index	86				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0216 Crest Lane

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0217A W. Abingdon Drive **TOTAL LENGTH: 0.45 Miles**

Section Number	0				
Section Length (mi)	0.45				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	77				
RCI (Roughness Condition Index)	61				
SCR (Surface Condition Rating)	83				
Alligator Cracking Index	95				
Rutting Index	94				
Patching Index	98				
Transverse Cracking Index	94				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0217A W. Abingdon Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0217B W. Abingdon Drive **TOTAL LENGTH: 0.54 Miles**

Section Number	0				
Section Length (mi)	0.54				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	18				
Lane Width (ft)	18				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	80				
RCI (Roughness Condition Index)	69				
SCR (Surface Condition Rating)	88				
Alligator Cracking Index	95				
Rutting Index	93				
Patching Index	99				
Transverse Cracking Index	97				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0217B W. Abingdon Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0218A E. Abingdon Drive **TOTAL LENGTH: 0.50 Miles**

Section Number	0				
Section Length (mi)	0.50				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	36				
RCI (Roughness Condition Index)	68				
SCR (Surface Condition Rating)	26				
Alligator Cracking Index	50				
Rutting Index	83				
Patching Index	97				
Transverse Cracking Index	64				
Longitudinal Cracking Index	87				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0218A E. Abingdon Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0218B E. Abingdon Drive **TOTAL LENGTH: 0.64 Miles**

Section Number	0				
Section Length (mi)	0.64				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	41				
RCI (Roughness Condition Index)	59				
SCR (Surface Condition Rating)	33				
Alligator Cracking Index	78				
Rutting Index	79				
Patching Index	93				
Transverse Cracking Index	72				
Longitudinal Cracking Index	80				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0218B E. Abingdon Drive

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0219A Washington Marina Boat Storage And Launch Access A TOTAL LENGTH: 0.17 Miles

Section Number	0				
Section Length (mi)	0.17				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	7				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	7				
Alligator Cracking Index	24				
Rutting Index	65				
Patching Index	99				
Transverse Cracking Index	91				
Longitudinal Cracking Index	90				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0219A Washington Marina Boat Storage And Launch Access A

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0219B Washington Marina Boat Storage And Launch Access B TOTAL LENGTH: 0.37 Miles

Section Number	0				
Section Length (mi)	0.37				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	8				
RCI (Roughness Condition Index)	57				
SCR (Surface Condition Rating)	5				
Alligator Cracking Index	70				
Rutting Index	67				
Patching Index	99				
Transverse Cracking Index	46				
Longitudinal Cracking Index	77				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0219B Washington Marina Boat Storage And Launch Access B

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0220 Fort Hunt Picnic Shelter Handicapped Access Road TOTAL LENGTH: 0.08 Miles

Section Number	0				
Section Length (mi)	0.08				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	3				
Roadway Condition Information					
PCR (Pavement Condition Rating)	42				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	42				
Alligator Cracking Index	54				
Rutting Index	69				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0220 Fort Hunt Picnic Shelter Handicapped Access Road

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0400 Daingerfield Nursery - Maintenance Access TOTAL LENGTH: 0.27 Miles

Section Number	0				
Section Length (mi)	0.27				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	5				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	5				
Alligator Cracking Index	18				
Rutting Index	42				
Patching Index	94				
Transverse Cracking Index	98				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0400 Daingerfield Nursery - Maintenance Access

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0401 Fort Hunt Maintenance TOTAL LENGTH: 0.11 Miles

Section Number	0				
Section Length (mi)	0.11				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	18				
Lane Width (ft)	9				
Shoulder Width (ft)	8				
Roadway Condition Information					
PCR (Pavement Condition Rating)	19				
RCI (Roughness Condition Index)	47				
SCR (Surface Condition Rating)	16				
Alligator Cracking Index	42				
Rutting Index	85				
Patching Index	98				
Transverse Cracking Index	77				
Longitudinal Cracking Index	85				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0401 Fort Hunt Maintenance

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0414 Claude Moore Farm Administrative Access Road TOTAL LENGTH: 0.12 Miles

Section Number	0				
Section Length (mi)	0.12				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	17				
Lane Width (ft)	9				
Shoulder Width (ft)	7				
Roadway Condition Information					
PCR (Pavement Condition Rating)	55				
RCI (Roughness Condition Index)	67				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	100				
Rutting Index	51				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0414 Claude Moore Farm Administrative Access Road

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0500A Ramps To Airport South (Northbound) TOTAL LENGTH: 0.10 Miles

Section Number	0				
Section Length (mi)	0.10				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	18				
Lane Width (ft)	18				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	22				
RCI (Roughness Condition Index)	56				
SCR (Surface Condition Rating)	0				
Alligator Cracking Index	22				
Rutting Index	62				
Patching Index	100				
Transverse Cracking Index	90				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0500A Ramps To Airport South (Northbound)

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0500B Ramps To Airport South (Southbound) TOTAL LENGTH: 0.23 Miles

Section Number	0				
Section Length (mi)	0.23				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	21				
Lane Width (ft)	21				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	53				
RCI (Roughness Condition Index)	79				
SCR (Surface Condition Rating)	33				
Alligator Cracking Index	77				
Rutting Index	69				
Patching Index	100				
Transverse Cracking Index	91				
Longitudinal Cracking Index	85				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0500B Ramps To Airport South (Southbound)

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0500C Ramps To Airport South **TOTAL LENGTH: 0.21 Miles**

Section Number	0				
Section Length (mi)	0.21				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	19				
Lane Width (ft)	19				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	85				
RCI (Roughness Condition Index)	74				
SCR (Surface Condition Rating)	92				
Alligator Cracking Index	100				
Rutting Index	94				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0500C Ramps To Airport South

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0502AA Ramps To Airport North **TOTAL LENGTH: 0.35 Miles**

Section Number	0				
Section Length (mi)	0.35				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	26				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	87				
RCI (Roughness Condition Index)	75				
SCR (Surface Condition Rating)	94				
Alligator Cracking Index	100				
Rutting Index	96				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0502AA Ramps To Airport North

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0502AB Ramps To Airport North **TOTAL LENGTH: 0.36 Miles**

Section Number	0				
Section Length (mi)	0.36				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	91				
RCI (Roughness Condition Index)	88				
SCR (Surface Condition Rating)	93				
Alligator Cracking Index	99				
Rutting Index	96				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0502AB Ramps To Airport North

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0502B Ramps To Airport North **TOTAL LENGTH: 0.16 Miles**

Section Number	0				
Section Length (mi)	0.16				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	27				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	71				
RCI (Roughness Condition Index)	59				
SCR (Surface Condition Rating)	79				
Alligator Cracking Index	100				
Rutting Index	85				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0502B Ramps To Airport North

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0502C Ramps To Airport North **TOTAL LENGTH: 0.09 Miles**

Section Number	0				
Section Length (mi)	0.09				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	24				
Lane Width (ft)	24				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	76				
RCI (Roughness Condition Index)	77				
SCR (Surface Condition Rating)	76				
Alligator Cracking Index	92				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0502C Ramps To Airport North

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503A Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.16 Miles**

Section Number	0				
Section Length (mi)	0.16				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	19				
Lane Width (ft)	19				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	69				
RCI (Roughness Condition Index)	56				
SCR (Surface Condition Rating)	77				
Alligator Cracking Index	100				
Rutting Index	83				
Patching Index	100				
Transverse Cracking Index	95				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503A Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503B Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.21 Miles**

Section Number	0				
Section Length (mi)	0.21				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	21				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	82				
RCI (Roughness Condition Index)	70				
SCR (Surface Condition Rating)	91				
Alligator Cracking Index	100				
Rutting Index	96				
Patching Index	100				
Transverse Cracking Index	95				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503B Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503C Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.11 Miles**

Section Number	0				
Section Length (mi)	0.11				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	16				
Lane Width (ft)	16				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	44				
RCI (Roughness Condition Index)	59				
SCR (Surface Condition Rating)	34				
Alligator Cracking Index	95				
Rutting Index	72				
Patching Index	100				
Transverse Cracking Index	76				
Longitudinal Cracking Index	88				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503C Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503D Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	19				
Lane Width (ft)	19				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	42				
RCI (Roughness Condition Index)	66				
SCR (Surface Condition Rating)	26				
Alligator Cracking Index	76				
Rutting Index	75				
Patching Index	100				
Transverse Cracking Index	83				
Longitudinal Cracking Index	83				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503D Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503E Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	22				
Lane Width (ft)	22				
Shoulder Width (ft)	7				
Roadway Condition Information					
PCR (Pavement Condition Rating)	21				
RCI (Roughness Condition Index)	60				
SCR (Surface Condition Rating)	2				
Alligator Cracking Index	66				
Rutting Index	66				
Patching Index	100				
Transverse Cracking Index	65				
Longitudinal Cracking Index	58				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0503E Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY

ROUTE: 0503F Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.15 Miles**

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	23				
Lane Width (ft)	23				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	57				
RCI (Roughness Condition Index)	56				
SCR (Surface Condition Rating)	58				
Alligator Cracking Index	90				
Rutting Index	74				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503F Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503G Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.12 Miles**

Section Number	0				
Section Length (mi)	0.12				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	26				
Lane Width (ft)	18				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	29				
RCI (Roughness Condition Index)	54				
SCR (Surface Condition Rating)	12				
Alligator Cracking Index	16				
Rutting Index	83				
Patching Index	100				
Transverse Cracking Index	94				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503G Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0503H Ramps To I-395 And 14Th Street **TOTAL LENGTH: 0.21 Miles**

Section Number	0				
Section Length (mi)	0.21				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	22				
Lane Width (ft)	22				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	76				
RCI (Roughness Condition Index)	81				
SCR (Surface Condition Rating)	74				
Alligator Cracking Index	77				
Rutting Index	93				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	100				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0503H Ramps To I-395 And 14Th Street

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0505A Ramps To Pentagon Parking **TOTAL LENGTH: 0.31 Miles**

Section Number	0				
Section Length (mi)	0.31				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	31				
RCI (Roughness Condition Index)	57				
SCR (Surface Condition Rating)	16				
Alligator Cracking Index	74				
Rutting Index	71				
Patching Index	99				
Transverse Cracking Index	71				
Longitudinal Cracking Index	79				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0505A Ramps To Pentagon Parking

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0505B Ramps To Pentagon Parking **TOTAL LENGTH: 0.44 Miles**

Section Number	0				
Section Length (mi)	0.44				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	16				
Lane Width (ft)	16				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	44				
RCI (Roughness Condition Index)	70				
SCR (Surface Condition Rating)	26				
Alligator Cracking Index	77				
Rutting Index	85				
Patching Index	99				
Transverse Cracking Index	71				
Longitudinal Cracking Index	67				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0505B Ramps To Pentagon Parking

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0505C Ramps To Pentagon Parking **TOTAL LENGTH: 0.31 Miles**

Section Number	0				
Section Length (mi)	0.31				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	52				
RCI (Roughness Condition Index)	67				
SCR (Surface Condition Rating)	35				
Alligator Cracking Index	88				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	70				
Longitudinal Cracking Index	67				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0505C Ramps To Pentagon Parking

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0506A Memorial Avenue Ramps TOTAL LENGTH: 0.31 Miles

Section Number	0				
Section Length (mi)	0.31				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	20				
Lane Width (ft)	20				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	52				
RCI (Roughness Condition Index)	59				
SCR (Surface Condition Rating)	46				
Alligator Cracking Index	78				
Rutting Index	76				
Patching Index	100				
Transverse Cracking Index	92				
Longitudinal Cracking Index	89				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0506A Memorial Avenue Ramps

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0506B Memorial Avenue Ramps **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	25				
Lane Width (ft)	25				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	16				
RCI (Roughness Condition Index)	33				
SCR (Surface Condition Rating)	5				
Alligator Cracking Index	80				
Rutting Index	43				
Patching Index	99				
Transverse Cracking Index	84				
Longitudinal Cracking Index	85				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0506B Memorial Avenue Ramps

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508AA Ramps To Memorial Circle TOTAL LENGTH: 0.47 Miles

	0.07	0.46			
Section Number	0.07	0.46			
Section Length (mi)	0.29	0.18			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	25	23			
Lane Width (ft)	11	10			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	49	18			
RCI (Roughness Condition Index)	68	63			
SCR (Surface Condition Rating)	38	2			
Alligator Cracking Index	77	27			
Rutting Index	69	72			
Patching Index	98	99			
Transverse Cracking Index	87	45			
Longitudinal Cracking Index	89	71			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0508AA Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508AB Ramps To Memorial Circle **TOTAL LENGTH: 0.74 Miles**

Section Number	0				
Section Length (mi)	0.74				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	14				
Lane Width (ft)	14				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	34				
RCI (Roughness Condition Index)	64				
SCR (Surface Condition Rating)	14				
Alligator Cracking Index	47				
Rutting Index	73				
Patching Index	99				
Transverse Cracking Index	72				
Longitudinal Cracking Index	82				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508AB Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508BA Ramps To Memorial Circle **TOTAL LENGTH: 0.99 Miles**

Section Number	0				
Section Length (mi)	0.99				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	39				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	53				
RCI (Roughness Condition Index)	60				
SCR (Surface Condition Rating)	42				
Alligator Cracking Index	72				
Rutting Index	78				
Patching Index	99				
Transverse Cracking Index	81				
Longitudinal Cracking Index	87				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508BA Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508BB Ramps To Memorial Circle **TOTAL LENGTH: 0.34 Miles**

Section Number	0				
Section Length (mi)	0.34				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	35				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	57				
RCI (Roughness Condition Index)	61				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	93				
Rutting Index	74				
Patching Index	99				
Transverse Cracking Index	91				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508BB Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508BC Ramps To Memorial Circle **TOTAL LENGTH: 0.41 Miles**

Section Number	0				
Section Length (mi)	0.41				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	29				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	46				
RCI (Roughness Condition Index)	68				
SCR (Surface Condition Rating)	32				
Alligator Cracking Index	89				
Rutting Index	76				
Patching Index	99				
Transverse Cracking Index	76				
Longitudinal Cracking Index	80				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508BC Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508CA Ramps To Memorial Circle **TOTAL LENGTH: 0.35 Miles**

Section Number	0				
Section Length (mi)	0.35				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	24				
Lane Width (ft)	10				
Shoulder Width (ft)	9				
Roadway Condition Information					
PCR (Pavement Condition Rating)	56				
RCI (Roughness Condition Index)	62				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	79				
Rutting Index	83				
Patching Index	99				
Transverse Cracking Index	89				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0508CA Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508CB Ramps To Memorial Circle TOTAL LENGTH: 0.20 Miles

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	20				
Lane Width (ft)	11				
Shoulder Width (ft)	7				
Roadway Condition Information					
PCR (Pavement Condition Rating)	77				
RCI (Roughness Condition Index)	66				
SCR (Surface Condition Rating)	79				
Alligator Cracking Index	98				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	95				
Longitudinal Cracking Index	94				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0508CB Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508DA Ramps To Memorial Circle TOTAL LENGTH: 0.26 Miles

Section Number	0	1			
Section Length (mi)	0.12	0.14			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1	1			
Paved Width (ft)	43	44			
Lane Width (ft)	10	11			
Shoulder Width (ft)	0	1			
Roadway Condition Information					
PCR (Pavement Condition Rating)	24	20			
RCI (Roughness Condition Index)	32	43			
SCR (Surface Condition Rating)	25	5			
Alligator Cracking Index	96	28			
Rutting Index	39	63			
Patching Index	95	96			
Transverse Cracking Index	89	85			
Longitudinal Cracking Index	93	91			
Shoulder Condition Rating	N/A	GOOD			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0508DA Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508DB Ramps To Memorial Circle TOTAL LENGTH: 0.32 Miles

Section Number	0	1			
Section Length (mi)	0.13	0.19			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1	1			
Paved Width (ft)	32	36			
Lane Width (ft)	11	11			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	36	40			
RCI (Roughness Condition Index)	35	53			
SCR (Surface Condition Rating)	36	32			
Alligator Cracking Index	98	54			
Rutting Index	45	76			
Patching Index	98	99			
Transverse Cracking Index	96	94			
Longitudinal Cracking Index	97	94			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0508DB Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508DC Ramps To Memorial Circle **TOTAL LENGTH: 0.63 Miles**

Section Number	0				
Section Length (mi)	0.63				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	24				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	30				
RCI (Roughness Condition Index)	54				
SCR (Surface Condition Rating)	15				
Alligator Cracking Index	77				
Rutting Index	68				
Patching Index	99				
Transverse Cracking Index	72				
Longitudinal Cracking Index	79				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508DC Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508EA Ramps To Memorial Circle **TOTAL LENGTH: 0.84 Miles**

Section Number	0				
Section Length (mi)	0.84				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	41				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	59				
RCI (Roughness Condition Index)	64				
SCR (Surface Condition Rating)	56				
Alligator Cracking Index	93				
Rutting Index	80				
Patching Index	98				
Transverse Cracking Index	88				
Longitudinal Cracking Index	92				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508EA Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508EB Ramps To Memorial Circle **TOTAL LENGTH: 0.68 Miles**

Section Number	0				
Section Length (mi)	0.68				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	42				
Lane Width (ft)	14				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	63				
RCI (Roughness Condition Index)	69				
SCR (Surface Condition Rating)	58				
Alligator Cracking Index	86				
Rutting Index	88				
Patching Index	99				
Transverse Cracking Index	89				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508EB Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0508F Ramps To Memorial Circle **TOTAL LENGTH: 0.13 Miles**

Section Number	0				
Section Length (mi)	0.13				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	25				
Lane Width (ft)	25				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	24				
RCI (Roughness Condition Index)	36				
SCR (Surface Condition Rating)	16				
Alligator Cracking Index	64				
Rutting Index	48				
Patching Index	97				
Transverse Cracking Index	79				
Longitudinal Cracking Index	80				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0508F Ramps To Memorial Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0509A Ramps To Rosslyn Circle **TOTAL LENGTH: 0.25 Miles**

Section Number	0				
Section Length (mi)	0.25				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	3				
Paved Width (ft)	16				
Lane Width (ft)	16				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	56				
RCI (Roughness Condition Index)	50				
SCR (Surface Condition Rating)	59				
Alligator Cracking Index	85				
Rutting Index	84				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0509A Ramps To Rosslyn Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0509B Ramps To Rosslyn Circle **TOTAL LENGTH: 0.49 Miles**

Section Number	0				
Section Length (mi)	0.49				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	79				
RCI (Roughness Condition Index)	82				
SCR (Surface Condition Rating)	75				
Alligator Cracking Index	96				
Rutting Index	84				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0509B Ramps To Rosslyn Circle

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(≤60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0510A Ramps To Chain Bridge **TOTAL LENGTH: 0.13 Miles**

Section Number	0				
Section Length (mi)	0.13				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	18				
Lane Width (ft)	18				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	76				
RCI (Roughness Condition Index)	70				
SCR (Surface Condition Rating)	81				
Alligator Cracking Index	97				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510A Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**


ROUTE: 0510B Ramps To Chain Bridge **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	82				
RCI (Roughness Condition Index)	76				
SCR (Surface Condition Rating)	83				
Alligator Cracking Index	99				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510B Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0510C Ramps To Chain Bridge **TOTAL LENGTH: 0.19 Miles**

Section Number	0				
Section Length (mi)	0.19				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	78				
RCI (Roughness Condition Index)	65				
SCR (Surface Condition Rating)	87				
Alligator Cracking Index	100				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510C Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0510D Ramps To Chain Bridge **TOTAL LENGTH: 0.16 Miles**

Section Number	0				
Section Length (mi)	0.16				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	82				
RCI (Roughness Condition Index)	80				
SCR (Surface Condition Rating)	83				
Alligator Cracking Index	100				
Rutting Index	86				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510D Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0510E Ramps To Chain Bridge **TOTAL LENGTH: 0.26 Miles**

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	17				
Lane Width (ft)	17				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	80				
RCI (Roughness Condition Index)	74				
SCR (Surface Condition Rating)	85				
Alligator Cracking Index	99				
Rutting Index	94				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	93				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510E Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY

ROUTE: 0510F Ramps To Chain Bridge **TOTAL LENGTH: 0.20 Miles**

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	75				
RCI (Roughness Condition Index)	66				
SCR (Surface Condition Rating)	82				
Alligator Cracking Index	99				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	94				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0510F Ramps To Chain Bridge

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0511A Ramps To Mcarthur Blvd. TOTAL LENGTH: 0.21 Miles

Section Number	0				
Section Length (mi)	0.21				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	22				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	73				
RCI (Roughness Condition Index)	77				
SCR (Surface Condition Rating)	74				
Alligator Cracking Index	98				
Rutting Index	81				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	95				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0511A Ramps To Mcarthur Blvd.

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0511B Ramps To Mcarthur Blvd. TOTAL LENGTH: 0.14 Miles

Section Number	0				
Section Length (mi)	0.14				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	25				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	67				
RCI (Roughness Condition Index)	93				
SCR (Surface Condition Rating)	65				
Alligator Cracking Index	94				
Rutting Index	82				
Patching Index	100				
Transverse Cracking Index	92				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0511B Ramps To Mcarthur Blvd.

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**



ROUTE: 0512A Ramps To Cabin John Parkway, Md TOTAL LENGTH: 0.16 Miles

Section Number	0				
Section Length (mi)	0.16				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	80				
RCI (Roughness Condition Index)	79				
SCR (Surface Condition Rating)	81				
Alligator Cracking Index	98				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	92				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0512A Ramps To Cabin John Parkway, Md





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0512B Ramps To Cabin John Parkway, Md **TOTAL LENGTH: 0.20 Miles**

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	16				
Lane Width (ft)	16				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	81				
RCI (Roughness Condition Index)	84				
SCR (Surface Condition Rating)	81				
Alligator Cracking Index	100				
Rutting Index	89				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	92				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0512B Ramps To Cabin John Parkway, Md

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>





**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0512C Ramps To Cabin John Parkway, Md TOTAL LENGTH: 0.15 Miles

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	71				
RCI (Roughness Condition Index)	87				
SCR (Surface Condition Rating)	65				
Alligator Cracking Index	94				
Rutting Index	88				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	82				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0512C Ramps To Cabin John Parkway, Md

* NC designates data not collected NA designates not applicable
** See website for traffic data: <http://www.epl.fhwa.dot.gov/nps/index.htm>




**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0512D Ramps To Cabin John Parkway, Md **TOTAL LENGTH: 0.15 Miles**

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	64				
RCI (Roughness Condition Index)	85				
SCR (Surface Condition Rating)	59				
Alligator Cracking Index	84				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	87				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0512D Ramps To Cabin John Parkway, Md

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor		Fair		Good		Excellent	
		(<=60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0513A Ramps To Carderock Recreation Area And Naval Research Center **TOTAL LENGTH: 0.17 Miles**

Section Number	0				
Section Length (mi)	0.17				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	72				
RCI (Roughness Condition Index)	62				
SCR (Surface Condition Rating)	66				
Alligator Cracking Index	80				
Rutting Index	92				
Patching Index	100				
Transverse Cracking Index	93				
Longitudinal Cracking Index	86				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0513A Ramps To Carderock Recreation Area And Naval Research Center

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>




NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY

ROUTE: 0513B Ramps To Carderock Recreation Area And Naval Research Center **TOTAL LENGTH: 0.18 Miles**

Section Number	0				
Section Length (mi)	0.18				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	75				
RCI (Roughness Condition Index)	89				
SCR (Surface Condition Rating)	71				
Alligator Cracking Index	99				
Rutting Index	90				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	84				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0513B Ramps To Carderock Recreation Area And Naval Research Center



PCR	Poor		Fair		Good		Excellent	
		(≤ 60)		(61 - 84)		(85 - 94)		(95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0513C Ramps To Carderock Recreation Area And Naval Research Center **TOTAL LENGTH: 0.15 Miles**

Section Number	0				
Section Length (mi)	0.15				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	14				
Lane Width (ft)	14				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	49				
RCI (Roughness Condition Index)	94				
SCR (Surface Condition Rating)	43				
Alligator Cracking Index	49				
Rutting Index	93				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	96				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0513C Ramps To Carderock Recreation Area And Naval Research Center

* NC designates data not collected NA designates not applicable
 ** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



**NATIONAL CAPITAL REGION
GWMP : GEORGE WASHINGTON MEMORIAL PARKWAY**

ROUTE: 0513D Ramps To Carderock Recreation Area And Naval Research Center **TOTAL LENGTH: 0.20 Miles**

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	15				
Lane Width (ft)	15				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	67				
RCI (Roughness Condition Index)	77				
SCR (Surface Condition Rating)	61				
Alligator Cracking Index	70				
Rutting Index	92				
Patching Index	100				
Transverse Cracking Index	93				
Longitudinal Cracking Index	91				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0513D Ramps To Carderock Recreation Area And Naval Research Center

* NC designates data not collected NA designates not applicable



** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

George Washington Memorial Parkway Route 0403

Parkway Maintenance Area Access
From Route 0001B

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0403	0.00	0.00	103412	1.78	FAIR / 73	AS

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0500D


Ramps To Airport South

From Route 0002B

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0500D	0.18	0.00	0	0.00	NC / -1	AS

* Lane miles are based on 11' lane widths

No Data Collected



George Washington Memorial Parkway

Route 0800

Gravelly Point Boat Launch Ramp
From Route 0201

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0800	Public	3/9/2004	8185	0.14	CO	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway



Route 0801

Columbia Marina Boat Launch Ramp

From Route 0947

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0801	Public	3/6/2004	1751	0.03	CO	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0802

Belle Haven Marina Boat Launch Ramp
From Route 0204A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0802	Public	3/6/2004	926	0.02	CO	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway



Route 0803

Sandy Landing Rescue Boat Launch Ramp

From Route 0412

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0803	NonPublic	2/29/2004	3828	0.07	AS	GOOD / 90

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0900

Roaches Run Parking
From Route 0001 at MP 11.46 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0900	Public	3/6/2004	24779	0.43	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0901

Navy and Marine Memorial Parking
Adjacent To Route 0002B at MP 4.62 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0901	Public	3/9/2004	4207	0.07	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0902

Theodore Roosevelt Island Parking
Adjacent To Route 0002B at MP 6.48 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0902	Public	3/5/2004	39154	0.67	AS	POOR / 45

* Lane miles are based on 11' lane widths






George Washington Memorial Parkway Route 0903

South Donaldson Run Overlook
From Route 0002B at MP 9.05 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0903	Public	3/5/2004	15328	0.26	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0904

North Donaldson Run Overlook
From Route 0002B at MP 9.40 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0904	Public	3/5/2004	10317	0.18	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0905

Turkey Run Parking Area C-1
From Route 0212 at MP 0.16 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0905	Public	3/5/2004	22309	0.38	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0906

Turkey Run Parking Area C-2

From Route 0212 at MP 0.30 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0906	Public	3/5/2004	16971	0.29	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0907

Turkey Run Parking Area B
From Route 0212 at MP 0.52

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0907	Public	3/5/2004	17431	0.30	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0908

GWMP Parkway Headquarters
At End of Route 0212

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0908	NonPublic	3/5/2004	10969	0.19	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0909

Claude Moore Farm Administrative Parking
From Route 0414

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0909	NonPublic	2/20/2004	17034	0.29	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0910

Lyndon B. Johnson Memorial Grove Parking
Across Boundary Channel From Route 0202

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0910	Public	3/11/2004	22757	0.39	AS	POOR / 45

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0911

GWMP Bike Trail Parking at Tulane Road
Adjacent to Route 0003D at MP 6.58 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0911	Public	3/6/2004	2083	0.04	AS	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0912

Dykemarsh Overlook / George Washington Bicentennial Loop
Adjacent to Route 0003B at MP 2.56 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0912	Public	3/6/2004	11465	0.20	CO	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0913

Potomac River Overlook #1
Adjacent To Route 0003D at MP 3.48 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0913	Public	3/9/2004	6336	0.11	CO	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0914

Waynewood Parking

Adjacent To Route 0003D at MP 5.10 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0914	Public	3/9/2004	4717	0.08	CO	GOOD / 90

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0915

Potomac River Overlook #3
Adjacent To Route 0003D at MP 2.08 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0915	Public	3/9/2004	6257	0.11	CO	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0916

Mount Vernon Parking Area #1 (West)
Adjacent To Route 0003B at MP 8.44 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0916	Public	3/9/2004	57702	0.99	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway



Route 0917

Mount Vernon RV Parking (East)

Adjacent To Route 0003D at MP 8.06 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0917	Public	3/9/2004	93621	1.61	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0918A

Fort Hunt Picnic Area A

From Route 0207A at MP 0.14 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0918A	Public	3/6/2004	54310	0.94	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0918B

Fort Hunt Picnic Area A Handicapped Parking
From Route 0220

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0918B	Public	3/6/2004	1231	0.02	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0919

Fort Hunt Picnic Area B
From Route 0207A at MP 0.37 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0919	Public	3/6/2004	52562	0.91	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0920A

Fort Hunt Picnic Area C

From Route 0207A at MP 0.65 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920A	Public	3/6/2004	47368	0.82	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0920B

Fort Hunt Picnic Area D1

From Route 0207A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920B	Public	3/6/2004	2236	0.04	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0920C

Fort Hunt Picnic Area D2

From Route 0207A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920C	Public	3/6/2004	5029	0.09	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0920D

Fort Hunt Picnic Area D3

From Route 0207A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920D	Public	3/6/2004	2378	0.04	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0921

Fort Hunt Picnic Area E

From Route 0207A at MP 0.76 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0921	Public	3/6/2004	11348	0.20	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0922

Great Falls Visitor Center Service Parking

From Route 0215

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0922	NonPublic	3/4/2004	3027	0.05	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0923

Great Falls Visitor Center Parking
From Route 0215 at MP's 0.16, 0.25, & 0.31 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0923	Public	3/4/2004	87613	1.51	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway

Route 0924

Great Falls Overflow Parking
From Route 0215 at MP 0.40 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0924	Public	3/4/2004	52795	0.91	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925A

Great Falls Picnic Area Parking A

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925A	Public	3/4/2004	289	0.00	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925B

Great Falls Picnic Area Parking B

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925B	Public	3/4/2004	270	0.00	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925C

Great Falls Picnic Area Parking C

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925C	Public	3/4/2004	302	0.01	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925D

Great Falls Picnic Area Parking D

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925D	Public	3/4/2004	507	0.01	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925E

Great Falls Picnic Area Parking E

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925E	Public	3/4/2004	1223	0.02	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925F

Great Falls Picnic Area Parking F

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925F	Public	3/4/2004	658	0.01	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925G

Great Falls Picnic Area Parking G

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925G	Public	3/4/2004	1867	0.03	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0925H

Great Falls Picnic Area Parking H

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925H	Public	3/4/2004	2339	0.04	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925I

Great Falls Picnic Area Parking I

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925I	Public	3/4/2004	4195	0.07	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925J

Great Falls Picnic Area Parking J

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925J	Public	3/4/2004	4201	0.07	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0925K

Great Falls Picnic Area Parking K

From Route 0214

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0925K	Public	3/4/2004	1735	0.03	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0927

Clara Barton Parkway Lock 10 Parking
From Route 0007B at MP 2.52 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0927	Public	3/5/2004	15554	0.27	AS	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0928

Clara Barton Parkway Lock 8 Parking
From Route 0007B at MP 2.59 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0928	Public	3/5/2004	24441	0.42	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0929

Clara Barton Parkway Lock 7 Parking
From Route 0007B at MP 4.02 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0929	Public	3/5/2004	6519	0.11	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0930

Clara Barton Parkway Sycamore Island Parking
From Route 0007B at MP 4.62

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0930	Public	3/5/2004	6426	0.11	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0931

Clara Barton Parkway Lock 6 Parking
From Route 0007B at MP 5.62 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0931	Public	3/5/2004	17713	0.30	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0932

Clara Barton Parkway Chain Bridge Parking
From Route 0007B at MP 6.74

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0932	Public	3/5/2004	11139	0.19	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0933

Glen Echo Service Area

From MacArthur Blvd near Route 0511

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0933	NonPublic	3/5/2004	49765	0.86	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0934

Glen Echo Parking

From Oxford Road in Glen Echo, MD

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0934	Public	3/5/2004	83485	1.44	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0935

US Park Police at Fort Hunt
Adjacent To Route 0207A at MP 0.54 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0935	Public	3/6/2004	13034	0.22	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0936A

Washington Marina Parking Area A
Adjacent to Route 0200B at MP 0.04 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936A	Public	3/9/2004	1242	0.02	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936B

Washington Marina Parking Area B
Adjacent to Route 0200B at MP 0.04 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936B	Public	3/9/2004	3330	0.06	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936C

Washington Marina Parking Area C
Adjacent to Route 0200A at MP 0.18 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936C	Public	3/9/2004	2485	0.04	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936D

Washington Marina Parking Area D
Adjacent to Route 0200A at MP 0.18 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936D	Public	3/9/2004	2826	0.05	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936E

Washington Marina Parking Area E
Adjacent to Route 0200A at MP 0.21 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936E	Public	3/9/2004	3302	0.06	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936F

Washington Marina Parking Area F
Adjacent to Route 0200A at MP 0.21 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936F	Public	3/9/2004	2944	0.05	AS	FAIR / 73

* Lane miles are based on 11' lane widths



100 50 0 100 Feet


N 7-59

George Washington Memorial Parkway Route 0936G

Washington Marina Parking Area G
Adjacent to Route 0200A at MP 0.28 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936G	Public	3/9/2004	3406	0.06	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0936H

Washington Marina Parking Area H
Adjacent to Route 0200A at MP 0.28 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936H	Public	3/9/2004	3311	0.06	AS	FAIR / 73

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0936I

Washington Marina Parking Area I
Adjacent to Route 0200A at MP 0.29 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936I	Public	3/9/2004	2820	0.05	AS	FAIR / 73

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0936J

Washington Marina Parking Area J
Adjacent to Route 0200A at MP 0.29 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0936J	Public	3/9/2004	4633	0.08	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway

Route 0937

Gravelly Point Parking
From Route 0201

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0937	Public	3/9/2004	63902	1.10	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0938A

Bell Haven Marina Parking Area A

From Route 0204A on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0938A	Public	3/6/2004	4304	0.07	AS	FAIR / 73

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0938B

Bell Haven Marina Parking Area B
From Route 0204A at MP 0.10 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0938B	Public	3/6/2004	1659	0.03	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0938C

Bell Haven Marina Parking Area C
From Route 0204A at MP 0.12 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0938C	Public	3/6/2004	1007	0.02	AS	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0939A

Riverside Park Parking Area A
From Route 0208 at MP 0.07 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0939A	Public	3/6/2004	2436	0.04	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0939B

Riverside Park Parking Area B
Adjacent to Route 0208 at MP 0.14 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0939B	Public	3/6/2004	4369	0.08	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0939C

Riverside Park Parking Area C
From Route 0208 at MP 0.09 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0939C	Public	3/6/2004	3365	0.06	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0939D

Riverside Park Parking Area D
Adjacent to Route 0208 at MP 0.08 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0939D	Public	3/6/2004	2912	0.05	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0940A

Parkway Headquarters Access Road Parking A
Adjacent to Route 0211 at MP 0.05 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0940A	Public	3/5/2004	3118	0.05	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0940B

Parkway Headquarters Access Road Parking B
Adjacent to Route 0211 at MP 0.05 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0940B	Public	3/5/2004	4445	0.08	AS	EXCELLENT / 97

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway

Route 0941

Collingwood Picnic Parking
Adjacent to Route 0206 at MP 0.09

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0941	Public	3/6/2004	5276	0.09	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0942

Fort Marcy Parking

Adjacent to Route 0209 at MP 0.12

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0942	Public	3/5/2004	4958	0.09	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0944

Great Falls Maintenance Yard

From Route 0215

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0944	NonPublic	3/4/2004	3043	0.05	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0945

Turkey Run Ranger Station Resource Managers Complex and USPP Office Parking
From Route 0211

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0945	NonPublic	3/5/2004	23121	0.40	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0946

Gravelly Point Trailer Parking

From Route 0201

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0946	Public	3/9/2004	4468	0.08	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0947

Columbia Marina Parking

From Route 0202A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0947	Public	3/6/2004	115735	1.99	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0948

Columbia Marina Service Area

From Route 0947

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0948	NonPublic	3/6/2004	23235	0.40	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway



Route 0949

Iwo Jima Memorial Parking

From Route 0203

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0949	Public	3/9/2004	8940	0.15	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0952

Washington Marina Overflow Parking

From Route 0400

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0952	Public	3/9/2004	38241	0.66	GR	N/A

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway Route 0953

Dyke Marsh Wildlife Habitat Parking
From Route 0204A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0953	Public	3/6/2004	461	0.01	AS	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0954A

Belle Haven Picnic Access Area A
From Route 0204B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0954A	Public	3/6/2004	21407	0.37	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway



Route 0954B

Belle Haven Picnic Access Area B

From Route 0204B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0954B	Public	3/6/2004	4068	0.07	AS	FAIR / 73

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0954C

Belle Haven Picnic Access Area C
From Route 0204B on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0954C	Public	3/6/2004	6412	0.11	AS	FAIR / 73

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0954D

Belle Haven Picnic Access Area D
From Route 0204B on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0954D	Public	3/6/2004	8499	0.15	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0955A

Fort Hunt Maintenance Parking Area A
Adjacent to Route 0401

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0955A	NonPublic	3/6/2004	1803	0.03	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0955B

Fort Hunt Maintenance Parking Area B

At End of Route 0401

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0955B	NonPublic	3/11/2004	19920	0.34	AS	FAIR / 73

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0958

Clara Barton House Parking
From Glen Echo Parking 0934

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0958	Public	3/5/2004	3565	0.06	AS	GOOD / 90

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0959

Washington Marina Boat Storage Parking
From Route 0219B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0959	NonPublic	3/9/2004	13560	0.23	AS	POOR / 45

* Lane miles are based on 11' lane widths




George Washington Memorial Parkway Route 0960

Washington Marina Boat Pier Parking
From Route 0219A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0960	NonPublic	3/11/2004	14075	0.24	AS	POOR / 45

* Lane miles are based on 11' lane widths





George Washington Memorial Parkway Route 0962

Great Falls Entrance Station Handicapped Parking
Adjacent to Route 0215

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0962	Public	3/29/2004	905	0.02	AS	GOOD / 90

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0963A

Fort Hunt Picnic Parking A

Adjacent to Route 0207B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0963A	Public	5/20/2004	2522	0.04	AS	POOR / 45

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0963B

Fort Hunt Picnic Parking B

Adjacent to Route 0207B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0963B	Public	5/20/2004	6246	0.11	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway


Route 0963C

Fort Hunt Picnic Parking C

Adjacent to Route 0207B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0963C	Public	5/20/2004	654	0.01	AS	FAIR / 73

* Lane miles are based on 11' lane widths



George Washington Memorial Parkway

Route 0963D

Fort Hunt Picnic Parking D

Adjacent to Route 0207B

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0963D	Public	5/20/2004	1109	0.02	AS	FAIR / 73

* Lane miles are based on 11' lane widths





**The Road Inventory
of
George Washington Memorial Parkway
GWMP – 3300
Volume – 2**



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
Cycle 3



GWMP: PARKWIDE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>PARK TOTAL</i>	<i>UNIT</i>
BRIDGE	39	EACH
CATTLE GUARD	0	EACH
CULVERT	95	EACH
CURB	752,981	LINEAR FEET
DROP INLET	1,653	EACH
GUARD WALL	0	LINEAR FEET
GUARDRAIL	97,948	LINEAR FEET
INTERSECTION	800	EACH
LOW WATER CROSSING	0	EACH
OVERHEAD SIGN	0	EACH
PARK BOUNDARY	0	EACH
PAVED DITCH	1,441	LINEAR FEET
PULLOUT	16	EACH
RAILROAD CROSSING	11	EACH
RETAINING WALL	0	EACH
STATE BOUNDARY	0	EACH
TRAFFIC LIGHT	16	EACH
TUNNEL	0	EACH
TURNOUT	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0001A GWMP - SOUTHBOUND</i>	<i>ROUTE 0001B GWMP - SOUTHBOUND</i>	<i>ROUTE 0001C GWMP - SOUTHBOUND</i>	<i>ROUTE 0002A GWMP - NORTHBOUND</i>	<i>ROUTE 0002B GWMP - NORTHBOUND</i>	<i>ROUTE 0002C GWMP - NORTHBOUND</i>	<i>UNIT</i>
BRIDGE	5	4	0	4	5	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	2	23	0	1	3	0	EACH
CURB	71,905	67,290	5,168	69,683	71,106	3,824	LINEAR FEET
DROP INLET	135	195	21	145	184	10	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	29,438	3,494	0	29,165	3,573	0	LINEAR FEET
INTERSECTION	10	28	6	11	32	2	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	1	2	0	1	2	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	2	0	0	3	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0003A MOUNT VERNON PARKWAY (SOUTH BOUND)</i>	<i>ROUTE 0003B MOUNT VERNON PARKWAY (SOUTH BOUND)</i>	<i>ROUTE 0003C MOUNT VERNON PARKWAY (NORTH BOUND)</i>	<i>ROUTE 0003D MOUNT VERNON PARKWAY (NORTH BOUND)</i>	<i>ROUTE 0004A SPOUT RUN EAST</i>	<i>ROUTE 0004B SPOUT RUN EAST</i>	<i>UNIT</i>
BRIDGE	0	0	1	2	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	1	2	4	4	9	EACH
CURB	10,511	36,648	10,748	36,733	916	10,583	LINEAR FEET
DROP INLET	4	46	12	47	6	20	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	1,000	0	2,720	172	3,428	LINEAR FEET
INTERSECTION	17	26	19	21	1	1	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	7	0	8	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	1	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0005A SPOUT RUN WEST</i>	<i>ROUTE 0005B SPOUT RUN WEST</i>	<i>ROUTE 0006A CLARA BARTON PARKWAY WEST</i>	<i>ROUTE 0006B CLARA BARTON PARKWAY WEST</i>	<i>ROUTE 0007A CLARA BARTON PARKWAY EAST</i>	<i>ROUTE 0007B CLARA BARTON PARKWAY EAST</i>	<i>UNIT</i>
BRIDGE	0	0	1	1	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	1	6	4	2	0	0	EACH
CURB	3,679	3,699	66,022	16,855	28,108	41,160	LINEAR FEET
DROP INLET	13	9	106	53	76	99	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	1,596	0	2,909	842	648	2,201	LINEAR FEET
INTERSECTION	2	4	19	7	8	19	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	212	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	1	0	0	0	2	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0011A MEMORIAL AVENUE</i>	<i>ROUTE 0011B MEMORIAL AVENUE</i>	<i>ROUTE 0011C MEMORIAL AVENUE</i>	<i>ROUTE 0011D MEMORIAL AVENUE</i>	<i>ROUTE 0011E MEMORIAL AVENUE</i>	<i>ROUTE 0011F MEMORIAL AVENUE</i>	<i>UNIT</i>
BRIDGE	0	1	0	1	1	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	451	850	3,881	446	59	4,834	LINEAR FEET
DROP INLET	2	5	49	2	0	55	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	7	1	8	1	1	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0100 WEST BOULEVARD DRIVE</i>	<i>ROUTE 0101 WELLINGTON ROAD</i>	<i>ROUTE 0102 CHADWICK AVENUE/HERBERT SPRING RD</i>	<i>ROUTE 0103 EAST BOULEVARD DRIVE</i>	<i>ROUTE 0104 NORTHDOWN ROAD</i>	<i>ROUTE 0105 FORT HUNT ROAD</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	7	EACH
CURB	22	19	0	0	0	3,926	LINEAR FEET
DROP INLET	0	1	0	0	0	13	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	40	0	0	0	0	635	LINEAR FEET
INTERSECTION	14	4	10	14	9	8	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	626	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0106 FORT HUNT ACCESS RAMP</i>	<i>ROUTE 0107 ALEXANDRIA AVENUE</i>	<i>ROUTE 0200A WASHINGTON MARINA ACCESS ROAD</i>	<i>ROUTE 0200B WASHINGTON MARINA ACCESS ROAD</i>	<i>ROUTE 0201 GRAVELLY POINT ACCESS ROAD</i>	<i>ROUTE 0202A COLUMBIA MARINA ACCESS ROAD</i>	<i>UNIT</i>
BRIDGE	0	1	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	1,914	235	1,972	0	2,990	648	LINEAR FEET
DROP INLET	3	0	0	0	1	2	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	214	0	0	0	0	0	LINEAR FEET
INTERSECTION	7	4	17	6	18	8	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	512	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0202B COLUMBIA MARINA BOAT LOOP</i>	<i>ROUTE 0202C COLUMBIA MARINA BOAT RAMP ROAD</i>	<i>ROUTE 0203 IWO JIMA MEMORIAL ACCESS ROAD</i>	<i>ROUTE 0204A BELLE HAVEN MARINA ACCES ROAD</i>	<i>ROUTE 0204B BELLE HAVEN PICNIC ACCES ROAD</i>	<i>ROUTE 0205 MORINGSIDE LANE</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	1	0	EACH
CURB	413	794	4,989	1,285	3,715	585	LINEAR FEET
DROP INLET	0	1	7	2	6	3	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	83	0	0	0	LINEAR FEET
INTERSECTION	4	3	12	10	8	2	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0206 COLLINGWOOD PICNIC ACCESS ROAD</i>	<i>ROUTE 0207A FORT HUNT PICNIC LOOP A</i>	<i>ROUTE 0207B FORT HUNT PICNIC LOOP B</i>	<i>ROUTE 0208 RIVERSIDE PARK ROAD</i>	<i>ROUTE 0209 FORT MARCY ROAD</i>	<i>ROUTE 0210A FHWA/CIA ACCESS</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	1	3	0	0	0	EACH
CURB	775	13,521	4,860	1,198	1,441	1,721	LINEAR FEET
DROP INLET	2	9	4	1	6	4	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	3	23	8	8	4	6	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0210B FHWA/CIA ACCESS</i>	<i>ROUTE 0210C FHWA/CIA ACCESS</i>	<i>ROUTE 0210D FHWA/CIA ACCESS</i>	<i>ROUTE 0211 PARKWAY HEADQUARTERS ACCESS ROAD</i>	<i>ROUTE 0212 TURKEY RUN ROAD</i>	<i>ROUTE 0213A TURKEY RUN PARK ACCESS ROAD</i>	<i>UNIT</i>
BRIDGE	1	1	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	2	0	0	0	7	3	EACH
CURB	3,838	3,386	2,228	0	0	7,406	LINEAR FEET
DROP INLET	6	7	5	0	1	20	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	213	223	0	0	763	1,257	LINEAR FEET
INTERSECTION	6	2	3	6	8	5	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	90	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0213B TURKEY RUN PARK ACCESS ROAD</i>	<i>ROUTE 0214 GREAT FALLS PICNIC ACCESS</i>	<i>ROUTE 0215 GREAT FALLS ACCESS</i>	<i>ROUTE 0216 CREST LANE</i>	<i>ROUTE 0217A WABINGDON DRIVE</i>	<i>ROUTE 0217B WABINGDON DRIVE</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	3	0	0	3	0	0	EACH
CURB	9,096	0	4,388	3,613	2,480	3,113	LINEAR FEET
DROP INLET	21	0	11	1	8	9	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	1,333	79	0	0	0	0	LINEAR FEET
INTERSECTION	5	20	12	13	7	12	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	1	2	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	1	2	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0218A E ABINGDON DRIVE</i>	<i>ROUTE 0218B E ABINGDON DRIVE</i>	<i>ROUTE 0219A WASHINGTON MARINA BOAT STORAGE & LAUNCH</i>	<i>ROUTE 0219B WASHINGTON MARINA BOAT STORAGE & LAUNCH</i>	<i>ROUTE 0220 FORT HUNT PICNIC SHELTER HANDICAPPED ACC</i>	<i>ROUTE 0400 DAINGERFIELD NURSERY MAINTENANCE ACCESS</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	1	EACH
CURB	2,466	3,268	0	0	0	0	LINEAR FEET
DROP INLET	4	9	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	5	18	10	9	4	5	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	1	1	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	3	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0401 FORT HUNT MAINTENANCE</i>	<i>ROUTE 0414 CLAUDE MOORE FARM ADMINISTRATIVE ACCESS</i>	<i>ROUTE 0500A RAMPS TO AIRPORT SOUTH</i>	<i>ROUTE 0500B RAMPS TO AIRPORT SOUTH</i>	<i>ROUTE 0500C RAMPS TO AIRPORT SOUTH</i>	<i>ROUTE 0500D RAMPS TO AIRPORT SOUTH</i>	<i>UNIT</i>
BRIDGE	0	0	0	1	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	0	0	808	2,168	1,800	0	LINEAR FEET
DROP INLET	0	0	2	2	6	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	21	651	0	0	LINEAR FEET
INTERSECTION	5	4	3	1	4	0	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0502AA RAMPS TO AIRPORT NORTH</i>	<i>ROUTE 0502AB RAMPS TO AIRPORT NORTH</i>	<i>ROUTE 0502B RAMPS TO AIRPORT NORTH</i>	<i>ROUTE 0502C RAMPS TO AIRPORT NORTH</i>	<i>ROUTE 0503A RAMPS TO I- 395 & 14TH STREET</i>	<i>ROUTE 0503B RAMPS TO I- 395 & 14TH STREET</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	1,514	1,594	1,464	619	1,316	1,412	LINEAR FEET
DROP INLET	6	5	2	2	3	5	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	369	0	0	479	LINEAR FEET
INTERSECTION	2	2	4	3	3	4	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	1	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0503C RAMPS TO I-395 & 14TH STREET</i>	<i>ROUTE 0503D RAMPS TO I-395 & 14TH STREET</i>	<i>ROUTE 0503E RAMPS TO I-395 & 14TH STREET</i>	<i>ROUTE 0503F RAMPS TO I-395 & 14TH STREET</i>	<i>ROUTE 0503G RAMPS TO I-395 & 14TH STREET</i>	<i>ROUTE 0503H RAMPS TO I-395 & 14TH STREET</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	954	1,318	1,531	1,304	960	1,776	LINEAR FEET
DROP INLET	3	2	2	0	0	4	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	132	0	1,333	228	304	403	LINEAR FEET
INTERSECTION	3	3	3	3	3	4	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0505A RAMPS TO PENTAGON PARKING</i>	<i>ROUTE 0505B RAMPS TO PENTAGON PARKING</i>	<i>ROUTE 0505C RAMPS TO PENTAGON PARKING</i>	<i>ROUTE 0506A MEMORIAL AVENUE RAMPS</i>	<i>ROUTE 0506B MEMORIAL AVENUE RAMPS</i>	<i>ROUTE 0508AA RAMPS TO MEMORIAL CIRCLE</i>	<i>UNIT</i>
BRIDGE	0	0	0	1	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	2,904	2,158	1,656	2,743	1,209	2,270	LINEAR FEET
DROP INLET	3	4	1	4	3	3	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	843	678	377	2,179	0	0	LINEAR FEET
INTERSECTION	4	5	4	5	3	4	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0508AB RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508BA RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508BB RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508BC RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508CA RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508CB RAMPS TO MEMORIAL CIRCLE</i>	<i>UNIT</i>
BRIDGE	0	4	1	1	0	1	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	4,801	6,781	1,557	3,983	1,887	230	LINEAR FEET
DROP INLET	10	14	3	7	4	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	122	1,866	0	0	501	176	LINEAR FEET
INTERSECTION	3	9	5	7	5	2	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0508DA RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508DB RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508DC RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508EA RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508EB RAMPS TO MEMORIAL CIRCLE</i>	<i>ROUTE 0508F RAMPS TO MEMORIAL CIRCLE</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	1,294	0	4,525	4,484	2,904	1,115	LINEAR FEET
DROP INLET	1	0	8	8	2	2	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	228	0	0	126	LINEAR FEET
INTERSECTION	1	0	2	3	5	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0509A RAMPS TO ROSSLYN CIRCLE</i>	<i>ROUTE 0509B RAMPS TO ROSSLYN CIRCLE</i>	<i>ROUTE 0510A RAMPS TO CHAIN BRIDGE</i>	<i>ROUTE 0510B RAMPS TO CHAIN BRIDGE</i>	<i>ROUTE 0510C RAMPS TO CHAIN BRIDGE</i>	<i>ROUTE 0510D RAMPS TO CHAIN BRIDGE</i>	<i>UNIT</i>
BRIDGE	0	1	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	2	0	0	0	0	0	EACH
CURB	2,536	4,350	1,251	1,658	1,598	1,238	LINEAR FEET
DROP INLET	3	13	3	3	4	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	505	550	0	171	145	147	LINEAR FEET
INTERSECTION	2	3	3	2	3	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0510E RAMPS TO CHAIN BRIDGE</i>	<i>ROUTE 0510F RAMPS TO CHAIN BRIDGE</i>	<i>ROUTE 0511A RAMPS TO MCARTHUR BLVD</i>	<i>ROUTE 0511B RAMPS TO MCARTHUR BLVD</i>	<i>ROUTE 0512A RAMPS TO CABIN JOHN PKWY</i>	<i>ROUTE 0512B RAMPS TO CABIN JOHN PKWY</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	2,267	1,733	516	111	1,326	1,637	LINEAR FEET
DROP INLET	7	3	3	1	4	5	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	162	0	615	0	0	LINEAR FEET
INTERSECTION	2	4	3	4	3	5	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	1	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0512C RAMPS TO CABIN JOHN PKWY</i>	<i>ROUTE 0512D RAMPS TO CABIN JOHN PKWY</i>	<i>ROUTE 0513A RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA</i>	<i>ROUTE 0513B RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA</i>	<i>ROUTE 0513C RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA</i>	<i>ROUTE 0513D RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	1,531	1,326	1,431	1,478	1,496	1,978	LINEAR FEET
DROP INLET	3	2	3	4	3	7	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	3	4	5	5	4	4	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT PARK BOUNDARY (PAVEMENT CHANGE)
0.006	0.030	CURB	LEFT	
0.037	1.808	CURB	LEFT	
0.038	0.038	DROP INLET	LEFT	
0.084	0.084	DROP INLET	LEFT	
0.142	0.142	DROP INLET	LEFT	
0.333	0.392	BRIDGE	N/A	
0.335	0.389	GUARDRAIL	LEFT	
0.499	0.499	DROP INLET	LEFT	
0.556	0.556	DROP INLET	LEFT	
0.616	0.616	DROP INLET	LEFT	
0.622	0.622	DROP INLET	LEFT	
0.730	0.730	DROP INLET	LEFT	
0.733	0.733	DROP INLET	LEFT	
0.776	0.776	DROP INLET	LEFT	
0.778	0.778	DROP INLET	LEFT	
0.831	0.831	DROP INLET	LEFT	
0.838	0.838	DROP INLET	LEFT	
0.887	0.887	DROP INLET	LEFT	
1.132	1.132	DROP INLET	LEFT	
1.238	1.238	DROP INLET	LEFT	
1.245	1.323	BRIDGE	N/A	
1.247	1.325	GUARDRAIL	LEFT	
1.333	1.333	DROP INLET	LEFT	
1.374	1.374	DROP INLET	LEFT	
1.418	1.418	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.468	1.468	DROP INLET	LEFT	
1.531	1.531	DROP INLET	LEFT	
1.588	1.588	DROP INLET	LEFT	
1.721	1.721	DROP INLET	LEFT	
1.809	1.809	INTERSECTION	LEFT	RTE 211 (HQ ACCESS ROAD) TURN LANE
1.823	2.253	CURB	LEFT	
2.628	2.628	CULVERT	N/A	
2.947	2.947	CULVERT	N/A	
3.471	3.733	GUARDRAIL	LEFT	
3.518	4.440	CURB	LEFT	
3.706	3.706	DROP INLET	LEFT	
3.750	3.750	DROP INLET	LEFT	
3.811	3.811	DROP INLET	LEFT	
3.881	3.881	DROP INLET	LEFT	
3.938	3.938	DROP INLET	LEFT	
3.940	3.940	DROP INLET	LEFT	
3.994	3.994	DROP INLET	LEFT	
3.998	3.998	DROP INLET	LEFT	
4.049	4.049	DROP INLET	LEFT	
4.060	4.060	DROP INLET	LEFT	
4.125	4.125	DROP INLET	LEFT	
4.285	4.450	GUARDRAIL	LEFT	
4.443	4.509	BRIDGE	N/A	
4.513	4.819	GUARDRAIL	LEFT	
4.514	7.776	CURB	LEFT	
4.550	4.550	DROP INLET	LEFT	
4.610	4.610	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.682	4.682	DROP INLET	LEFT	
4.723	4.723	DROP INLET	LEFT	
4.777	4.777	DROP INLET	LEFT	
4.818	4.918	BRIDGE	N/A	
4.920	5.161	GUARDRAIL	LEFT	
5.159	5.239	BRIDGE	N/A	
5.240	5.656	GUARDRAIL	LEFT	
5.269	5.269	DROP INLET	LEFT	
5.338	5.338	DROP INLET	LEFT	
5.452	5.452	DROP INLET	LEFT	
5.513	5.513	DROP INLET	LEFT	
5.650	5.730	BRIDGE	N/A	
5.730	5.920	GUARDRAIL	LEFT	
5.856	5.856	DROP INLET	LEFT	
5.924	5.924	DROP INLET	LEFT	
6.066	6.066	DROP INLET	LEFT	
6.114	6.114	DROP INLET	LEFT	
6.180	6.180	DROP INLET	LEFT	
6.244	6.244	DROP INLET	LEFT	
6.302	6.302	DROP INLET	LEFT	
6.346	6.346	DROP INLET	LEFT	
6.534	6.534	DROP INLET	LEFT	
6.551	6.551	DROP INLET	LEFT	
6.592	6.592	DROP INLET	LEFT	
6.633	6.633	DROP INLET	LEFT	
6.687	6.687	DROP INLET	LEFT	
6.733	6.899	GUARDRAIL	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.766	6.766	DROP INLET	LEFT	
6.888	6.888	DROP INLET	LEFT	
6.897	6.971	BRIDGE	N/A	
6.968	7.110	GUARDRAIL	LEFT	
7.037	7.037	DROP INLET	LEFT	
7.106	7.106	DROP INLET	LEFT	
7.173	7.173	DROP INLET	LEFT	
7.248	7.248	DROP INLET	LEFT	
7.312	7.312	DROP INLET	LEFT	
7.380	7.380	DROP INLET	LEFT	
7.412	7.412	DROP INLET	LEFT	
7.455	7.455	DROP INLET	LEFT	
7.527	7.527	DROP INLET	LEFT	
7.573	7.644	BRIDGE	N/A	
7.573	7.573	DROP INLET	LEFT	
7.578	7.647	GUARDRAIL	LEFT	
7.653	7.653	DROP INLET	LEFT	
7.774	7.774	DROP INLET	LEFT	
7.775	7.802	BRIDGE	N/A	
7.804	10.150	CURB	LEFT	
8.009	8.009	DROP INLET	LEFT	
8.057	8.057	DROP INLET	LEFT	
8.109	8.109	DROP INLET	LEFT	
8.113	8.544	GUARDRAIL	LEFT	
8.162	8.162	DROP INLET	LEFT	
8.193	8.193	DROP INLET	LEFT	
8.553	8.553	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
8.619	8.619	DROP INLET	LEFT	
8.653	8.653	DROP INLET	LEFT	
8.662	8.662	DROP INLET	LEFT	
8.675	8.675	DROP INLET	LEFT	
8.727	8.727	DROP INLET	LEFT	
8.758	8.758	DROP INLET	LEFT	
8.909	8.909	DROP INLET	LEFT	
9.164	9.164	DROP INLET	LEFT	
9.186	9.186	DROP INLET	LEFT	
9.379	9.379	DROP INLET	LEFT	
9.417	9.417	DROP INLET	LEFT	
9.451	9.451	DROP INLET	LEFT	
9.460	9.460	DROP INLET	LEFT	
9.657	9.657	DROP INLET	LEFT	
9.708	9.708	DROP INLET	LEFT	
9.771	9.771	DROP INLET	LEFT	
9.811	9.878	BRIDGE	N/A	
9.813	9.881	GUARDRAIL	LEFT	
9.968	9.968	DROP INLET	LEFT	
10.160	10.160	INTERSECTION	LEFT	RTE 510E (RAMPS TO CHAIN BRIDGE)
10.161	10.479	GUARDRAIL	LEFT	
10.167	10.516	CURB	LEFT	
10.523	10.523	INTERSECTION	LEFT	RTE 202A TURN LANE
10.531	12.798	CURB	LEFT	
10.569	10.638	GUARDRAIL	LEFT	
10.637	10.685	BRIDGE	N/A	
10.771	10.850	GUARDRAIL	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
10.821	10.821	DROP INLET	LEFT	
10.881	10.963	GUARDRAIL	LEFT	
10.886	10.886	DROP INLET	LEFT	
10.980	11.018	GUARDRAIL	LEFT	
11.049	11.049	DROP INLET	LEFT	
11.052	11.077	GUARDRAIL	LEFT	
11.085	12.795	GUARDRAIL	LEFT	
11.098	11.098	DROP INLET	LEFT	
11.660	11.660	DROP INLET	LEFT	
11.670	11.670	DROP INLET	LEFT	
11.687	11.687	DROP INLET	LEFT	
11.728	11.728	DROP INLET	LEFT	
11.766	11.766	DROP INLET	LEFT	
11.774	11.774	DROP INLET	LEFT	
11.783	11.783	DROP INLET	LEFT	
11.807	11.807	DROP INLET	LEFT	
11.834	11.834	DROP INLET	LEFT	
11.871	11.871	DROP INLET	LEFT	
11.964	11.964	DROP INLET	LEFT	
12.068	12.068	DROP INLET	LEFT	
12.142	12.153	BRIDGE	N/A	
12.261	12.261	DROP INLET	LEFT	
12.335	12.335	DROP INLET	LEFT	
12.438	12.438	DROP INLET	LEFT	
12.612	12.612	DROP INLET	LEFT	
12.646	12.646	DROP INLET	LEFT	
12.724	12.724	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
12.798	12.798	DROP INLET	LEFT	
12.806	14.082	CURB	LEFT	
12.809	12.809	INTERSECTION	LEFT	RTE 403 (AIRPORT MAINT ACCESS)
12.868	12.868	DROP INLET	LEFT	
12.881	13.269	GUARDRAIL	LEFT	
12.899	12.899	DROP INLET	LEFT	
12.948	12.948	DROP INLET	LEFT	
12.972	12.972	DROP INLET	LEFT	
12.998	12.998	DROP INLET	LEFT	
13.036	13.036	DROP INLET	LEFT	
13.042	13.042	DROP INLET	LEFT	
13.053	13.053	DROP INLET	LEFT	
13.090	13.090	DROP INLET	LEFT	
13.131	13.131	DROP INLET	LEFT	
13.150	13.150	DROP INLET	LEFT	
13.171	13.171	DROP INLET	LEFT	
13.226	13.226	DROP INLET	LEFT	
13.264	13.330	BRIDGE	N/A	
13.328	13.608	GUARDRAIL	LEFT	
13.638	13.638	DROP INLET	LEFT	
13.642	13.642	DROP INLET	LEFT	
13.646	13.646	DROP INLET	LEFT	
13.682	13.682	DROP INLET	LEFT	
13.720	13.720	DROP INLET	LEFT	
13.775	13.775	DROP INLET	LEFT	
14.065	14.065	INTERSECTION	LEFT	RTE 200A TURN LANE
14.082	14.669	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001A : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
14.089	14.089	INTERSECTION	LEFT	RTE 200A TURN LANE
14.674	14.674	INTERSECTION	LEFT	SLATERS LANE
14.681	14.736	CURB	LEFT	
14.736	14.736	RAILROAD CROSSING	N/A	
14.741	14.888	CURB	LEFT	
14.896	14.896	INTERSECTION	LEFT	BASHFORD LANE
14.900	15.084	CURB	LEFT	
15.100	15.100	INTERSECTION	LEFT	
15.120	15.120			ROUTE ENDS AT ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @ 1ST ST
15.135	15.135	INTERSECTION	LEFT	ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @ 1ST S

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT PARK BOUNDARY (PAVEMENT CHANGE)
0.036	0.336	CURB	RIGHT	
0.143	0.143	DROP INLET	RIGHT	
0.244	0.244	DROP INLET	RIGHT	
0.247	0.247	DROP INLET	RIGHT	
0.303	0.303	DROP INLET	RIGHT	
0.329	0.329	DROP INLET	RIGHT	
0.334	0.395	GUARDRAIL	RIGHT	
0.335	0.393	BRIDGE	N/A	
0.393	1.247	CURB	RIGHT	
0.447	0.447	CULVERT	N/A	
0.451	0.451	DROP INLET	RIGHT	
0.499	0.499	DROP INLET	RIGHT	
0.533	0.533	DROP INLET	RIGHT	
0.536	0.536	DROP INLET	RIGHT	
0.582	0.582	CULVERT	N/A	
0.657	0.657	CULVERT	N/A	
0.835	0.835	DROP INLET	RIGHT	
0.839	0.839	DROP INLET	RIGHT	
0.852	0.852	CULVERT	N/A	
0.890	0.890	DROP INLET	RIGHT	
0.943	0.943	DROP INLET	RIGHT	
0.978	0.978	DROP INLET	RIGHT	
1.019	1.019	DROP INLET	RIGHT	
1.132	1.132	DROP INLET	RIGHT	
1.180	1.180	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.181	1.181	DROP INLET	RIGHT	
1.239	1.239	DROP INLET	RIGHT	
1.247	1.318	BRIDGE	N/A	
1.249	1.323	GUARDRAIL	RIGHT	
1.325	1.529	CURB	RIGHT	
1.332	1.332	DROP INLET	RIGHT	
1.375	1.375	DROP INLET	RIGHT	
1.376	1.376	DROP INLET	RIGHT	
1.527	1.527	INTERSECTION	RIGHT	RTE 213A (TURKEY RUN PARK)
1.538	1.538	DROP INLET	RIGHT	
1.543	1.653	CURB	RIGHT	
1.656	1.978	CURB	RIGHT	
1.661	1.661	INTERSECTION	RIGHT	RTE 213B (TURKEY RUN PARK)
1.721	1.721	DROP INLET	RIGHT	
1.753	1.753	DROP INLET	RIGHT	
1.753	1.753	DROP INLET	RIGHT	
1.773	1.773	CULVERT	N/A	
1.820	1.820	DROP INLET	RIGHT	
1.879	1.879	DROP INLET	RIGHT	
1.896	1.896	CULVERT	N/A	
1.918	1.918	DROP INLET	RIGHT	
1.972	1.972	DROP INLET	RIGHT	
1.976	1.976	INTERSECTION	RIGHT	RTE 210A (FHWA/CIA ACCESS)
2.005	2.253	CURB	RIGHT	
2.043	2.043	DROP INLET	RIGHT	
2.088	2.088	DROP INLET	RIGHT	
2.091	2.091	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.144	2.144	DROP INLET	RIGHT	
2.215	2.215	DROP INLET	RIGHT	
2.263	3.449	CURB	RIGHT	
2.277	2.277	INTERSECTION	RIGHT	RTE 210D (FHWA/CIA ACCESS)
2.345	2.345	DROP INLET	RIGHT	
2.405	2.405	DROP INLET	RIGHT	
2.406	2.406	DROP INLET	RIGHT	
2.470	2.470	DROP INLET	RIGHT	
2.474	2.474	DROP INLET	RIGHT	
2.482	2.482	CULVERT	N/A	
2.501	2.501	DROP INLET	RIGHT	
2.562	2.562	DROP INLET	RIGHT	
2.624	2.624	DROP INLET	RIGHT	
2.671	2.671	DROP INLET	RIGHT	
2.728	2.728	DROP INLET	RIGHT	
2.729	2.729	DROP INLET	RIGHT	
2.785	2.785	DROP INLET	RIGHT	
2.891	2.891	DROP INLET	RIGHT	
2.928	2.928	DROP INLET	RIGHT	
2.945	2.945	DROP INLET	RIGHT	
3.001	3.001	DROP INLET	RIGHT	
3.280	3.280	CULVERT	N/A	
3.349	3.349	DROP INLET	RIGHT	
3.410	3.410	DROP INLET	RIGHT	
3.413	3.413	DROP INLET	RIGHT	
3.454	3.454	INTERSECTION	RIGHT	RTE 510A (RAMPS TO CHAIN BRIDGE)
3.466	3.533	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
3.468	3.468	DROP INLET	RIGHT	
3.512	3.512	DROP INLET	RIGHT	
3.547	3.616	CURB	RIGHT	
3.560	3.560	INTERSECTION	RIGHT	RTE 510D & RTE 510C
3.606	3.606	DROP INLET	RIGHT	
3.613	3.613	INTERSECTION	RIGHT	MP 363
3.644	3.650	CURB	RIGHT	
3.813	4.439	CURB	RIGHT	
4.126	4.126	DROP INLET	RIGHT	
4.169	4.169	DROP INLET	RIGHT	
4.236	4.236	DROP INLET	RIGHT	
4.287	4.287	DROP INLET	RIGHT	
4.344	4.344	CULVERT	N/A	
4.425	4.425	DROP INLET	RIGHT	
4.438	4.517	GUARDRAIL	RIGHT	
4.441	4.508	BRIDGE	N/A	
4.507	4.811	CURB	RIGHT	
4.547	4.547	DROP INLET	RIGHT	
4.602	4.602	DROP INLET	RIGHT	
4.603	4.603	DROP INLET	RIGHT	
4.681	4.681	DROP INLET	RIGHT	
4.716	4.716	DROP INLET	RIGHT	
4.774	4.774	DROP INLET	RIGHT	
4.813	4.914	BRIDGE	N/A	
4.925	5.154	CURB	RIGHT	
4.937	4.937	DROP INLET	RIGHT	
4.985	4.985	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.986	4.986	DROP INLET	RIGHT	
5.070	5.070	DROP INLET	RIGHT	
5.114	5.114	DROP INLET	RIGHT	
5.120	5.120	DROP INLET	RIGHT	
5.149	5.241	GUARDRAIL	RIGHT	
5.153	5.236	BRIDGE	N/A	
5.238	5.646	CURB	RIGHT	
5.444	5.444	DROP INLET	RIGHT	
5.509	5.509	DROP INLET	RIGHT	
5.585	5.585	DROP INLET	RIGHT	
5.587	5.587	DROP INLET	RIGHT	
5.623	5.623	DROP INLET	RIGHT	
5.639	5.737	GUARDRAIL	RIGHT	
5.647	5.726	BRIDGE	N/A	
5.728	6.024	CURB	RIGHT	
5.744	5.744	DROP INLET	RIGHT	
5.749	5.749	DROP INLET	RIGHT	
5.783	5.783	DROP INLET	RIGHT	
5.788	5.788	DROP INLET	RIGHT	
5.849	5.849	DROP INLET	RIGHT	
5.850	5.850	DROP INLET	RIGHT	
5.917	5.917	DROP INLET	RIGHT	
6.053	6.893	CURB	RIGHT	
6.058	6.058	DROP INLET	RIGHT	
6.104	6.104	DROP INLET	RIGHT	
6.142	6.142	CULVERT	N/A	
6.352	6.352	CULVERT	N/A	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.360	6.360	DROP INLET	RIGHT	
6.432	6.432	DROP INLET	RIGHT	
6.464	6.464	DROP INLET	RIGHT	
6.465	6.465	DROP INLET	RIGHT	
6.529	6.529	DROP INLET	RIGHT	
6.638	6.638	CULVERT	N/A	
6.681	6.681	DROP INLET	RIGHT	
6.761	6.761	DROP INLET	RIGHT	
6.762	6.762	CULVERT	N/A	
6.887	6.972	GUARDRAIL	RIGHT	
6.887	6.887	DROP INLET	RIGHT	
6.893	6.968	BRIDGE	N/A	
6.969	7.570	CURB	RIGHT	
7.035	7.035	DROP INLET	RIGHT	
7.049	7.049	CULVERT	N/A	
7.143	7.143	DROP INLET	RIGHT	
7.164	7.164	CULVERT	N/A	
7.233	7.233	CULVERT	N/A	
7.311	7.311	DROP INLET	RIGHT	
7.375	7.375	DROP INLET	RIGHT	
7.525	7.525	DROP INLET	RIGHT	
7.527	7.527	DROP INLET	RIGHT	
7.564	7.564	DROP INLET	RIGHT	
7.569	7.569	DROP INLET	RIGHT	
7.572	7.640	BRIDGE	N/A	
7.576	7.642	GUARDRAIL	RIGHT	
7.645	7.682	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
7.647	7.647	DROP INLET	RIGHT	
7.695	8.312	CURB	RIGHT	
7.706	7.706	INTERSECTION	RIGHT	RTE 0004B (SPOUT RUN EAST)
7.775	7.797	BRIDGE	N/A	
7.819	7.819	DROP INLET	RIGHT	
7.879	7.879	DROP INLET	RIGHT	
7.882	7.882	CULVERT	N/A	
7.941	7.941	DROP INLET	RIGHT	
8.003	8.003	DROP INLET	RIGHT	
8.055	8.055	DROP INLET	RIGHT	
8.058	8.058	CULVERT	N/A	
8.098	8.098	CULVERT	N/A	
8.223	8.223	CULVERT	N/A	
8.225	8.225	DROP INLET	RIGHT	
8.276	8.276	DROP INLET	RIGHT	
8.288	8.288	INTERSECTION	RIGHT	RTE 509A (RAMPS TO ROSSLYN CIRCLE)
8.336	8.790	CURB	RIGHT	
8.351	8.351	DROP INLET	RIGHT	
8.495	8.495	DROP INLET	RIGHT	
8.651	8.651	DROP INLET	RIGHT	
8.657	8.657	DROP INLET	RIGHT	
8.667	8.667	DROP INLET	RIGHT	
8.720	8.720	DROP INLET	RIGHT	
8.749	8.749	DROP INLET	RIGHT	
8.760	8.760	DROP INLET	RIGHT	
8.780	8.780	INTERSECTION	RIGHT	RAMP TO HWY 66 & HWY 50
8.788	8.788	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
8.796	9.303	CURB	RIGHT	
8.898	8.898	DROP INLET	RIGHT	
8.939	8.939	DROP INLET	RIGHT	
8.959	8.959	DROP INLET	RIGHT	
8.959	8.959	DROP INLET	RIGHT	
8.968	8.968	DROP INLET	RIGHT	
8.973	8.973	DROP INLET	RIGHT	
9.158	9.158	DROP INLET	RIGHT	
9.181	9.181	DROP INLET	RIGHT	
9.307	9.307	DROP INLET	RIGHT	
9.309	9.573	CURB	RIGHT	
9.313	9.313	INTERSECTION	RIGHT	RTE 508CA (RAMPS TO MEMORIAL CIRCLE)
9.376	9.376	DROP INLET	RIGHT	
9.405	9.405	DROP INLET	RIGHT	
9.453	9.453	DROP INLET	RIGHT	
9.457	9.457	DROP INLET	RIGHT	
9.463	9.463	DROP INLET	RIGHT	
9.468	9.468	DROP INLET	RIGHT	
9.536	9.536	DROP INLET	RIGHT	
9.582	9.582	INTERSECTION	RIGHT	RTE 506A (MEMORIAL AVENUE RAMPS)
9.600	9.764	CURB	RIGHT	
9.763	9.763	INTERSECTION	RIGHT	RTE 505A (RAMPS TO PENTAGON PKG)
9.774	10.495	CURB	RIGHT	
9.808	9.880	GUARDRAIL	RIGHT	
9.810	9.878	BRIDGE	N/A	
9.977	9.977	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
10.058	10.058	DROP INLET	RIGHT	
10.229	10.229	DROP INLET	RIGHT	
10.260	10.260	DROP INLET	RIGHT	
10.293	10.293	DROP INLET	RIGHT	
10.293	10.293	DROP INLET	RIGHT	
10.326	10.326	DROP INLET	RIGHT	
10.359	10.359	DROP INLET	RIGHT	
10.391	10.391	DROP INLET	RIGHT	
10.425	10.425	DROP INLET	RIGHT	
10.467	10.467	DROP INLET	RIGHT	
10.499	10.499	INTERSECTION	RIGHT	RTE 202A (COLUMBIA MARINA ACCESS RD)
10.506	10.513	CURB	RIGHT	
10.520	10.526	CURB	RIGHT	
10.520	10.520	INTERSECTION	RIGHT	RTE 202A (COLUMBIA MARINA ACCESS RD)
10.525	10.525	INTERSECTION	RIGHT	RTE 202A (COLUMBIA MARINA ACCESS RD)
10.527	10.719	CURB	RIGHT	
10.539	10.539	DROP INLET	RIGHT	
10.632	10.678	BRIDGE	N/A	
10.737	10.737	INTERSECTION	RIGHT	RTE 503E (RAMPS TO I-395)
10.760	10.818	CURB	RIGHT	
10.809	10.809	DROP INLET	RIGHT	
10.814	10.814	CULVERT	N/A	
10.832	10.832	INTERSECTION	RIGHT	RTE 503F & BEGIN 0001C
11.894	11.894	INTERSECTION	RIGHT	RTE 502AA (RAMPS TO AIRPORT N)
11.904	12.712	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
12.096	12.116	GUARDRAIL	RIGHT	
12.130	12.141	BRIDGE	N/A	
12.147	12.156	GUARDRAIL	RIGHT	
12.252	12.252	DROP INLET	RIGHT	
12.325	12.325	DROP INLET	RIGHT	
12.346	12.351	GUARDRAIL	RIGHT	
12.353	12.353	CULVERT	N/A	
12.433	12.433	DROP INLET	RIGHT	
12.612	12.612	DROP INLET	RIGHT	
12.640	12.640	DROP INLET	RIGHT	
12.679	12.679	DROP INLET	RIGHT	
12.712	12.712	INTERSECTION	RIGHT	RTE 500C (RAMPS TO AIRPORT S)
12.726	12.787	CURB	RIGHT	
12.780	12.780	INTERSECTION	RIGHT	RTE 403 (AIRPORT MAINT ACCESS)
12.795	12.797	CURB	RIGHT	
12.800	12.800	INTERSECTION	RIGHT	RTE 403 (AIRPORT MAINT ACCESS)
12.803	12.996	CURB	RIGHT	
12.858	12.858	DROP INLET	RIGHT	
13.011	13.264	CURB	RIGHT	
13.016	13.016	DROP INLET	RIGHT	
13.018	13.018	INTERSECTION	RIGHT	RTE 500B (RAMPS TO AIRPORT S)
13.256	13.320	BRIDGE	N/A	
13.330	14.489	CURB	RIGHT	
13.331	13.331	DROP INLET	RIGHT	
13.363	13.363	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
13.537	13.537	DROP INLET	RIGHT	
13.598	13.598	DROP INLET	RIGHT	
13.609	13.609	DROP INLET	RIGHT	
13.617	13.617	DROP INLET	RIGHT	
13.627	13.627	DROP INLET	RIGHT	
13.857	13.857	CULVERT	N/A	
13.891	13.891	DROP INLET	RIGHT	
13.939	13.939	DROP INLET	RIGHT	
13.980	13.980	DROP INLET	RIGHT	
14.027	14.027	DROP INLET	RIGHT	
14.056	14.056	DROP INLET	RIGHT	
14.061	14.061	DROP INLET	RIGHT	
14.066	14.066	DROP INLET	RIGHT	
14.091	14.091	DROP INLET	RIGHT	
14.128	14.128	DROP INLET	RIGHT	
14.176	14.176	DROP INLET	RIGHT	
14.273	14.273	DROP INLET	RIGHT	
14.321	14.321	DROP INLET	RIGHT	
14.352	14.352	DROP INLET	RIGHT	
14.354	14.354	DROP INLET	RIGHT	
14.363	14.363	DROP INLET	RIGHT	
14.385	14.385	DROP INLET	RIGHT	
14.440	14.440	DROP INLET	RIGHT	
14.508	14.508	INTERSECTION	RIGHT	RTE 217B (W ABINGDON DR)
14.518	14.661	CURB	RIGHT	
14.545	14.545	DROP INLET	RIGHT	
14.596	14.596	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001B : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
14.662	14.662	INTERSECTION	RIGHT	SLATERS LANE
14.670	14.723	CURB	RIGHT	
14.720	14.720	DROP INLET	RIGHT	
14.727	14.727	RAILROAD CROSSING	N/A	
14.728	14.877	CURB	RIGHT	
14.730	14.730	RAILROAD CROSSING	RIGHT	
14.775	14.775	DROP INLET	RIGHT	
14.823	14.823	DROP INLET	RIGHT	
14.873	14.873	DROP INLET	RIGHT	
14.882	14.882	INTERSECTION	RIGHT	BASHFORD LANE
14.887	15.067	CURB	RIGHT	
14.895	14.895	TRAFFIC LIGHT	RIGHT	X2
14.942	14.942	DROP INLET	RIGHT	
14.946	14.946	DROP INLET	RIGHT	
14.952	14.952	DROP INLET	RIGHT	
14.985	14.985	DROP INLET	RIGHT	
14.987	14.987	DROP INLET	RIGHT	
15.034	15.034	DROP INLET	RIGHT	
15.071	15.113	CURB	RIGHT	
15.071	15.071	INTERSECTION	RIGHT	RTE 217A (W ABINGDON DR)
15.088	15.088	DROP INLET	RIGHT	
15.106	15.106	INTERSECTION	LEFT	FIRST STREET
15.110	15.110			ROUTE ENDS AT MP 363
15.146	15.146	TRAFFIC LIGHT	RIGHT	3

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001C : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 503F
10.842	10.842	INTERSECTION	RIGHT	RTE 503F
10.845	10.994	CURB	RIGHT	
10.884	10.884	DROP INLET	RIGHT	
11.000	11.000	INTERSECTION	RIGHT	RTE 503G (RAMPS TO I-395)
11.005	11.061	CURB	RIGHT	
11.069	11.069	INTERSECTION	RIGHT	RTE 503H (RAMPS TO I-395)
11.069	11.464	CURB	RIGHT	
11.095	11.095	DROP INLET	RIGHT	
11.167	11.167	DROP INLET	RIGHT	
11.206	11.206	DROP INLET	RIGHT	
11.215	11.215	DROP INLET	RIGHT	
11.224	11.224	DROP INLET	RIGHT	
11.254	11.254	DROP INLET	RIGHT	
11.299	11.299	DROP INLET	RIGHT	
11.344	11.344	DROP INLET	RIGHT	
11.384	11.384	DROP INLET	RIGHT	
11.421	11.421	DROP INLET	RIGHT	
11.477	11.477	DROP INLET	RIGHT	
11.482	11.482	INTERSECTION	RIGHT	RTE 900 (ROACHES RUN PKG)
11.510	11.618	CURB	RIGHT	
11.516	11.516	DROP INLET	RIGHT	
11.538	11.538	DROP INLET	RIGHT	
11.555	11.555	DROP INLET	RIGHT	
11.574	11.574	DROP INLET	RIGHT	
11.589	11.589	DROP INLET	RIGHT	
11.602	11.602	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0001C : GWMP - SOUTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
11.616	11.616	DROP INLET	RIGHT	
11.618	11.618	INTERSECTION	RIGHT	RTE 900 (ROACHES RUN PKG)
11.629	11.900	CURB	RIGHT	
11.639	11.639	DROP INLET	RIGHT	
11.882	11.882	INTERSECTION	RIGHT	RTE 502AA
11.900	11.900	DROP INLET	RIGHT	
11.900	11.900			ROUTE ENDS AT RTE 502AA

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @1ST ST
0.008	0.008	INTERSECTION	LEFT	ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @ 1ST
0.031	0.217	CURB	LEFT	
0.219	0.219	INTERSECTION	LEFT	BASHFORD LANE
0.226	0.370	CURB	LEFT	
0.372	0.372	RAILROAD CROSSING	N/A	
0.375	0.435	CURB	LEFT	
0.439	0.439	INTERSECTION	LEFT	SLATERS LANE
0.451	1.043	CURB	LEFT	
0.791	0.791	DROP INLET	LEFT	
0.839	0.839	DROP INLET	LEFT	
0.943	0.943	DROP INLET	LEFT	
0.990	0.990	DROP INLET	LEFT	
1.035	1.035	DROP INLET	LEFT	
1.043	1.043	INTERSECTION	LEFT	RTE 200A TURN LANE
1.051	2.317	CURB	LEFT	
1.055	1.055	DROP INLET	LEFT	
1.061	1.061	DROP INLET	LEFT	
1.089	1.089	DROP INLET	LEFT	
1.134	1.134	DROP INLET	LEFT	
1.179	1.179	DROP INLET	LEFT	
1.231	1.231	DROP INLET	LEFT	
1.492	1.492	DROP INLET	LEFT	
1.501	1.501	DROP INLET	LEFT	
1.510	1.791	GUARDRAIL	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.540	1.540	DROP INLET	LEFT	
1.575	1.575	DROP INLET	LEFT	
1.632	1.632	DROP INLET	LEFT	
1.787	1.850	BRIDGE	N/A	
1.850	2.237	GUARDRAIL	LEFT	
2.254	2.254	DROP INLET	LEFT	
2.317	2.317	INTERSECTION	LEFT	RTE 403 (AIRPORT MAINT ACCESS)
2.325	4.595	CURB	LEFT	
2.327	4.041	GUARDRAIL	LEFT	
2.397	2.397	DROP INLET	LEFT	
2.474	2.474	DROP INLET	LEFT	
2.507	2.507	DROP INLET	LEFT	
2.684	2.684	DROP INLET	LEFT	
2.787	2.787	DROP INLET	LEFT	
2.862	2.862	DROP INLET	LEFT	
2.963	2.967	BRIDGE	N/A	
3.480	3.480	DROP INLET	LEFT	
3.495	3.495	DROP INLET	LEFT	
3.511	3.511	DROP INLET	LEFT	
3.545	3.545	DROP INLET	LEFT	
3.576	3.576	DROP INLET	LEFT	
3.609	3.609	DROP INLET	LEFT	
3.635	3.635	DROP INLET	LEFT	
3.695	3.695	DROP INLET	LEFT	
3.736	3.736	DROP INLET	LEFT	
3.772	3.772	DROP INLET	LEFT	
3.820	3.820	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
3.867	3.867	DROP INLET	LEFT	
3.908	3.908	DROP INLET	LEFT	
3.949	3.949	DROP INLET	LEFT	
4.028	4.028	DROP INLET	LEFT	
4.045	4.075	GUARDRAIL	LEFT	
4.078	4.078	DROP INLET	LEFT	
4.110	4.152	GUARDRAIL	LEFT	
4.161	4.243	GUARDRAIL	LEFT	
4.240	4.240	DROP INLET	LEFT	
4.277	4.352	GUARDRAIL	LEFT	
4.303	4.303	DROP INLET	LEFT	
4.437	4.482	BRIDGE	N/A	
4.488	4.558	GUARDRAIL	LEFT	
4.597	4.597	INTERSECTION	LEFT	RTE 202A TURN LANE
4.616	5.061	CURB	LEFT	
4.650	5.059	GUARDRAIL	LEFT	
5.062	5.062	INTERSECTION	LEFT	RTE 508B (RAMPS TO MEMORIAL CIRCLE)
5.073	5.736	CURB	LEFT	
5.236	5.236	DROP INLET	LEFT	
5.238	5.238	DROP INLET	LEFT	
5.405	5.405	DROP INLET	LEFT	
5.452	5.452	DROP INLET	LEFT	
5.461	5.488	GUARDRAIL	LEFT	
5.570	5.570	DROP INLET	LEFT	
5.646	5.646	DROP INLET	LEFT	
5.747	5.747	INTERSECTION	LEFT	RTE 508A (RAMPS TO MEMORIAL CIRCLE)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.752	6.967	CURB	LEFT	
5.823	5.865	GUARDRAIL	LEFT	
5.828	5.852	BRIDGE	N/A	
5.973	5.973	DROP INLET	LEFT	
6.024	6.024	DROP INLET	LEFT	
6.034	6.034	DROP INLET	LEFT	
6.054	6.054	DROP INLET	LEFT	
6.095	6.095	DROP INLET	LEFT	
6.244	6.244	DROP INLET	LEFT	
6.277	6.277	DROP INLET	LEFT	
6.331	6.331	DROP INLET	LEFT	
6.339	6.339	DROP INLET	LEFT	
6.486	6.486	DROP INLET	LEFT	
6.589	6.589	DROP INLET	LEFT	
6.657	6.657	DROP INLET	LEFT	
6.667	6.667	DROP INLET	LEFT	
6.676	6.676	DROP INLET	LEFT	
6.735	6.735	DROP INLET	LEFT	
6.786	6.786	DROP INLET	LEFT	
6.929	6.929	DROP INLET	LEFT	
6.974	6.974	INTERSECTION	LEFT	
6.983	7.301	CURB	LEFT	
7.021	7.021	DROP INLET	LEFT	
7.071	7.071	DROP INLET	LEFT	
7.127	7.127	DROP INLET	LEFT	
7.203	7.203	DROP INLET	LEFT	
7.236	7.236	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
7.247	7.247	DROP INLET	LEFT	
7.267	7.267	DROP INLET	LEFT	
7.283	7.283	DROP INLET	LEFT	
7.306	7.306	DROP INLET	LEFT	
7.309	7.309	INTERSECTION	LEFT	RTE 509B (RAMPS TO ROSSLYN CIRCLE)
7.323	10.483	CURB	LEFT	
7.331	7.331	DROP INLET	LEFT	
7.363	7.387	BRIDGE	N/A	
7.377	7.377	CULVERT	N/A	
7.907	8.029	GUARDRAIL	LEFT	
8.027	8.102	BRIDGE	N/A	
8.102	8.271	GUARDRAIL	LEFT	
8.369	8.369	DROP INLET	LEFT	
8.406	8.406	DROP INLET	LEFT	
8.463	8.463	DROP INLET	LEFT	
8.531	8.531	DROP INLET	LEFT	
8.533	8.533	DROP INLET	LEFT	
8.562	8.562	DROP INLET	LEFT	
8.634	8.634	DROP INLET	LEFT	
8.699	8.699	DROP INLET	LEFT	
8.816	8.816	DROP INLET	LEFT	
8.881	8.881	DROP INLET	LEFT	
8.884	8.884	DROP INLET	LEFT	
8.934	8.934	DROP INLET	LEFT	
8.934	8.934	DROP INLET	LEFT	
9.070	9.070	DROP INLET	LEFT	
9.072	9.072	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
9.133	9.263	GUARDRAIL	LEFT	
9.137	9.137	DROP INLET	LEFT	
9.203	9.203	DROP INLET	LEFT	
9.243	9.243	DROP INLET	LEFT	
9.260	9.343	BRIDGE	N/A	
9.344	9.755	GUARDRAIL	LEFT	
9.365	9.365	DROP INLET	LEFT	
9.405	9.405	DROP INLET	LEFT	
9.484	9.484	DROP INLET	LEFT	
9.546	9.546	DROP INLET	LEFT	
9.754	9.834	BRIDGE	N/A	
9.832	10.080	GUARDRAIL	LEFT	
9.872	9.872	DROP INLET	LEFT	
9.922	9.922	DROP INLET	LEFT	
10.012	10.012	DROP INLET	LEFT	
10.056	10.056	DROP INLET	LEFT	
10.074	10.175	BRIDGE	N/A	
10.175	10.483	GUARDRAIL	LEFT	
10.218	10.218	DROP INLET	LEFT	
10.273	10.273	DROP INLET	LEFT	
10.311	10.311	DROP INLET	LEFT	
10.388	10.388	DROP INLET	LEFT	
10.445	10.445	DROP INLET	LEFT	
10.482	10.549	BRIDGE	N/A	
10.553	10.760	GUARDRAIL	LEFT	
10.558	11.473	CURB	LEFT	
10.571	10.571	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
10.700	10.700	DROP INLET	LEFT	
10.757	10.757	DROP INLET	LEFT	
10.822	10.822	DROP INLET	LEFT	
10.870	10.870	DROP INLET	LEFT	
10.876	11.514	GUARDRAIL	LEFT	
11.324	11.324	DROP INLET	LEFT	
11.386	11.386	DROP INLET	LEFT	
11.465	11.465	DROP INLET	LEFT	
11.514	11.514	DROP INLET	LEFT	
13.010	13.010	DROP INLET	LEFT	
13.012	13.181	CURB	LEFT	
13.070	13.070	DROP INLET	LEFT	
13.114	13.114	DROP INLET	LEFT	
13.170	13.170	DROP INLET	LEFT	
13.180	13.180	INTERSECTION	LEFT	RTE 211 TURN LANE
13.185	14.958	CURB	LEFT	
13.236	13.236	DROP INLET	LEFT	
13.237	13.237	DROP INLET	LEFT	
13.273	13.273	DROP INLET	LEFT	
13.276	13.276	DROP INLET	LEFT	
13.378	13.378	DROP INLET	LEFT	
13.428	13.428	DROP INLET	LEFT	
13.655	13.655	DROP INLET	LEFT	
13.660	13.739	BRIDGE	N/A	
13.664	13.739	GUARDRAIL	LEFT	
13.746	13.746	DROP INLET	LEFT	
13.796	13.796	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002A : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
13.856	13.856	DROP INLET	LEFT	
13.859	13.859	DROP INLET	LEFT	
13.964	13.964	DROP INLET	LEFT	
13.968	13.968	DROP INLET	LEFT	
14.009	14.009	DROP INLET	LEFT	
14.054	14.054	DROP INLET	LEFT	
14.106	14.106	DROP INLET	LEFT	
14.161	14.161	DROP INLET	LEFT	
14.163	14.163	DROP INLET	LEFT	
14.470	14.470	DROP INLET	LEFT	
14.493	14.493	DROP INLET	LEFT	
14.541	14.541	DROP INLET	LEFT	
14.601	14.656	BRIDGE	N/A	
14.602	14.658	GUARDRAIL	LEFT	
14.666	14.666	DROP INLET	LEFT	
14.692	14.692	DROP INLET	LEFT	
14.748	14.748	DROP INLET	LEFT	
14.857	14.857	DROP INLET	LEFT	
14.860	14.860	DROP INLET	LEFT	
14.956	14.956	DROP INLET	LEFT	
14.966	14.990	CURB	LEFT	
14.990	14.990			ROUTE ENDS AT PARK BOUNDARY (PAVEMENT CHANGE)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @1ST ST
0.004	0.004	INTERSECTION	RIGHT	ALEXANDRIA CITY LIMITS (PAVEMENT CHANGE) @ 1ST S
0.011	0.031	CURB	RIGHT	
0.015	0.015	DROP INLET	RIGHT	
0.034	0.034	INTERSECTION	RIGHT	RTE 218B (E ABINGDON DR)
0.042	0.216	CURB	RIGHT	
0.068	0.068	DROP INLET	RIGHT	
0.117	0.117	DROP INLET	RIGHT	
0.152	0.152	DROP INLET	RIGHT	
0.156	0.156	DROP INLET	RIGHT	
0.162	0.162	DROP INLET	RIGHT	
0.222	0.222	INTERSECTION	RIGHT	BASHFORD LANE
0.225	0.225	DROP INLET	RIGHT	
0.230	0.230	TRAFFIC LIGHT	RIGHT	2
0.231	0.231	DROP INLET	RIGHT	
0.233	0.369	CURB	RIGHT	
0.282	0.282	DROP INLET	RIGHT	
0.330	0.330	DROP INLET	RIGHT	
0.370	0.370	RAILROAD CROSSING	N/A	
0.371	0.371	RAILROAD CROSSING	RIGHT	1 SET
0.373	0.440	CURB	RIGHT	
0.374	0.374	DROP INLET	RIGHT	
0.440	0.440	INTERSECTION	RIGHT	SLATERS LANE
0.447	0.447	TRAFFIC LIGHT	RIGHT	2
0.447	0.608	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.510	0.510	DROP INLET	RIGHT	
0.563	0.563	DROP INLET	RIGHT	
0.608	0.608	DROP INLET	RIGHT	
0.621	0.621	TRAFFIC LIGHT	RIGHT	4
0.623	0.623	INTERSECTION	RIGHT	RTE 218B (E ABINGDON DR)
0.638	1.039	CURB	RIGHT	
0.665	0.665	DROP INLET	RIGHT	
0.718	0.718	DROP INLET	RIGHT	
0.744	0.744	DROP INLET	RIGHT	
0.751	0.751	DROP INLET	RIGHT	
1.045	1.045	INTERSECTION	RIGHT	RTE 200A (WA MARINA ACCESS RD)
1.066	1.794	CURB	RIGHT	
1.339	1.339	DROP INLET	RIGHT	
1.386	1.386	DROP INLET	RIGHT	
1.432	1.432	DROP INLET	RIGHT	
1.459	1.459	CULVERT	N/A	
1.482	1.482	DROP INLET	RIGHT	
1.486	1.486	DROP INLET	RIGHT	
1.761	1.761	DROP INLET	RIGHT	
1.787	1.787	DROP INLET	RIGHT	
1.795	1.857	BRIDGE	N/A	
1.861	2.164	CURB	RIGHT	
1.909	1.909	DROP INLET	RIGHT	
1.963	1.963	DROP INLET	RIGHT	
1.982	1.982	DROP INLET	RIGHT	
2.001	2.001	DROP INLET	RIGHT	
2.037	2.037	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
2.076	2.076	DROP INLET	RIGHT	
2.086	2.086	DROP INLET	RIGHT	
2.095	2.095	DROP INLET	RIGHT	
2.133	2.133	DROP INLET	RIGHT	
2.159	2.159	DROP INLET	RIGHT	
2.200	2.200	INTERSECTION	RIGHT	RTE 500D (RAMPS TO AIRPORT) BLOCKED
2.213	2.342	CURB	RIGHT	
2.233	2.233	DROP INLET	RIGHT	
2.264	2.264	DROP INLET	RIGHT	
2.361	2.361	INTERSECTION	RIGHT	RTE 500A (RAMPS TO AIRPORT S)
2.364	2.864	CURB	RIGHT	
2.407	2.407	DROP INLET	RIGHT	
2.484	2.484	DROP INLET	RIGHT	
2.522	2.522	DROP INLET	RIGHT	
2.692	2.692	DROP INLET	RIGHT	
2.859	2.859	INTERSECTION	RIGHT	RTE 502B (RAMPS TO AIRPORT N)
2.866	3.230	CURB	RIGHT	
2.972	2.985	BRIDGE	N/A	
3.065	3.065	DROP INLET	RIGHT	
3.167	3.167	DROP INLET	RIGHT	
3.209	3.209	DROP INLET	RIGHT	
3.244	3.244	INTERSECTION	RIGHT	RTE 502C & BEGIN 0002C
3.248	3.248	DROP INLET	RIGHT	
4.046	4.046	DROP INLET	RIGHT	
4.065	4.065	INTERSECTION	RIGHT	
4.099	4.243	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.276	4.276	INTERSECTION	RIGHT	RTE 503C AND RTE 503D (I-395)
4.281	4.328	CURB	RIGHT	
4.306	4.306	DROP INLET	RIGHT	
4.332	4.332	DROP INLET	RIGHT	
4.333	4.333	INTERSECTION	RIGHT	RTE 503A (RAMPS TO I-395 & 14TH ST)
4.339	4.422	CURB	RIGHT	
4.344	4.344	DROP INLET	RIGHT	
4.396	4.396	DROP INLET	RIGHT	
4.425	4.425	INTERSECTION	RIGHT	
4.433	4.612	CURB	RIGHT	
4.453	4.501	BRIDGE	N/A	
4.601	4.601	DROP INLET	RIGHT	
4.616	4.616	INTERSECTION	RIGHT	RTE 901 (NAVY AND MARINE MEMORIAL)
4.623	6.201	CURB	RIGHT	
4.711	4.711	DROP INLET	RIGHT	
4.746	4.746	DROP INLET	RIGHT	
4.780	4.780	DROP INLET	RIGHT	
4.812	4.812	DROP INLET	RIGHT	
4.846	4.846	DROP INLET	RIGHT	
4.878	4.878	DROP INLET	RIGHT	
4.914	4.914	DROP INLET	RIGHT	
4.981	4.981	DROP INLET	RIGHT	
5.119	5.119	DROP INLET	RIGHT	
5.327	5.327	DROP INLET	RIGHT	
5.389	5.389	DROP INLET	RIGHT	
5.433	5.502	GUARDRAIL	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.791	5.791	DROP INLET	RIGHT	
5.852	5.885	GUARDRAIL	RIGHT	
5.855	5.878	BRIDGE	N/A	
5.941	5.941	DROP INLET	RIGHT	
6.001	6.001	DROP INLET	RIGHT	
6.118	6.118	DROP INLET	RIGHT	
6.200	6.200	DROP INLET	RIGHT	
6.225	6.225	INTERSECTION	RIGHT	HWY 66 AND HWY 50 RAMP
6.236	6.459	CURB	RIGHT	
6.237	6.237	DROP INLET	RIGHT	
6.267	6.267	DROP INLET	RIGHT	
6.300	6.300	DROP INLET	RIGHT	
6.357	6.357	DROP INLET	RIGHT	
6.365	6.365	DROP INLET	RIGHT	
6.388	6.388	DROP INLET	RIGHT	
6.403	6.403	DROP INLET	RIGHT	
6.434	6.434	DROP INLET	RIGHT	
6.457	6.457	INTERSECTION	RIGHT	RTE 902 (T ROOSEVELT ISLAND)
6.460	6.468	CURB	RIGHT	
6.473	6.473	INTERSECTION	RIGHT	RTE 902 (T ROOSEVELT ISLAND)
6.475	6.475	DROP INLET	RIGHT	
6.479	9.015	CURB	RIGHT	
6.818	6.818	DROP INLET	RIGHT	
6.851	6.851	DROP INLET	RIGHT	
6.926	6.926	DROP INLET	RIGHT	
6.959	6.959	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.971	6.971	DROP INLET	RIGHT	
6.979	6.979	DROP INLET	RIGHT	
7.001	7.001	DROP INLET	RIGHT	
7.047	7.047	DROP INLET	RIGHT	
7.290	7.290	DROP INLET	RIGHT	
7.298	7.298	DROP INLET	RIGHT	
7.318	7.318	DROP INLET	RIGHT	
7.358	7.358	DROP INLET	RIGHT	
7.393	7.415	BRIDGE	N/A	
7.402	7.402	CULVERT	N/A	
7.433	7.433	DROP INLET	RIGHT	
7.481	7.481	DROP INLET	RIGHT	
7.551	7.551	DROP INLET	RIGHT	
7.584	7.584	DROP INLET	RIGHT	
7.617	7.617	DROP INLET	RIGHT	
7.658	7.658	DROP INLET	RIGHT	
7.720	7.720	DROP INLET	RIGHT	
7.791	7.791	DROP INLET	RIGHT	
7.865	7.865	DROP INLET	RIGHT	
7.930	7.930	DROP INLET	RIGHT	
7.981	7.981	CULVERT	N/A	
7.994	7.994	DROP INLET	RIGHT	
7.995	7.995	DROP INLET	RIGHT	
8.055	8.140	GUARDRAIL	RIGHT	
8.060	8.132	BRIDGE	N/A	
8.145	8.145	DROP INLET	RIGHT	
8.273	8.273	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
8.346	8.346	DROP INLET	RIGHT	
8.404	8.404	DROP INLET	RIGHT	
8.444	8.444	DROP INLET	RIGHT	
8.471	8.471	DROP INLET	RIGHT	
8.499	8.499	DROP INLET	RIGHT	
8.669	8.669	DROP INLET	RIGHT	
8.707	8.707	DROP INLET	RIGHT	
8.736	8.736	DROP INLET	RIGHT	
8.739	8.739	DROP INLET	RIGHT	
8.795	8.795	DROP INLET	RIGHT	
8.852	8.852	DROP INLET	RIGHT	
8.916	8.916	DROP INLET	RIGHT	
8.965	8.965	DROP INLET	RIGHT	
9.018	9.018	INTERSECTION	RIGHT	RTE 903 (SCENIC OVERLOOK)
9.036	9.115	CURB	RIGHT	
9.106	9.106	DROP INLET	RIGHT	
9.109	9.109	DROP INLET	RIGHT	
9.119	9.119	INTERSECTION	RIGHT	RTE 903 (SCENIC OVERLOOK)
9.129	9.401	CURB	RIGHT	
9.239	9.239	DROP INLET	RIGHT	
9.293	9.389	GUARDRAIL	RIGHT	
9.299	9.381	BRIDGE	N/A	
9.410	9.410	INTERSECTION	RIGHT	RTE 904 (SCENIC OVERLOOK)
9.427	9.481	CURB	RIGHT	
9.485	9.485	INTERSECTION	RIGHT	RTE 904 (SCENIC OVERLOOK)
9.496	10.507	CURB	RIGHT	
9.526	9.526	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
9.588	9.588	DROP INLET	RIGHT	
9.701	9.701	DROP INLET	RIGHT	
9.703	9.703	DROP INLET	RIGHT	
9.767	9.767	DROP INLET	RIGHT	
9.791	9.879	GUARDRAIL	RIGHT	
9.793	9.874	BRIDGE	N/A	
10.106	10.199	GUARDRAIL	RIGHT	
10.113	10.219	BRIDGE	N/A	
10.261	10.261	DROP INLET	RIGHT	
10.316	10.316	DROP INLET	RIGHT	
10.353	10.353	DROP INLET	RIGHT	
10.430	10.430	DROP INLET	RIGHT	
10.490	10.490	DROP INLET	RIGHT	
10.523	10.603	GUARDRAIL	RIGHT	
10.534	10.604	BRIDGE	N/A	
10.616	10.616	INTERSECTION	RIGHT	RTE 209 (FORT MARCY)
10.621	10.621	DROP INLET	RIGHT	
10.623	10.638	CURB	RIGHT	
10.637	10.637	INTERSECTION	RIGHT	RTE 209 (FORT MARCY)
10.643	11.445	CURB	RIGHT	
10.919	10.919	DROP INLET	RIGHT	
10.985	10.985	DROP INLET	RIGHT	
11.046	11.046	DROP INLET	RIGHT	
11.092	11.092	DROP INLET	RIGHT	
11.154	11.154	DROP INLET	RIGHT	
11.221	11.221	DROP INLET	RIGHT	
11.277	11.277	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
11.278	11.278	DROP INLET	RIGHT	
11.327	11.327	DROP INLET	RIGHT	
11.449	11.449	INTERSECTION	RIGHT	RTE 510F (RAMPS TO CHAIN BRIDGE)
11.457	11.522	CURB	RIGHT	
11.520	11.520	DROP INLET	RIGHT	
11.529	12.721	CURB	RIGHT	
11.584	11.584	INTERSECTION	RIGHT	RTE 510B (RAMPS TO CHAIN BRIDGE)
11.621	11.621	DROP INLET	RIGHT	
11.624	11.624	DROP INLET	RIGHT	
11.682	11.682	DROP INLET	RIGHT	
11.749	11.749	DROP INLET	RIGHT	
11.862	11.862	DROP INLET	RIGHT	
11.867	11.867	DROP INLET	RIGHT	
11.922	11.922	DROP INLET	RIGHT	
11.973	11.973	DROP INLET	RIGHT	
12.023	12.023	DROP INLET	RIGHT	
12.071	12.071	DROP INLET	RIGHT	
12.123	12.123	DROP INLET	RIGHT	
12.127	12.127	DROP INLET	RIGHT	
12.239	12.239	DROP INLET	RIGHT	
12.290	12.290	DROP INLET	RIGHT	
12.349	12.349	DROP INLET	RIGHT	
12.563	12.563	DROP INLET	RIGHT	
12.613	12.613	DROP INLET	RIGHT	
12.626	12.626	DROP INLET	RIGHT	
12.694	12.694	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
12.718	12.718	INTERSECTION	RIGHT	RTE 210B (FHWA/CIA ACCESS)
12.731	12.873	CURB	RIGHT	
12.811	12.811	DROP INLET	RIGHT	
12.847	12.847	DROP INLET	RIGHT	
12.887	12.887	INTERSECTION	RIGHT	RTE 210C (FHWA/CIA ACCESS)
12.904	12.904	DROP INLET	RIGHT	
12.908	13.234	CURB	RIGHT	
12.941	12.941	DROP INLET	RIGHT	
12.947	12.947	DROP INLET	RIGHT	
13.232	13.232	INTERSECTION	RIGHT	RTE 211 (PARK HQ ACCESS)
13.241	13.383	CURB	RIGHT	
13.329	13.329	DROP INLET	RIGHT	
13.394	13.488	CURB	RIGHT	
13.411	13.411	INTERSECTION	RIGHT	RTE 213B (TURKEY RUN PARK ACCESS)
13.425	13.425	DROP INLET	RIGHT	
13.477	13.477	DROP INLET	RIGHT	
13.497	14.804	CURB	RIGHT	
13.503	13.503	INTERSECTION	RIGHT	RTE 213A (TURKEY RUN PARK ACCESS)
13.583	13.583	DROP INLET	RIGHT	
13.622	13.622	DROP INLET	RIGHT	
13.665	13.665	DROP INLET	RIGHT	
13.705	13.705	DROP INLET	RIGHT	
13.713	13.792	BRIDGE	N/A	
13.718	13.790	GUARDRAIL	RIGHT	
13.800	13.800	DROP INLET	RIGHT	
14.214	14.214	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002B : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
14.276	14.276	DROP INLET	RIGHT	
14.318	14.318	DROP INLET	RIGHT	
14.321	14.321	DROP INLET	RIGHT	
14.430	14.430	DROP INLET	RIGHT	
14.485	14.485	DROP INLET	RIGHT	
14.487	14.487	DROP INLET	RIGHT	
14.543	14.543	DROP INLET	RIGHT	
14.653	14.715	GUARDRAIL	RIGHT	
14.654	14.713	BRIDGE	N/A	
14.801	14.801	INTERSECTION	RIGHT	I-495 NORTH RAMP
14.826	15.014	CURB	RIGHT	
14.910	14.910	DROP INLET	RIGHT	
14.913	14.913	DROP INLET	RIGHT	
14.965	14.965	DROP INLET	RIGHT	
14.967	14.967	DROP INLET	RIGHT	
15.013	15.013	DROP INLET	RIGHT	
15.040	15.040			ROUTE ENDS AT PARK BOUNDARY (PAVEMENT CHANGE)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0002C : GWMP - NORTHBOUND

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 502C
3.240	3.641	CURB	RIGHT	
3.250	3.250	DROP INLET	RIGHT	
3.274	3.274	DROP INLET	RIGHT	
3.300	3.300	DROP INLET	RIGHT	
3.327	3.327	DROP INLET	RIGHT	
3.334	3.334	DROP INLET	RIGHT	
3.340	3.340	DROP INLET	RIGHT	
3.362	3.362	DROP INLET	RIGHT	
3.390	3.390	DROP INLET	RIGHT	
3.421	3.421	DROP INLET	RIGHT	
3.446	3.446	DROP INLET	RIGHT	
3.642	3.642	INTERSECTION	RIGHT	RTE 201 (GRAVELLY PT ACCESS RD)
3.646	3.654	CURB	RIGHT	
3.662	3.662	INTERSECTION	RIGHT	RTE 201 (GRAVELLY PT ACCESS RD)
3.665	3.980	CURB	RIGHT	
3.980	3.980			ROUTE ENDS AT RTE 503B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003A : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT BEGINNING OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY)
0.003	0.071	BRIDGE	N/A	
0.163	0.163	INTERSECTION	LEFT	NON NPS ROAD
0.286	0.329	BRIDGE	N/A	
0.909	1.009	CURB	LEFT	
0.971	0.971	DROP INLET	LEFT	
1.019	1.019	INTERSECTION	LEFT	BELLE HAVEN RD
1.028	1.214	CURB	LEFT	
1.217	1.217	INTERSECTION	LEFT	RTE 204A (BELLE HAVEN MARINA)
1.243	1.409	CURB	LEFT	
1.299	1.299	DROP INLET	LEFT	
1.415	1.415	INTERSECTION	LEFT	BELLE VIEW BOULEVARD
1.423	1.588	CURB	LEFT	
1.993	2.055	CURB	LEFT	
2.054	2.054	INTERSECTION	LEFT	TULANE DRIVE TURN LANE
2.062	2.159	CURB	LEFT	
3.307	3.307	INTERSECTION	LEFT	RTE 104 (NORTHDOWN RD)
3.915	3.915	INTERSECTION	LEFT	RTE 103 (E BLVD DR) SPUR
4.254	4.254	INTERSECTION	LEFT	RTE 102 (CHADWICK AVE)
4.394	4.462	CURB	LEFT	
4.480	4.480	INTERSECTION	LEFT	RTE 103 (E BLVD DR)
4.483	4.483	DROP INLET	LEFT	
4.484	4.603	CURB	LEFT	
4.872	4.872	INTERSECTION	LEFT	RTE 206 (COLLINGWOOD PICNIC ACCESS)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003A : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.156	5.156	INTERSECTION	LEFT	RTE 913 (POTOMAC RIVER OVERLOOK 1)
5.363	5.363	INTERSECTION	LEFT	RTE 914 (WAYNEWOOD PKG)
5.661	6.362	CURB	LEFT	
5.890	5.909	BRIDGE	N/A	
6.545	6.545	INTERSECTION	LEFT	RTE 915 (POTOMAC RIVER OVERLOOK 3)
7.175	7.293	CURB	LEFT	
7.302	7.302	INTERSECTION	LEFT	RTE 208 (RIVERSIDE PARK RD)
7.325	7.442	CURB	LEFT	
7.494	7.520	BRIDGE	N/A	
8.468	8.468	INTERSECTION	LEFT	RTE 917 (MT VERNON RV PKG)
8.495	8.529	CURB	LEFT	
8.500	8.500	INTERSECTION	LEFT	
8.540	8.540	INTERSECTION	LEFT	RTE 0003 LOOP SPUR
8.550	8.609	CURB	LEFT	
8.575	8.575	DROP INLET	LEFT	
8.610	8.610			ROUTE ENDS AT HALF-WAY AROUND MOUNT VERNON CIRCLE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003B : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT BEGINNING OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY)
0.001	0.072	BRIDGE	N/A	
0.019	0.019	INTERSECTION	RIGHT	RAMP TO HUNTING TERRACE
0.175	0.175	INTERSECTION	RIGHT	NON NPS ROAD
0.188	0.327	CURB	RIGHT	
0.188	0.188	TRAFFIC LIGHT	RIGHT	2
0.243	0.243	DROP INLET	RIGHT	
0.260	0.260	DROP INLET	RIGHT	
0.287	0.287	DROP INLET	RIGHT	
0.292	0.292	DROP INLET	RIGHT	
0.300	0.327	BRIDGE	N/A	
0.469	0.469	INTERSECTION	RIGHT	
0.487	0.487	INTERSECTION	RIGHT	
0.820	0.990	CURB	RIGHT	
0.992	0.992	INTERSECTION	RIGHT	BELLE HAVEN RD
0.992	1.015	CURB	RIGHT	
1.014	1.014	INTERSECTION	RIGHT	BELLE HAVEN RD
1.022	1.025	CURB	RIGHT	
1.031	1.031	INTERSECTION	RIGHT	BELLE HAVEN RD
1.034	1.406	CURB	RIGHT	
1.046	1.085	PULLOUT	RIGHT	
1.183	1.183	DROP INLET	RIGHT	
1.239	1.239	DROP INLET	RIGHT	
1.293	1.293	DROP INLET	RIGHT	
1.295	1.295	DROP INLET	RIGHT	
1.400	1.400	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003B : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.410	1.410	INTERSECTION	RIGHT	BELLE VIEW BOULEVARD
2.055	2.055	INTERSECTION	RIGHT	TULANE DRIVE
2.071	2.551	CURB	RIGHT	
2.086	2.119	PULLOUT	RIGHT	
2.553	2.553	DROP INLET	RIGHT	
2.573	2.573	INTERSECTION	RIGHT	RTE 912 (GW BICENT LOOP)
2.577	2.595	CURB	RIGHT	
2.608	2.608	INTERSECTION	RIGHT	RTE 912 (GW BICENT LOOP)
2.623	3.104	CURB	RIGHT	
2.624	2.624	DROP INLET	RIGHT	
2.692	2.692	DROP INLET	RIGHT	
2.743	2.743	DROP INLET	RIGHT	
2.848	2.848	DROP INLET	RIGHT	
2.939	2.939	DROP INLET	RIGHT	
3.102	3.102	DROP INLET	RIGHT	
3.114	3.114	INTERSECTION	RIGHT	MORNINGSIDE LANE
3.125	3.552	CURB	RIGHT	
3.189	3.189	DROP INLET	RIGHT	
3.257	3.300	PULLOUT	RIGHT	
3.300	3.300	DROP INLET	RIGHT	
3.436	3.436	DROP INLET	RIGHT	
3.559	3.559	INTERSECTION	RIGHT	WEST BOULEVARD DRIVE
3.568	3.977	CURB	RIGHT	
3.598	3.598	DROP INLET	RIGHT	
3.984	3.984	INTERSECTION	RIGHT	RTE 101 (WELLINGTON RD)
3.995	4.244	CURB	RIGHT	
4.069	4.103	PULLOUT	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003B : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.250	4.468	CURB	RIGHT	
4.250	4.250	INTERSECTION	RIGHT	RTE 102 (CHADWICK AVE)
4.471	4.471	INTERSECTION	RIGHT	COLLINGWOOD RD
4.486	5.343	CURB	RIGHT	
4.496	4.535	PULLOUT	RIGHT	
4.762	4.762	CULVERT	N/A	
4.824	4.824	DROP INLET	RIGHT	
4.889	4.889	DROP INLET	RIGHT	
4.948	4.948	DROP INLET	RIGHT	
5.346	5.346	INTERSECTION	RIGHT	WAYNEWOOD BLVD
5.356	5.666	CURB	RIGHT	
5.526	5.526	DROP INLET	RIGHT	
5.569	5.569	DROP INLET	RIGHT	
5.671	5.671	INTERSECTION	RIGHT	RTE 105 (FT HUNT RD)
5.676	5.694	CURB	RIGHT	
5.704	6.546	CURB	RIGHT	
5.709	5.709	INTERSECTION	RIGHT	RTE 105 (FT HUNT RD)
5.727	5.916	GUARDRAIL	RIGHT	
5.756	5.756	DROP INLET	RIGHT	
5.822	5.822	DROP INLET	RIGHT	
5.826	5.826	DROP INLET	RIGHT	
5.862	5.862	DROP INLET	RIGHT	
5.868	5.887	BRIDGE	N/A	
6.027	6.027	DROP INLET	RIGHT	
6.132	6.132	DROP INLET	RIGHT	
6.297	6.297	DROP INLET	RIGHT	
6.405	6.405	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003B : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.550	6.550	INTERSECTION	RIGHT	RIVER FARM DR
6.558	6.784	CURB	RIGHT	
6.782	6.782	DROP INLET	RIGHT	
6.800	6.800	INTERSECTION	RIGHT	VERNON VIEW DRIVE
6.809	6.955	CURB	RIGHT	
6.816	6.854	PULLOUT	RIGHT	
6.823	6.823	DROP INLET	RIGHT	
6.959	6.959	INTERSECTION	RIGHT	LUCIA LANE
6.964	7.286	CURB	RIGHT	
6.973	6.973	DROP INLET	RIGHT	
7.282	7.282	DROP INLET	RIGHT	
7.283	7.283	INTERSECTION	RIGHT	STRATFORD LANE
7.301	8.446	CURB	RIGHT	
7.312	7.347	PULLOUT	RIGHT	
7.335	7.335	DROP INLET	RIGHT	
7.353	7.353	DROP INLET	RIGHT	
7.486	7.487	BRIDGE	N/A	
7.645	7.645	DROP INLET	RIGHT	
7.707	7.707	DROP INLET	RIGHT	
7.802	7.802	DROP INLET	RIGHT	
8.301	8.301	DROP INLET	RIGHT	
8.353	8.353	DROP INLET	RIGHT	
8.443	8.443	DROP INLET	RIGHT	
8.454	8.454	INTERSECTION	RIGHT	RTE 916 (MT VERNON PKG 1)
8.466	8.533	CURB	RIGHT	
8.474	8.474	DROP INLET	RIGHT	
8.537	8.537	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003B : MOUNT VERNON PARKWAY (SOUTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
8.551	8.567	CURB	RIGHT	
8.571	8.571	INTERSECTION	RIGHT	
8.580	8.580			ROUTE ENDS AT HALF-WAY AROUND MOUNT VERNON CIRCLE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003C : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT HALF-WAY AROUND MOUNT VERNON CIRCLE
0.005	0.105	CURB	LEFT	
0.071	0.071	DROP INLET	LEFT	
0.105	0.105	INTERSECTION	LEFT	RTE 0003 LOOP SPUR
0.114	0.154	CURB	LEFT	
0.174	0.174	INTERSECTION	LEFT	RTE 916 (MT VERNON PKG 1)
1.117	1.137	BRIDGE	N/A	
1.196	1.317	CURB	LEFT	
1.342	1.342	DROP INLET	LEFT	
1.343	1.471	CURB	LEFT	
1.357	1.357	INTERSECTION	LEFT	STRATFORD LANE
1.667	1.667	INTERSECTION	LEFT	LUCIA LANE
1.834	1.834	INTERSECTION	LEFT	VERNON VIEW DRIVE
1.999	1.999	CULVERT	N/A	
2.067	2.067	INTERSECTION	LEFT	RIVER FARM DR
2.277	2.976	CURB	LEFT	
2.329	2.329	DROP INLET	LEFT	
2.414	2.414	DROP INLET	LEFT	
2.494	2.494	DROP INLET	LEFT	
2.741	2.782	BRIDGE	N/A	
2.767	2.767	DROP INLET	LEFT	
2.975	2.975	DROP INLET	LEFT	
3.282	3.282	INTERSECTION	LEFT	WAYNEWOOD BLVD
4.036	4.149	CURB	LEFT	
4.166	4.237	CURB	LEFT	
4.171	4.171	INTERSECTION	LEFT	COLLINGWOOD RD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003C : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.390	4.390	INTERSECTION	LEFT	RTE 102 (CHADWICK AVE)
4.647	4.647	INTERSECTION	LEFT	RTE 101 (WELLINGTON RD)
5.064	5.064	INTERSECTION	LEFT	WEST BOULEVARD DRIVE
5.523	5.523	INTERSECTION	LEFT	MORNINGSIDE LANE
6.026	6.026	INTERSECTION	LEFT	RTE 912 (GW BICENT LOOP)
6.066	6.066	INTERSECTION	LEFT	RTE 912 (GW BICENT LOOP)
6.469	6.558	CURB	LEFT	
6.566	6.566	INTERSECTION	LEFT	TULANE DRIVE
6.567	6.626	CURB	LEFT	
6.754	6.754	CULVERT	N/A	
7.034	7.198	CURB	LEFT	
7.198	7.198	INTERSECTION	LEFT	BELLE VIEW BOULEVARD
7.206	7.380	CURB	LEFT	
7.211	7.211	DROP INLET	LEFT	
7.320	7.320	DROP INLET	LEFT	
7.377	7.377	DROP INLET	LEFT	
7.401	7.401	INTERSECTION	LEFT	RTE 204A TURN LANE
7.404	7.594	CURB	LEFT	
7.434	7.434	DROP INLET	LEFT	
7.439	7.439	DROP INLET	LEFT	
7.594	7.594	INTERSECTION	LEFT	BELLE HAVEN RD
7.615	7.702	CURB	LEFT	
8.280	8.312	BRIDGE	N/A	
8.461	8.461	INTERSECTION	LEFT	NON NPS ROAD
8.542	8.609	BRIDGE	N/A	
8.620	8.620			ROUTE ENDS AT END OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMIT)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003D : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT HALF-WAY AROUND MOUNT VERNON CIRCLE
0.005	0.045	CURB	RIGHT	
0.049	0.062	CURB	RIGHT	
0.050	0.050	INTERSECTION	RIGHT	BUS TURN AROUND
0.067	0.067	DROP INLET	RIGHT	
0.067	0.067	INTERSECTION	RIGHT	RTE 917 (MT VERNON RV PKG)
0.073	0.165	CURB	RIGHT	
0.152	0.152	DROP INLET	RIGHT	
0.171	0.171	INTERSECTION	RIGHT	RTE 917 (MT VERNON RV PKG)
0.181	1.324	CURB	RIGHT	
0.188	0.188	DROP INLET	RIGHT	
0.279	0.279	DROP INLET	RIGHT	
0.405	0.405	DROP INLET	RIGHT	
0.516	0.516	DROP INLET	RIGHT	
0.680	0.680	DROP INLET	RIGHT	
0.686	0.686	DROP INLET	RIGHT	
0.688	0.688	DROP INLET	RIGHT	
0.815	0.815	DROP INLET	RIGHT	
0.914	0.914	DROP INLET	RIGHT	
0.976	0.976	DROP INLET	RIGHT	
1.116	1.141	BRIDGE	N/A	
1.336	1.336	INTERSECTION	RIGHT	RTE 208 (RIVERSIDE PARK RD)
1.344	2.668	CURB	RIGHT	
1.357	1.388	PULLOUT	RIGHT	
1.655	1.655	DROP INLET	RIGHT	
1.810	1.810	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003D : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.817	1.843	PULLOUT	RIGHT	
1.844	1.844	DROP INLET	RIGHT	
1.997	1.997	CULVERT	N/A	
2.009	2.009	DROP INLET	RIGHT	
2.014	2.014	DROP INLET	RIGHT	
2.083	2.083	INTERSECTION	RIGHT	RTE 915 (POTOMAC RIVER OVERLOOK 3)
2.251	2.364	GUARDRAIL	RIGHT	
2.569	2.660	GUARDRAIL	RIGHT	
2.608	2.608	DROP INLET	RIGHT	
2.672	2.672	INTERSECTION	RIGHT	RTE 106 (FORT HUNT ACCESS RAMP)
2.674	2.693	CURB	RIGHT	
2.698	3.783	CURB	RIGHT	
2.698	3.010	GUARDRAIL	RIGHT	
2.701	2.701	INTERSECTION	RIGHT	RTE 106 (FORT HUNT ACCESS RAMP)
2.745	2.775	BRIDGE	N/A	
2.819	2.819	DROP INLET	RIGHT	
2.887	2.887	DROP INLET	RIGHT	
2.943	2.980	PULLOUT	RIGHT	
3.203	3.203	DROP INLET	RIGHT	
3.278	3.278	INTERSECTION	RIGHT	RTE 914 (WAYNEWOOD PKG)
3.412	3.412	DROP INLET	RIGHT	
3.486	3.486	INTERSECTION	RIGHT	RTE 913 (POTOMAC RIVER OVERLOOK 1)
3.786	3.786	INTERSECTION	RIGHT	RTE 206 (COLLINGWOOD PICNIC ACCESS)
3.789	4.171	CURB	RIGHT	
3.925	3.925	CULVERT	N/A	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003D : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.170	4.170	DROP INLET	RIGHT	
4.172	4.172	INTERSECTION	RIGHT	RTE 103 (E BLVD DR)
4.179	4.397	CURB	RIGHT	
4.195	4.228	PULLOUT	RIGHT	
4.201	4.201	DROP INLET	RIGHT	
4.278	4.278	DROP INLET	RIGHT	
4.323	4.323	DROP INLET	RIGHT	
4.397	4.397	INTERSECTION	RIGHT	RTE 102 (CHADWICK AVE)
4.404	4.735	CURB	RIGHT	
4.486	4.486	DROP INLET	RIGHT	
4.512	4.512	DROP INLET	RIGHT	
4.558	4.558	DROP INLET	RIGHT	
4.646	4.678	PULLOUT	RIGHT	
4.702	4.702	DROP INLET	RIGHT	
4.747	5.352	CURB	RIGHT	
4.753	4.753	INTERSECTION	RIGHT	RTE 103 (E BLVD DR) SPUR
5.052	5.052	DROP INLET	RIGHT	
5.214	5.214	DROP INLET	RIGHT	
5.214	5.214	DROP INLET	RIGHT	
5.269	5.302	PULLOUT	RIGHT	
5.291	5.291	DROP INLET	RIGHT	
5.301	5.301	DROP INLET	RIGHT	
5.346	5.346	DROP INLET	RIGHT	
5.353	5.353	INTERSECTION	RIGHT	RTE 104 (NORTHDOWN RD)
5.355	6.584	CURB	RIGHT	
5.471	5.471	DROP INLET	RIGHT	
5.552	5.552	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003D : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.598	5.598	DROP INLET	RIGHT	
5.653	5.653	DROP INLET	RIGHT	
5.714	5.714	DROP INLET	RIGHT	
5.960	5.960	CULVERT	N/A	
6.372	6.372	DROP INLET	RIGHT	
6.442	6.442	DROP INLET	RIGHT	
6.556	6.556	DROP INLET	RIGHT	
6.601	6.601	INTERSECTION	RIGHT	TULANE DRIVE
6.603	6.630	CURB	RIGHT	
6.614	6.644	PULLOUT	RIGHT	
6.778	6.778	CULVERT	N/A	
7.368	7.413	CURB	RIGHT	
7.415	7.415	INTERSECTION	RIGHT	RTE 204A (BELLE HAVEN MARINA)
7.415	7.423	CURB	RIGHT	
7.423	7.423	INTERSECTION	RIGHT	RTE 204A (BELLE HAVEN MARINA)
7.427	7.429	CURB	RIGHT	
7.433	7.433	INTERSECTION	RIGHT	RTE 204A (BELLE HAVEN MARINA)
7.434	7.829	CURB	RIGHT	
7.648	7.679	PULLOUT	RIGHT	
7.677	7.677	DROP INLET	RIGHT	
7.688	7.688	DROP INLET	RIGHT	
7.752	7.752	DROP INLET	RIGHT	
8.318	8.351	BRIDGE	N/A	
8.464	8.464	INTERSECTION	RIGHT	NON NPS ROAD
8.484	8.484	INTERSECTION	RIGHT	NON NPS ROAD
8.574	8.574	INTERSECTION	RIGHT	NON NPS ROAD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0003D : MOUNT VERNON PARKWAY (NORTH BOUND)

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
8.575	8.646	BRIDGE	N/A	
8.660	8.660			ROUTE ENDS AT END OF HUNTING CREEK BRIDGE (ALEXANDRIA CITY LIMIT

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0004A : SPOUT RUN EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT PARK BOUNDARY (STOP LIGHT)
0.005	0.179	CURB	LEFT	
0.128	0.128	DROP INLET	LEFT	
0.166	0.166	DROP INLET	LEFT	
0.183	0.183	INTERSECTION	LEFT	
0.185	0.217	GUARDRAIL	LEFT	
0.187	0.659	CURB	LEFT	
0.217	0.217	CULVERT	N/A	3300-039
0.263	0.592	GUARDRAIL	LEFT	
0.282	0.282	CULVERT	N/A	
0.305	0.305	CULVERT	N/A	
0.355	0.355	DROP INLET	LEFT	
0.384	0.384	CULVERT	N/A	
0.397	0.397	DROP INLET	LEFT	
0.451	0.451	DROP INLET	LEFT	
0.476	0.476	DROP INLET	LEFT	
0.522	0.522	CULVERT	N/A	
0.570	0.570			ROUTE ENDS AT RTE 0004B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0004B : SPOUT RUN EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT PARK BOUNDARY (STOP LIGHT)
0.007	1.009	CURB	RIGHT	
0.064	0.064	DROP INLET	RIGHT	
0.139	0.139	CULVERT	N/A	
0.171	0.171	CULVERT	N/A	
0.190	0.225	GUARDRAIL	RIGHT	
0.213	0.213	CULVERT	N/A	3300-039
0.227	0.227	DROP INLET	RIGHT	
0.283	0.283	DROP INLET	RIGHT	
0.308	0.308	CULVERT	N/A	
0.357	0.357	DROP INLET	RIGHT	
0.374	0.396	GUARDRAIL	RIGHT	
0.383	0.383	CULVERT	N/A	
0.399	0.399	CULVERT	N/A	
0.400	0.400	DROP INLET	RIGHT	
0.402	0.402	DROP INLET	RIGHT	
0.460	0.460	CULVERT	N/A	
0.461	0.461	DROP INLET	RIGHT	
0.481	0.481	DROP INLET	RIGHT	
0.522	0.522	DROP INLET	RIGHT	
0.525	0.525	DROP INLET	RIGHT	
0.531	0.531	CULVERT	N/A	
0.578	0.578	DROP INLET	RIGHT	
0.578	0.578	DROP INLET	RIGHT	
0.669	0.669	DROP INLET	RIGHT	
0.681	1.025	CURB	LEFT	
0.692	0.692	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0004B : SPOUT RUN EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.709	0.709	CULVERT	N/A	
0.803	0.803	DROP INLET	RIGHT	
0.854	0.854	DROP INLET	RIGHT	
0.856	0.856	DROP INLET	RIGHT	
0.921	0.921	DROP INLET	RIGHT	
0.922	0.922	DROP INLET	RIGHT	
0.983	0.983	DROP INLET	LEFT	
0.987	0.987	DROP INLET	RIGHT	
1.000	1.000			ROUTE ENDS AT RTE 0001 B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0005A : SPOUT RUN WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002A
0.004	0.327	CURB	LEFT	
0.017	0.017	DROP INLET	LEFT	
0.036	0.036	DROP INLET	LEFT	
0.058	0.058	DROP INLET	LEFT	
0.076	0.076	DROP INLET	LEFT	
0.078	0.078	DROP INLET	LEFT	
0.156	0.156	CULVERT	N/A	3300-029
0.179	0.179	DROP INLET	LEFT	
0.181	0.181	DROP INLET	LEFT	
0.214	0.314	GUARDRAIL	LEFT	
0.229	0.229	DROP INLET	LEFT	
0.376	0.578	GUARDRAIL	LEFT	
0.378	0.578	CURB	LEFT	
0.435	0.435	DROP INLET	LEFT	
0.477	0.477	DROP INLET	LEFT	
0.517	0.517	DROP INLET	LEFT	
0.549	0.549	DROP INLET	LEFT	
0.581	0.581	INTERSECTION	LEFT	
0.584	0.757	CURB	LEFT	
0.699	0.699	DROP INLET	LEFT	
0.768	0.768	INTERSECTION	LEFT	
0.770	0.770			ROUTE ENDS AT PARK BOUNDARY (STOP LIGHT)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0005B : SPOUT RUN WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002A
0.061	0.061	INTERSECTION	RIGHT	
0.080	0.769	CURB	RIGHT	
0.080	0.080	DROP INLET	RIGHT	
0.157	0.157	CULVERT	N/A	3300-029
0.186	0.186	CULVERT	N/A	
0.232	0.232	CULVERT	N/A	
0.292	0.292	DROP INLET	RIGHT	
0.361	0.361	DROP INLET	RIGHT	
0.382	0.382	DROP INLET	RIGHT	
0.439	0.439	DROP INLET	RIGHT	
0.440	0.440	DROP INLET	RIGHT	
0.482	0.482	CULVERT	N/A	
0.517	0.517	CULVERT	N/A	
0.556	0.556	CULVERT	N/A	
0.584	0.584	DROP INLET	RIGHT	
0.585	0.585	DROP INLET	RIGHT	
0.640	0.640	DROP INLET	RIGHT	
0.769	0.772	CURB	RIGHT	
0.771	0.771	INTERSECTION	RIGHT	
0.771	0.771	INTERSECTION	RIGHT	
0.778	0.786	CURB	RIGHT	
0.780	0.780			ROUTE ENDS AT PARK BOUNDARY (STOP LIGHT)
0.787	0.787	INTERSECTION	RIGHT	
0.787	0.787	TRAFFIC LIGHT	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT CHAIN BRIDGE (STOP LIGHT)
0.002	0.364	CURB	RIGHT	
0.009	0.029	GUARDRAIL	LEFT	
0.029	0.191	CURB	LEFT	
0.070	0.070	DROP INLET	RIGHT	
0.144	0.144	INTERSECTION	LEFT	RTE 932 (LOCK 5 PKG)
0.253	0.741	CURB	LEFT	
0.295	0.295	DROP INLET	LEFT	
0.296	0.296	DROP INLET	RIGHT	
0.329	0.329	DROP INLET	LEFT	
0.330	0.330	DROP INLET	RIGHT	
0.365	0.365	INTERSECTION	RIGHT	
0.373	0.379	CURB	RIGHT	
0.384	0.384	DROP INLET	RIGHT	
0.387	0.387	INTERSECTION	RIGHT	
0.401	2.584	CURB	RIGHT	
0.443	0.443	DROP INLET	LEFT	
0.561	0.561	DROP INLET	LEFT	
0.568	0.597	GUARDRAIL	LEFT	
0.584	0.614	BRIDGE	N/A	
0.586	0.621	GUARDRAIL	RIGHT	
0.606	0.606	DROP INLET	LEFT	
0.658	0.658	DROP INLET	LEFT	
0.662	0.662	DROP INLET	RIGHT	
0.715	0.715	DROP INLET	RIGHT	
0.729	0.729	INTERSECTION	LEFT	
0.767	1.329	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.783	0.826	GUARDRAIL	LEFT	
0.785	0.794	GUARDRAIL	RIGHT	
0.790	0.790	DROP INLET	RIGHT	
0.849	1.057	BRIDGE	N/A	
1.076	1.076	DROP INLET	LEFT	
1.114	1.114	DROP INLET	LEFT	
1.148	1.148	DROP INLET	LEFT	
1.179	1.179	INTERSECTION	RIGHT	END RTE 0006B
1.192	1.192	DROP INLET	LEFT	
1.236	1.236	DROP INLET	LEFT	
1.298	1.298	DROP INLET	LEFT	
1.349	1.349	DROP INLET	LEFT	
1.365	2.494	CURB	LEFT	
1.387	1.429	GUARDRAIL	RIGHT	
1.402	1.402	DROP INLET	LEFT	
1.519	1.519	DROP INLET	LEFT	
1.534	1.575	GUARDRAIL	RIGHT	
1.557	1.557	CULVERT	N/A	
1.575	1.575	DROP INLET	LEFT	
1.584	1.584	INTERSECTION	LEFT	PUMP STATION
1.615	1.615	DROP INLET	RIGHT	
1.653	1.653	DROP INLET	RIGHT	
1.714	1.714	DROP INLET	RIGHT	
1.714	1.714	DROP INLET	RIGHT	
1.788	1.788	DROP INLET	LEFT	
1.789	1.789	DROP INLET	RIGHT	
1.791	1.791	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.834	1.834	DROP INLET	LEFT	
1.836	1.836	CULVERT	N/A	
1.947	1.947	DROP INLET	RIGHT	
2.015	2.015	DROP INLET	LEFT	
2.019	2.019	DROP INLET	RIGHT	
2.065	2.065	DROP INLET	LEFT	
2.124	2.124	DROP INLET	LEFT	
2.148	2.148	DROP INLET	LEFT	
2.202	2.202	INTERSECTION	LEFT	RTE 930 (SYCAMORE ISLAND PKG)
2.226	2.291	GUARDRAIL	LEFT	
2.244	2.291	GUARDRAIL	RIGHT	
2.269	2.269	CULVERT	N/A	
2.270	2.270	DROP INLET	LEFT	
2.314	2.314	DROP INLET	RIGHT	
2.315	2.315	DROP INLET	LEFT	
2.407	2.407	DROP INLET	LEFT	
2.436	2.436	INTERSECTION	LEFT	
2.448	2.448	CULVERT	N/A	
2.472	2.472	DROP INLET	LEFT	
2.496	2.496	DROP INLET	LEFT	
2.520	2.581	CURB	LEFT	
2.525	2.525	DROP INLET	RIGHT	
2.525	2.525	DROP INLET	RIGHT	
2.580	2.580	DROP INLET	RIGHT	
2.587	2.587	INTERSECTION	LEFT	RTE 511A (RAMPS TO MCARTHUR BLVD)
2.598	2.598	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.639	2.639	INTERSECTION	RIGHT	RTE 511A (RAMPS TO MCARTHUR BLVD)
2.658	2.678	CURB	RIGHT	
2.673	2.713	GUARDRAIL	LEFT	
2.684	2.713	CURB	LEFT	
2.684	2.684	DROP INLET	LEFT	
2.707	2.707	INTERSECTION	RIGHT	
2.744	6.321	CURB	RIGHT	
2.760	2.760	DROP INLET	LEFT	
3.067	3.067	DROP INLET	LEFT	
3.122	3.122	DROP INLET	LEFT	
3.233	3.233	DROP INLET	LEFT	
3.300	3.300	DROP INLET	LEFT	
3.350	3.350	DROP INLET	LEFT	
3.360	3.862	CURB	LEFT	
3.369	3.371	GUARDRAIL	LEFT	
3.376	3.376	DROP INLET	LEFT	
3.431	3.431	DROP INLET	LEFT	
3.460	3.532	BRIDGE	N/A	
3.534	3.534	DROP INLET	LEFT	
3.549	3.549	DROP INLET	LEFT	
3.614	3.614	DROP INLET	LEFT	
3.651	3.651	DROP INLET	LEFT	
3.678	3.678	DROP INLET	LEFT	
3.738	3.738	DROP INLET	LEFT	
3.780	3.780	DROP INLET	LEFT	
3.824	3.824	DROP INLET	LEFT	
4.025	5.141	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.052	4.052	DROP INLET	LEFT	
4.244	4.244	DROP INLET	LEFT	
4.291	4.291	DROP INLET	LEFT	
4.293	4.293	DROP INLET	LEFT	
4.334	4.334	DROP INLET	LEFT	
4.395	4.395	DROP INLET	LEFT	
4.416	4.454	BRIDGE	N/A	
4.500	4.500	DROP INLET	LEFT	
4.554	4.554	DROP INLET	LEFT	
4.556	4.556	DROP INLET	LEFT	
4.629	4.629	DROP INLET	LEFT	
4.629	4.629	DROP INLET	LEFT	
4.908	5.086	GUARDRAIL	LEFT	
4.955	4.955	DROP INLET	LEFT	
5.074	5.074	DROP INLET	LEFT	
5.140	5.140	DROP INLET	LEFT	
5.143	6.453	CURB	LEFT	
5.147	5.147	INTERSECTION	LEFT	
5.183	5.183	DROP INLET	LEFT	
5.248	5.248	DROP INLET	LEFT	
5.286	5.286	DROP INLET	LEFT	
5.295	5.295	DROP INLET	LEFT	
5.500	5.500	INTERSECTION	LEFT	
5.639	5.639	DROP INLET	LEFT	
5.639	5.639	DROP INLET	LEFT	
5.714	5.714	DROP INLET	LEFT	
5.769	5.769	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.770	5.770	DROP INLET	LEFT	
6.172	6.172	INTERSECTION	RIGHT	END OF RTE 0006B
6.182	6.182	DROP INLET	RIGHT	
6.190	6.190	DROP INLET	RIGHT	
6.245	6.245	DROP INLET	RIGHT	
6.298	6.298	DROP INLET	RIGHT	
6.328	6.898	CURB	RIGHT	
6.337	6.337	DROP INLET	LEFT	
6.337	6.337	DROP INLET	RIGHT	
6.363	6.363	INTERSECTION	RIGHT	RTE 513D
6.378	6.378	DROP INLET	LEFT	
6.381	6.381	DROP INLET	RIGHT	
6.430	6.430	DROP INLET	RIGHT	
6.461	6.461	DROP INLET	LEFT	
6.461	6.864	CURB	LEFT	
6.469	6.469	INTERSECTION	LEFT	
6.488	6.488	DROP INLET	LEFT	
6.489	6.489	DROP INLET	RIGHT	
6.549	6.549	DROP INLET	RIGHT	
6.553	6.553	DROP INLET	LEFT	
6.620	6.620	DROP INLET	RIGHT	
6.620	6.620	DROP INLET	LEFT	
6.682	6.682	DROP INLET	LEFT	
6.736	6.736	DROP INLET	LEFT	
6.795	6.795	DROP INLET	LEFT	
6.861	6.861	INTERSECTION	LEFT	
6.881	6.907	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006A : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.913	6.913	INTERSECTION	LEFT	MACARTHUR BLVD
6.913	6.913	INTERSECTION	RIGHT	MACARTHUR BLVD
6.920	6.920			ROUTE ENDS AT MCAURTHUR BLVD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006B : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MP 81
0.845	0.845	DROP INLET	RIGHT	
0.845	0.845	DROP INLET	RIGHT	
0.894	0.894	DROP INLET	RIGHT	
1.013	1.013	DROP INLET	RIGHT	
1.017	1.017	DROP INLET	RIGHT	
1.051	1.051	DROP INLET	RIGHT	
1.144	1.144	DROP INLET	RIGHT	
2.711	3.424	CURB	RIGHT	
2.873	2.873	DROP INLET	RIGHT	
2.932	2.932	DROP INLET	RIGHT	
2.986	2.986	DROP INLET	RIGHT	
3.043	3.043	DROP INLET	RIGHT	
3.066	3.066	DROP INLET	RIGHT	
3.120	3.120	DROP INLET	RIGHT	
3.360	3.360	CULVERT	N/A	
3.427	3.427	INTERSECTION	RIGHT	CABIN JOHN PARKWAY
3.459	3.532	BRIDGE	N/A	
3.459	3.543	GUARDRAIL	RIGHT	
3.459	3.597	CURB	RIGHT	
3.545	3.545	DROP INLET	RIGHT	
3.585	3.585	DROP INLET	RIGHT	
3.622	3.622	INTERSECTION	RIGHT	RTE 512B (RAMPS TO CABIN JOHN PARKWAY)
3.644	3.888	CURB	RIGHT	
3.675	3.675	DROP INLET	RIGHT	
3.679	3.679	DROP INLET	RIGHT	
3.737	3.737	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006B : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
3.781	3.781	DROP INLET	RIGHT	
3.825	3.825	DROP INLET	RIGHT	
3.885	3.885	DROP INLET	RIGHT	
3.906	3.906	DROP INLET	RIGHT	
3.911	3.911	INTERSECTION	RIGHT	RTE 512D (RAMPS TO CABIN JOHN PARKWAY)
3.945	3.945	DROP INLET	RIGHT	
3.947	4.954	CURB	RIGHT	
3.996	3.996	DROP INLET	RIGHT	
4.053	4.053	DROP INLET	RIGHT	
4.107	4.107	DROP INLET	RIGHT	
4.143	4.143	DROP INLET	RIGHT	
4.183	4.183	DROP INLET	RIGHT	
4.187	4.187	DROP INLET	RIGHT	
4.243	4.243	DROP INLET	RIGHT	
4.291	4.291	DROP INLET	RIGHT	
4.329	4.329	DROP INLET	RIGHT	
4.410	4.430	GUARDRAIL	RIGHT	
4.415	4.436	BRIDGE	N/A	
4.421	4.421	CULVERT	N/A	
4.625	4.625	DROP INLET	RIGHT	
4.672	4.672	DROP INLET	RIGHT	
4.719	4.719	DROP INLET	RIGHT	
4.771	4.771	DROP INLET	RIGHT	
4.807	4.807	DROP INLET	RIGHT	
4.832	4.832	DROP INLET	RIGHT	
4.879	4.879	DROP INLET	RIGHT	
4.954	4.954	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0006B : CLARA BARTON PARKWAY WEST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.965	4.965	INTERSECTION	RIGHT	RAMP TO 495 SOUTH
5.007	5.007	DROP INLET	RIGHT	
5.010	5.403	CURB	RIGHT	
5.072	5.072	DROP INLET	RIGHT	
5.181	5.221	PAVED DITCH	RIGHT	
5.215	5.235	GUARDRAIL	RIGHT	
5.367	5.367	DROP INLET	RIGHT	
5.399	5.434	GUARDRAIL	RIGHT	
5.406	5.406	DROP INLET	RIGHT	
5.422	5.422	INTERSECTION	RIGHT	RAMP FROM 495 SOUTH
5.427	6.013	CURB	RIGHT	
5.503	5.503	INTERSECTION	RIGHT	
5.516	5.516	DROP INLET	RIGHT	
5.567	5.567	DROP INLET	RIGHT	
5.632	5.632	DROP INLET	RIGHT	
5.707	5.707	DROP INLET	RIGHT	
5.761	5.761	DROP INLET	RIGHT	
5.883	5.883	DROP INLET	RIGHT	
5.946	5.946	DROP INLET	RIGHT	
6.007	6.007	DROP INLET	RIGHT	
6.022	6.022	INTERSECTION	RIGHT	RTE 513B
6.058	6.169	CURB	RIGHT	
6.131	6.131	DROP INLET	RIGHT	
6.168	6.168			ROUTE ENDS AT MP 121

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007A : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MCAURTHUR BLVD
0.004	0.004	INTERSECTION	RIGHT	MACARTHUR BLVD
0.004	0.004	INTERSECTION	LEFT	MACARTHUR BLVD
0.007	0.010	CURB	RIGHT	
0.014	0.014	INTERSECTION	RIGHT	
0.015	0.578	CURB	RIGHT	
0.021	0.046	GUARDRAIL	RIGHT	
0.028	0.031	CURB	LEFT	
0.039	0.453	CURB	LEFT	
0.120	0.120	DROP INLET	RIGHT	
0.174	0.174	DROP INLET	RIGHT	
0.229	0.229	DROP INLET	RIGHT	
0.289	0.289	DROP INLET	LEFT	
0.296	0.296	DROP INLET	RIGHT	
0.360	0.360	DROP INLET	LEFT	
0.364	0.364	DROP INLET	RIGHT	
0.423	0.423	DROP INLET	LEFT	
0.429	0.429	DROP INLET	RIGHT	
0.429	0.429	DROP INLET	RIGHT	
0.460	1.407	CURB	LEFT	
0.489	0.489	DROP INLET	RIGHT	
0.534	0.534	DROP INLET	LEFT	
0.534	0.534	DROP INLET	LEFT	
0.534	0.534	DROP INLET	RIGHT	
0.539	0.539	DROP INLET	RIGHT	
0.571	0.571	INTERSECTION	RIGHT	RTE 513A (RAMPS TO CARDEROCK)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007A : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.576	0.576	DROP INLET	LEFT	
0.616	0.616	DROP INLET	LEFT	
0.670	0.670	DROP INLET	LEFT	
0.732	0.732	DROP INLET	LEFT	
0.778	0.778	DROP INLET	LEFT	
0.856	0.856	DROP INLET	LEFT	
0.901	0.901	DROP INLET	LEFT	
0.963	0.963	DROP INLET	LEFT	
1.027	1.027	DROP INLET	LEFT	
1.154	1.154	DROP INLET	LEFT	
1.200	1.200	DROP INLET	LEFT	
1.276	1.276	DROP INLET	LEFT	
1.277	1.277	DROP INLET	LEFT	
1.348	1.348	DROP INLET	LEFT	
1.396	1.396	DROP INLET	LEFT	
1.401	1.401	INTERSECTION	LEFT	RAMP TO I-495
1.424	2.045	CURB	LEFT	
1.498	1.498	DROP INLET	LEFT	
1.551	1.551	DROP INLET	LEFT	
1.601	1.601	DROP INLET	LEFT	
1.974	1.974	DROP INLET	LEFT	
1.974	1.974	DROP INLET	LEFT	
2.016	2.016	DROP INLET	LEFT	
2.049	2.049	INTERSECTION	LEFT	RAMP FROM I-495
2.057	4.248	CURB	LEFT	
2.072	2.072	DROP INLET	LEFT	
2.078	2.078	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007A : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.124	2.124	DROP INLET	LEFT	
2.129	2.129	DROP INLET	LEFT	
2.180	2.180	DROP INLET	LEFT	
2.181	2.181	DROP INLET	LEFT	
2.221	2.221	DROP INLET	LEFT	
2.227	2.227	DROP INLET	LEFT	
2.418	2.437	BRIDGE	N/A	
2.560	2.560	DROP INLET	LEFT	
2.607	2.607	DROP INLET	LEFT	
2.665	2.665	DROP INLET	LEFT	
2.704	2.704	DROP INLET	LEFT	
2.743	2.743	DROP INLET	LEFT	
2.744	2.744	DROP INLET	LEFT	
2.799	2.799	DROP INLET	LEFT	
2.854	2.854	DROP INLET	LEFT	
2.908	2.908	DROP INLET	LEFT	
2.939	2.939	DROP INLET	LEFT	
3.028	3.028	DROP INLET	LEFT	
3.073	3.073	DROP INLET	LEFT	
3.115	3.115	DROP INLET	LEFT	
3.175	3.175	DROP INLET	LEFT	
3.203	3.203	DROP INLET	LEFT	
3.217	3.217	INTERSECTION	RIGHT	END RTE 0007B
3.244	3.244	DROP INLET	LEFT	
3.245	3.245	DROP INLET	LEFT	
3.272	3.272	DROP INLET	LEFT	
3.307	3.307	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007A : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
3.309	3.485	CURB	RIGHT	
3.317	3.317	DROP INLET	RIGHT	
3.318	3.416	GUARDRAIL	RIGHT	
3.324	3.397	BRIDGE	N/A	
3.419	3.419	DROP INLET	RIGHT	
3.503	3.503	DROP INLET	RIGHT	
3.522	3.522	INTERSECTION	RIGHT	
3.667	3.667	DROP INLET	LEFT	
3.757	3.757	DROP INLET	LEFT	
3.784	3.784	DROP INLET	LEFT	
3.805	3.805	DROP INLET	LEFT	
3.874	3.874	DROP INLET	LEFT	
4.167	4.167	DROP INLET	LEFT	
4.224	4.224	DROP INLET	LEFT	
5.516	5.920	CURB	LEFT	
5.722	5.722	DROP INLET	LEFT	
5.756	5.756	DROP INLET	LEFT	
5.817	5.817	DROP INLET	LEFT	
5.910	5.910			ROUTE ENDS AT MP 425

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MP 55
0.578	0.578	DROP INLET	RIGHT	
0.607	0.862	CURB	RIGHT	
0.671	0.671	DROP INLET	RIGHT	
0.735	0.735	DROP INLET	RIGHT	
0.781	0.781	DROP INLET	RIGHT	
0.860	0.860	INTERSECTION	RIGHT	RTE 513C (RAMPS TO CARDEROCK)
0.875	2.106	CURB	RIGHT	
1.157	1.157	DROP INLET	RIGHT	
1.205	1.205	DROP INLET	RIGHT	
1.283	1.283	DROP INLET	RIGHT	
1.352	1.352	DROP INLET	RIGHT	
1.402	1.402	DROP INLET	RIGHT	
1.500	1.500	DROP INLET	RIGHT	
1.552	1.552	DROP INLET	RIGHT	
1.604	1.604	DROP INLET	RIGHT	
1.660	1.660	DROP INLET	RIGHT	
1.709	1.709	DROP INLET	RIGHT	
1.763	1.763	DROP INLET	RIGHT	
1.815	1.815	DROP INLET	RIGHT	
1.870	1.870	DROP INLET	RIGHT	
1.920	1.920	DROP INLET	RIGHT	
1.983	1.983	DROP INLET	RIGHT	
2.019	2.019	DROP INLET	RIGHT	
2.076	2.076	DROP INLET	RIGHT	
2.107	2.107	INTERSECTION	RIGHT	RTE 927 (LOCK 10 PKG)
2.122	2.240	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
2.227	2.227	DROP INLET	RIGHT	
2.245	2.245	INTERSECTION	RIGHT	RTE 927 (LOCK 10 PKG)
2.247	2.557	CURB	RIGHT	
2.300	2.300	DROP INLET	RIGHT	
2.358	2.358	DROP INLET	RIGHT	
2.419	2.439	BRIDGE	N/A	
2.419	2.438	GUARDRAIL	RIGHT	
2.458	2.458	DROP INLET	RIGHT	
2.517	2.517	DROP INLET	RIGHT	
2.520	2.520	DROP INLET	RIGHT	
2.567	2.567	INTERSECTION	RIGHT	RTE 928 (LOCK 8 PKG)
2.577	2.749	CURB	RIGHT	
2.610	2.610	DROP INLET	RIGHT	
2.612	2.612	DROP INLET	RIGHT	
2.667	2.667	DROP INLET	RIGHT	
2.706	2.706	DROP INLET	RIGHT	
2.748	2.748	INTERSECTION	RIGHT	RTE 928 (LOCK 8 PKG)
2.751	2.951	CURB	RIGHT	
2.940	2.940	DROP INLET	RIGHT	
2.951	2.951	INTERSECTION	RIGHT	RTE 512A (RAMPS TO CABIN JOHN)
2.978	3.209	CURB	RIGHT	
3.032	3.032	DROP INLET	RIGHT	
3.034	3.034	DROP INLET	RIGHT	
3.076	3.076	DROP INLET	RIGHT	
3.079	3.079	DROP INLET	RIGHT	
3.117	3.117	DROP INLET	RIGHT	
3.118	3.118	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
3.178	3.178	DROP INLET	RIGHT	
3.178	3.178	DROP INLET	RIGHT	
3.207	3.207	DROP INLET	RIGHT	
3.224	3.224	INTERSECTION	RIGHT	RTE 512C (RAMPS TO CABIN JOHN)
3.225	3.309	CURB	RIGHT	
3.244	3.244	DROP INLET	RIGHT	
3.245	3.245	DROP INLET	RIGHT	
3.273	3.273	DROP INLET	RIGHT	
3.313	3.313	DROP INLET	RIGHT	
3.545	4.037	CURB	RIGHT	
3.552	3.552	DROP INLET	RIGHT	
3.606	3.606	DROP INLET	RIGHT	
3.621	3.621	DROP INLET	RIGHT	
3.671	3.671	DROP INLET	RIGHT	
3.758	3.758	DROP INLET	RIGHT	
3.785	3.785	DROP INLET	RIGHT	
3.917	3.917	DROP INLET	RIGHT	
3.996	3.996	DROP INLET	RIGHT	
4.040	4.040	INTERSECTION	RIGHT	RTE 929 (LOCK 7 PKG)
4.048	4.079	CURB	RIGHT	
4.050	4.050	DROP INLET	RIGHT	
4.085	4.085	INTERSECTION	RIGHT	RTE 929 (LOCK 7 PKG)
4.094	5.246	CURB	RIGHT	
4.112	4.112	DROP INLET	RIGHT	
4.169	4.169	DROP INLET	RIGHT	
4.263	4.263	INTERSECTION	LEFT	
4.276	4.322	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
4.281	4.281	DROP INLET	LEFT	
4.293	4.293	DROP INLET	RIGHT	
4.320	4.320	DROP INLET	LEFT	
4.349	4.349	DROP INLET	RIGHT	
4.351	5.510	CURB	LEFT	
4.368	4.368	DROP INLET	RIGHT	
4.433	4.433	DROP INLET	RIGHT	
4.530	4.530	DROP INLET	RIGHT	
4.551	4.615	GUARDRAIL	RIGHT	
4.553	4.607	GUARDRAIL	LEFT	
4.572	4.572	DROP INLET	RIGHT	
4.646	4.646	INTERSECTION	RIGHT	RTE 930 (SYCAMORE ISLAND PKG)
4.699	4.699	DROP INLET	RIGHT	
4.726	4.726	DROP INLET	RIGHT	
4.782	4.782	DROP INLET	RIGHT	
4.831	4.831	DROP INLET	LEFT	
4.832	4.832	DROP INLET	RIGHT	
4.893	4.893	DROP INLET	LEFT	
5.008	5.008	DROP INLET	RIGHT	
5.054	5.054	DROP INLET	RIGHT	
5.055	5.055	DROP INLET	LEFT	
5.130	5.130	DROP INLET	LEFT	
5.192	5.192	DROP INLET	LEFT	
5.231	5.231	DROP INLET	LEFT	
5.247	5.247	INTERSECTION	RIGHT	PUMP STATION
5.252	5.650	CURB	RIGHT	
5.266	5.266	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
5.268	5.312	GUARDRAIL	LEFT	
5.326	5.326	DROP INLET	RIGHT	
5.406	5.466	GUARDRAIL	LEFT	
5.442	5.442	DROP INLET	RIGHT	
5.494	5.494	DROP INLET	RIGHT	
5.511	5.511	INTERSECTION	LEFT	CONTINUE RTE 0007A
5.544	5.544	DROP INLET	RIGHT	
5.605	5.605	DROP INLET	RIGHT	
5.669	5.723	CURB	RIGHT	
5.678	5.678	INTERSECTION	RIGHT	RTE 931 (LOCK 6 PKG)
5.692	5.692	DROP INLET	RIGHT	
5.729	5.729	INTERSECTION	RIGHT	RTE 931 (LOCK 6 PKG)
5.737	5.737	DROP INLET	RIGHT	
5.750	5.940	CURB	RIGHT	
5.769	5.769	DROP INLET	RIGHT	
5.943	5.943	DROP INLET	LEFT	
5.944	6.590	CURB	RIGHT	
5.953	6.076	CURB	LEFT	
5.995	5.995	DROP INLET	LEFT	
6.019	6.067	GUARDRAIL	RIGHT	
6.031	6.059	GUARDRAIL	LEFT	
6.036	6.036	DROP INLET	LEFT	
6.089	6.446	CURB	LEFT	
6.098	6.098	INTERSECTION	LEFT	END RTE 0007A
6.124	6.124	DROP INLET	LEFT	
6.186	6.186	DROP INLET	RIGHT	
6.224	6.253	GUARDRAIL	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0007B : CLARA BARTON PARKWAY EAST

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
6.240	6.240	DROP INLET	RIGHT	
6.240	6.276	GUARDRAIL	RIGHT	
6.243	6.262	BRIDGE	N/A	
6.280	6.280	DROP INLET	RIGHT	
6.399	6.399	DROP INLET	RIGHT	
6.445	6.445	INTERSECTION	LEFT	
6.496	6.852	CURB	LEFT	
6.508	6.508	DROP INLET	LEFT	
6.511	6.511	DROP INLET	RIGHT	
6.542	6.542	DROP INLET	LEFT	
6.546	6.546	DROP INLET	RIGHT	
6.652	6.844	CURB	RIGHT	
6.695	6.695	INTERSECTION	RIGHT	RTE 932 (LOCK 5 PKG)
6.774	6.774	DROP INLET	LEFT	
6.808	6.843	GUARDRAIL	RIGHT	
6.842	6.842	TRAFFIC LIGHT	RIGHT	1
6.843	6.843	DROP INLET	RIGHT	
6.850	6.850			ROUTE ENDS AT MP 330
6.851	6.851	INTERSECTION	RIGHT	CHAIN BRIDGE
6.854	6.854	TRAFFIC LIGHT	LEFT	1

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011A : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MEMORIAL AVE (PAVEMENT CHANGE)
0.006	0.006	INTERSECTION	RIGHT	MEMORIAL AVE (PAVEMENT CHANGE)
0.009	0.009	INTERSECTION	LEFT	MEMORIAL AVE (PAVEMENT CHANGE)
0.323	0.399	BRIDGE	N/A	
0.415	0.427	CURB	LEFT	
0.424	0.424	INTERSECTION	LEFT	
0.428	0.428	INTERSECTION	LEFT	
0.438	0.497	CURB	LEFT	
0.452	0.452	DROP INLET	LEFT	
0.484	0.484	DROP INLET	LEFT	
0.502	0.502	INTERSECTION	LEFT	
0.510	0.526	CURB	LEFT	
0.537	0.945	BRIDGE	N/A	
0.960	0.960			ROUTE ENDS AT LINCOLN CIRCLE (NACC RTE 25AD)
0.968	0.968	INTERSECTION	LEFT	LINCOLN CIRCLE (NACC RTE 25AD)
0.968	0.968	INTERSECTION	RIGHT	LINCOLN CIRCLE (NACC RTE 25AD)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011B : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MEMORIAL AVE (PAVEMENT CHANGE)
0.324	0.402	BRIDGE	N/A	
0.325	0.486	CURB	RIGHT	
0.336	0.336	DROP INLET	RIGHT	
0.359	0.359	DROP INLET	RIGHT	
0.370	0.370	DROP INLET	RIGHT	
0.383	0.383	DROP INLET	RIGHT	
0.394	0.394	DROP INLET	RIGHT	
0.498	0.498	INTERSECTION	RIGHT	
0.539	0.947	BRIDGE	N/A	
0.960	0.960			ROUTE ENDS AT LINCOLN CIRCLE (NACC RTE 25BB)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011C : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MEMORIAL AVE (PAVEMENT CHANGE)
0.009	0.104	CURB	RIGHT	
0.015	0.015	DROP INLET	RIGHT	
0.034	0.034	DROP INLET	RIGHT	
0.055	0.055	DROP INLET	RIGHT	
0.094	0.094	DROP INLET	RIGHT	
0.107	0.107	INTERSECTION	RIGHT	
0.114	0.145	CURB	RIGHT	
0.132	0.132	DROP INLET	RIGHT	
0.148	0.148	INTERSECTION	RIGHT	
0.156	0.252	CURB	RIGHT	
0.171	0.171	DROP INLET	RIGHT	
0.208	0.208	DROP INLET	RIGHT	
0.253	0.253	DROP INLET	RIGHT	
0.254	0.254	INTERSECTION	RIGHT	
0.257	0.266	CURB	RIGHT	
0.269	0.269	INTERSECTION	RIGHT	
0.277	0.329	CURB	RIGHT	
0.317	0.317	DROP INLET	RIGHT	
0.505	0.505	INTERSECTION	RIGHT	MEMORIAL AVE (PAVEMENT CHANGE)
0.506	0.957	CURB	RIGHT	
0.506	0.506	INTERSECTION	LEFT	MEMORIAL AVE (PAVEMENT CHANGE)
0.524	0.939	BRIDGE	N/A	
0.532	0.532	DROP INLET	RIGHT	
0.544	0.544	DROP INLET	RIGHT	
0.553	0.553	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011C : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.562	0.562	DROP INLET	RIGHT	
0.574	0.574	DROP INLET	RIGHT	
0.584	0.584	DROP INLET	RIGHT	
0.591	0.591	DROP INLET	RIGHT	
0.600	0.600	DROP INLET	RIGHT	
0.612	0.612	DROP INLET	RIGHT	
0.622	0.622	DROP INLET	RIGHT	
0.632	0.632	DROP INLET	RIGHT	
0.641	0.641	DROP INLET	RIGHT	
0.653	0.653	DROP INLET	RIGHT	
0.660	0.660	DROP INLET	RIGHT	
0.670	0.670	DROP INLET	RIGHT	
0.681	0.681	DROP INLET	RIGHT	
0.694	0.694	DROP INLET	RIGHT	
0.702	0.702	DROP INLET	RIGHT	
0.712	0.712	DROP INLET	RIGHT	
0.720	0.720	DROP INLET	RIGHT	
0.737	0.737	DROP INLET	RIGHT	
0.746	0.746	DROP INLET	RIGHT	
0.756	0.756	DROP INLET	RIGHT	
0.767	0.767	DROP INLET	RIGHT	
0.776	0.776	DROP INLET	RIGHT	
0.788	0.788	DROP INLET	RIGHT	
0.795	0.795	DROP INLET	RIGHT	
0.806	0.806	DROP INLET	RIGHT	
0.817	0.817	DROP INLET	RIGHT	
0.827	0.827	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011C : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.837	0.837	DROP INLET	RIGHT	
0.845	0.845	DROP INLET	RIGHT	
0.859	0.859	DROP INLET	RIGHT	
0.868	0.868	DROP INLET	RIGHT	
0.875	0.875	DROP INLET	RIGHT	
0.883	0.883	DROP INLET	RIGHT	
0.895	0.895	DROP INLET	RIGHT	
0.905	0.905	DROP INLET	RIGHT	
0.915	0.915	DROP INLET	RIGHT	
0.925	0.925	DROP INLET	RIGHT	
0.945	0.945	INTERSECTION	RIGHT	LINCOLN CIRCLE (NACC RTE 25AD)
0.950	0.950			ROUTE ENDS AT MP 33
0.960	0.960	INTERSECTION	LEFT	LINCOLN CIRCLE (NACC RTE 25AD)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011D : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT LINCOLN CIRCLE (NACC RTE 25AA)
0.005	0.410	BRIDGE	N/A	
0.431	0.442	CURB	LEFT	
0.435	0.435	INTERSECTION	LEFT	
0.448	0.521	CURB	LEFT	
0.468	0.468	DROP INLET	LEFT	
0.503	0.503	DROP INLET	LEFT	
0.960	0.960			ROUTE ENDS AT 051

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011E : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT LINCOLN CIRCLE (NACC RTE 25AB)
0.004	0.429	BRIDGE	N/A	
0.458	0.458	INTERSECTION	RIGHT	
0.526	0.537	CURB	LEFT	
0.572	0.632	BRIDGE	N/A	
0.960	0.960			ROUTE ENDS AT MEMORIAL AVE (PAVEMENT CHANGE)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011F : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT LINCOLN CIRCLE (NACC RTE 25AC)
0.002	0.002	INTERSECTION	LEFT	LINCOLN CIRCLE (NACC RTE 25AC)
0.003	0.003	INTERSECTION	RIGHT	LINCOLN CIRCLE (NACC RTE 25AC)
0.005	0.451	CURB	RIGHT	
0.008	0.435	BRIDGE	N/A	
0.015	0.015	DROP INLET	RIGHT	
0.027	0.027	DROP INLET	RIGHT	
0.036	0.036	DROP INLET	RIGHT	
0.045	0.045	DROP INLET	RIGHT	
0.059	0.059	DROP INLET	RIGHT	
0.067	0.067	DROP INLET	RIGHT	
0.073	0.073	DROP INLET	RIGHT	
0.085	0.085	DROP INLET	RIGHT	
0.095	0.095	DROP INLET	RIGHT	
0.106	0.106	DROP INLET	RIGHT	
0.113	0.113	DROP INLET	RIGHT	
0.122	0.122	DROP INLET	RIGHT	
0.134	0.134	DROP INLET	RIGHT	
0.144	0.144	DROP INLET	RIGHT	
0.154	0.154	DROP INLET	RIGHT	
0.163	0.163	DROP INLET	RIGHT	
0.175	0.175	DROP INLET	RIGHT	
0.185	0.185	DROP INLET	RIGHT	
0.197	0.197	DROP INLET	RIGHT	
0.203	0.203	DROP INLET	RIGHT	
0.221	0.221	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011F : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.229	0.229	DROP INLET	RIGHT	
0.239	0.239	DROP INLET	RIGHT	
0.248	0.248	DROP INLET	RIGHT	
0.260	0.260	DROP INLET	RIGHT	
0.270	0.270	DROP INLET	RIGHT	
0.280	0.280	DROP INLET	RIGHT	
0.289	0.289	DROP INLET	RIGHT	
0.301	0.301	DROP INLET	RIGHT	
0.310	0.310	DROP INLET	RIGHT	
0.319	0.319	DROP INLET	RIGHT	
0.328	0.328	DROP INLET	RIGHT	
0.340	0.340	DROP INLET	RIGHT	
0.350	0.350	DROP INLET	RIGHT	
0.357	0.357	DROP INLET	RIGHT	
0.370	0.370	DROP INLET	RIGHT	
0.378	0.378	DROP INLET	RIGHT	
0.388	0.388	DROP INLET	RIGHT	
0.396	0.396	DROP INLET	RIGHT	
0.409	0.409	DROP INLET	RIGHT	
0.475	0.776	CURB	RIGHT	
0.551	0.630	BRIDGE	N/A	
0.558	0.558	DROP INLET	RIGHT	
0.569	0.569	DROP INLET	RIGHT	
0.581	0.581	DROP INLET	RIGHT	
0.594	0.594	DROP INLET	RIGHT	
0.606	0.606	DROP INLET	RIGHT	
0.618	0.618	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011F : MEMORIAL AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.636	0.636	DROP INLET	RIGHT	
0.702	0.702	DROP INLET	RIGHT	
0.744	0.744	DROP INLET	RIGHT	
0.779	0.779	INTERSECTION	RIGHT	
0.786	0.954	CURB	RIGHT	
0.789	0.789	DROP INLET	RIGHT	
0.822	0.822	DROP INLET	RIGHT	
0.859	0.859	DROP INLET	RIGHT	
0.897	0.897	DROP INLET	RIGHT	
0.934	0.934	DROP INLET	RIGHT	
0.955	0.955	DROP INLET	RIGHT	
0.960	0.960			ROUTE ENDS AT MP 45

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0100 : WEST BOULEVARD DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT END OF RTE 0107
0.001	0.001	INTERSECTION	RIGHT	END OF RTE 0107
0.001	0.001	INTERSECTION	LEFT	END OF RTE 0107
0.082	0.082	INTERSECTION	LEFT	
0.085	0.089	CURB	LEFT	
0.095	0.095	INTERSECTION	LEFT	
0.299	0.299	INTERSECTION	RIGHT	
0.507	0.507	INTERSECTION	RIGHT	
0.512	0.512	INTERSECTION	LEFT	
0.631	0.639	GUARDRAIL	LEFT	
0.636	0.636	INTERSECTION	RIGHT	
0.703	0.703	INTERSECTION	RIGHT	
0.767	0.767	INTERSECTION	RIGHT	
0.774	0.774	INTERSECTION	LEFT	
0.789	0.789	INTERSECTION	RIGHT	
1.006	1.006	INTERSECTION	LEFT	COLLINGWOOD RD
1.010	1.010			ROUTE ENDS AT COLLINGWOOD RD
1.014	1.014	INTERSECTION	RIGHT	COLLINGWOOD RD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0101 : WELLINGTON ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003B
0.006	0.006	INTERSECTION	RIGHT	RTE 0003B
0.006	0.006	INTERSECTION	LEFT	RTE 0003B
0.007	0.010	CURB	RIGHT	
0.008	0.008	DROP INLET	RIGHT	
0.020	0.020			ROUTE ENDS AT INT WITH RTE 0100
0.020	0.020	INTERSECTION	RIGHT	INT WITH RTE 0100
0.021	0.021	INTERSECTION	LEFT	INT WITH RTE 0100

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0102 : CHADWICK AVENUE/HERBERT SPRING RD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0100
0.001	0.001	INTERSECTION	RIGHT	RTE 100 (WEST BOULEVARD DR)
0.005	0.005	INTERSECTION	LEFT	RTE 100 (WEST BOULEVARD DR)
0.012	0.012	INTERSECTION	LEFT	
0.014	0.014	INTERSECTION	RIGHT	
0.028	0.028	INTERSECTION	RIGHT	RTE 0003
0.031	0.031	INTERSECTION	LEFT	RTE 0003
0.054	0.054	INTERSECTION	RIGHT	
0.057	0.057	INTERSECTION	LEFT	
0.150	0.150			ROUTE ENDS AT RTE 0103 (CROSSES ROUTE 0003)
0.151	0.151	INTERSECTION	RIGHT	RTE 103 (E BLVD DR)
0.154	0.154	INTERSECTION	LEFT	RTE 103 (E BLVD DR)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0103 : EAST BOULEVARD DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003D
0.001	0.001	INTERSECTION	LEFT	RTE 0003C (MOUNT VERNON PARKWAY NB)
0.006	0.006	INTERSECTION	RIGHT	RTE 0003C (MOUNT VERNON PARKWAY NB)
0.011	0.011	INTERSECTION	RIGHT	EAST BOULEVARD DRIVE
0.195	0.195	INTERSECTION	LEFT	RTE 102 (CHADWICK AVE)
0.198	0.198	INTERSECTION	RIGHT	
0.231	0.231	INTERSECTION	RIGHT	CHAHTOKIN RD
0.295	0.295	INTERSECTION	RIGHT	CLIFTON RD
0.329	0.329	INTERSECTION	LEFT	ARCTURUS BLVD
0.332	0.332	INTERSECTION	RIGHT	
0.557	0.557	INTERSECTION	LEFT	RTE 103 SPUR
0.621	0.621	INTERSECTION	RIGHT	HORTICULTURAL SOCIETY PKG
0.921	0.921	INTERSECTION	RIGHT	
1.028	1.028	INTERSECTION	LEFT	RTE 107 (ALEXANDRIA AVENUE)
1.030	1.030			ROUTE ENDS AT RTE 0104 & RTE 0107
1.030	1.030	INTERSECTION	RIGHT	E BLVD DRIVE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0104 : NORTHDOWN ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0103 & RTE 0107
0.001	0.001	INTERSECTION	RIGHT	RTE 0103 & RTE 0107
0.002	0.002	INTERSECTION	LEFT	RTE 0103 & RTE 0107
0.016	0.135	PAVED DITCH	LEFT	
0.049	0.049	INTERSECTION	RIGHT	
0.053	0.053	INTERSECTION	RIGHT	
0.169	0.169	INTERSECTION	RIGHT	RTE 0003D
0.175	0.175	INTERSECTION	RIGHT	
0.175	0.175	INTERSECTION	LEFT	RTE 0003D
0.180	0.180	INTERSECTION	LEFT	
0.180	0.180			ROUTE ENDS AT RTE 0003D
0.182	0.182	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0105 : FORT HUNT ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003B
0.004	0.014	CURB	LEFT	
0.005	0.005	INTERSECTION	LEFT	RTE 0003B (MOUNT VERNON PKWY)
0.007	0.069	CURB	RIGHT	
0.007	0.007	INTERSECTION	RIGHT	RTE 0003B (MOUNT VERNON PKWY)
0.018	0.018	INTERSECTION	LEFT	
0.021	0.073	CURB	LEFT	
0.071	0.194	CURB	RIGHT	
0.075	0.150	CURB	LEFT	
0.077	0.077	DROP INLET	LEFT	
0.098	0.098	DROP INLET	RIGHT	
0.108	0.148	GUARDRAIL	RIGHT	
0.115	0.145	GUARDRAIL	LEFT	
0.124	0.124	CULVERT	N/A	
0.150	0.150	INTERSECTION	LEFT	RTE 106 (FORT HUNT ACCESS RAMP)
0.158	0.167	CURB	LEFT	
0.168	0.168	INTERSECTION	LEFT	RTE 106 (FORT HUNT ACCESS RAMP)
0.169	0.182	CURB	LEFT	
0.183	0.183	INTERSECTION	LEFT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.188	0.192	CURB	LEFT	
0.193	0.193	CULVERT	N/A	
0.281	0.330	GUARDRAIL	RIGHT	
0.549	0.549	DROP INLET	RIGHT	
0.549	0.549	DROP INLET	LEFT	
0.550	0.767	CURB	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0105 : FORT HUNT ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.552	0.552	CULVERT	N/A	
0.555	0.593	CURB	RIGHT	
0.590	0.590	CULVERT	N/A	
0.590	0.590	DROP INLET	LEFT	
0.593	0.593	DROP INLET	RIGHT	
0.601	0.601	INTERSECTION	RIGHT	WYNTROP RD
0.609	0.739	CURB	RIGHT	
0.664	0.664	DROP INLET	LEFT	
0.664	0.664	CULVERT	N/A	
0.664	0.664	DROP INLET	RIGHT	
0.707	0.707	DROP INLET	LEFT	
0.709	0.709	DROP INLET	RIGHT	
0.709	0.709	CULVERT	N/A	
0.735	0.735	DROP INLET	LEFT	
0.735	0.735	DROP INLET	RIGHT	
0.736	0.736	CULVERT	N/A	
0.747	0.747	INTERSECTION	RIGHT	
0.753	0.764	CURB	RIGHT	
0.757	0.757	DROP INLET	RIGHT	
0.760	0.760			ROUTE ENDS AT PARK BOUNDARY (FENCE ON LEFT)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0106 : FORT HUNT ACCESS RAMP

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0105
0.004	0.004	INTERSECTION	RIGHT	RTE 105 (FORT HUNT RD)
0.005	0.025	CURB	LEFT	
0.005	0.182	CURB	RIGHT	
0.007	0.007	INTERSECTION	LEFT	RTE 105 (FORT HUNT RD)
0.031	0.031	INTERSECTION	LEFT	
0.032	0.049	CURB	LEFT	
0.050	0.050	INTERSECTION	LEFT	
0.053	0.191	CURB	LEFT	
0.059	0.059	DROP INLET	RIGHT	
0.087	0.184	PAVED DITCH	RIGHT	
0.112	0.112	DROP INLET	RIGHT	
0.152	0.193	GUARDRAIL	LEFT	
0.174	0.174	DROP INLET	RIGHT	
0.189	0.189	INTERSECTION	LEFT	
0.193	0.205	CURB	LEFT	
0.205	0.205	INTERSECTION	RIGHT	RTE 0003D (MOUNT VERNON PKWY)
0.209	0.209	INTERSECTION	LEFT	RTE 0003D (MOUNT VERNON PKWY)
0.210	0.210			ROUTE ENDS AT RTE 0003D

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0107 : ALEXANDRIA AVENUE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0104 & RTE 0103
0.002	0.002	INTERSECTION	LEFT	RTE 0104 & RTE 0103
0.004	0.025	CURB	RIGHT	
0.004	0.004	INTERSECTION	RIGHT	RTE 0104 & RTE 0103
0.005	0.020	BRIDGE	N/A	
0.006	0.029	CURB	LEFT	
0.026	0.026	INTERSECTION	LEFT	
0.035	0.035	INTERSECTION	LEFT	RTE 0100
0.040	0.040			ROUTE ENDS AT RTE 0100

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0200A : WASHINGTON MARINA ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.004	0.004	INTERSECTION	LEFT	RTE 0002B
0.005	0.005	INTERSECTION	RIGHT	RTE 0002B
0.006	0.014	CURB	LEFT	
0.007	0.012	CURB	RIGHT	
0.036	0.036	INTERSECTION	LEFT	
0.102	0.102	INTERSECTION	LEFT	
0.130	0.130	INTERSECTION	RIGHT	
0.138	0.223	CURB	RIGHT	
0.143	0.143	INTERSECTION	LEFT	
0.148	0.322	CURB	LEFT	
0.174	0.174	INTERSECTION	LEFT	
0.174	0.174	INTERSECTION	RIGHT	
0.210	0.210	INTERSECTION	RIGHT	
0.210	0.210	INTERSECTION	LEFT	
0.226	0.226	INTERSECTION	RIGHT	
0.229	0.332	CURB	RIGHT	
0.264	0.264	INTERSECTION	RIGHT	
0.264	0.264	INTERSECTION	LEFT	
0.300	0.300	INTERSECTION	RIGHT	
0.300	0.300	INTERSECTION	LEFT	
0.333	0.333	INTERSECTION	RIGHT	END OF LOOP
0.336	0.336	INTERSECTION	LEFT	END OF LOOP
0.340	0.340			ROUTE ENDS AT END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0200B : WASHINGTON MARINA ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0200A
0.000	0.000	INTERSECTION	RIGHT	RTE 0200A
0.000	0.000	INTERSECTION	LEFT	RTE 0200A
0.033	0.033	INTERSECTION	RIGHT	
0.033	0.033	INTERSECTION	LEFT	
0.074	0.074	INTERSECTION	RIGHT	RTE 0200A
0.075	0.075	INTERSECTION	LEFT	RTE 0200A
0.080	0.080			ROUTE ENDS AT RTE 0200A

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0201 : GRAVELLY POINT ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002C
0.003	0.095	CURB	RIGHT	
0.023	0.023	INTERSECTION	RIGHT	RTE 0002C
0.027	0.027	INTERSECTION	LEFT	RTE 0002C
0.032	0.038	CURB	LEFT	
0.039	0.039	INTERSECTION	LEFT	
0.042	0.058	CURB	LEFT	
0.057	0.057	INTERSECTION	LEFT	
0.067	0.161	CURB	LEFT	
0.102	0.102	INTERSECTION	RIGHT	
0.107	0.114	CURB	RIGHT	
0.116	0.116	INTERSECTION	RIGHT	
0.119	0.124	CURB	RIGHT	
0.128	0.128	INTERSECTION	RIGHT	
0.129	0.136	CURB	RIGHT	
0.139	0.139	INTERSECTION	RIGHT	
0.140	0.146	CURB	RIGHT	
0.155	0.155	INTERSECTION	RIGHT	
0.163	0.163	INTERSECTION	LEFT	
0.165	0.296	CURB	RIGHT	
0.169	0.208	CURB	LEFT	
0.217	0.217	INTERSECTION	RIGHT	
0.217	0.217	INTERSECTION	LEFT	
0.229	0.372	CURB	LEFT	
0.299	0.299	INTERSECTION	RIGHT	
0.307	0.312	CURB	RIGHT	
0.317	0.317	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0201 : GRAVELLY POINT ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.320	0.323	CURB	RIGHT	
0.321	0.321	DROP INLET	LEFT	
0.331	0.331	INTERSECTION	RIGHT	
0.336	0.340	CURB	RIGHT	
0.361	0.361	INTERSECTION	RIGHT	
0.373	0.385	CURB	RIGHT	
0.380	0.380	INTERSECTION	RIGHT	END OF LOOP
0.380	0.380			ROUTE ENDS AT END OF LOOP
0.381	0.381	INTERSECTION	LEFT	END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0202A : COLUMBIA MARINA ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.012	0.012	INTERSECTION	RIGHT	RTE 0001B
0.014	0.014	INTERSECTION	LEFT	RTE 0001B
0.016	0.052	CURB	RIGHT	
0.022	0.027	CURB	LEFT	
0.024	0.024	INTERSECTION	LEFT	
0.040	0.049	CURB	LEFT	
0.051	0.051	INTERSECTION	LEFT	
0.053	0.053	INTERSECTION	RIGHT	
0.057	0.101	CURB	LEFT	
0.059	0.082	CURB	RIGHT	
0.088	0.088	INTERSECTION	RIGHT	
0.090	0.090	DROP INLET	LEFT	
0.091	0.096	CURB	RIGHT	
0.092	0.092	DROP INLET	RIGHT	
0.096	0.096	INTERSECTION	LEFT	RTE 947
0.099	0.099	INTERSECTION	RIGHT	RTE 947
0.100	0.100			ROUTE ENDS AT RTE 947

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0202B : COLUMBIA MARINA BOAT LOOP

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 202A
0.001	0.001	INTERSECTION	LEFT	RTE 202A
0.001	0.001	INTERSECTION	RIGHT	RTE 202A
0.006	0.048	CURB	RIGHT	
0.008	0.045	CURB	LEFT	
0.047	0.047	INTERSECTION	LEFT	RTE 202A
0.049	0.049	INTERSECTION	RIGHT	RTE 202A
0.050	0.050			ROUTE ENDS AT RTE 202A

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0202C : COLUMBIA MARINA BOAT RAMP ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 202A
0.004	0.004	DROP INLET	LEFT	
0.004	0.085	CURB	LEFT	
0.008	0.020	CURB	RIGHT	
0.028	0.086	CURB	RIGHT	
0.028	0.028	INTERSECTION	RIGHT	
0.088	0.088	INTERSECTION	LEFT	
0.090	0.090			ROUTE ENDS AT RTE 947
0.092	0.092	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0203 : IWO JIMA MEMORIAL ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MARSHALL RD
0.004	0.004	INTERSECTION	LEFT	MARSHALL RD
0.004	0.004	INTERSECTION	RIGHT	MARSHALL RD
0.007	0.535	CURB	RIGHT	
0.007	0.155	CURB	LEFT	
0.068	0.068	DROP INLET	LEFT	
0.152	0.152	INTERSECTION	LEFT	
0.162	0.172	CURB	LEFT	
0.177	0.177	INTERSECTION	LEFT	
0.179	0.226	CURB	LEFT	
0.180	0.180	DROP INLET	RIGHT	
0.183	0.183	DROP INLET	LEFT	
0.203	0.203	DROP INLET	LEFT	
0.206	0.206	DROP INLET	RIGHT	
0.244	0.244	INTERSECTION	LEFT	
0.246	0.246	DROP INLET	RIGHT	
0.254	0.299	CURB	LEFT	
0.262	0.262	INTERSECTION	LEFT	
0.300	0.310	GUARDRAIL	RIGHT	
0.307	0.307	INTERSECTION	LEFT	
0.309	0.429	CURB	LEFT	
0.311	0.317	GUARDRAIL	RIGHT	
0.384	0.384	INTERSECTION	LEFT	
0.441	0.441	INTERSECTION	LEFT	
0.446	0.483	CURB	LEFT	
0.484	0.484	DROP INLET	RIGHT	
0.490	0.490	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0203 : IWO JIMA MEMORIAL ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.506	0.506	INTERSECTION	LEFT	
0.513	0.525	CURB	LEFT	
0.530	0.530			ROUTE ENDS AT END OF LOOP
0.533	0.533	INTERSECTION	LEFT	END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0204A : BELLE HAVEN MARINA ACCES ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003D
0.003	0.003	INTERSECTION	RIGHT	RTE 0003D
0.003	0.003	INTERSECTION	LEFT	RTE 0003D
0.010	0.010	INTERSECTION	RIGHT	
0.011	0.041	CURB	RIGHT	
0.020	0.026	CURB	LEFT	
0.038	0.044	CURB	LEFT	
0.039	0.039	DROP INLET	RIGHT	
0.041	0.041	DROP INLET	LEFT	
0.045	0.119	CURB	LEFT	
0.045	0.049	CURB	RIGHT	
0.046	0.046	INTERSECTION	LEFT	
0.050	0.050	INTERSECTION	RIGHT	
0.053	0.123	CURB	RIGHT	
0.134	0.134	INTERSECTION	LEFT	
0.157	0.157	INTERSECTION	LEFT	
0.158	0.158	INTERSECTION	RIGHT	
0.166	0.219	CURB	LEFT	
0.246	0.246	INTERSECTION	RIGHT	
0.246	0.246	INTERSECTION	LEFT	
0.260	0.260			ROUTE ENDS AT CONCRETE BARRIER

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0204B : BELLE HAVEN PICNIC ACCES ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0204A
0.009	0.071	CURB	RIGHT	
0.010	0.010	INTERSECTION	RIGHT	
0.036	0.036	DROP INLET	RIGHT	
0.039	0.039	DROP INLET	LEFT	
0.053	0.221	CURB	LEFT	
0.073	0.073	INTERSECTION	RIGHT	
0.079	0.133	CURB	RIGHT	
0.082	0.082	DROP INLET	LEFT	
0.085	0.085	DROP INLET	RIGHT	
0.139	0.397	CURB	RIGHT	
0.139	0.139	INTERSECTION	RIGHT	
0.179	0.179	INTERSECTION	RIGHT	
0.206	0.206	DROP INLET	RIGHT	
0.228	0.228	INTERSECTION	LEFT	
0.231	0.391	CURB	LEFT	
0.257	0.257	INTERSECTION	LEFT	
0.261	0.261	INTERSECTION	RIGHT	
0.351	0.351	DROP INLET	RIGHT	
0.354	0.354	CULVERT	N/A	
0.396	0.396	INTERSECTION	LEFT	
0.400	0.400			ROUTE ENDS AT END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0205 : MORINGSIDE LANE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003B
0.006	0.038	CURB	LEFT	
0.007	0.086	CURB	RIGHT	
0.008	0.008	DROP INLET	RIGHT	
0.009	0.009	INTERSECTION	RIGHT	RTE 0003B
0.009	0.009	INTERSECTION	LEFT	RTE 0003B
0.038	0.038	DROP INLET	RIGHT	
0.080	0.080	DROP INLET	RIGHT	
0.100	0.100			ROUTE ENDS AT PARK BOUNDARY

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0206 : COLLINGWOOD PICNIC ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003D
0.004	0.093	CURB	RIGHT	
0.004	0.004	INTERSECTION	RIGHT	RTE 0003D (MOUNT VERNON PKWY)
0.005	0.005	INTERSECTION	LEFT	RTE 0003D (MOUNT VERNON PKWY)
0.022	0.080	CURB	LEFT	
0.031	0.031	DROP INLET	RIGHT	
0.033	0.033	DROP INLET	LEFT	
0.078	0.078	INTERSECTION	RIGHT	RTE 941 (COLLINGWOOD PICNIC PKG)
0.090	0.090			ROUTE ENDS AT RTE 0941

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0207A : FORT HUNT PICINIC LOOP A

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0105
0.004	0.004	INTERSECTION	RIGHT	RTE 105 (FORT HUNT RD)
0.005	0.005	INTERSECTION	LEFT	RTE 105 (FORT HUNT RD)
0.006	0.522	CURB	RIGHT	
0.009	0.041	CURB	LEFT	
0.015	0.015	DROP INLET	RIGHT	
0.043	0.043	INTERSECTION	LEFT	RTE 401 (FORT HUNT MAINTENANCE)
0.050	0.099	CURB	LEFT	
0.104	0.104	INTERSECTION	LEFT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.105	0.105	INTERSECTION	RIGHT	
0.108	0.137	CURB	LEFT	
0.136	0.136	DROP INLET	LEFT	
0.144	0.144	INTERSECTION	LEFT	RTE 918A (PICNIC AREA A)
0.149	0.219	CURB	LEFT	
0.220	0.220	INTERSECTION	LEFT	RTE 918A (PICNIC AREA A)
0.223	0.282	CURB	LEFT	
0.283	0.283	INTERSECTION	LEFT	RTE 918A (PICNIC AREA A)
0.287	0.367	CURB	LEFT	
0.290	0.290	DROP INLET	RIGHT	
0.364	0.364	DROP INLET	RIGHT	
0.365	0.365	DROP INLET	LEFT	
0.370	0.370	INTERSECTION	LEFT	RTE 919 (PICNIC AREA B)
0.375	0.426	CURB	LEFT	
0.424	0.424	DROP INLET	LEFT	
0.428	0.428	INTERSECTION	LEFT	RTE 919 (PICNIC AREA B)
0.430	0.430	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0207A : FORT HUNT PICINIC LOOP A

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.431	0.638	CURB	LEFT	
0.524	0.524	INTERSECTION	RIGHT	RTE 935 (PARK POLICE)
0.527	0.703	CURB	RIGHT	
0.579	0.579	DROP INLET	LEFT	
0.613	0.613	DROP INLET	LEFT	
0.640	0.640	INTERSECTION	LEFT	RTE 920A (PICNIC AREA C1-3)
0.651	0.745	CURB	LEFT	
0.706	0.706	INTERSECTION	RIGHT	RTE 207B (FORT HUNT PICNIC LOOP B)
0.706	0.749	CURB	RIGHT	
0.750	0.750	INTERSECTION	LEFT	RTE 920A (PICNIC AREA C1-3)
0.751	0.751	INTERSECTION	RIGHT	RTE 921 (PICNIC AREA E)
0.752	0.794	CURB	RIGHT	
0.756	1.341	CURB	LEFT	
0.798	0.798	INTERSECTION	RIGHT	RTE 921 (PICNIC AREA E)
0.801	0.882	CURB	RIGHT	
0.886	0.886	INTERSECTION	RIGHT	RTE 207B (FORT HUNT PICNIC LOOP B)
0.891	1.336	CURB	RIGHT	
0.915	0.915	INTERSECTION	LEFT	RTE 406 (FORT HUNT SERVICE RD)
0.954	0.954	INTERSECTION	LEFT	RTE 920B (FORT HUNT PICNIC PKG D)
0.985	0.985	CULVERT	N/A	
1.009	1.009	INTERSECTION	LEFT	RTE 920C (FORT HUNT PICNIC PKG D)
1.237	1.237	INTERSECTION	RIGHT	RTE 920D (FORT HUNT PICNIC PKG D)
1.333	1.333	INTERSECTION	LEFT	RTE 207A (FORT HUNT PICNIC LOOP A)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0207A : FORT HUNT PICINIC LOOP A

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
1.339	1.339	INTERSECTION	RIGHT	RTE 207A (FORT HUNT PICNIC LOOP A)
1.340	1.340			ROUTE ENDS AT END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0207B : FORT HUNT PICINIC LOOP B

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0207A
0.005	0.005	INTERSECTION	RIGHT	207A (FORT HUNT PICNIC LOOPA)
0.005	0.283	CURB	LEFT	
0.005	0.005	INTERSECTION	LEFT	207A (FORT HUNT PICNIC LOOPA)
0.012	0.465	CURB	RIGHT	
0.148	0.148	CULVERT	N/A	
0.183	0.183	INTERSECTION	LEFT	RTE 962
0.323	0.323	INTERSECTION	LEFT	RTE 962
0.341	0.399	CURB	LEFT	
0.363	0.363	CULVERT	N/A	
0.402	0.402	INTERSECTION	LEFT	RTE 962
0.410	0.509	CURB	LEFT	
0.433	0.433	CULVERT	N/A	
0.440	0.440	DROP INLET	RIGHT	
0.441	0.441	DROP INLET	LEFT	
0.476	0.476	INTERSECTION	RIGHT	RTE 962
0.476	0.482	CURB	RIGHT	
0.477	0.477	DROP INLET	LEFT	
0.485	0.511	CURB	RIGHT	
0.496	0.496	DROP INLET	RIGHT	
0.510	0.510	INTERSECTION	RIGHT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.511	0.511	INTERSECTION	LEFT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.520	0.520			ROUTE ENDS AT RTE 0207A

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0208 : RIVERSIDE PARK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0003D
0.005	0.005	INTERSECTION	RIGHT	RTE 0003D (MOUNT VERNON PKWY)
0.006	0.155	CURB	RIGHT	
0.009	0.049	CURB	LEFT	
0.012	0.012	INTERSECTION	LEFT	RTE 0003D (MOUNT VERNON PKWY)
0.042	0.042	DROP INLET	RIGHT	
0.051	0.051	INTERSECTION	LEFT	
0.068	0.068	INTERSECTION	LEFT	RTE 939C (RIVERSIDE PKG C)
0.074	0.079	CURB	LEFT	
0.081	0.081	INTERSECTION	RIGHT	RTE 939D (RIVERSIDE PKG D)
0.084	0.084	INTERSECTION	LEFT	RTE 939A (RIVERSIDE PKG A)
0.093	0.125	CURB	LEFT	
0.122	0.122	INTERSECTION	RIGHT	RTE 939B (RIVERSIDE PKG B)
0.130	0.130			ROUTE ENDS AT END OF LOOP
0.131	0.131	INTERSECTION	LEFT	RTE 939A (RIVERSIDE PKG A)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0209 : FORT MARCY ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.004	0.004	INTERSECTION	RIGHT	RTE 0002B
0.005	0.005	DROP INLET	RIGHT	
0.005	0.148	CURB	RIGHT	
0.005	0.005	INTERSECTION	LEFT	RTE 0002B
0.012	0.023	CURB	LEFT	
0.028	0.028	INTERSECTION	LEFT	
0.029	0.148	CURB	LEFT	
0.032	0.032	DROP INLET	LEFT	
0.054	0.054	DROP INLET	LEFT	
0.076	0.076	DROP INLET	RIGHT	
0.105	0.105	DROP INLET	RIGHT	
0.134	0.134	INTERSECTION	LEFT	
0.148	0.148	DROP INLET	RIGHT	
0.150	0.150			ROUTE ENDS AT END

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0210A : FHWA/CIA ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.004	0.004	DROP INLET	RIGHT	
0.005	0.177	CURB	RIGHT	
0.009	0.009	INTERSECTION	RIGHT	RTE 0001B
0.018	0.018	INTERSECTION	LEFT	RTE 0001B
0.030	0.148	CURB	LEFT	
0.055	0.055	DROP INLET	RIGHT	
0.062	0.062	DROP INLET	RIGHT	
0.111	0.111	DROP INLET	RIGHT	
0.146	0.146	INTERSECTION	LEFT	
0.152	0.188	CURB	LEFT	
0.175	0.175	INTERSECTION	RIGHT	
0.190	0.190			ROUTE ENDS AT PAVEMENT CHANGE
0.199	0.199	INTERSECTION	RIGHT	
0.211	0.211	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0210B : FHWA/CIA ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.004	0.361	CURB	RIGHT	
0.009	0.009	DROP INLET	RIGHT	
0.017	0.017	INTERSECTION	RIGHT	RTE 0002B
0.043	0.043	INTERSECTION	LEFT	RTE 0002B
0.057	0.402	CURB	LEFT	
0.061	0.061	CULVERT	N/A	
0.079	0.079	CULVERT	N/A	
0.133	0.133	DROP INLET	RIGHT	
0.181	0.181	DROP INLET	LEFT	
0.246	0.246	DROP INLET	LEFT	
0.263	0.301	BRIDGE	N/A	
0.263	0.304	GUARDRAIL	RIGHT	
0.307	0.307	DROP INLET	LEFT	
0.363	0.363	DROP INLET	LEFT	
0.369	0.394	CURB	RIGHT	
0.380	0.380	INTERSECTION	RIGHT	
0.394	0.394	INTERSECTION	RIGHT	
0.410	0.410			ROUTE ENDS AT PAVEMENT CHANGE
0.411	0.411	INTERSECTION	RIGHT	
0.412	0.412	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0210C : FHWA/CIA ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT GATE
0.006	0.283	CURB	LEFT	
0.010	0.016	CURB	RIGHT	
0.015	0.015	INTERSECTION	RIGHT	RTE 210D (FHWA/CIA ACCESS)
0.036	0.395	CURB	RIGHT	
0.084	0.084	DROP INLET	RIGHT	
0.090	0.132	GUARDRAIL	RIGHT	
0.092	0.128	BRIDGE	N/A	
0.142	0.142	DROP INLET	RIGHT	
0.200	0.200	DROP INLET	RIGHT	
0.238	0.238	DROP INLET	RIGHT	
0.305	0.305	INTERSECTION	LEFT	RTE 0001B (GWMP SB)
0.310	0.310	DROP INLET	RIGHT	
0.347	0.347	DROP INLET	RIGHT	
0.356	0.356	DROP INLET	RIGHT	
0.390	0.390			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0210D : FHWA/CIA ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT GATE
0.003	0.240	CURB	RIGHT	
0.007	0.027	CURB	LEFT	
0.012	0.012	INTERSECTION	RIGHT	
0.020	0.020	INTERSECTION	LEFT	
0.036	0.036	DROP INLET	RIGHT	
0.039	0.203	CURB	LEFT	
0.114	0.114	DROP INLET	RIGHT	
0.119	0.119	DROP INLET	RIGHT	
0.121	0.121	DROP INLET	LEFT	
0.149	0.149	INTERSECTION	LEFT	RTE 0001B
0.154	0.154	DROP INLET	RIGHT	
0.240	0.240			ROUTE ENDS AT RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0211 : PARKWAY HEADQUARTERS ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.001	0.001	INTERSECTION	LEFT	RTE 0002B
0.001	0.001	INTERSECTION	RIGHT	RTE 0002B
0.054	0.054	INTERSECTION	LEFT	
0.054	0.054	INTERSECTION	RIGHT	
0.100	0.100			ROUTE ENDS AT RTE 0212
0.104	0.104	INTERSECTION	RIGHT	RTE 0212
0.104	0.104	INTERSECTION	LEFT	RTE 0212

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0212 : TURKEY RUN ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0213B
0.004	0.004	INTERSECTION	LEFT	RTE 0213B
0.004	0.004	INTERSECTION	RIGHT	RTE 0213B
0.019	0.029	GUARDRAIL	RIGHT	
0.023	0.023	CULVERT	N/A	
0.042	0.059	PAVED DITCH	RIGHT	
0.100	0.112	GUARDRAIL	LEFT	
0.160	0.160	INTERSECTION	LEFT	
0.207	0.227	GUARDRAIL	RIGHT	
0.218	0.218	CULVERT	N/A	
0.300	0.300	INTERSECTION	LEFT	
0.302	0.322	GUARDRAIL	RIGHT	
0.315	0.315	CULVERT	N/A	
0.399	0.399	INTERSECTION	LEFT	
0.406	0.422	GUARDRAIL	LEFT	
0.411	0.411	CULVERT	N/A	
0.526	0.526	INTERSECTION	RIGHT	
0.577	0.577	INTERSECTION	RIGHT	
0.595	0.608	GUARDRAIL	LEFT	
0.710	0.728	GUARDRAIL	LEFT	
0.714	0.714	CULVERT	N/A	
0.771	0.788	GUARDRAIL	LEFT	
0.780	0.780	CULVERT	N/A	
0.818	0.836	GUARDRAIL	LEFT	
0.857	0.857	CULVERT	N/A	
0.900	0.900	INTERSECTION	RIGHT	RTE 908
0.901	0.901	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0212 : TURKEY RUN ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.940	0.940			ROUTE ENDS AT RTE 908

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0213A : TURKEY RUN PARK ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.008	0.751	CURB	RIGHT	
0.037	0.037	INTERSECTION	LEFT	
0.039	0.039	DROP INLET	RIGHT	
0.043	0.043	DROP INLET	RIGHT	
0.054	0.114	CURB	LEFT	
0.103	0.103	DROP INLET	RIGHT	
0.123	0.123	INTERSECTION	LEFT	
0.129	0.551	CURB	LEFT	
0.160	0.160	DROP INLET	RIGHT	
0.171	0.304	GUARDRAIL	LEFT	
0.221	0.221	DROP INLET	RIGHT	
0.223	0.223	DROP INLET	RIGHT	
0.226	0.236	GUARDRAIL	RIGHT	
0.234	0.234	CULVERT	N/A	
0.288	0.288	DROP INLET	RIGHT	
0.332	0.427	GUARDRAIL	LEFT	
0.334	0.334	DROP INLET	RIGHT	
0.334	0.334	DROP INLET	RIGHT	
0.352	0.352	CULVERT	N/A	
0.394	0.394	DROP INLET	RIGHT	
0.398	0.398	DROP INLET	RIGHT	
0.423	0.423	CULVERT	N/A	
0.441	0.441	DROP INLET	LEFT	
0.442	0.442	DROP INLET	RIGHT	
0.497	0.497	DROP INLET	RIGHT	
0.554	0.554	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0213A : TURKEY RUN PARK ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.559	0.559	DROP INLET	RIGHT	
0.560	0.664	CURB	LEFT	
0.562	0.562	DROP INLET	LEFT	
0.599	0.599	DROP INLET	LEFT	
0.599	0.599	DROP INLET	LEFT	
0.657	0.657	INTERSECTION	LEFT	
0.658	0.658	DROP INLET	RIGHT	
0.658	0.658	DROP INLET	RIGHT	
0.669	0.723	CURB	LEFT	
0.725	0.725	INTERSECTION	LEFT	
0.735	0.756	CURB	LEFT	
0.750	0.750			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0213B : TURKEY RUN PARK ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.005	0.261	CURB	RIGHT	
0.014	0.058	CURB	LEFT	
0.041	0.041	INTERSECTION	RIGHT	RTE 0002B
0.041	0.041	INTERSECTION	LEFT	RTE 0002B
0.065	0.148	CURB	LEFT	
0.096	0.096	DROP INLET	RIGHT	
0.097	0.097	DROP INLET	RIGHT	
0.143	0.143	DROP INLET	LEFT	
0.143	0.143	DROP INLET	RIGHT	
0.157	0.157	DROP INLET	LEFT	
0.161	0.705	CURB	LEFT	
0.161	0.161	DROP INLET	LEFT	
0.221	0.221	DROP INLET	RIGHT	
0.259	0.259	DROP INLET	RIGHT	
0.261	0.261	DROP INLET	LEFT	
0.266	0.266	INTERSECTION	RIGHT	
0.271	0.893	CURB	RIGHT	
0.319	0.319	DROP INLET	LEFT	
0.379	0.379	DROP INLET	LEFT	
0.392	0.489	GUARDRAIL	RIGHT	
0.474	0.474	CULVERT	N/A	
0.487	0.487	DROP INLET	LEFT	
0.519	0.658	GUARDRAIL	RIGHT	
0.536	0.536	DROP INLET	LEFT	
0.583	0.600	GUARDRAIL	LEFT	
0.593	0.593	CULVERT	N/A	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0213B : TURKEY RUN PARK ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.599	0.599	DROP INLET	LEFT	
0.602	0.602	DROP INLET	LEFT	
0.663	0.663	DROP INLET	LEFT	
0.708	0.835	CURB	LEFT	
0.708	0.708	CULVERT	N/A	
0.709	0.709	INTERSECTION	LEFT	
0.724	0.724	DROP INLET	LEFT	
0.725	0.725	DROP INLET	RIGHT	
0.760	0.760	DROP INLET	RIGHT	
0.763	0.763	DROP INLET	RIGHT	
0.765	0.765	DROP INLET	LEFT	
0.853	0.853	INTERSECTION	LEFT	RTE 0001B
0.860	0.906	CURB	LEFT	
0.890	0.890			ROUTE ENDS AT RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0214 : GREAT FALLS PICNIC ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0215
0.004	0.004	INTERSECTION	RIGHT	RTE 0215
0.004	0.004	INTERSECTION	LEFT	RTE 0215
0.009	0.024	GUARDRAIL	LEFT	
0.084	0.084	INTERSECTION	LEFT	
0.100	0.100	INTERSECTION	RIGHT	
0.108	0.108	INTERSECTION	RIGHT	
0.117	0.117	INTERSECTION	RIGHT	
0.123	0.123	INTERSECTION	LEFT	
0.129	0.129	INTERSECTION	RIGHT	
0.135	0.135	INTERSECTION	LEFT	
0.158	0.158	INTERSECTION	RIGHT	
0.159	0.159	INTERSECTION	LEFT	
0.174	0.174	INTERSECTION	RIGHT	
0.176	0.176	INTERSECTION	RIGHT	
0.182	0.182	INTERSECTION	RIGHT	
0.186	0.186	INTERSECTION	RIGHT	
0.190	0.190	INTERSECTION	RIGHT	
0.207	0.207	INTERSECTION	RIGHT	
0.207	0.207	INTERSECTION	LEFT	
0.229	0.229	INTERSECTION	RIGHT	
0.260	0.260			ROUTE ENDS AT END OF LOOP
0.263	0.263	INTERSECTION	LEFT	END OF LOOP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0215 : GREAT FALLS ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT FEE BOOTH
0.016	0.016	INTERSECTION	LEFT	
0.022	0.030	CURB	LEFT	
0.034	0.034	INTERSECTION	RIGHT	
0.046	0.091	CURB	LEFT	
0.087	0.087	INTERSECTION	RIGHT	
0.092	0.124	CURB	RIGHT	
0.096	0.096	INTERSECTION	LEFT	
0.099	0.500	CURB	LEFT	
0.113	0.113	DROP INLET	LEFT	
0.116	0.116	INTERSECTION	LEFT	
0.117	0.117	DROP INLET	RIGHT	
0.131	0.131	INTERSECTION	RIGHT	
0.135	0.177	CURB	RIGHT	
0.182	0.182	INTERSECTION	RIGHT	
0.185	0.256	CURB	RIGHT	
0.185	0.185	DROP INLET	RIGHT	
0.185	0.185	DROP INLET	LEFT	
0.258	0.258	INTERSECTION	RIGHT	
0.261	0.327	CURB	RIGHT	
0.322	0.322	DROP INLET	LEFT	
0.325	0.325	DROP INLET	RIGHT	
0.329	0.329	INTERSECTION	RIGHT	
0.332	0.416	CURB	RIGHT	
0.363	0.363	DROP INLET	RIGHT	
0.363	0.363	DROP INLET	LEFT	
0.380	0.380	INTERSECTION	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0215 : GREAT FALLS ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.420	0.420	INTERSECTION	RIGHT	
0.420	0.497	CURB	RIGHT	
0.440	0.440	DROP INLET	RIGHT	
0.441	0.441	DROP INLET	LEFT	
0.498	0.498	DROP INLET	LEFT	
0.500	0.500			ROUTE ENDS AT GATE TO RIVER BEND PARK ROAD
0.500	0.500	INTERSECTION	RIGHT	
0.503	0.508	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0216 : CREST LANE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT CHAIN BRIDGE ROAD (VA HWY 123)
0.002	0.002	INTERSECTION	RIGHT	CHAIN BRIDGE ROAD (VA HWY 123)
0.002	0.002	INTERSECTION	LEFT	CHAIN BRIDGE ROAD (VA HWY 123)
0.030	0.030	INTERSECTION	RIGHT	
0.046	0.126	CURB	LEFT	
0.076	0.076	INTERSECTION	RIGHT	
0.091	0.116	CURB	RIGHT	
0.119	0.119	INTERSECTION	RIGHT	
0.122	0.155	CURB	RIGHT	
0.163	0.163	INTERSECTION	RIGHT	
0.193	0.219	CURB	RIGHT	
0.224	0.224	INTERSECTION	RIGHT	
0.277	0.319	CURB	RIGHT	
0.283	0.283	DROP INLET	LEFT	
0.285	0.319	CURB	LEFT	
0.320	0.320	INTERSECTION	RIGHT	
0.328	0.328	INTERSECTION	RIGHT	
0.332	0.377	CURB	RIGHT	
0.338	0.381	CURB	LEFT	
0.380	0.380	INTERSECTION	RIGHT	
0.395	0.395	CULVERT	N/A	
0.439	0.470	CURB	RIGHT	
0.456	0.619	CURB	LEFT	
0.474	0.474	INTERSECTION	RIGHT	
0.484	0.536	CURB	RIGHT	
0.539	0.539	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0216 : CREST LANE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.541	0.623	CURB	RIGHT	
0.642	0.642	CULVERT	N/A	
0.647	0.676	CURB	LEFT	
0.692	0.692	CULVERT	N/A	
0.719	0.719	INTERSECTION	RIGHT	
0.800	0.800			ROUTE ENDS AT PARK BOUNDARY (SPEED BUMP)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0217A : W ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT SLATERS LANE
0.193	0.193	INTERSECTION	RIGHT	SLATERS LANE
0.196	0.232	CURB	LEFT	
0.196	0.196	INTERSECTION	LEFT	SLATERS LANE
0.234	0.234	RAILROAD CROSSING	N/A	
0.237	0.394	CURB	LEFT	
0.340	0.340	DROP INLET	LEFT	
0.340	0.340	DROP INLET	LEFT	
0.341	0.341	DROP INLET	LEFT	
0.390	0.390	DROP INLET	LEFT	
0.392	0.392	DROP INLET	LEFT	
0.394	0.394	INTERSECTION	LEFT	
0.405	0.593	CURB	LEFT	
0.482	0.482	DROP INLET	LEFT	
0.542	0.552	CURB	RIGHT	
0.551	0.551	INTERSECTION	RIGHT	
0.561	0.640	CURB	RIGHT	
0.562	0.562	INTERSECTION	RIGHT	
0.572	0.572	DROP INLET	RIGHT	
0.603	0.603	INTERSECTION	LEFT	
0.614	0.614	DROP INLET	RIGHT	
0.629	0.629	INTERSECTION	LEFT	FIRST ST
0.640	0.640			ROUTE ENDS AT FIRST ST
0.642	0.642	TRAFFIC LIGHT	RIGHT	5

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0217B : W ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.005	0.172	CURB	RIGHT	
0.010	0.010	INTERSECTION	RIGHT	RTE 0001B
0.021	0.021	INTERSECTION	LEFT	RTE 0001B
0.028	0.176	CURB	LEFT	
0.046	0.046	DROP INLET	LEFT	
0.110	0.110	DROP INLET	LEFT	
0.112	0.112	DROP INLET	LEFT	
0.191	0.201	CURB	RIGHT	
0.193	0.193	TRAFFIC LIGHT	RIGHT	2
0.205	0.205	INTERSECTION	RIGHT	
0.208	0.229	CURB	RIGHT	
0.227	0.227	DROP INLET	RIGHT	
0.229	0.229	RAILROAD CROSSING	RIGHT	1 SET
0.233	0.241	CURB	RIGHT	
0.234	0.234	RAILROAD CROSSING	N/A	
0.243	0.243	INTERSECTION	RIGHT	
0.257	0.392	CURB	RIGHT	
0.290	0.290	INTERSECTION	RIGHT	
0.318	0.318	INTERSECTION	RIGHT	
0.329	0.329	INTERSECTION	RIGHT	
0.339	0.339	DROP INLET	RIGHT	
0.391	0.391	DROP INLET	RIGHT	
0.392	0.392	DROP INLET	RIGHT	
0.397	0.397	TRAFFIC LIGHT	RIGHT	3
0.405	0.405	DROP INLET	RIGHT	
0.406	0.422	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0217B : W ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.425	0.425	INTERSECTION	RIGHT	
0.428	0.465	CURB	RIGHT	
0.469	0.469	INTERSECTION	RIGHT	
0.476	0.491	CURB	RIGHT	
0.480	0.480	DROP INLET	RIGHT	
0.495	0.495	INTERSECTION	RIGHT	
0.498	0.514	CURB	RIGHT	
0.516	0.516	INTERSECTION	RIGHT	
0.520	0.536	CURB	RIGHT	
0.540	0.540			ROUTE ENDS AT RTE 0001B
0.540	0.540	INTERSECTION	LEFT	RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0218A : E ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 218B
0.041	0.041	INTERSECTION	RIGHT	RTE 218B
0.043	0.217	CURB	LEFT	
0.058	0.058	INTERSECTION	LEFT	RTE 218B
0.188	0.188	DROP INLET	LEFT	
0.219	0.219	INTERSECTION	LEFT	
0.228	0.360	CURB	LEFT	
0.230	0.230	DROP INLET	LEFT	
0.232	0.232	DROP INLET	LEFT	
0.232	0.232	DROP INLET	LEFT	
0.364	0.364	RAILROAD CROSSING	N/A	
0.368	0.442	CURB	LEFT	
0.443	0.443	INTERSECTION	LEFT	RTE 218B
0.450	0.537	CURB	LEFT	
0.454	0.454	INTERSECTION	RIGHT	RTE 218B
0.540	0.540			ROUTE ENDS AT RTE 218B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0218B : E ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.003	0.071	CURB	RIGHT	
0.011	0.011	DROP INLET	RIGHT	
0.028	0.028	INTERSECTION	RIGHT	RTE 0002B
0.028	0.028	INTERSECTION	LEFT	RTE 0002B
0.072	0.072	INTERSECTION	RIGHT	
0.074	0.081	CURB	RIGHT	
0.080	0.080	INTERSECTION	RIGHT	
0.087	0.136	CURB	RIGHT	
0.138	0.138	INTERSECTION	RIGHT	
0.143	0.149	CURB	RIGHT	
0.148	0.148	DROP INLET	RIGHT	
0.153	0.153	INTERSECTION	RIGHT	
0.156	0.185	CURB	RIGHT	
0.158	0.158	DROP INLET	RIGHT	
0.188	0.188	INTERSECTION	RIGHT	
0.192	0.192	DROP INLET	RIGHT	
0.196	0.196	INTERSECTION	RIGHT	
0.201	0.220	CURB	RIGHT	
0.224	0.224	INTERSECTION	RIGHT	
0.230	0.292	CURB	RIGHT	
0.233	0.233	DROP INLET	RIGHT	
0.233	0.233	TRAFFIC LIGHT	RIGHT	2
0.247	0.247	INTERSECTION	RIGHT	
0.271	0.271	INTERSECTION	RIGHT	
0.289	0.289	INTERSECTION	RIGHT	
0.295	0.295	INTERSECTION	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0218B : E ABINGDON DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.300	0.335	CURB	RIGHT	
0.319	0.319	INTERSECTION	RIGHT	
0.332	0.332	INTERSECTION	RIGHT	
0.335	0.335	INTERSECTION	RIGHT	
0.341	0.357	CURB	RIGHT	
0.363	0.363	RAILROAD CROSSING	RIGHT	1 SET
0.368	0.447	CURB	RIGHT	
0.374	0.374	DROP INLET	RIGHT	
0.454	0.454	INTERSECTION	RIGHT	
0.463	0.463	TRAFFIC LIGHT	RIGHT	2
0.464	0.642	CURB	RIGHT	
0.517	0.517	DROP INLET	RIGHT	
0.543	0.614	CURB	LEFT	
0.612	0.612	DROP INLET	LEFT	
0.621	0.621	DROP INLET	RIGHT	
0.624	0.624	INTERSECTION	LEFT	RTE 0002B
0.636	0.636	TRAFFIC LIGHT	RIGHT	4
0.640	0.640			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0219A : WASHINGTON MARINA BOAT STORAGE & LAUNCH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 200A
0.004	0.004	INTERSECTION	LEFT	RTE 200A
0.005	0.005	INTERSECTION	RIGHT	RTE 200A
0.029	0.029	INTERSECTION	LEFT	
0.044	0.044	INTERSECTION	LEFT	
0.061	0.061	INTERSECTION	LEFT	
0.062	0.062	INTERSECTION	RIGHT	
0.085	0.085	INTERSECTION	RIGHT	
0.126	0.126	INTERSECTION	RIGHT	
0.170	0.170			ROUTE ENDS AT RTE 219B
0.172	0.172	INTERSECTION	LEFT	RTE 219B
0.173	0.173	INTERSECTION	RIGHT	RTE 219B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0219B : WASHINGTON MARINA BOAT STORAGE & LAUNCH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0219A
0.002	0.002	INTERSECTION	RIGHT	RTE 0219A
0.003	0.003	INTERSECTION	LEFT	RTE 0219A
0.057	0.057	INTERSECTION	LEFT	
0.123	0.123	INTERSECTION	LEFT	
0.129	0.129	INTERSECTION	RIGHT	
0.188	0.188	INTERSECTION	RIGHT	
0.275	0.275	INTERSECTION	RIGHT	
0.279	0.279	INTERSECTION	LEFT	
0.354	0.354	INTERSECTION	RIGHT	END OF ROUTE
0.370	0.370			ROUTE ENDS AT END OF ROUTE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0220 : FORT HUNT PICNIC SHELTER HANDICAPPED ACC

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 918A
0.000	0.000	INTERSECTION	RIGHT	RTE 918A (PICNIC AREA A)
0.001	0.001	INTERSECTION	LEFT	RTE 918A (PICNIC AREA A)
0.013	0.013	INTERSECTION	RIGHT	RTE 918B (PICNIC HANDICAP PKG)
0.022	0.022	INTERSECTION	RIGHT	RTE 406 (FORT HUNT SERVICE RD)
0.080	0.080			ROUTE ENDS AT PICNIC SHELTER

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0400 : DAINGERFIELD NURSERY MAINTENANCE ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0200A
0.012	0.012	INTERSECTION	LEFT	RTE 0200A
0.014	0.014	INTERSECTION	RIGHT	RTE 0200A
0.072	0.072	INTERSECTION	LEFT	
0.094	0.094	INTERSECTION	LEFT	
0.162	0.162	CULVERT	N/A	
0.269	0.269	INTERSECTION	RIGHT	
0.270	0.270			ROUTE ENDS AT END OF PAVEMENT

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0401 : FORT HUNT MAINTENANCE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0207A
0.004	0.004	INTERSECTION	RIGHT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.004	0.004	INTERSECTION	LEFT	RTE 207A (FORT HUNT PICNIC LOOP A)
0.095	0.095	INTERSECTION	LEFT	RTE 955A (FORT HUNT MAINT PKG)
0.105	0.105	INTERSECTION	RIGHT	RTE 955B (FORT HUNT MAINT AREA)
0.108	0.108	INTERSECTION	LEFT	RTE 955B (FORT HUNT MAINT AREA)
0.110	0.110			ROUTE ENDS AT MAINTENANCE AREA

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0414 : CLAUDE MOORE FARM ADMINISTRATIVE ACCESS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT COLONIAL FARM ROAD
0.005	0.005	INTERSECTION	LEFT	COLONIAL FARM ROAD
0.018	0.018	INTERSECTION	RIGHT	COLONIAL FARM ROAD
0.116	0.116	INTERSECTION	RIGHT	RTE 909
0.120	0.120			ROUTE ENDS AT RTE 909
0.131	0.131	INTERSECTION	LEFT	RTE 909

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0500A : RAMPS TO AIRPORT SOUTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT SMITH BLVD
0.003	0.003	INTERSECTION	RIGHT	SMITH BLVD
0.004	0.004	INTERSECTION	LEFT	SMITH BLVD
0.006	0.006	DROP INLET	RIGHT	
0.006	0.095	CURB	RIGHT	
0.009	0.074	CURB	LEFT	
0.012	0.016	GUARDRAIL	LEFT	
0.060	0.060	DROP INLET	RIGHT	
0.083	0.083	INTERSECTION	LEFT	RTE 0002B
0.100	0.100			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0500B : RAMPS TO AIRPORT SOUTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT SMITH BLVD
0.005	0.234	CURB	RIGHT	
0.007	0.188	CURB	LEFT	
0.023	0.080	GUARDRAIL	RIGHT	
0.035	0.101	GUARDRAIL	LEFT	
0.041	0.068	BRIDGE	N/A	
0.137	0.137	DROP INLET	LEFT	
0.203	0.203	DROP INLET	RIGHT	
0.209	0.209	INTERSECTION	LEFT	RTE 0001B
0.230	0.230			ROUTE ENDS AT RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0500C : RAMPS TO AIRPORT SOUTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.003	0.206	CURB	RIGHT	
0.009	0.009	DROP INLET	RIGHT	
0.035	0.035	INTERSECTION	RIGHT	RTE 0001B
0.039	0.039	INTERSECTION	LEFT	RTE 0001B
0.047	0.047	DROP INLET	RIGHT	
0.060	0.099	CURB	LEFT	
0.076	0.076	DROP INLET	RIGHT	
0.102	0.102	DROP INLET	RIGHT	
0.105	0.105	INTERSECTION	LEFT	
0.105	0.204	CURB	LEFT	
0.128	0.128	DROP INLET	RIGHT	
0.153	0.153	DROP INLET	RIGHT	
0.210	0.210	INTERSECTION	LEFT	HWY 233 (PAVEMENT CHANGE)
0.210	0.210			ROUTE ENDS AT HWY 233 (PAVEMENT CHANGE)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0500D : RAMPS TO AIRPORT SOUTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.000	0.000			ROUTE ENDS AT AIRPORT SOUTH

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0502AA : RAMPS TO AIRPORT NORTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.007	0.007	INTERSECTION	LEFT	RTE 0001B
0.007	0.007	INTERSECTION	RIGHT	RTE 0001B
0.014	0.259	CURB	LEFT	
0.022	0.022	DROP INLET	LEFT	
0.067	0.067	DROP INLET	LEFT	
0.124	0.124	DROP INLET	LEFT	
0.172	0.172	DROP INLET	LEFT	
0.242	0.242	DROP INLET	LEFT	
0.300	0.300	DROP INLET	LEFT	
0.300	0.337	PULLOUT	LEFT	
0.310	0.351	CURB	LEFT	
0.350	0.350			ROUTE ENDS AT SMITH BLVD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0502AB : RAMPS TO AIRPORT NORTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001C
0.004	0.257	CURB	RIGHT	
0.004	0.004	INTERSECTION	RIGHT	RTE 0001C
0.005	0.005	INTERSECTION	LEFT	RTE 0001C
0.013	0.013	DROP INLET	RIGHT	
0.076	0.076	DROP INLET	RIGHT	
0.317	0.366	CURB	RIGHT	
0.320	0.320	DROP INLET	RIGHT	
0.339	0.339	DROP INLET	RIGHT	
0.360	0.360	DROP INLET	RIGHT	
0.360	0.360			ROUTE ENDS AT SMITH BLVD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0502B : RAMPS TO AIRPORT NORTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.005	0.005	INTERSECTION	RIGHT	RTE 0002B
0.008	0.008	INTERSECTION	LEFT	RTE 0002B
0.008	0.165	CURB	RIGHT	
0.019	0.090	CURB	LEFT	
0.020	0.090	GUARDRAIL	LEFT	
0.035	0.035	DROP INLET	RIGHT	
0.095	0.095	INTERSECTION	LEFT	
0.104	0.135	CURB	LEFT	
0.138	0.138	INTERSECTION	LEFT	
0.142	0.162	CURB	LEFT	
0.160	0.160			ROUTE ENDS AT SMITH BLVD (PAVEMENT CHANGE)
0.165	0.165	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0502C : RAMPS TO AIRPORT NORTH

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT SMITH BLVD (PAVEMENT CHANGE)
0.008	0.008	INTERSECTION	LEFT	SMITH BLVD (PAVEMENT CHANGE)
0.008	0.053	CURB	LEFT	
0.011	0.011	INTERSECTION	RIGHT	SMITH BLVD (PAVEMENT CHANGE)
0.017	0.089	CURB	RIGHT	
0.040	0.040	DROP INLET	RIGHT	
0.067	0.067	INTERSECTION	LEFT	RTE 0002C
0.071	0.071	DROP INLET	RIGHT	
0.090	0.090			ROUTE ENDS AT RTE 0002C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503A : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT I -395 SB
0.005	0.005	INTERSECTION	RIGHT	I -395 SB
0.007	0.007	INTERSECTION	LEFT	I -395 SB
0.008	0.008	DROP INLET	RIGHT	
0.015	0.144	CURB	LEFT	
0.039	0.160	CURB	RIGHT	
0.111	0.111	DROP INLET	RIGHT	
0.127	0.127	DROP INLET	RIGHT	
0.147	0.147	INTERSECTION	LEFT	RTE 0002B
0.160	0.160			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503B : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002C
0.006	0.188	CURB	RIGHT	
0.020	0.066	GUARDRAIL	LEFT	
0.050	0.050	INTERSECTION	RIGHT	RTE 0002C
0.054	0.054	INTERSECTION	LEFT	RTE 0002C
0.054	0.054	DROP INLET	RIGHT	
0.065	0.065	INTERSECTION	LEFT	
0.076	0.076	DROP INLET	RIGHT	
0.106	0.106	DROP INLET	RIGHT	
0.112	0.198	CURB	LEFT	
0.157	0.187	GUARDRAIL	RIGHT	
0.169	0.184	GUARDRAIL	LEFT	
0.175	0.175	DROP INLET	RIGHT	
0.210	0.210	DROP INLET	RIGHT	
0.210	0.210			ROUTE ENDS AT US HWY 1
0.210	0.210	INTERSECTION	LEFT	US HWY 1

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503C : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT US HWY 1
0.006	0.089	CURB	LEFT	
0.006	0.022	GUARDRAIL	LEFT	
0.006	0.006	INTERSECTION	LEFT	US HWY 1
0.007	0.007	INTERSECTION	RIGHT	US HWY 1
0.013	0.110	CURB	RIGHT	
0.019	0.028	GUARDRAIL	RIGHT	
0.029	0.029	DROP INLET	LEFT	
0.066	0.066	DROP INLET	LEFT	
0.095	0.095	DROP INLET	RIGHT	
0.105	0.105	INTERSECTION	LEFT	RTE 503D
0.110	0.110			ROUTE ENDS AT RTE 503D

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503D : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 503C
0.004	0.004	INTERSECTION	LEFT	RTE 503C
0.006	0.177	CURB	RIGHT	
0.040	0.040	DROP INLET	RIGHT	
0.061	0.061	INTERSECTION	LEFT	
0.066	0.066	DROP INLET	RIGHT	
0.081	0.160	CURB	LEFT	
0.171	0.171	INTERSECTION	LEFT	I-395 SB
0.180	0.180			ROUTE ENDS AT I-395 SB

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503E : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.016	0.182	CURB	RIGHT	
0.017	0.017	INTERSECTION	LEFT	RTE 0001B
0.020	0.020	INTERSECTION	RIGHT	RTE 0001B
0.020	0.184	GUARDRAIL	RIGHT	
0.032	0.157	CURB	LEFT	
0.047	0.047	DROP INLET	RIGHT	
0.059	0.147	GUARDRAIL	LEFT	
0.085	0.085	DROP INLET	LEFT	
0.167	0.167	INTERSECTION	LEFT	I-395 SB
0.180	0.180			ROUTE ENDS AT I-395 SB

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503F : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT I-395 SB
0.006	0.016	GUARDRAIL	RIGHT	
0.008	0.153	CURB	RIGHT	
0.010	0.010	INTERSECTION	RIGHT	I-395 SB
0.016	0.016	INTERSECTION	LEFT	I-395 SB
0.029	0.131	CURB	LEFT	
0.055	0.088	GUARDRAIL	LEFT	
0.134	0.134	INTERSECTION	LEFT	RTE 0001C
0.150	0.150			ROUTE ENDS AT RTE 0001C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503G : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001C
0.004	0.114	CURB	RIGHT	
0.008	0.008	INTERSECTION	RIGHT	RTE 0001C
0.009	0.009	INTERSECTION	LEFT	RTE 0001C
0.016	0.088	CURB	LEFT	
0.024	0.068	GUARDRAIL	LEFT	
0.101	0.115	GUARDRAIL	RIGHT	
0.113	0.113	INTERSECTION	LEFT	US HWY 1
0.120	0.120			ROUTE ENDS AT US HWY 1

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0503H : RAMPS TO I-395 & 14TH STREET

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT US HWY 1
0.005	0.036	GUARDRAIL	RIGHT	
0.006	0.056	CURB	RIGHT	
0.010	0.010	INTERSECTION	RIGHT	US HWY 1
0.013	0.013	INTERSECTION	LEFT	US HWY 1
0.059	0.201	CURB	LEFT	
0.061	0.061	INTERSECTION	RIGHT	
0.061	0.107	GUARDRAIL	LEFT	
0.064	0.209	CURB	RIGHT	
0.074	0.074	DROP INLET	RIGHT	
0.121	0.121	DROP INLET	RIGHT	
0.161	0.161	DROP INLET	RIGHT	
0.201	0.201	DROP INLET	RIGHT	
0.204	0.204	INTERSECTION	LEFT	RTE 0001C
0.210	0.210			ROUTE ENDS AT RTE 0001C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0505A : RAMPS TO PENTAGON PARKING

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0001B
0.005	0.309	CURB	RIGHT	
0.013	0.013	INTERSECTION	LEFT	ROUTE 0001B
0.016	0.016	INTERSECTION	RIGHT	ROUTE 0001B
0.024	0.112	CURB	LEFT	
0.132	0.176	CURB	LEFT	
0.134	0.134	INTERSECTION	LEFT	
0.154	0.154	DROP INLET	RIGHT	
0.184	0.184	DROP INLET	LEFT	
0.187	0.300	CURB	LEFT	
0.187	0.232	GUARDRAIL	LEFT	
0.200	0.314	GUARDRAIL	RIGHT	
0.239	0.239	DROP INLET	RIGHT	
0.301	0.301	INTERSECTION	LEFT	WASHINGTON BLVD (VA ROUTE 27)
0.310	0.310			ROUTE ENDS AT WASHINGTON BLVD (VA ROUTE 27)

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0505B : RAMPS TO PENTAGON PARKING

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT WASHINGTON BLVD (VA ROUTE 27)
0.006	0.195	CURB	RIGHT	
0.006	0.049	GUARDRAIL	RIGHT	
0.019	0.019	INTERSECTION	RIGHT	WASHINGTON BLVD (VA ROUTE 27)
0.028	0.028	INTERSECTION	LEFT	WASHINGTON BLVD (VA ROUTE 27)
0.053	0.171	CURB	LEFT	
0.054	0.054	DROP INLET	RIGHT	
0.087	0.171	GUARDRAIL	LEFT	
0.139	0.139	DROP INLET	RIGHT	
0.179	0.179	DROP INLET	RIGHT	
0.195	0.195	INTERSECTION	RIGHT	
0.332	0.434	CURB	RIGHT	
0.423	0.423	DROP INLET	RIGHT	
0.433	0.433	INTERSECTION	LEFT	NORTH ENTRANCE TO RTE 910
0.440	0.440			ROUTE ENDS AT NORTH ENTRANCE TO RTE 910
0.442	0.442	INTERSECTION	RIGHT	NORTH ENTRANCE TO RTE 910

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0505C : RAMPS TO PENTAGON PARKING

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT NORTH ENTRANCE TO RTE 910
0.000	0.000	INTERSECTION	LEFT	NORTH ENTRANCE TO RTE 910
0.004	0.209	CURB	RIGHT	
0.007	0.007	INTERSECTION	RIGHT	NORTH ENTRANCE TO RTE 910
0.183	0.210	GUARDRAIL	RIGHT	
0.227	0.261	CURB	RIGHT	
0.262	0.262	INTERSECTION	RIGHT	
0.265	0.310	GUARDRAIL	LEFT	
0.266	0.296	CURB	RIGHT	
0.267	0.311	CURB	LEFT	
0.301	0.301	DROP INLET	LEFT	
0.306	0.306	INTERSECTION	RIGHT	RTE 505A
0.307	0.308	CURB	RIGHT	
0.310	0.310			ROUTE ENDS AT RTE 505A

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0506A : MEMORIAL AVENUE RAMPS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.007	0.299	CURB	RIGHT	
0.017	0.191	GUARDRAIL	RIGHT	
0.028	0.028	INTERSECTION	LEFT	RTE 0001B
0.030	0.030	INTERSECTION	RIGHT	RTE 0001B
0.045	0.045	DROP INLET	RIGHT	
0.049	0.234	CURB	LEFT	
0.060	0.169	GUARDRAIL	LEFT	
0.097	0.097	DROP INLET	RIGHT	
0.144	0.155	BRIDGE	N/A	
0.169	0.192	GUARDRAIL	LEFT	
0.192	0.300	GUARDRAIL	RIGHT	
0.223	0.223	DROP INLET	RIGHT	
0.247	0.247	INTERSECTION	LEFT	
0.277	0.314	CURB	LEFT	
0.293	0.293	DROP INLET	RIGHT	
0.310	0.310			ROUTE ENDS AT RTE 0011C
0.310	0.316	CURB	RIGHT	
0.311	0.311	INTERSECTION	RIGHT	RTE 0011C
0.318	0.318	INTERSECTION	LEFT	RTE 0011C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0506B : MEMORIAL AVENUE RAMPS

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0011F
0.007	0.007	INTERSECTION	RIGHT	RTE 0011F
0.010	0.010	INTERSECTION	LEFT	RTE 0011F
0.010	0.163	CURB	RIGHT	
0.017	0.053	CURB	LEFT	
0.052	0.052	DROP INLET	RIGHT	
0.128	0.168	CURB	LEFT	
0.130	0.130	DROP INLET	RIGHT	
0.158	0.158	INTERSECTION	LEFT	VA ROUTE 110
0.163	0.163	DROP INLET	RIGHT	
0.180	0.180			ROUTE ENDS AT VA ROUTE 110

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508AA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0508AB @ MP 07
0.079	0.249	CURB	LEFT	
0.259	0.259	INTERSECTION	LEFT	
0.263	0.308	CURB	LEFT	
0.265	0.265	DROP INLET	LEFT	
0.277	0.277	DROP INLET	LEFT	
0.306	0.306	INTERSECTION	LEFT	
0.319	0.366	CURB	LEFT	
0.464	0.550	CURB	LEFT	
0.557	0.557	INTERSECTION	LEFT	
0.558	0.611	CURB	LEFT	
0.576	0.576	DROP INLET	LEFT	
0.607	0.607	INTERSECTION	LEFT	
0.615	0.645	CURB	LEFT	
0.640	0.640			ROUTE ENDS AT RTE 0508AB @ MP 036

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508AB : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002A
0.005	0.005	INTERSECTION	LEFT	RTE 0002A
0.008	0.031	GUARDRAIL	LEFT	
0.014	0.014	INTERSECTION	RIGHT	RTE 0002A
0.021	0.452	CURB	RIGHT	
0.042	0.042	DROP INLET	RIGHT	
0.114	0.114	DROP INLET	RIGHT	
0.157	0.157	DROP INLET	RIGHT	
0.242	0.242	DROP INLET	RIGHT	
0.328	0.466	CURB	LEFT	
0.344	0.344	DROP INLET	RIGHT	
0.389	0.389	DROP INLET	LEFT	
0.469	0.469	DROP INLET	LEFT	
0.474	0.714	CURB	RIGHT	
0.521	0.521	DROP INLET	RIGHT	
0.655	0.742	CURB	LEFT	
0.694	0.694	DROP INLET	LEFT	
0.728	0.728	INTERSECTION	RIGHT	RTE 0002A
0.730	0.745	CURB	RIGHT	
0.740	0.740			ROUTE ENDS AT RTE 0002A
0.742	0.742	DROP INLET	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508BA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.002	0.002	INTERSECTION	RIGHT	WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.006	0.323	CURB	LEFT	
0.006	0.006	INTERSECTION	LEFT	WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.035	0.035	DROP INLET	LEFT	
0.071	0.071	DROP INLET	LEFT	
0.080	0.103	BRIDGE	N/A	
0.177	0.177	DROP INLET	LEFT	
0.193	0.193	DROP INLET	LEFT	
0.256	0.256	DROP INLET	LEFT	
0.325	0.372	CURB	LEFT	
0.329	0.329	INTERSECTION	LEFT	
0.349	0.363	CURB	RIGHT	
0.374	0.482	CURB	RIGHT	
0.385	0.385	INTERSECTION	LEFT	
0.387	0.387	INTERSECTION	RIGHT	
0.393	0.454	CURB	LEFT	
0.445	0.445	DROP INLET	LEFT	
0.445	0.445	DROP INLET	RIGHT	
0.462	0.462	INTERSECTION	LEFT	
0.469	0.607	CURB	LEFT	
0.496	0.496	INTERSECTION	RIGHT	
0.498	0.529	CURB	RIGHT	
0.503	0.503	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508BA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.533	0.533	INTERSECTION	RIGHT	
0.534	0.809	CURB	RIGHT	
0.556	0.556	DROP INLET	LEFT	
0.616	0.808	CURB	LEFT	
0.621	0.621	DROP INLET	LEFT	
0.663	0.663	DROP INLET	LEFT	
0.677	0.677	DROP INLET	RIGHT	
0.680	0.734	BRIDGE	N/A	
0.751	0.751	DROP INLET	RIGHT	
0.797	0.998	GUARDRAIL	LEFT	
0.799	0.920	GUARDRAIL	RIGHT	
0.824	0.911	BRIDGE	N/A	
0.917	0.969	CURB	LEFT	
0.947	0.978	GUARDRAIL	RIGHT	
0.949	1.002	CURB	RIGHT	
0.949	0.969	BRIDGE	N/A	
0.961	0.961	DROP INLET	RIGHT	
0.981	0.981	INTERSECTION	RIGHT	US HWY 50
0.990	0.990			ROUTE ENDS AT US HWY 50

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508BB : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.002	0.002	INTERSECTION	LEFT	WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.010	0.010	INTERSECTION	RIGHT	WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.012	0.163	CURB	RIGHT	
0.083	0.103	BRIDGE	N/A	
0.169	0.169	INTERSECTION	RIGHT	
0.177	0.214	CURB	RIGHT	
0.178	0.178	DROP INLET	RIGHT	
0.224	0.224	INTERSECTION	RIGHT	
0.232	0.339	CURB	RIGHT	
0.258	0.258	DROP INLET	RIGHT	
0.319	0.319	DROP INLET	RIGHT	
0.340	0.340			ROUTE ENDS AT RTE 0011C
0.363	0.363	INTERSECTION	LEFT	RTE 0011C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508BC : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0011F
0.006	0.098	CURB	RIGHT	
0.008	0.008	INTERSECTION	LEFT	RTE 0011F
0.010	0.010	INTERSECTION	RIGHT	RTE 0011F
0.015	0.081	CURB	LEFT	
0.017	0.017	DROP INLET	RIGHT	
0.064	0.064	DROP INLET	RIGHT	
0.087	0.232	CURB	LEFT	
0.096	0.096	INTERSECTION	LEFT	
0.114	0.143	CURB	RIGHT	
0.122	0.122	DROP INLET	LEFT	
0.138	0.138	INTERSECTION	RIGHT	
0.155	0.155	INTERSECTION	RIGHT	
0.164	0.411	CURB	RIGHT	
0.238	0.415	CURB	LEFT	
0.242	0.242	INTERSECTION	LEFT	
0.245	0.245	DROP INLET	LEFT	
0.287	0.287	DROP INLET	LEFT	
0.287	0.287	DROP INLET	RIGHT	
0.298	0.357	BRIDGE	N/A	
0.377	0.377	DROP INLET	RIGHT	
0.396	0.396	INTERSECTION	LEFT	RTE 508BA
0.410	0.410			ROUTE ENDS AT RTE 508BA

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508CA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT US HWY 50
0.005	0.005	INTERSECTION	RIGHT	US HWY 50
0.016	0.016	INTERSECTION	LEFT	US HWY 50
0.047	0.142	GUARDRAIL	LEFT	
0.146	0.146	INTERSECTION	LEFT	
0.152	0.302	CURB	LEFT	
0.188	0.326	CURB	RIGHT	
0.226	0.226	DROP INLET	RIGHT	
0.304	0.304	DROP INLET	RIGHT	
0.313	0.313	INTERSECTION	RIGHT	
0.316	0.316	DROP INLET	RIGHT	
0.322	0.365	CURB	LEFT	
0.323	0.323	INTERSECTION	RIGHT	RTE 0001B
0.336	0.362	CURB	RIGHT	
0.340	0.340	DROP INLET	RIGHT	
0.350	0.350			ROUTE ENDS AT RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508CB : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT US HWY 50
0.004	0.004	INTERSECTION	RIGHT	US HWY 50
0.005	0.038	GUARDRAIL	RIGHT	
0.005	0.026	BRIDGE	N/A	
0.012	0.012	INTERSECTION	LEFT	US HWY 50
0.155	0.199	CURB	RIGHT	
0.200	0.200			ROUTE ENDS AT RTE 508CA

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508DA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 508DC @ MP 003
0.037	0.147	CURB	LEFT	
0.142	0.142	DROP INLET	LEFT	
0.153	0.153	INTERSECTION	LEFT	
0.486	0.620	CURB	LEFT	
0.620	0.620			ROUTE ENDS AT RTE 508DC @ MP 015

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508DB : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT RTE 508DC @ MP 003
0.630	0.630			ROUTE ENDS AT RTE 508DC @ MP 016

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508DC : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 508BA
0.002	0.002	INTERSECTION	RIGHT	RTE 508BA (RAMPS TO MEMORIAL CIRCLE)
0.006	0.591	CURB	RIGHT	
0.009	0.009	INTERSECTION	LEFT	RTE 508BA (RAMPS TO MEMORIAL CIRCLE)
0.010	0.010	DROP INLET	LEFT	
0.071	0.071	DROP INLET	RIGHT	
0.165	0.437	CURB	LEFT	
0.204	0.204	DROP INLET	LEFT	
0.293	0.293	DROP INLET	LEFT	
0.418	0.418	DROP INLET	LEFT	
0.493	0.493	DROP INLET	RIGHT	
0.516	0.516	DROP INLET	RIGHT	
0.574	0.574	DROP INLET	RIGHT	
0.590	0.633	GUARDRAIL	RIGHT	
0.630	0.630			ROUTE ENDS AT WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508EA : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0011 F
0.006	0.084	CURB	LEFT	
0.006	0.006	INTERSECTION	RIGHT	RTE 0011F
0.013	0.013	INTERSECTION	LEFT	RTE 0011F
0.058	0.058	DROP INLET	LEFT	
0.165	0.165	DROP INLET	LEFT	
0.168	0.840	CURB	LEFT	
0.241	0.241	DROP INLET	LEFT	
0.287	0.287	DROP INLET	LEFT	
0.316	0.316	DROP INLET	LEFT	
0.405	0.405	DROP INLET	LEFT	
0.453	0.453	DROP INLET	LEFT	
0.577	0.577	DROP INLET	LEFT	
0.740	0.823	CURB	RIGHT	
0.840	0.840			ROUTE ENDS AT RTE 0001A
0.844	0.844	INTERSECTION	RIGHT	RTE 0001A
0.846	0.861	CURB	RIGHT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508EB : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 508BA
0.004	0.004	INTERSECTION	LEFT	RTE 508BA
0.012	0.012	INTERSECTION	RIGHT	RTE 508BA
0.013	0.111	CURB	RIGHT	
0.121	0.346	CURB	RIGHT	
0.126	0.126	INTERSECTION	RIGHT	
0.418	0.418	INTERSECTION	RIGHT	
0.437	0.595	CURB	RIGHT	
0.512	0.512	DROP INLET	RIGHT	
0.600	0.600	INTERSECTION	RIGHT	
0.607	0.676	CURB	RIGHT	
0.636	0.636	DROP INLET	RIGHT	
0.680	0.680			ROUTE ENDS AT RTE 508EA

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0508F : RAMPS TO MEMORIAL CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT WASHINGTON BLVD (VA ROUTE 27) PAVEMENT CHANGE
0.005	0.005	INTERSECTION	LEFT	WASHINGTON BLVD (VA ROUTE 27)
0.006	0.030	GUARDRAIL	RIGHT	
0.006	0.133	CURB	RIGHT	
0.008	0.008	INTERSECTION	RIGHT	WASHINGTON BLVD (VA ROUTE 27)
0.024	0.108	CURB	LEFT	
0.040	0.040	DROP INLET	RIGHT	
0.094	0.094	DROP INLET	RIGHT	
0.111	0.111	INTERSECTION	LEFT	RTE 508EB
0.130	0.130			ROUTE ENDS AT RTE 508EB

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0509A : RAMPS TO ROSSLYN CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.002	0.249	CURB	RIGHT	
0.007	0.081	CURB	LEFT	
0.013	0.085	GUARDRAIL	LEFT	
0.024	0.024	CULVERT	N/A	
0.085	0.244	CURB	LEFT	
0.096	0.096	CULVERT	N/A	
0.099	0.099	DROP INLET	RIGHT	
0.106	0.106	INTERSECTION	LEFT	
0.147	0.170	GUARDRAIL	LEFT	
0.162	0.162	DROP INLET	RIGHT	
0.247	0.247	DROP INLET	RIGHT	
0.249	0.249	INTERSECTION	LEFT	MCARTHUR BLVD
0.250	0.250			ROUTE ENDS AT EAST SIDE FRANCIS SCOTT KEY MEMORIAL BRIDGE

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0509B : RAMPS TO ROSSLYN CIRCLE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT EAST SIDE FRANCIS SCOTT KEY MEMORIAL BRIDGE
0.004	0.004	INTERSECTION	RIGHT	
0.009	0.106	CURB	LEFT	
0.011	0.011	INTERSECTION	LEFT	
0.016	0.093	CURB	RIGHT	
0.042	0.042	DROP INLET	RIGHT	
0.043	0.043	DROP INLET	RIGHT	
0.045	0.045	DROP INLET	LEFT	
0.090	0.090	DROP INLET	LEFT	
0.092	0.139	GUARDRAIL	RIGHT	
0.092	0.092	DROP INLET	RIGHT	
0.104	0.138	BRIDGE	N/A	
0.106	0.163	GUARDRAIL	LEFT	
0.139	0.238	CURB	RIGHT	
0.164	0.490	CURB	LEFT	
0.167	0.167	DROP INLET	RIGHT	
0.203	0.203	DROP INLET	RIGHT	
0.239	0.239	DROP INLET	LEFT	
0.264	0.489	CURB	RIGHT	
0.287	0.287	DROP INLET	RIGHT	
0.290	0.290	DROP INLET	LEFT	
0.338	0.338	INTERSECTION	RIGHT	
0.344	0.344	DROP INLET	LEFT	
0.399	0.399	DROP INLET	LEFT	
0.473	0.473	DROP INLET	LEFT	
0.490	0.490			ROUTE ENDS AT RTE 0002A

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510A : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0001B
0.003	0.133	CURB	RIGHT	
0.004	0.004	INTERSECTION	LEFT	RTE 0001B (GWMP SB)
0.004	0.004	INTERSECTION	RIGHT	RTE 0001B (GWMP SB)
0.015	0.015	DROP INLET	RIGHT	
0.017	0.124	CURB	LEFT	
0.021	0.021	DROP INLET	RIGHT	
0.064	0.064	DROP INLET	RIGHT	
0.129	0.129	INTERSECTION	LEFT	VA HWY 123 WB
0.130	0.130			ROUTE ENDS AT VA HWY 123 WB

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510B : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT VA HWY 123 WB
0.007	0.148	CURB	LEFT	
0.010	0.182	CURB	RIGHT	
0.017	0.017	INTERSECTION	RIGHT	
0.019	0.019	DROP INLET	RIGHT	
0.076	0.076	DROP INLET	LEFT	
0.133	0.133	INTERSECTION	LEFT	
0.149	0.149	DROP INLET	RIGHT	
0.158	0.190	GUARDRAIL	LEFT	
0.180	0.180			ROUTE ENDS AT RTE 0002B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510C : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 510D
0.007	0.181	CURB	RIGHT	
0.013	0.013	DROP INLET	RIGHT	
0.028	0.034	CURB	LEFT	
0.029	0.029	INTERSECTION	RIGHT	
0.040	0.068	GUARDRAIL	LEFT	
0.043	0.166	CURB	LEFT	
0.052	0.052	DROP INLET	RIGHT	
0.058	0.058	INTERSECTION	LEFT	
0.107	0.107	DROP INLET	RIGHT	
0.147	0.147	INTERSECTION	LEFT	
0.160	0.160	DROP INLET	RIGHT	
0.190	0.190			ROUTE ENDS AT VA HWY 123 EB

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510D : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT VA HWY 123 WB
0.006	0.006	INTERSECTION	RIGHT	
0.011	0.165	CURB	RIGHT	
0.013	0.013	INTERSECTION	LEFT	
0.016	0.095	CURB	LEFT	
0.084	0.112	GUARDRAIL	LEFT	
0.087	0.087	INTERSECTION	LEFT	
0.160	0.160			ROUTE ENDS AT RTE 510C

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510E : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT VA HWY 123 EB
0.005	0.005	INTERSECTION	LEFT	
0.006	0.249	CURB	RIGHT	
0.011	0.198	CURB	LEFT	
0.087	0.087	TRAFFIC LIGHT	N/A	
0.087	0.087	DROP INLET	LEFT	
0.089	0.089	DROP INLET	RIGHT	
0.139	0.139	DROP INLET	RIGHT	
0.165	0.165	DROP INLET	LEFT	
0.185	0.185	DROP INLET	RIGHT	
0.187	0.187	DROP INLET	RIGHT	
0.246	0.246	DROP INLET	RIGHT	
0.255	0.255	INTERSECTION	LEFT	
0.260	0.260			ROUTE ENDS AT RTE 0001B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0510F : RAMPS TO CHAIN BRIDGE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0002B
0.006	0.189	CURB	RIGHT	
0.021	0.052	CURB	LEFT	
0.048	0.079	GUARDRAIL	LEFT	
0.057	0.057	INTERSECTION	RIGHT	
0.069	0.069	INTERSECTION	LEFT	
0.069	0.069	DROP INLET	RIGHT	
0.071	0.164	CURB	LEFT	
0.109	0.109	DROP INLET	RIGHT	
0.165	0.165	INTERSECTION	LEFT	
0.166	0.186	CURB	LEFT	
0.166	0.166	DROP INLET	LEFT	
0.180	0.180	INTERSECTION	LEFT	
0.200	0.200			ROUTE ENDS AT VA HWY 123

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0511A : RAMPS TO MCARTHUR BLVD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0007A
0.004	0.004	INTERSECTION	RIGHT	
0.017	0.017	INTERSECTION	RIGHT	
0.051	0.051	DROP INLET	LEFT	
0.053	0.053	DROP INLET	RIGHT	
0.067	0.067	INTERSECTION	LEFT	
0.080	0.101	CURB	LEFT	
0.128	0.128	DROP INLET	RIGHT	
0.129	0.206	CURB	RIGHT	
0.210	0.210			ROUTE ENDS AT MCARTHUR BLVD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0511B : RAMPS TO MCARTHUR BLVD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT MCARTHUR BLVD
0.003	0.003	INTERSECTION	RIGHT	MCARTHUR BLVD
0.004	0.004	INTERSECTION	LEFT	MCARTHUR BLVD
0.015	0.104	GUARDRAIL	RIGHT	
0.096	0.110	CURB	RIGHT	
0.107	0.107	INTERSECTION	LEFT	
0.111	0.118	CURB	LEFT	
0.120	0.120	INTERSECTION	LEFT	RTE 0006B
0.125	0.153	GUARDRAIL	LEFT	
0.126	0.126	DROP INLET	LEFT	
0.140	0.140			ROUTE ENDS AT RTE 0006B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0512A : RAMPS TO CABIN JOHN PKWY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0007B
0.004	0.157	CURB	RIGHT	
0.010	0.010	DROP INLET	RIGHT	
0.018	0.018	INTERSECTION	RIGHT	RTE 0007B
0.021	0.021	INTERSECTION	LEFT	RTE 0007B
0.050	0.149	CURB	LEFT	
0.051	0.051	DROP INLET	RIGHT	
0.085	0.085	DROP INLET	LEFT	
0.120	0.120	DROP INLET	LEFT	
0.156	0.156	INTERSECTION	LEFT	TOP OF RAMP
0.160	0.160			ROUTE ENDS AT TOP OF RAMP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0512B : RAMPS TO CABIN JOHN PKWY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0006B
0.003	0.163	CURB	RIGHT	
0.003	0.003	DROP INLET	RIGHT	
0.029	0.029	INTERSECTION	RIGHT	RTE 0006B
0.032	0.032	INTERSECTION	LEFT	RTE 0006B
0.035	0.035	DROP INLET	RIGHT	
0.059	0.189	CURB	LEFT	
0.081	0.081	DROP INLET	LEFT	
0.118	0.118	DROP INLET	LEFT	
0.161	0.161	DROP INLET	LEFT	
0.165	0.165	INTERSECTION	RIGHT	
0.172	0.191	CURB	RIGHT	
0.194	0.194	INTERSECTION	RIGHT	TOP OF RAMP
0.195	0.195	INTERSECTION	LEFT	TOP OF RAMP
0.200	0.200			ROUTE ENDS AT TOP OF RAMP

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0512C : RAMPS TO CABIN JOHN PKWY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT TOP OF RAMP
0.002	0.002	INTERSECTION	LEFT	TOP OF RAMP
0.006	0.006	INTERSECTION	RIGHT	TOP OF RAMP
0.006	0.158	CURB	RIGHT	
0.012	0.123	CURB	LEFT	
0.030	0.030	DROP INLET	LEFT	
0.079	0.079	DROP INLET	LEFT	
0.137	0.137	INTERSECTION	LEFT	RTE 0007B
0.140	0.167	CURB	LEFT	
0.150	0.150			ROUTE ENDS AT RTE 0007B
0.158	0.158	DROP INLET	LEFT	

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0512D : RAMPS TO CABIN JOHN PKWY

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT TOP OF RAMP
0.003	0.021	CURB	RIGHT	
0.003	0.003	INTERSECTION	LEFT	TOP OF RAMP
0.005	0.114	CURB	LEFT	
0.005	0.005	INTERSECTION	RIGHT	TOP OF RAMP
0.025	0.025	INTERSECTION	RIGHT	
0.032	0.155	CURB	RIGHT	
0.053	0.053	DROP INLET	LEFT	
0.129	0.129	INTERSECTION	LEFT	RTE 0006B
0.140	0.140	DROP INLET	RIGHT	
0.150	0.150			ROUTE ENDS AT RTE 0006B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0513A : RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0007B
0.004	0.150	CURB	RIGHT	
0.017	0.017	INTERSECTION	RIGHT	RTE 0007B
0.018	0.018	DROP INLET	RIGHT	
0.018	0.018	INTERSECTION	LEFT	RTE 0007B
0.049	0.165	CURB	LEFT	
0.074	0.074	DROP INLET	LEFT	
0.119	0.119	DROP INLET	LEFT	
0.155	0.155	INTERSECTION	RIGHT	
0.156	0.165	CURB	RIGHT	
0.168	0.168	INTERSECTION	RIGHT	CARDEROCK RD
0.168	0.168	INTERSECTION	LEFT	CARDEROCK RD
0.170	0.170			ROUTE ENDS AT CARDEROCK RD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0513B : RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT RTE 0006B
0.004	0.149	CURB	RIGHT	
0.009	0.009	DROP INLET	RIGHT	
0.019	0.019	INTERSECTION	LEFT	RTE 0006B
0.026	0.026	INTERSECTION	RIGHT	RTE 0006B
0.057	0.174	CURB	LEFT	
0.059	0.059	DROP INLET	RIGHT	
0.113	0.113	DROP INLET	RIGHT	
0.151	0.151	INTERSECTION	RIGHT	
0.157	0.174	CURB	RIGHT	
0.159	0.159	DROP INLET	RIGHT	
0.178	0.178	INTERSECTION	LEFT	CARDEROCK RD
0.178	0.178	INTERSECTION	RIGHT	CARDEROCK RD
0.180	0.180			ROUTE ENDS AT CARDEROCK RD

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0513C : RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT CARDEROCK RD
0.005	0.030	CURB	RIGHT	
0.006	0.006	INTERSECTION	LEFT	CARDEROCK RD
0.007	0.007	INTERSECTION	RIGHT	CARDEROCK RD
0.011	0.134	CURB	LEFT	
0.034	0.034	INTERSECTION	RIGHT	
0.037	0.153	CURB	RIGHT	
0.047	0.047	DROP INLET	LEFT	
0.090	0.090	DROP INLET	LEFT	
0.134	0.134	DROP INLET	LEFT	
0.138	0.138	INTERSECTION	LEFT	RTE 0007B
0.144	0.163	CURB	LEFT	
0.150	0.150			ROUTE ENDS AT RTE 0007B

GWMP: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0513D : RAMPS TO CARDEROCK RECREATION AREA AND NAVAL RESEA

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT CARDEROCK RD
0.003	0.022	CURB	RIGHT	
0.004	0.127	CURB	LEFT	
0.004	0.004	INTERSECTION	RIGHT	CARDEROCK RD
0.004	0.004	INTERSECTION	LEFT	CARDEROCK RD
0.021	0.021	DROP INLET	RIGHT	
0.026	0.026	INTERSECTION	RIGHT	
0.031	0.206	CURB	RIGHT	
0.059	0.059	DROP INLET	RIGHT	
0.103	0.103	DROP INLET	RIGHT	
0.135	0.135	INTERSECTION	LEFT	RTE 00076B
0.143	0.143	DROP INLET	RIGHT	
0.144	0.144	DROP INLET	LEFT	
0.144	0.202	CURB	LEFT	
0.184	0.184	DROP INLET	RIGHT	
0.188	0.188	DROP INLET	LEFT	
0.200	0.200			ROUTE ENDS AT RTE 00076B

APPENDIX A: GLOSSARY OF TERMS AND ABBREVIATIONS

TERM OR ABBREVIATION	DESCRIPTION OR DEFINITION
3300	Numeric Code for George Washington Memorial Parkway
AADT	Annually Adjusted Daily Traffic. Average daily traffic adjusted for the term period comprising 80% of annual visitation
CRS	Condition Rating Sheets. (Section 5)
Drainage Condition Rating	A visual rating (Good, Poor) of the drainage condition. (see Section 10)
Excellent	Excellent rating with an index value of 95 or greater
Fair	Fair rating with an index value between 61 and 84
Func. Class	Functional Classification (see Route ID, Section 4)
Good	Good rating with an index value between 85 and 94
GWMP	Alpha Code for George Washington Memorial Parkway
IRI	International Roughness Index
Lane Width	Distance from road centerline to fogline, or from centerline to edge-of-pavement when no fogline exists
MRR	Manually Rated Route
NA	Not Applicable
NC	Not Collected
Paved Width	Distance from edge-of-pavement to edge-of-pavement
PCR	Pavement Condition Rating (see Section 10)

Poor	Poor Rating with an index value of 60 or less
RCI	Roughness Condition Index
SADT	Seasonal Annual Daily Traffic. Average daily traffic for the total defined "season"
SCR	Surface Condition Rating (see Section 10)
Shoulder Condition Rating	Visual rating (Good, Poor) of the condition of shoulder. (see Section 10)
Shoulder Width	Distance from fogline to hinge point, or if no fogline, from edge-of-pavement to hinge point

APPENDIX B: DESCRIPTION OF RATING SYSTEM

A numerical roadway rating system is used to describe the overall condition of the paved roadways and paved parking areas. In this system, a numerical rating between 1 and 100 is ascribed to each 0.02 miles of road. This numerical rating is called a Pavement Condition Rating (PCR). A “perfect” road, newly constructed with no surface distresses and a smooth surface, would be assigned a PCR rating of 100. Based on the type, severity, and extent of surface distresses points are deducted from 100 to arrive at the final PCR.

Data is collected on the following distresses and conditions:

- **Alligator Cracking** - a series of interconnecting cracks resembling alligator skin or chicken wire, which can occur anywhere in the lane.
- **Longitudinal Cracking** - cracks which are parallel to the pavement centerline or asphalt lay-down direction.
- **Transverse Cracking** - cracks perpendicular to the pavement centerline.
- **Pothole (patch)** - a bowl-shaped hole in the pavement surface. May be patched or not.
- **Rutting** - surface depressions in the wheel paths.

Roughness is collected as International Roughness Index (IRI) and is used in the PCR formula. Roughness is measured in inches of vertical displacement of the vehicle per mile traveled.

A Distress Rating Index value is calculated for each of the individual distresses at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

Alligator Cracking Index = $100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]$

Longitudinal Cracking Index = $100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]$

Transverse Cracking Index = $100 - [(20 * (low/15.1 + medium/7.5)) + (40 * (high/1.9))]$

Patching Index = $100 - [40 * (\%patching / 80)]$

Rutting Index: $100 - [40 * ((low/160) + (med/80) + (high/40))]$

Roughness Condition Index: (RCI) = $32 * [5 * e^{(-0.0041 * \text{average IRI})}]$

These 0.02 Distress Rating Index values are then averaged over one mile sections for the mile-by-mile Distress Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

Surface Condition Rating (SCR) = $100 - [(100 - AC_INDEX) + (100 - LC_INDEX) + (100 - TC_INDEX) + (100 - PATCH_INDEX) + (100 - RUT_INDEX)]$

Pavement Condition Rating (PCR) = $(SCR * 0.60) + (RCI * 0.40)$

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 12 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Parking Lot and Manually Rated Road Condition Rating

Surface Condition Distresses- Chip Seal:

- Raveling – loss of surface rock chips revealing previous surface
- Bleeding – asphalt or tar is bleeding through to the surface where surface looks slick with asphalt
- Rutting
- Potholes/Patching

Ratings - Chip Seal:

- Excellent – None of the surface affected by the above (recently constructed)
- Good – Less than 10% of surface affected by the above
- Fair – Between 10% and 40% of surface affected by the above
- Poor – More than 40% of surface affected by the above

Surface Condition - Asphalt:

- Cracking of any type
- Rutting
- Potholes/Patching

Ratings - Asphalt:

- Excellent – None of the surface affected by the above (recently constructed)
- Good – Less than 10% of surface affected by the above
- Fair – Between 10% and 40% of surface affected by the above
- Poor – More than 40% of surface affected by the above

Index Values of Visual Ratings on Parking Lots and Manually Rated Roads

Excellent	97
Good	90
Fair	73
Poor	45

Drainage Condition Rating Definitions

- Good:** Minimal overall drainage problems. If funding were available for pavement maintenance, 25% or less is estimated to correct drainage deficiencies.
- Poor:** Problems exist that jeopardizes the integrity of the road in this section. If funding were available for pavement maintenance, 50% to 100% is estimated to correct drainage deficiencies.

Drainage Condition Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainage ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Drainage

Most water clears the road prism adequately with little concern of base saturation.

- X Pavement has minor deficiencies that interrupt water flow.
- X Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- X Curbs have deficiencies, but still function without erosion.
- X Down drains are placed properly, but show signs of some deterioration.
- X Culverts are adequate in numbers and size however, minor deficiencies are evident.
- X Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

Poor Drainage

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- X Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- X Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- X Portions of curbs are missing, allowing water to escape causing erosion.
- X Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- X Down drains show signs of water exiting in areas by the down drain causing erosion.
- X Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- X Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

- Good:** The shoulder is generally in good functional condition. If curbs are present, they are functional.
- Poor:** There is no shoulder because erosion has removed it. If curbs are present, they need to be replaced.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Shoulders

- X If shoulder is unpaved drop-offs are less than 1", but grading is required.
- X If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- X If curbs are present they are functional.

Poor Shoulder

- X If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- X If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- X If curbs are present they need replacement.
- X If curbs are present they need repairs, and there is erosion behind the curb.

APPENDIX C: DIGITAL IMAGE INFORMATION

All images collected in Cycle 3 are digital images. These images provide the best resolution for identifying sign inventories and pavement evaluations. The images can be viewed with an interactive software program called **Visi-Data**. Each park will have a copy of the Visi-Data program installed in the park for park personnel to access and use.

Only Cycle 3 data can be queried and reviewed using the Visi-Data software program. This program is a multimedia data presentation and analysis tool that can be accessed either at the individual park, park region or at NPS headquarters. The data is organized in a hierarchical manner and presented in tabular and graphical formats. The user is able to perform queries and drill down through the data to find the particular information they are trying to query. Associated digital right-of-way images from either the LAN, USB port, individual DVD, or from the Visi-web application, can be presented along with the GPS locations.

APPENDIX D: METADATA

ARAN ROUTE GPS DATA

Background information of route spatial data.

GPS Records: GPS data for NPS routes is stored in the MS Access database for the park. The coordinates of the road traces are stored in the 'PMS_20' table in the 'GPS_LAT' and 'GPS_LON' fields.

Data Collection Device:

Vehicle Information: Ford Van
Type of GPS Unit: NovAtel MiLLennium, 12 channel, dual frequency L1/L2, DGPS ready receiver w/MiLLennium 502 GPS antenna and OmniSTAR System 3000 LR
Inertial System: Applanix POS LV

Accuracy: Expected ground accuracy is 1 meter *

*The above accuracy assumes good GPS mission planning resulting in maximum GPS satellite observation and ideal environmental conditions. Due to less than ideal satellite and environmental conditions, some routes may lack the expected ground accuracy.

Geographic Datum: WGS 1984

Post Collection GPS Correction: Due to unanticipated GPS collection inaccuracies, some route locations have been digitized using DOQQ's and other data sources.

FHWA – NPS Road Inventory Program Cycle 3 Metadata for the Park Database

The purpose of these sheets is to provide users of the Road Inventory Program's data with data accuracies and tolerances to help users define ways in which the RIP data can and cannot be used. For further information on specifics of data collection equipment, data collection procedures, equipment calibrations, or quality control/quality assurance procedures, please contact Jim Kennedy, Project Manager, Data Quality Assurance, at 720-963-3560 or jim.kennedy@fhwa.dot.gov.

All Road Inventory Program data undergoes quality control and quality assurance testing. This document represents the known data accuracies and tolerances for the data collection equipment, data collection procedures, and data processing procedures currently in use. Many additional tests conducted on the park databases during the quality assurance phase to ensure data integrity are not listed as a part of this document. Before it is delivered, a park database undergoes a large set of table design consistency, field data format consistency, data completeness, uniqueness of key fields, data reasonableness, acceptable data range, within-field data consistency, between-field data consistency, and between-table data consistency tests. Additional data sampling checks are conducted to ensure proper data upload from raw files into the park database and to quality check the pavement crack analysis. Further information is detailed in the FHWA – NPS RIP Quality Assurance Manual, available upon request.

This description of metadata includes only the known accuracies with which a data field matches its expected value. The tables that follow this page show each database field's:

- Field – field name
- Format – data type and number of characters of field
- Expected Value – meaning of value assigned to field
- Source – when in process field value obtained
- Validation – how field value obtained
- Expected Accuracy – accuracy with which contents of field match Expected Value

Verifying and continually improving the accuracy of Road Inventory Program data is an ongoing goal of the Federal Highway Administration and the National Park Service. Field testing and post-collection analysis of ARAN (Automatic Road Analyzer) -collected data will continue in Cycle 4. Data quality is expected to improve as the FHWA – NPS Road Inventory Program continues to operate, due to the fact that future data collection cycles will consist in large part of data updates. Also, technological improvements are expected to render the data increasingly consistent with actual roadway conditions as data collection cycles progress.

Specific Caveats

- Three canned reports are titled “Features in Good Condition”, “Features in Fair Condition,” and “Features in Poor Condition.” These titles could be misleading. In Cycle 3, condition assessments have been conducted on **signs only**. Condition assessments have not been conducted on non-sign features, such as culverts, guardrails, pullouts, etc. Although the database and canned reports might report a default value of “good” for un-assessed features, these condition values are not valid for import into FMSS.
- Database records that show a concrete surface type sometimes include index values that seem to show a perfect roadway (e.g., a Pavement Condition Rating (PCR) of 100). The Road Inventory Program does not actually conduct condition assessments of concrete surfaces. The perfect values are just default values assigned to unassessed sections of pavement and do not represent an assessment of the roadway surface's quality.
- On the USB drive, in the Database folder, parks are provided with intersection lists and exceptions lists. These documents should be treated as raw files and are **not accurate**. Refer to the final database for accurately post-processed intersection data.
- Most roadway data is collected in the primary direction lane of a roadway. To save data storage

space and to reduce data analysis efforts, the assumption was made that the paved surface condition of a route's primary lane adequately represents the surface condition of the full roadway. Therefore, in the database, opposite-direction records in the PMS_Visidata table do not include assessed values for roadway surface distresses. Values such as 0, N/A, -1, or a repeat of the primary-direction assessed value indicate that no assessment was performed. The PMS_20 and PMS_Mile tables simply exclude all opposite routes.

- Most roadway features are collected relative to the primary direction lane of a roadway, using the primary-direction video. Signs are the only features collected using the opposite-direction video.

Key to Notes in Tables

(1): Note that only one value fits in field, so even if this value varies throughout the route, only one value is recorded here.

(2): Note that some MP values listed here are estimates recorded during the Route ID process for use by the data collection crew (e.g. "FROM ROUTE 0010 AT MILEPOST 30.3"). They are estimates only and are not expected to match the more accurate milepost values included elsewhere in the database in the BEG_MP, END_MP, and MP fields.

(3): Mileage is measured by the ARAN (Automatic Road ANalyzer) data collection vehicle out to the 0.001 decimal place. The DMI (distance measuring instrument) is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration.

(4): Features are measured differently depending on whether they are visible in the forward-facing video of the roadway, but every feature milepost measurement depends on the baseline measurement of the data collection vehicle's mileage. The ARAN (Automatic Road ANalyzer) data collection vehicle's mileage is measured by the DMI (distance measuring instrument) out to the 0.001 decimal place. The DMI is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration. If a feature will not be visible in the forward-facing video, its milepost is determined by the data collectors' key press tagging the milepost when the ARAN passes the feature. Key presses are entered into the ARAN software when the vehicle travels typically between 15 and 45 miles/hour, so a delay of a single second as the vehicle passes a feature would result in an inaccuracy of 0.004 miles (22 feet) to 0.012 miles (66 feet). If a feature is visible in the video, its milepost is determined during post-processing using a video measurement software called Surveyor. Features along the side of a roadway that are measured using the Surveyor software might not be located very accurately. Surveyor is known to be most accurate when measuring quantities near the center of the video frame, as opposed to in the edges of the video image.

(5): Only signs are evaluated for condition. No other features' conditions are assessed, so "N/A" was originally intended to be the default value for unassessed features. However, some non-sign features do have condition ratings in the database. These are not accurate, because no assessment was ever done on non-sign features.

(6): Condition assessments are not conducted on concrete (CO) surface types. Perfect values for concrete road sections are default values and do not represent a condition assessment of the concrete surfaces.

(7): Roadway cracking presence, type, severity, and extent are determined by filming the roadway in the primary lane continuously with two overlapping analog cameras of 640 x 480 resolution. The images from both cameras are stitched together in real time to create a continuous strip image of the roadway pavement in the primary lane. Cracks 3 mm or greater in width are visible in this video. A semi-automatic process running the WiseCrax software with additional input by human operators provides the cracking quantities recorded in these database fields. Quality checks have determined that a consistent 80% or better of the visible cracks are recorded.

Access Database Metadata

Master Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
RTE_NAME	(Text)	Route name	Route ID Meeting	Park Input	Untested. 50 characters fit in field
FUNCT_CLAS	X	Route functional classification	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP_EST	999.999 (miles)	Estimated starting MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
END_MP_EST	999.999 (miles)	Estimated ending MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
FROM_DESC	(Text)	Beginning terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
TO_DESC	(Text)	Ending terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
COMP_DIR	XX	Compass direction of route's primary lane (nearest cardinal direction)	Route ID Meeting	Park Input/FHWA Determination	Untested
COMMENTS	(Text)	Special information, if any	Contractor Post-processing	Contractor Input	Untested
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
BEG_MP	999.999 (miles)	Beginning MP collected	ARAN Data Collection	Automatic Output	100% (3)
END_MP	999.999 (miles)	Ending MP collected	ARAN Data Collection	Automatic Output	100% (3)

PMS_Feature Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLAS	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
MP	999.999 (miles)	Feature location along route	ARAN Data Collection/Contractor Post-processing	Survey Crew Input/Video Processing	Untested (4)
EVENT	XXXX	Event category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_CODE	XXXX	Event sub-category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_DESC	(Text)	Description of feature/contents of sign	Contractor Post-processing	Video Processing	Untested
MUTCD	"N/A"	N/A. Intended to be sign MUTCD code	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
CONDITION	XXX	Sign condition (G-D, F-R, P-R, N/A)	Contractor Post-processing	Video Processing	Untested (5)
COMMENT	(Text)	Sign label, intersecting route, etc.	Contractor Post-processing	Database Processing	Untested
OFFSET	"N/A"	N/A. Intended to be offset from pavement edge	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
SIDE	XXX	Side of route; "N/A" if not on one side	Contractor Post-processing	Video Processing	Untested
STR_NUMBER	XXXXXXXXXXXX	FHWA bridge structure number	FHWA Post-processing	Database Processing	Untested
GPS_LAT	"N/A"	N/A. Intended to be latitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_LON	"N/A"	N/A. Intended to be longitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_ELEV	"N/A"	N/A. Intended to be elevation	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_MODE	"N/A"	N/A. Intended to be GPS mode	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
VIDEO	<Park-C03VID-#>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing feature	Contractor Post-processing	Automatic Output	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISL_FROM	999999 (millimiles)	Raw MP of first video frame showing feature	Contractor Post-processing	Database Processing	Untested
VISL_TO	999999 (millimiles)	Raw MP of last video frame showing feature	Contractor Post-processing	Database Processing	Untested

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

PMS 20, PMS Mile & PMS Visidata Tables Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLASS	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP	999.999 (miles)	MP at start of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
END_MP	999.999 (miles)	MP at end of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
INT_LENGTH	999.9 (ft)	Length of road interval as aggregated for data table	Contractor Post-processing	Database Processing	100%
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
LANE_NO	X	Data collection lane	Contractor Post-processing	Database Processing	Untested
WX_LANE_WIDTH	99.999 (ft)	WiseCrax (crack detection software) analysis width	Contractor Post-processing	Automatic Output	Untested
LANE_WIDTH	99.999 (ft)	Width of lane	Contractor Post-processing	Video Processing	Untested
PAVE_WIDTH	99.999 (ft)	Full pavement width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_L	99.999 (ft)	Left shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_R	99.999 (ft)	Right shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_COND_L	XXXX	Left shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
SHLD_COND_R	XXXX	Right shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_L	XXXX	Left drainage condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_R	XXXX	Right drainage condition	ARAN Data Collection	Survey Crew Input	Untested
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
PCR	999	Pavement Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
RCI	999	Roughness Condition Index; -1 if invalid IRI	Contractor Post-processing	Database Processing	100% for calculation

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
SCR	999	Surface Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
IRI_AVG	999.9 (inches/mile)	Average IRI	Contractor Post-processing	Database Processing	Untested
IRI_SD	999.9 (inches/mile)	IRI standard deviation	Contractor Post-processing	Database Processing	Untested
IRI_L	999.9 (inches/mile)	Left wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_R	999.9 (inches/mile)	Right wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_FLAG	0 or -1	-1 if invalid IRI data	Contractor Post-processing	Database Processing	Untested
RUT_INDEX	999	Rut index	Contractor Post-processing	Database Processing	100% for calculation (6)
RUT_AVG	99.99 (inches)	Average rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MAX	99.99 (inches)	Maximum rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_SD	9.9	Rut depth standard deviation	Contractor Post-processing	Database Processing	Untested (6)
RUT_LOW	999 (%)	Percent of low severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MED	999 (%)	Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_HI	999 (%)	Percent of high severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
XFALL	999.9 (% slope)	Cross fall at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
GRADE	999.9 (% slope)	Grade at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
AC_INDEX	999	Alligator cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
AC_LOW	999.9999 (%)	Percent of WiseCrax measured lane area with low-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_MED	999.9999 (%)	Percent of WiseCrax measured lane area with medium-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_HI	999.9999 (%)	Percent of WiseCrax measured lane area with high-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
LC_INDEX	999	Longitudinal cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
LC_LOW	999.99 (%)	Low-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_MED	999.99 (%)	Medium-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_HI	999.99 (%)	High-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
TC_INDEX	999	Transverse cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
TC_LOW	999.99 (cracks)	Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_MED	999.99 (cracks)	Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_HI	999.99 (cracks)	Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
PATCH_INDEX	999	Patching index	Contractor Post-processing	Database Processing	100% for calculation (6)

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
PATCHING	999.9999 (%)	Percent of WiseCrax measured lane area affected by patching	Contractor Post-processing	Manual Pavement Video Processing	Untested (6)
GPS_LAT	999.9999999	Latitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_LON	-999.9999999	Longitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_ELEV	999999.9	Elevation	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_MODE	XXX	GPS mode during collection	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
VIDEO	<Par/>C03VID<#>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing road interval	Contractor Post-processing	Automatic Output	Untested
SPEED	999 (miles/hour)	Average ARAN speed during data collection	ARAN Data Collection	Automatic Output	Untested
BRIDGE_FLAG	0 or 1	Flag indicating presence of bridge in interval	ARAN Data Collection	Survey Crew Input	Untested
CONSTR_FLAG	0 or 1	Flag indicating construction in interval	ARAN Data Collection	Survey Crew Input	Untested
LANEDEV_FLG	0 or 1	Flag indicating lane deviation in interval	ARAN Data Collection	Survey Crew Input	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
NODISTRESS	0 OR 1	Flag indicating absence of pavement distress	Contractor Post-processing	Database Processing	100%
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISL_FROM	999999 (millimiles)	Raw MP of first video frame in section	Contractor Post-processing	Database Processing	Untested
VISL_TO	999999 (millimiles)	Raw MP of last video frame in section	Contractor Post-processing	Database Processing	Untested
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

Cycle 3 Shapefile Metadata

Metadata is provided for all shapefiles used for the creation of RIP report documents. The metadata for each shapefile associated with the park can be found in Section 10 of the PDF report provided on your park CD.

All shapefiles have the following spatial characteristics:

Geographic_Coordinate_Units: Decimal degrees
Spheroid: WGS 1984

gwmp_mi

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: gwmp_mi

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Routes

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. The shapefile is processed to aggregate adjacent segments with the same PCR rating provided in the PMS_mile table.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.256676

East_Bounding_Coordinate: -77.039917

North_Bounding_Coordinate: 39.001522

South_Bounding_Coordinate: 38.710129

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 219

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: gwmp_mi

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: LENGTH

Attribute_Definition: Length of feature

Attribute_Definition_Source: ESRI

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RT_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCRMI

Attribute_Definition: Numeric PCR definition

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0

Range_Domain_Maximum: 100

Attribute:

Attribute_Label: PCR_RATEMI

Attribute_Definition: Verbal PCR definition

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: POOR

Enumerated_Domain_Value_Definition: PCR value <= 60

Enumerated_Domain:

Enumerated_Domain_Value: FAIR

Enumerated_Domain_Value_Definition: PCR value 61-84

Enumerated_Domain:

Enumerated_Domain_Value: GOOD

Enumerated_Domain_Value_Definition: PCR value 85-94

Enumerated_Domain:

Enumerated_Domain_Value: EXCELLENT

Enumerated_Domain_Value_Definition: PCR value 95-100

Attribute:

Attribute_Label: TSR_EDIT

Attribute_Definition: Indicates whether feature has been edited for graphic purposes.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1

Enumerated_Domain_Value_Definition: Edit has been made to feature for graphic purposes

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: No edit made to feature.

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.016

Metadata_Reference_Information:

Metadata_Date: 20060124

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>
Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 10:00:27 2006

gwmp_mi_pt

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: gwmp_mi_pt

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Mile Points

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. All attributes found in the PMS_20 table are found on the miles points.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: Not Available

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.255302

East_Bounding_Coordinate: -77.040787

North_Bounding_Coordinate: 38.995144

South_Bounding_Coordinate: 38.710209

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD Sterling

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for mile points

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity point

Point_and_Vector_Object_Count: 248

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: gwmp_mi_pt

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: RIP_CYCLE

Attribute_Definition: 3, for data collection cycle 3

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: STATE

Attribute_Definition: State where route is located

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: PARK_NO

Attribute_Definition: Park numeric code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: FUNCT_CLAS

Attribute_Definition: Route functional class

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: DIRECTION

Attribute_Definition: Survey lane: PRI (primary) or OPP (opposite)

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: BEG_MP

Attribute_Definition: MP at end of road interval described by database record

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: END_MP

Attribute_Definition: MP at end of road interval described by database record

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: INT_LENGTH

Attribute_Definition: Length of road interval as aggregated from data table

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RTE_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: NO_LANES

Attribute_Definition: Number of lanes in route

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: LANE_NO

Attribute_Definition: Data collection lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: WX_LANE_WI

Attribute_Definition: WiseCrax (crack detection software) analysis width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: LANE_WIDTH

Attribute_Definition: Width of lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: PAVE_WIDTH

Attribute_Definition: Full pavement width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_WIDTH

Attribute_Definition: Left shoulder width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_WID_1

Attribute_Definition: Right shoulder width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_COND_

Attribute_Definition: Left shoulder condition

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SHLD_COND1

Attribute_Definition: Right shoulder condition

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: DRAIN_COND
Attribute_Definition: Left drainage condition
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: DRAIN_CO_1
Attribute_Definition: Right drainage condition
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SURF_TYPE
Attribute_Definition: Surface type of route
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCR
Attribute_Definition: Pavement Condition Rating
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RCI
Attribute_Definition: Roughness Condition Index; -1 if invalid IRI
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SCR
Attribute_Definition: Surface Condition Rating
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_AVG
Attribute_Definition: Average IRI
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_SD
Attribute_Definition: IRI Standard Deviation
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_L
Attribute_Definition: Left wheel path IRI
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: IRI_R
Attribute_Definition: Right wheel path IRI
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: IRI_FLAG
Attribute_Definition: -1 if invalid IRI data
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_INDEX
Attribute_Definition: Rut index
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_AVG
Attribute_Definition: Average rut depth of both wheelpaths
Attribute_Definition_Source: Contractor Post-processing

*Attribute:**Attribute_Label:* RUT_MAX*Attribute_Definition:* Maximum rut depth of both wheelpaths*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* RUT_SD*Attribute_Definition:* Rut depth standard deviation*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* RUT_LOW*Attribute_Definition:*

Percent of low severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* RUT_MED*Attribute_Definition:*

Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* RUT_HI*Attribute_Definition:*

Percent of high severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* XFALL*Attribute_Definition:* Cross fall at start of road interval*Attribute_Definition_Source:* ARAN Data Collection*Attribute:**Attribute_Label:* GRADE*Attribute_Definition:* Grade at start of road interval*Attribute_Definition_Source:* ARAN Data Collection*Attribute:**Attribute_Label:* AC_INDEX*Attribute_Definition:* Alligator cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* AC_LOW*Attribute_Definition:*

Percent of WiseCrax measured lane area with low-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* AC_MED*Attribute_Definition:*

Percent of WiseCrax measured lane area with medium-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* AC_HI*Attribute_Definition:*

Percent of WiseCrax measured lane area with high-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing

*Attribute:**Attribute_Label:* LC_INDEX*Attribute_Definition:* Longitudinal cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* LC_LOW*Attribute_Definition:*

Low-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* LC_MED*Attribute_Definition:*

Medium-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* LC_HI*Attribute_Definition:*

High-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_INDEX*Attribute_Definition:* Transverse cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* TC_LOW*Attribute_Definition:*

Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_MED*Attribute_Definition:*

Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_HI*Attribute_Definition:*

Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* PATCH_INDE*Attribute_Definition:* Patching index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* PATCHING*Attribute_Definition:* Percent of WiseCrax measured lane area affected by patching

Attribute_Definition_Source: Contractor Post-processing
Attribute:
Attribute_Label: GPS_LAT
Attribute_Definition: Latitude coordinate
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: GPS_LON
Attribute_Definition: Longitude coordinate
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: GPS_ELEV
Attribute_Definition: Elevation
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: GPS_MODE
Attribute_Definition: GPS mode during collection
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: VIDEO
Attribute_Definition: Removable USB video hard drive number
Attribute_Definition_Source: Contractor Post-processing
Attribute:
Attribute_Label: IMAGE
Attribute_Definition: Filename of .jpg image showing road interval
Attribute_Definition_Source: Contractor Post-processing
Attribute:
Attribute_Label: SPEED
Attribute_Definition: Average ARAN speed during data collection
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: BRIDGE_FL
Attribute_Definition: Flag indicating presence of bridge in interval
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: CONSTR_FL
Attribute_Definition: Flag indicating construction in interval
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: LANEDEV_FL
Attribute_Definition: Flag indicating lane deviation in interval
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: DATE
Attribute_Definition: Data collection date
Attribute_Definition_Source: ARAN Data Collection
Attribute:
Attribute_Label: NODISTRESS
Attribute_Definition: Flag indicating absence of pavement distress
Attribute_Definition_Source: Contractor Post-processing
Attribute:
Attribute_Label: FILENAME

Attribute_Definition: Filename of raw data files
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SECTION
Attribute_Definition: route section ID
Attribute_Definition_Source: Route ID Meeting / ARAN Data Collection

Attribute:

Attribute_Label: FKEY
Attribute_Definition: Unique record ID
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_FROM
Attribute_Definition: Raw MP of first video frame in section
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_TO
Attribute_Definition: Raw MP of last video frame in section
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IDKEY
Attribute_Definition: Unique record ID used by VisiData
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: MP_REF
Attribute_Definition: Range of mileage to play in VisiData
Attribute_Definition_Source: Contractor Post-processing

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.030

Metadata_Reference_Information:

Metadata_Date: 20060124

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 10:00:43 2006

gwmp_mrp_03_map

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: gwmp_mrp_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Manually Rated Roads - Polygons

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2/28/2004

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.050035

East_Bounding_Coordinate: -77.048601

North_Bounding_Coordinate: 38.848563

South_Bounding_Coordinate: 38.846358

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: None

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for manually rated roads.*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 1

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* gwmp_mrp_03_map*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:*

Sequential unique whole numbers that are automatically generated.

*Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route Number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route Name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* SECTION_*Attribute_Definition:* Route section ID*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Area of manually rated road in square feet

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.187

*Metadata_Reference_Information:**Metadata_Date:* 20060124*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 09:59:33 2006

gwmp_mrp_03

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: gwmp_mrp_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Manually Rated Roads - Polygons

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2/28/2004

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.050035

East_Bounding_Coordinate: -77.048601

North_Bounding_Coordinate: 38.848563

South_Bounding_Coordinate: 38.846358

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: None

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for manually rated roads.*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 1

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* gwmp_mrp_03*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:*

Sequential unique whole numbers that are automatically generated.

*Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route Number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route Name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* SECTION_*Attribute_Definition:* Route section ID*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Area of manually rated road in square feet

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.187

*Metadata_Reference_Information:**Metadata_Date:* 20060124*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 09:58:51 2006

gwmp_nonnps

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: gwmp_nonnps

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: non-NPS roads

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from heads-up digitizing of roads representing non-NPS roads for graphic purposes

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.142516

East_Bounding_Coordinate: -77.134776

North_Bounding_Coordinate: 38.971104

South_Bounding_Coordinate: 38.962845

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for non-NPS roads

Lineage:

Source_Information:

Type_of_Source_Media: Heads-up digitized

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 2

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: gwmp_nonnps

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: Id

Attribute_Definition: Name of road if available

Attribute:

Attribute_Label: Name

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.008

Metadata_Reference_Information:

Metadata_Date: 20060206

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Mon Feb 06 13:28:31 2006

gwmp_pkg_03_map

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: gwmp_pkg_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Copy of Parking Areas

Purpose: Road Inventory Program

Supplemental_Information:

This shapefile is a copy of the source parking shapefile. The features are edited as needed for graphic purposes.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 3/9/2004

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.256666

East_Bounding_Coordinate: -77.039713

North_Bounding_Coordinate: 39.003034

South_Bounding_Coordinate: 38.710170

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: G-polygon

Point_and_Vector_Object_Count: 103

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: gwmp_pkg_03_map

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NAME

Attribute_Definition: Route name

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: FEATURE

Attribute:

Attribute_Label: SURF_TYPE

Attribute_Definition: Surface type of route

Attribute_Domain_Values:

Attribute:

Attribute_Label: CONDITION

Attribute_Definition: Condition rating for route

Attribute:

Attribute_Label: PHOTOS

Attribute_Definition: Photo filename associated with feature

Attribute:

Attribute_Label: COMMENT

Attribute_Definition: Field comment

Attribute:

Attribute_Label: GPS_DATE

Attribute_Definition: Date of GPS collection

*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Feature area in square feet

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.018

*Metadata_Reference_Information:**Metadata_Date:* 20060124*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 10:00:09 2006

gwmp_pkg_03

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: gwmp_pkg_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Parking Areas

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 3/9/2004

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.256666

East_Bounding_Coordinate: -77.039713

North_Bounding_Coordinate: 39.003034

South_Bounding_Coordinate: 38.710170

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for parking areas*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 103

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* gwmp_pkg_03*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:*

Sequential unique whole numbers that are automatically generated.

*Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* FEATURE*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute_Domain_Values:**Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating for route*Attribute:**Attribute_Label:* PHOTOS*Attribute_Definition:* Photo filename associated with feature*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT

Attribute_Definition: Feature area in square feet

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.018

Metadata_Reference_Information:

Metadata_Date: 20060124

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 09:59:53 2006

gwmp_seg

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: gwmp_seg

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Routes

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. The shapefile is processed to aggregate adjacent segments with the same PCR rating.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -77.256676

East_Bounding_Coordinate: -77.039917

North_Bounding_Coordinate: 39.001522

South_Bounding_Coordinate: 38.710129

Keywords:

Theme:

Theme_Keyword_Thesaurus: GWMP

Theme_Keyword: GWMP

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 1054

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: gwmp_seg

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: LENGTH

Attribute_Definition: Length of feature

Attribute_Definition_Source: ESRI

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RT_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCR_RATEAV

Attribute_Definition:

Numeric PCR definition. Average PCR value based on programatic averaging of adjacent segments.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0

Range_Domain_Maximum: 100

Attribute:

Attribute_Label: PCRAV

Attribute_Definition: Verbal PCR definition based on value in PCRAV field

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: POOR

Enumerated_Domain_Value_Definition: PCR value <= 60
Enumerated_Domain:
Enumerated_Domain_Value: FAIR
Enumerated_Domain_Value_Definition: PCR value 61-84
Enumerated_Domain:
Enumerated_Domain_Value: GOOD
Enumerated_Domain_Value_Definition: PCR value 85-94
Enumerated_Domain:
Enumerated_Domain_Value: EXCELLENT
Enumerated_Domain_Value_Definition: PCR value 95-100

*Attribute:**Attribute_Label:* TSR_EDIT*Attribute_Definition:* Indicates whether feature has been edited for graphic purposes.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 1*Enumerated_Domain_Value_Definition:* Edit has been made to feature for graphic purposes*Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* No edit made to feature.*Attribute:**Attribute_Label:* ID*Attribute:**Attribute_Label:* RTE_NO*Attribute:**Attribute_Label:* BMP*Attribute:**Attribute_Label:* EMP*Attribute:**Attribute_Label:* PCR*Attribute:**Attribute_Label:* PCR_RATE*Attribute:**Attribute_Label:* RT_LENGTH*Attribute:**Attribute_Label:* PCRMI*Attribute:**Attribute_Label:* PCR_RATEMI*Attribute:**Attribute_Label:* PCR_RATEAV*Attribute:**Attribute_Label:* PCRAV*Attribute:**Attribute_Label:* TSR_EDIT*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:*

Digital_Form:
Digital_Transfer_Information:
Transfer_Size: 0.016

Metadata_Reference_Information:
Metadata_Date: 20060124
Metadata_Contact:
Contact_Information:
Contact_Organization_Primary:
Contact_Organization: EFLHD Sterling
Contact_Person: Dan VanGilder
Contact_Position: GIS Coordinator
Contact_Address:
Address_Type: mailing and physical address
City: Sterling
State_or_Province: Virginia
Postal_Code: 20166
Country: United States
Contact_Voice_Telephone: 703-404-6361
Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov
Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998
Metadata_Time_Convention: local time
Metadata_Extensions:
Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>
Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Tue Jan 24 10:00:57 2006