



The Road Inventory of Hawaii Volcanoes National Park HAVO – 8300



national park service



Road Inventory Program

Prepared By:
Federal Highway Administration
Eastern Federal Lands Highway Division
Cycle 3



Hawaii Volcanoes National Park in Hawaii





TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
1.	INTRODUCTION	1 - 1
2.	PARK SUMMARY INFORMATION	
	National Park Summaries	2 - 1
	Cost to Improve Based on Historical and Estimated Data	2 - 2
	Paved Route Miles and Percentages by Functional Class and PCR	2 - 3
3.	PARK SUMMARY MAPS	
	Route Location Key Map	3 - 1
	Route Condition Key Map – PCR Mile by Mile	3 - 6
4.	PARK ROUTE INVENTORY	
	Route Identification Lists (Numeric and Alphabetic)	4 - 1
5.	PAVED ROUTE CONDITION RATING SHEETS	5 - 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS	6 - 1
7.	PARKING LOT CONDITION RATING SHEETS	7 - 1
	Paved parking Areas	
8.	PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY	8 - 1
9.	PARK ROUTE MAINTENANCE FEATURES ROAD LOG	9 - 1
10.	APPENDIX	
	A. Glossary of Terms and Abbreviations	10 - 1
	B. Description of Rating System	10 - 3
	C. Digital Image Information	10 - 7
	D. Metadata	10 - 8

INTRODUCTION

Background: In July 1976, the National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). In 1980, the NPS and the FHWA terminated the 1976 MOA and entered into a new MOA that provided for the completion of the initial phase of the RIP. The purpose of the RIP, per the 1980 MOA, was to maintain and update RIP data in order to develop long-range and short-range costs and programs to bring National Park Service (NPS) roads up to, or to maintain, designated standards, and to establish a maintenance management program.

The FHWA's Federal Lands Highway (FLH) was assigned the task of identifying condition deficiencies and corrective priorities along with associated corrective costs, inventorying maintenance features (e.g., culverts, signs, guardrail, etc.), summarizing the data and findings in a report, and providing a photographic record of the road system.

The FLH completed the initial phase of the RIP in the early 1980's. As a result of this effort, each park received a RIP book, also known as the "Brown Book," that included the information collected during this initial RIP phase.

In an effort to maintain and update the RIP data, a cyclical data collection and reporting process was re-established in the 1990's. The FLH completed two cycles of RIP data collection between 1994 and 2001. Cycle 1 data was collected in 44 large parks from 1994 to 1995. This data was found to be unusable for comparison to future cycles. Cycle 2 data was collected from March 1997 to January 2001 in 79 large parks and 5 small parks containing 4,874 route miles. Each park received a copy of a Cycle 2 RIP Report, also known as the "Blue Book."

Since 1984, the RIP Program has been funded through the Federal Lands Highway Program's Park Roads and Parkways (PRP) Program. Currently, the NPS Washington Headquarters' Park Facility Management Division is responsible for coordinating the RIP program with the FLH. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) which requires the Federal Highway Administration and the National Park Service, to develop, by rule, a Pavement Management System (PMS) for the park roads and parkways serving the National Park System. As a result of the requirements in TEA-21, the NPS and the FHWA are in the process of developing a PMS. The PMS will assist the decision-makers in effectively spending limited PRP Program funds. The PMS will provide information for planning and programming road maintenance, rehabilitation, and reconstruction activities. RIP data will provide the basic information for this system.

Key information included in the RIP is the mileage inventory and condition assessments accomplished by the RIP Program. The mileage and condition data are used in the current allocation formula of PRP Program funds.

RIP Cycle 3: A third RIP cycle was initiated in 2001. Data was collected from March 2001 to July 2004, and is included in the Cycle 3 Reports. Cycle 3 includes 254 large and small parks with a combined total of 5,455 route miles.

In the Cycle 3 Reports, a general condition rating of excellent, good, fair and poor is ascribed to each one-mile section of paved roadway, and to each paved parking area. This condition rating system provides a realistic means of assessing the general funding needs for road improvements. Along with these descriptive condition ratings, a numerical rating between 0 and 100 is ascribed to each mile of road and to each parking area.. This numerical rating is called a Pavement Condition Rating (PCR). The PCR rating system is described in Section 10 of this report.

All of the fieldwork required for obtaining inventory, condition, and maintenance feature information is coordinated with each park and the regional offices to ensure that the information in the RIP reports is accurate.

The FLH is responsible for all of the data presented in this report. Anyone having questions or comments regarding the contents of this report is encouraged to contact the FHWA RIP Coordinator. It is our aim to provide exceptional customer satisfaction in our delivery of the RIP program.

FHWA RIP Coordinator:

James A. Amenta
FHWA/EFLHD
Technical Services, HTS-15
21400 Ridgetop Circle
Sterling, VA 20166
(703) 404-6366

Hawaii Volcanoes National Park Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
Paved ARAN Driven Route Miles	54.00	5/12/2001
Unpaved Estimated Route Miles	20.25	5/12/2001
Paved ARAN and Unpaved Route Miles	74.25	
Paved ARAN Driven Lane Miles	90.41	5/12/2001
Paved MRR Lane Miles	0.39	5/12/2001
Parking Lot Lane Miles	10.51	5/12/2001
Total Paved Lane Miles	101.31	

Notes: Total Paved Lane Miles includes the sum of Paved ARAN Driven Lane Miles, Paved MRR Lane Miles, and Parking Lot Lane Miles

Unpaved Route Miles are estimates, they have not been inventoried by the Roadway Inventory Program (RIP)

Hawaii Volcanoes National Park Summaries

Cost to Improve to "Excellent" Condition

SOURCE	WORK PERFORMED	COST PER MILE	INITIAL CONDITION
FHWA Awarded Projects	Surface Maintenance	\$30,000	Excellent
FHWA Awarded Projects	3-R (Resurfacing)	\$110,000	Good
FHWA Awarded Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	\$560,000	Fair
FHWA Awarded Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	\$1,540,000	Poor

Based on the above table, the cost to improve ARAN driven paved road condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to Improve
Excellent	0.08	\$2,400
Good	0.88	\$96,800
Fair	13.39	\$7,498,400
Poor	39.65	\$61,061,000
Totals	54.00	\$68,658,600

The above numbers include the 35% PE, CE and contingency costs and are national averages. The cost estimates were used in the calculations for the 2004 Reauthorization Bill to determine the level of funding required to bring all the NPS roads into a Pavement Condition Rating (PCR) of Good (85).

These numbers are for preliminary planning purposes only and should not be used for project level proposals. For park planning level analysis, apply your park multiplier for more accurate regional costs.

Hawaii Volcanoes National Park Summaries

Paved Route Miles and Percentages by Functional Class and PCR for ARAN Driven Paved Roads


F.C.	Pavement Condition Rating								TOTAL MILES
	Poor (<=60) MILES %		Fair (61-84) MILES %		Good (85-94) MILES %		Excellent (95-100) MILES %		
1	24.87	46.06%	13.03	24.13%	0.88	1.63%	0.08	0.15%	38.86
2	12.61	23.35%	0.20	0.37%					12.81
3	0.73	1.35%	0.06	0.11%					0.79
4	1.35	2.50%	0.10	0.19%					1.45
5									
6	0.09	0.17%							0.09
7									
8									
Totals	39.65	73.43%	13.39	24.80%	0.88	1.63%	0.08	0.15%	54.00

Hawaii Volcanoes National Park

Route Location

Key Map

(No Adjacent TOPO Data Available)



(No Adjacent TOPO Data Available)

— Park Owned Routes

5 2.5 0 5 Miles




3-1

Hawaii Volcanoes National Park

Route Location

Area Map 1



Unique colors used to differentiate routes




3-2

Hawaii Volcanoes National Park

Route Location

Area Map 2



Unique colors used to differentiate routes



Hawaii Volcanoes National Park

Route Location

Area Map 3




Unique colors used to differentiate routes



Hawaii Volcanoes National Park

Route Location

Area Map 4



No Data Available

Unique colors used to differentiate routes




Hawaii Volcanoes National Park

Route Condition Key Map

PCR - Mile by Mile

(No Adjacent TOPO Data Available)



(No Adjacent TOPO Data Available)

PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.




3-6

Hawaii Volcanoes National Park

Route Condition Area Map 1

PCR - Mile by Mile



PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



Hawaii Volcanoes National Park

Route Condition Area Map 2

PCR - Mile by Mile



PCR	Poor	Fair	Good	Excellent
	(<=60)	(61 - 84)	(85 - 94)	(95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



Hawaii Volcanoes National Park

Route Condition Area Map 3

PCR - Mile by Mile




PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.



3-9

Hawaii Volcanoes National Park Route Condition Area Map 4 PCR - Mile by Mile



No Data Available

PCR	Poor		Fair		Good		Excellent	
	(<=60)		(61 - 84)		(85 - 94)		(95 - 100)	

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

2 1 0 2 Miles N 3-10

NPS/RIP Route ID Report

(Numerical By Route #)

Page 1 of 3

Shading Color Key:
Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

HAVO*Hawaii Volcanoes National Park*

Rte. #	FMSS Asset #	Route Name	Route Description From _____ To _____	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0010	22286	Crater Rim Drive	From Route 5011 at MP 0.88 on Left To Route 0010 at MP 0.12	10.61	0.00	10.61	1	2	0	AS
0012	22294	Chain of Craters Road	From Route 0010 at MP 7.55 on Right To End of Loop at Eruption Site	19.75	0.00	19.75	1	2	0	AS
0100A	22598	Mauna Loa Road	From Route 5011 at MP 3.18 on Right To Route 0923	1.49	0.00	1.49	2	2	0	AS
0100B		Mauna Loa Lookout Road	From Route 0923 To End of road at lookout	9.78	0.00	9.78	2	1,2	0	AS
0101	33601	Hilina Pali Road	From Route 0012 at MP 2.2 on Right To End of road at Pali Overlook	8.50	0.00	8.50	1	1	0	AS
0201	42503	Kilauea Overlook Road	From Route 0010 at MP 2.4 on Left To Route 0910	0.20	0.00	0.20	2	2	0	AS
0204A	21531	Namakani Paio Campground Road	From Route 5011 at MP 3.9 To End of loop	0.31	0.00	0.31	3	1	0	AS
0204B	21540	Namakani Paio Rental Cabin Access Road	From Route 0204A on Right To End	0.10	0.00	0.10	3	1	13,206	AS
0205	22600	Tree Molds Road	From Route 0100A at MP 0.08 on Right To End of loop	0.56	0.00	0.56	2	1	0	AS
0208	42507	Mauna Ulu Access Road	From Route 0012 at MP 3.65 on Left To Route 0920	0.34	0.00	0.34	2	2	0	AS
0209	42508	Puu Puai Overlook Road	From Route 0010 at MP 7.9 on Left To Route 0914	0.20	0.00	0.20	2	2	0	AS
0210	22290	Sulfur Banks Road	From Route 0010 MP 0.5 on Right To End of loop	0.11	0.00	0.11	2	2	0	AS
0211	42510	Steam Vents Road	From Route 0010 at MP 0.95 on Left To Route 0010 at MP 1.07 on Left	0.13	0.00	0.13	2	2	0	AS
0212	42511	Kulanaokuaki Campground Access Road	From Route 0101 at MP 3.6 on Right To End	0.12	0.00	0.12	3	1	9,587	AS
0400		Water Tank Road	From Route 0010 at MP 0.35 Through Tanks to Route 5011 at MP 1.35	0.35	0.00	0.35	4	1	0	AS
0401	42514	North Residence Road	From Route 0010 at MP 0.20 on Left To Intersection of Route 0402 and Route 0403	0.26	0.00	0.26	4	2	0	AS
0402	42515	South Residence Road	From Route 0010 at MP 10.5 on Left To intersection of Route 0401 and Route 0403	0.17	0.00	0.17	4	2	0	AS
0403	42516	South Residence Loop	From Intersection of Routes 0401 and 0402 To End of loop	0.42	0.00	0.42	4	1	0	AS
0404	22601	Tree Mold Stable Road	From Route 0205 at MP 0.12 on Left To Stable	0.25	0.00	0.25	4	1	0	AS
0405	23431	Ainahou Road	From Route 0012 at MP 4.25 on Right To Trailhead	0.00	2.10	2.10	4	1	0	GR
0406	42647	Ainahou Ranch Spur	From Route 0405 To Ranch House	0.00	0.40	0.40	4	1	0	GR
0408	42648	Emergency Escape Road	From Route 0208 at MP 0.12 on Left To Route 0010 at MP 9 on Right	0.00	4.60	4.60	3	1	0	GR
0409	22347	Field Research Center Road	From Route 0010 at MP 10.1 on Left To Route 0917	0.48	0.00	0.48	3	2	0	AS
0410		Mauna Loa Emergency Access Road	From Route 0010 at MP 2.02 on Right To Intersection of Route 5011 and Route 0100A	0.09	0.00	0.09	6	2	0	AS
0700	21966	Mauna Loa Spur Road-Fire Breaks	From _____ To _____	0.00	1.00	1.00	ZZ	2	0	GR
0701	21967	Mauna Loa Powerline Road, Unpaved	From _____ To _____	0.00	5.00	5.00	ZZ	2	0	GR
0702	22602	Mauna Loa fire break roads	From _____ To _____	0.00	2.15	2.15	ZZ	2	0	GR
0703	33610	Hilina Pali fuel break road	From _____ To _____	0.00	5.00	5.00	ZZ	2	0	GR

NPS/RIP Route ID Report

(Numerical By Route #)

Page 2 of 3

Shading Color Key:
Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven	Purple =	

HAVO*Hawaii Volcanoes National Park*

Rte. #	FMSS Asset #	Route Name	Route Description From _____ To _____	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0900	22571	Kilauea Visitors Center Parking	Adjacent to Route 0010 at MP 0.3 on Right	0.00	0.00	0.00	9		58,720	AS
0901	42652	Kilauea Visitors Center Administrative Parking	Adjacent to Route 0900 at rear of Visitors Center	0.00	0.00	0.00	9		11,251	AS
0902	21519	Kilauea Water Tanks Area	From Route 0400 at MP 0.25 on Left and Right	0.00	0.00	0.00	9		48,691	AS
0903		Kilauea HeliPad	Adjacent to Route 0902	0.00	0.00	0.00	9		10,386	AS
0904	22490	Volcano House Parking	Adjacent to Rte 0010 at MP 0.35 on Left and Route 0401	0.00	0.00	0.00	9		25,881	AS
0905	42656	Volcano House Bldg #B 11 & #44 Parking	Adjacent to Route 0401 on Right	0.00	0.00	0.00	9		2,733	AS
0906	42657	Volcano House Hotel Service Area Bldg #B 167	Adjacent to Route 0401 on Right	0.00	0.00	0.00	9		7,378	AS
0907	42658	Building #2 Parking	Adjacent to Route 0401 on Right	0.00	0.00	0.00	9		7,617	AS
0908	22831	Kilauea Maintenance Yard	Adjacent to Route 0402 on Left and Right	0.00	0.00	0.00	9		15,295	AS
0909	22292	Steam Vents Parking	Adjacent to Route 0211	0.00	0.00	0.00	9		1,937	AS
0910	22245	Kilauea Overlook & Picnic Area Parking	At End of Route 0201	0.00	0.00	0.00	9		24,393	AS
0911	22266	Volcano Observatory Parking	Adjacent to Route 0010 at MP 2.8	0.00	0.00	0.00	9		44,751	AS
0912	22236	Halemaumau Overlook Parking	Adjacent to Route 0010 at MP 5.5	0.00	0.00	0.00	9		153,543	OC
0913	42663	Devastation Trail Parking	At intersection of Route 0010 at MP 7.6 and Route 0012	0.00	0.00	0.00	9		23,578	AS
0914	22302	Puu Puai Parking	At End of Route 0209	0.00	0.00	0.00	9		21,426	AS
0915	42665	Thurston Lava Tube Parking	Adjacent to Route 0010 at MP 9.00 on Left and Right	0.00	0.00	0.00	9		14,873	AS
0916	42666	Kilauea Iki Parking	Adjacent to Route 0010 at MP 9.35	0.00	0.00	0.00	9		23,710	AS
0917	42667	Research Center Parking	At End of Route 0409	0.00	0.00	0.00	9		34,608	AS
0918	23394	Puhimau Crater Parking	Adjacent to Route 0012 at MP 1.0 on Left	0.00	0.00	0.00	9		10,692	AS
0919	42670	Pauahi Crater Parking	Adjacent to Route 0012 at MP 3.2 on Left	0.00	0.00	0.00	9		16,121	AS
0920	23422	Mauna Ulu Lava Shield Parking	Adjacent to Route 0208 at end	0.00	0.00	0.00	9		7,342	AS
0921	23446	Kealakomo Picnic Area Parking	Adjacent to Route 0012 at MP 9.8 on Right	0.00	0.00	0.00	9		16,993	AS
0922	42675	Kipuka Puaulu Day Use Area Parking	From Route 0100A _____ To Parking	0.00	0.00	0.00	9		2,992	AS
0923	42676	Kipuka Puaulu Trailhead Parking	At End of Route 0100A	0.00	0.00	0.00	9		25,350	AS
5011	38681	Hawaii State Route 11	From East Park Boundary _____ To West Park Boundary	11.91	0.00	11.91	1	2	0	AS
			Totals:	66.13	20.25	86.38			633,053	

NPS/RIP Route ID Report

(Numerical By Route #)

Page 3 of 3

Shading Color Key:
Red text denotes
approx. mileage

White = Paved Routes, ARAN Driven	Yellow = Unpaved Routes, ARAN not Driven	Blue = All Paved Parking Areas
Grey = Paved Routes, ARAN not Driven	Red =	Green = All Unpaved Parking Areas
Black = Paved State, Local or Private non-NPS Routes, ARAN Driven		Purple =

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1 - 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 - 9. State Routes Invetoried for Park. Route Numbers 5000-5999
- Class 2 Connector Park Road (Public Roads) - Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
- Class 3 Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Class 4 Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299.
Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.
- Class 5 Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
- Class 6 Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499.
Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.
- Class 7 Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- Class 8 City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.
- Class 9 Boat Ramp - (Public and Administrative) Route Numbers 800-899.
Parking Area - (Public and Administrative) Route Numbers 900-1999.


A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

ZZ Functional Class Routes were added from FMSS Database. Final Route Number and Functional Class will be established during Park visit for Cycle 4 data collection.

Surface Type Abbreviations:

- AS - Asphaltic Concrete Pavement
- CO - Portland Cement Concrete Pavement
- NC - New Chip Seal Pavement (Under 5 Years)
- OC - Old Chip Seal Pavement (5 Years and Greater)
- SS - Slurry Seal Pavement
- GR - Gravel Road Bed
- BR - Brick or Pavers Road Bed
- CB - Cobble Stone Road Bed
- SA - Sand Road Bed
- DT - Dirt or Native Material Road Bed
- OT - Other Materials Road Bed



PCR Poor (≤ 60) Fair (61 - 84) Good (85 - 94) Excellent (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0010 Crater Rim Drive


TOTAL LENGTH: 10.61 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	20	23	23	21
Lane Width (ft)	11	10	12	12	10
Shoulder Width (ft)	0	0	0	4	4
Roadway Condition Information					
PCR (Pavement Condition Rating)	24	39	45	26	55
RCI (Roughness Condition Index)	41	54	72	38	68
SCR (Surface Condition Rating)	18	30	27	19	46
Alligator Cracking Index	62	86	90	99	100
Rutting Index	39	43	38	23	47
Patching Index	99	99	99	100	100
Transverse Cracking Index	96	93	94	95	98
Longitudinal Cracking Index	98	99	99	98	99
Shoulder Condition Rating	N/A	N/A	N/A	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0010 Crater Rim Drive



PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	-------------	----------------	----------------	----------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0010 Crater Rim Drive


TOTAL LENGTH: 10.61 Miles

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	25	24	24	21
Lane Width (ft)	12	12	12	12	11
Shoulder Width (ft)	5	5	4	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	57	64	73	35	59
RCI (Roughness Condition Index)	71	66	73	51	72
SCR (Surface Condition Rating)	48	61	73	24	53
Alligator Cracking Index	98	98	98	54	98
Rutting Index	50	63	75	54	54
Patching Index	100	100	100	100	100
Transverse Cracking Index	100	99	99	99	100
Longitudinal Cracking Index	99	99	100	99	99
Shoulder Condition Rating	GOOD	GOOD	GOOD	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0010 Crater Rim Drive



PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	-------------	----------------	----------------	----------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region HAVO : Hawaii Volcanoes National Park

ROUTE: 0010 Crater Rim Drive


TOTAL LENGTH: 10.61 Miles

Section Number	10				
Section Length (mi)	0.61				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	26				
Lane Width (ft)	13				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	57				
RCI (Roughness Condition Index)	75				
SCR (Surface Condition Rating)	51				
Alligator Cracking Index	99				
Rutting Index	52				
Patching Index	100				
Transverse Cracking Index	99				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0010 Crater Rim Drive



North

PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	-------------	----------------	----------------	----------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0012 Chain Of Craters Road

TOTAL LENGTH: 19.75 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	22	22	22	25	24
Lane Width (ft)	11	11	11	12	12
Shoulder Width (ft)	2	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	59	63	61	61	57
RCI (Roughness Condition Index)	95	97	95	91	98
SCR (Surface Condition Rating)	38	40	39	43	34
Alligator Cracking Index	100	100	100	100	99
Rutting Index	38	40	39	43	34
Patching Index	100	100	99	100	100
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	100	100	100	100	99
Shoulder Condition Rating	GOOD	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0012 Chain Of Craters Road



PCR Poor (≤ 60) Fair (61 - 84) Good (85 - 94) Excellent (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0012 Chain Of Craters Road


TOTAL LENGTH: 19.75 Miles

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	25	26	25	25
Lane Width (ft)	13	13	13	13	12
Shoulder Width (ft)	0	0	6	5	5
Roadway Condition Information					
PCR (Pavement Condition Rating)	54	53	50	52	56
RCI (Roughness Condition Index)	99	99	97	96	99
SCR (Surface Condition Rating)	24	23	19	23	27
Alligator Cracking Index	100	100	100	100	100
Rutting Index	24	23	19	23	27
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	100	99	99	99
Longitudinal Cracking Index	100	100	100	100	99
Shoulder Condition Rating	N/A	N/A	GOOD	GOOD	GOOD
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0012 Chain Of Craters Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0012 Chain Of Craters Road


TOTAL LENGTH: 19.75 Miles

Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	23	22	22	23
Lane Width (ft)	12	13	11	11	12
Shoulder Width (ft)	0	5	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	49	52	49	51	53
RCI (Roughness Condition Index)	98	97	97	98	97
SCR (Surface Condition Rating)	23	26	22	26	23
Alligator Cracking Index	100	100	99	100	100
Rutting Index	23	27	22	27	23
Patching Index	100	100	100	100	100
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	99	99	99	100	99
Shoulder Condition Rating	N/A	GOOD	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0012 Chain Of Craters Road



PCR Poor Fair Good Excellent
 (<=60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0012 Chain Of Craters Road


TOTAL LENGTH: 19.75 Miles

Section Number	15	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	1.00	0.75
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	21	21	21	21
Lane Width (ft)	12	10	10	10	10
Shoulder Width (ft)	0	0	0	5	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	49	76	67	71	66
RCI (Roughness Condition Index)	96	99	100	98	100
SCR (Surface Condition Rating)	28	63	45	52	54
Alligator Cracking Index	100	100	100	100	100
Rutting Index	28	63	45	52	54
Patching Index	100	100	100	99	100
Transverse Cracking Index	99	99	99	99	99
Longitudinal Cracking Index	99	99	99	99	99
Shoulder Condition Rating	N/A	N/A	N/A	GOOD	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0012 Chain Of Craters Road



N

PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	-------------	----------------	----------------	----------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0100A Mauna Loa Road


TOTAL LENGTH: 1.49 Miles

Section Number	0	1			
Section Length (mi)	1.00	0.49			
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	21	19			
Lane Width (ft)	10	11			
Shoulder Width (ft)	0	0			
Roadway Condition Information					
PCR (Pavement Condition Rating)	33	12			
RCI (Roughness Condition Index)	62	25			
SCR (Surface Condition Rating)	17	6			
Alligator Cracking Index	90	40			
Rutting Index	42	44			
Patching Index	99	99			
Transverse Cracking Index	78	72			
Longitudinal Cracking Index	96	97			
Shoulder Condition Rating	N/A	N/A			
Drainage Condition Rating	GOOD	GOOD			

ROUTE: 0100A Mauna Loa Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.eft.fhwa.dot.gov/nps/index.htm>



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0100B Mauna Loa Lookout Road


TOTAL LENGTH: 9.78 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2	2	2	1	1
Paved Width (ft)	16	16	16	10	11
Lane Width (ft)	8	8	8	10	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	19	16	11	8	10
RCI (Roughness Condition Index)	40	36	53	33	31
SCR (Surface Condition Rating)	15	12	4	0	5
Alligator Cracking Index	87	88	22	5	27
Rutting Index	20	18	27	23	27
Patching Index	99	100	99	99	99
Transverse Cracking Index	97	97	95	95	93
Longitudinal Cracking Index	98	99	99	98	97
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0100B Mauna Loa Lookout Road



PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	-------------	----------------	----------------	----------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0100B Mauna Loa Lookout Road


TOTAL LENGTH: 9.78 Miles

Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	0.78
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1	1	1	1	1
Paved Width (ft)	11	11	10	11	11
Lane Width (ft)	11	11	10	11	11
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	15	26	8	17	18
RCI (Roughness Condition Index)	35	40	26	32	26
SCR (Surface Condition Rating)	7	22	2	17	16
Alligator Cracking Index	46	86	45	91	95
Rutting Index	30	33	26	27	30
Patching Index	99	100	99	100	100
Transverse Cracking Index	91	93	80	87	86
Longitudinal Cracking Index	97	97	93	95	95
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

ROUTE: 0100B Mauna Loa Lookout Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0101 Hilina Pali Road


TOTAL LENGTH: 8.50 Miles

Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1	1	1	1	1
Paved Width (ft)	11	11	13	10	12
Lane Width (ft)	11	11	13	10	12
Shoulder Width (ft)	0	0	0	0	0
Roadway Condition Information					
PCR (Pavement Condition Rating)	35	13	25	22	20
RCI (Roughness Condition Index)	21	19	30	18	21
SCR (Surface Condition Rating)	39	13	23	23	19
Alligator Cracking Index	97	77	93	93	86
Rutting Index	47	45	38	38	39
Patching Index	99	99	99	99	99
Transverse Cracking Index	95	78	88	88	86
Longitudinal Cracking Index	98	95	96	96	97
Shoulder Condition Rating	N/A	N/A	N/A	N/A	N/A
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	GOOD

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0101 Hilina Pali Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0101 Hilina Pali Road

TOTAL LENGTH: 8.50 Miles

Section Number	5	6	7	8	
Section Length (mi)	1.00	1.00	1.00	0.50	
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1	1	1	1	
Paved Width (ft)	10	10	11	9	
Lane Width (ft)	10	10	11	9	
Shoulder Width (ft)	0	0	0	0	
Roadway Condition Information					
PCR (Pavement Condition Rating)	24	20	41	33	
RCI (Roughness Condition Index)	23	15	12	20	
SCR (Surface Condition Rating)	26	20	45	34	
Alligator Cracking Index	95	96	91	99	
Rutting Index	39	36	63	46	
Patching Index	99	99	99	99	
Transverse Cracking Index	89	86	89	86	
Longitudinal Cracking Index	96	93	95	93	
Shoulder Condition Rating	N/A	N/A	N/A	N/A	
Drainage Condition Rating	GOOD	GOOD	GOOD	GOOD	

ROUTE: 0101 Hilina Pali Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	----------------	-------------------	-------------------	-------------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0201 Kilauea Overlook Road


TOTAL LENGTH: 0.20 Miles

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	33				
RCI (Roughness Condition Index)	44				
SCR (Surface Condition Rating)	25				
Alligator Cracking Index	100				
Rutting Index	32				
Patching Index	98				
Transverse Cracking Index	95				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

ROUTE: 0201 Kilauea Overlook Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.eft.fhwa.dot.gov/nps/index.htm>



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0204A Namakani Paio Campground Road


TOTAL LENGTH: 0.31 Miles

Section Number	0				
Section Length (mi)	0.31				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	8				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	38				
RCI (Roughness Condition Index)	29				
SCR (Surface Condition Rating)	39				
Alligator Cracking Index	100				
Rutting Index	39				
Patching Index	100				
Transverse Cracking Index	100				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.eft.fhwa.dot.gov/nps/index.htm>

ROUTE: 0204A Namakani Paio Campground Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0205 Tree Molds Road



TOTAL LENGTH: 0.56 Miles

Section Number	0				
Section Length (mi)	0.56				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	12				
Lane Width (ft)	12				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	20				
RCI (Roughness Condition Index)	18				
SCR (Surface Condition Rating)	21				
Alligator Cracking Index	98				
Rutting Index	25				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0205 Tree Molds Road



Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0208 Mauna Ulu Access Road



TOTAL LENGTH: 0.34 Miles

Section Number	0			
Section Length (mi)	0.34			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	22			
Lane Width (ft)	13			
Shoulder Width (ft)	0			
Roadway Condition Information				
PCR (Pavement Condition Rating)	49			
RCI (Roughness Condition Index)	68			
SCR (Surface Condition Rating)	39			
Alligator Cracking Index	100			
Rutting Index	42			
Patching Index	99			
Transverse Cracking Index	97			
Longitudinal Cracking Index	99			
Shoulder Condition Rating	N/A			
Drainage Condition Rating	GOOD			

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0208 Mauna Ulu Access Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0209 Puu Puai Overlook Road


TOTAL LENGTH: 0.20 Miles

Section Number	0				
Section Length (mi)	0.20				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	34				
RCI (Roughness Condition Index)	38				
SCR (Surface Condition Rating)	30				
Alligator Cracking Index	79				
Rutting Index	48				
Patching Index	100				
Transverse Cracking Index	94				
Longitudinal Cracking Index	97				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.eft.fhwa.dot.gov/nps/index.htm>

ROUTE: 0209 Puu Puai Overlook Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0210 Sulfur Banks Road


TOTAL LENGTH: 0.11 Miles

Section Number	0				
Section Length (mi)	0.11				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	13				
Lane Width (ft)	13				
Shoulder Width (ft)	3				
Roadway Condition Information					
PCR (Pavement Condition Rating)	37				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	37				
Alligator Cracking Index	97				
Rutting Index	42				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	GOOD				
Drainage Condition Rating	GOOD				

ROUTE: 0210 Sulfur Banks Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0211 Steam Vents Road


TOTAL LENGTH: 0.13 Miles

Section Number	0			
Section Length (mi)	0.13			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	12			
Shoulder Width (ft)	3			
Roadway Condition Information				
PCR (Pavement Condition Rating)	38			
RCI (Roughness Condition Index)	75			
SCR (Surface Condition Rating)	36			
Alligator Cracking Index	98			
Rutting Index	36			
Patching Index	100			
Transverse Cracking Index	100			
Longitudinal Cracking Index	100			
Shoulder Condition Rating	GOOD			
Drainage Condition Rating	GOOD			

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0211 Steam Vents Road



N

PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	----------------	-------------------	-------------------	-------------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0400 Water Tank Road


TOTAL LENGTH: 0.35 Miles

Section Number	0			
Section Length (mi)	0.35			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	22			
Lane Width (ft)	12			
Shoulder Width (ft)	0			
Roadway Condition Information				
PCR (Pavement Condition Rating)	25			
RCI (Roughness Condition Index)	NC			
SCR (Surface Condition Rating)	25			
Alligator Cracking Index	94			
Rutting Index	31			
Patching Index	100			
Transverse Cracking Index	98			
Longitudinal Cracking Index	99			
Shoulder Condition Rating	N/A			
Drainage Condition Rating	GOOD			

ROUTE: 0400 Water Tank Road

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region HAVO : Hawaii Volcanoes National Park

ROUTE: 0401 North Residence Road



TOTAL LENGTH: 0.26 Miles

Section Number	0				
Section Length (mi)	0.26				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	32				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	32				
Alligator Cracking Index	96				
Rutting Index	37				
Patching Index	99				
Transverse Cracking Index	97				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.eft.fhwa.dot.gov/nps/index.htm>

ROUTE: 0401 North Residence Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0402 South Residence Road


TOTAL LENGTH: 0.17 Miles

Section Number	0				
Section Length (mi)	0.17				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	9				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	5				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	5				
Alligator Cracking Index	93				
Rutting Index	8				
Patching Index	99				
Transverse Cracking Index	98				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0402 South Residence Road



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region HAVO : Hawaii Volcanoes National Park

ROUTE: 0403 South Residence Loop

TOTAL LENGTH: 0.42 Miles

Section Number	0				
Section Length (mi)	0.42				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	25				
RCI (Roughness Condition Index)	25				
SCR (Surface Condition Rating)	26				
Alligator Cracking Index	100				
Rutting Index	28				
Patching Index	100				
Transverse Cracking Index	98				
Longitudinal Cracking Index	99				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0403 South Residence Loop



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0404 Tree Mold Stable Road


TOTAL LENGTH: 0.25 Miles

Section Number	0				
Section Length (mi)	0.25				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	11				
Lane Width (ft)	11				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	24				
RCI (Roughness Condition Index)	NC				
SCR (Surface Condition Rating)	24				
Alligator Cracking Index	94				
Rutting Index	29				
Patching Index	99				
Transverse Cracking Index	96				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0404 Tree Mold Stable Road



PCR Poor Fair Good Excellent
 (<=60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region HAVO : Hawaii Volcanoes National Park

ROUTE: 0409 Field Research Center Road


TOTAL LENGTH: 0.48 Miles

Section Number	0				
Section Length (mi)	0.48				
AADT	**				
SADT	**				
ADT Date	**				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	20				
Lane Width (ft)	10				
Shoulder Width (ft)	0				
Roadway Condition Information					
PCR (Pavement Condition Rating)	27				
RCI (Roughness Condition Index)	28				
SCR (Surface Condition Rating)	28				
Alligator Cracking Index	79				
Rutting Index	43				
Patching Index	100				
Transverse Cracking Index	97				
Longitudinal Cracking Index	98				
Shoulder Condition Rating	N/A				
Drainage Condition Rating	GOOD				

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0409 Field Research Center Road



PCR	Poor (<=60)	Fair (61 - 84)	Good (85 - 94)	Excellent (95 - 100)
-----	----------------	-------------------	-------------------	-------------------------

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Pacific West Region

HAVO : Hawaii Volcanoes National Park

ROUTE: 0410 Mauna Loa Emergency Access Road

TOTAL LENGTH: 0.09 Miles

Section Number	0			
Section Length (mi)	0.09			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	21			
Lane Width (ft)	10			
Shoulder Width (ft)	0			
Roadway Condition Information				
PCR (Pavement Condition Rating)	16			
RCI (Roughness Condition Index)	NC			
SCR (Surface Condition Rating)	16			
Alligator Cracking Index	100			
Rutting Index	20			
Patching Index	100			
Transverse Cracking Index	94			
Longitudinal Cracking Index	100			
Shoulder Condition Rating	N/A			
Drainage Condition Rating	GOOD			

* NC designates data not collected NA designates not applicable

** See website for traffic data: <http://www.efl.fhwa.dot.gov/nps/index.htm>

ROUTE: 0410 Mauna Loa Emergency Access Road

Hawaii Volcanoes National Park

Route 0204B

Namakani Paio Rental Cabin Access Road
From Route 0204A on Right

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0204B	0.10	0.00	13206	0.23	EXCELLENT / 97	AS

* Lane miles are based on 11' lane widths




Hawaii Volcanoes National Park

Route 0212

Kulanaokuaiki Campground Access Road
From Route 0101 at MP 3.6 on Right

Route	Length (mi)	Width (ft)	Area (sq ft)	Lane Miles *	Condition / PCR	Surface Type
0212	0.12	0.00	9587	0.17	GOOD / 90	AS

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0900

Kilauea Visitors Center Parking

Adjacent to Route 0010 at MP 0.3 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0900	Public	5/8/2001	58720	1.01	AS	GOOD / 90

* Lane miles are based on 11' lane widths



100 50 0 100
Feet



7-1


Hawaii Volcanoes National Park

Route 0901

Kilauea Visitors Center Administrative Parking
Adjacent to Route 0900 at rear of Visitors Center

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0901	NonPublic	5/8/2001	11251	0.19	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park

Route 0902

Kilauea Water Tanks Area

From Route 0400 at MP 0.25 on Left and Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0902	NonPublic	5/8/2001	48691	0.84	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0903

Kilauea Helipad

Adjacent to Route 0902

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0903	NonPublic	5/8/2001	10386	0.18	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0904

Volcano House Parking

Adjacent to Rte 0010 at MP 0.35 on Left and Route 0401

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0904	Public	5/8/2001	25881	0.45	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park

Route 0905

Volcano House Bldg #B11 & #44 Parking

Adjacent to Route 0401 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0905	NonPublic	10/29/2002	2733	0.05	AS	GOOD / 90

* Lane miles are based on 11' lane widths



7-6

Hawaii Volcanoes National Park


Route 0906

Volcano House Hotel Service Area Bldg #B167

Adjacent to Route 0401 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0906	NonPublic	10/29/2002	7378	0.13	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0907

Building #2 Parking

Adjacent to Route 0401 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0907	NonPublic	10/29/2002	7617	0.13	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0908

Kilauea Maintenance Yard

Adjacent to Route 0402 on Left and Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0908	NonPublic	10/29/2002	15295	0.26	AS	FAIR / 73

* Lane miles are based on 11' lane widths





Hawaii Volcanoes National Park

Route 0909

Steam Vents Parking
Adjacent to Route 0211

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0909	Public	5/8/2001	1937	0.03	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0910

Kilauea Overlook & Picnic Area Parking

At End of Route 0201

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0910	Public	5/8/2001	24393	0.42	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0911

Volcano Observatory Parking

Adjacent to Route 0010 at MP 2.8

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0911	Public	5/8/2001	44751	0.77	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0912

Halemaumau Overlook Parking

Adjacent to Route 0010 at MP 5.5

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0912	Public	5/8/2001	153543	2.64	OC	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0913

Devastation Trail Parking

At intersection of Route 0010 at MP 7.6 and Route 0012

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0913	Public	5/8/2001	23578	0.41	AS	GOOD / 90

* Lane miles are based on 11' lane widths




Hawaii Volcanoes National Park

Route 0914

Puu Puai Parking
At End of Route 0209

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0914	Public	5/8/2001	21426	0.37	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0915

Thurston Lava Tube Parking

Adjacent to Route 0010 at MP 9.00 on Left and Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0915	Public	5/8/2001	14873	0.26	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park

Route 0916

Kilauea Iki Parking

Adjacent to Route 0010 at MP 9.35

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0916	Public	5/8/2001	23710	0.41	AS	GOOD / 90

* Lane miles are based on 11' lane widths



100 50 0 100
Feet

N 7-17

Hawaii Volcanoes National Park


Route 0917

Research Center Parking

At End of Route 0409

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0917	NonPublic	5/8/2001	34608	0.60	AS	POOR / 45

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0918

Puhimau Crater Parking

Adjacent to Route 0012 at MP 1.0 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0918	Public	5/8/2001	10692	0.18	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park



Route 0919

Pauahi Crater Parking

Adjacent to Route 0012 at MP 3.2 on Left

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0919	Public	5/8/2001	16121	0.28	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0920

Mauna Ulu Lava Shield Parking

Adjacent to Route 0208 at end

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0920	Public	5/8/2001	7342	0.13	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0921

Kealakomo Picnic Area Parking

Adjacent to Route 0012 at MP 9.8 on Right

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0921	Public	5/8/2001	16993	0.29	AS	GOOD / 90

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0922

Kipuka Puaulu Day Use Area Parking

From Route 0100A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0922	Public	5/9/2001	2992	0.05	AS	FAIR / 73

* Lane miles are based on 11' lane widths



Hawaii Volcanoes National Park


Route 0923

Kipuka Puaulu Trailhead Parking

At End of Route 0100A

Route	Public / NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type	Condition / PCR
0923	Public	5/9/2001	25350	0.44	AS	POOR / 45

* Lane miles are based on 11' lane widths



HAVO: PARKWIDE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>PARK TOTAL</i>	<i>UNIT</i>
BRIDGE	0	EACH
CATTLE GUARD	3	EACH
CULVERT	5	EACH
CURB	10,718	LINEAR FEET
DROP INLET	1	EACH
GUARD WALL	597	LINEAR FEET
GUARDRAIL	25,032	LINEAR FEET
INTERSECTION	154	EACH
LOW WATER CROSSING	0	EACH
OVERHEAD SIGN	0	EACH
PARK BOUNDARY	0	EACH
PAVED DITCH	0	LINEAR FEET
PULLOUT	41	EACH
RAILROAD CROSSING	0	EACH
RETAINING WALL	1	EACH
STATE BOUNDARY	0	EACH
TRAFFIC LIGHT	0	EACH
TUNNEL	0	EACH
TURNOUT	169	LINEAR FEET

HAVO: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0010 CRATER RIM DRIVE</i>	<i>ROUTE 0012 CHAIN OF CRATERS ROAD</i>	<i>ROUTE 0100A MAUNA LOA ROAD</i>	<i>ROUTE 0100B MAUNA LOA LOOKOUT ROAD</i>	<i>ROUTE 0101 HILINA PALI ROAD</i>	<i>ROUTE 0201 KILAUEA OVERLOOK ROAD</i>	<i>UNIT</i>
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	1	0	2	0	0	EACH
CULVERT	2	0	0	0	2	0	EACH
CURB	1,658	8,907	0	0	0	0	LINEAR FEET
DROP INLET	1	0	0	0	0	0	EACH
GUARD WALL	597	0	0	0	0	0	LINEAR FEET
GUARDRAIL	348	3,664	0	0	0	0	LINEAR FEET
INTERSECTION	33	14	5	4	5	4	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	12	25	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	1	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	169	0	0	0	0	LINEAR FEET

HAVO: ROUTE MAINTENANCE FEATURES SUMMARY

FEATURE	ROUTE 0204A NAMAKANI PAIO CAMPGROUND ROAD	ROUTE 0205 TREE MOLDS ROAD	ROUTE 0206 KIPUKA PUAULA DAY USE AREA ACCESS ROAD	ROUTE 0208 MAUNA ULU ACCESS ROAD	ROUTE 0209 PUU PUAI OVERLOOK ROAD	ROUTE 0210 SULFUR BANKS ROAD	UNIT
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	0	0	EACH
CURB	0	0	0	42	0	0	LINEAR FEET
DROP INLET	0	0	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	7	6	0	4	3	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	1	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

HAVO: ROUTE MAINTENANCE FEATURES SUMMARY

FEATURE	ROUTE 0211 STEAM VENTS ROAD	ROUTE 0400 WATER TANK ROAD	ROUTE 0401 NORTH RESIDENCE ROAD	ROUTE 0402 SOUTH RESIDENCE ROAD	ROUTE 0403 SOUTH RESIDENCE LOOP	ROUTE 0404 TREE MOLD STABLE ROAD	UNIT
BRIDGE	0	0	0	0	0	0	EACH
CATTLE GUARD	0	0	0	0	0	0	EACH
CULVERT	0	0	0	0	1	0	EACH
CURB	0	90	21	0	0	0	LINEAR FEET
DROP INLET	0	0	0	0	0	0	EACH
GUARD WALL	0	0	0	0	0	0	LINEAR FEET
GUARDRAIL	0	0	0	0	0	0	LINEAR FEET
INTERSECTION	6	11	8	8	13	3	EACH
LOW WATER CROSSING	0	0	0	0	0	0	EACH
OVERHEAD SIGN	0	0	0	0	0	0	EACH
PARK BOUNDARY	0	0	0	0	0	0	EACH
PAVED DITCH	0	0	0	0	0	0	LINEAR FEET
PULLOUT	0	0	0	0	0	0	EACH
RAILROAD CROSSING	0	0	0	0	0	0	EACH
RETAINING WALL	0	0	0	0	0	0	EACH
STATE BOUNDARY	0	0	0	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	0	0	0	EACH
TUNNEL	0	0	0	0	0	0	EACH
TURNOUT	0	0	0	0	0	0	LINEAR FEET

HAVO: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	<i>ROUTE 0409 FIELD RESEARCH CENTER ROAD</i>	<i>ROUTE 0410 MAUNA LOA EMERGENCY ACCESS ROAD</i>	<i>ROUTE 5011 HA WAI STATE ROUTE II</i>	<i>UNIT</i>
BRIDGE	0	0	0	EACH
CATTLE GUARD	0	0	0	EACH
CULVERT	0	0	0	EACH
CURB	0	0	0	LINEAR FEET
DROP INLET	0	0	0	EACH
GUARD WALL	0	0	0	LINEAR FEET
GUARDRAIL	0	0	21,020	LINEAR FEET
INTERSECTION	3	4	10	EACH
LOW WATER CROSSING	0	0	0	EACH
OVERHEAD SIGN	0	0	0	EACH
PARK BOUNDARY	0	0	0	EACH
PAVED DITCH	0	0	0	LINEAR FEET
PULLOUT	0	0	3	EACH
RAILROAD CROSSING	0	0	0	EACH
RETAINING WALL	0	0	0	EACH
STATE BOUNDARY	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	EACH
TUNNEL	0	0	0	EACH
TURNOUT	0	0	0	LINEAR FEET

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : CRATER RIM DRIVE

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 5011 AT MP 083 ON LEFT
0.005	0.005	INTERSECTION	LEFT	STATE ROUTE 11
0.005	0.005	INTERSECTION	RIGHT	STATE ROUTE 11
0.058	0.062	PULLOUT	LEFT	
0.096	0.101	CURB	RIGHT	
0.097	0.103	CURB	LEFT	
0.111	0.111	INTERSECTION	LEFT	INT LT RTE 010
0.168	0.168	DROP INLET	RIGHT	
0.248	0.248	INTERSECTION	LEFT	
0.260	0.260	INTERSECTION	RIGHT	
0.295	0.345	CURB	RIGHT	
0.330	0.330	INTERSECTION	RIGHT	
0.346	0.346	INTERSECTION	LEFT	INT LT RTE 904
0.350	0.350	INTERSECTION	RIGHT	INT RT RTE 400
0.423	0.482	GUARD WALL	RIGHT	
0.491	0.491	INTERSECTION	RIGHT	INT RT RTE 210
0.559	0.559	INTERSECTION	LEFT	
0.931	0.931	INTERSECTION	LEFT	INT LT RTE 211
1.042	1.042	INTERSECTION	LEFT	INT LT RTE 211
1.266	1.266	INTERSECTION	RIGHT	INT RT KILAUEA THEATER & CHAPEL
1.322	1.322	CULVERT	N/A	
1.365	1.365	INTERSECTION	RIGHT	INT RT KILAUEA MILITARY CAMP
1.451	1.451	INTERSECTION	RIGHT	INT RT KILAUEA MILITARY CAMP
1.483	1.483	INTERSECTION	RIGHT	INT RT KILAUEA MILITARY CAMP
2.038	2.038	INTERSECTION	RIGHT	INT RT RTE 410

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : CRATER RIM DRIVE

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
2.378	2.378	INTERSECTION	LEFT	INT LT RTE 201
2.766	2.766	INTERSECTION	LEFT	INT LT RTE 911
2.816	2.816	INTERSECTION	LEFT	INT LT RTE 911
4.476	4.533	PULLOUT	RIGHT	
5.036	5.058	PULLOUT	LEFT	
5.422	5.422	INTERSECTION	LEFT	INT LT RTE 912
5.582	5.582	INTERSECTION	LEFT	INT LT RTE 912
5.682	5.682	CULVERT	N/A	
5.835	5.873	CURB	LEFT	
5.842	5.882	PULLOUT	LEFT	
5.985	6.005	CURB	LEFT	
5.988	6.015	PULLOUT	RIGHT	
5.989	6.014	CURB	RIGHT	
5.993	6.013	PULLOUT	LEFT	
6.216	6.265	PULLOUT	LEFT	
6.537	6.560	PULLOUT	LEFT	
6.541	6.559	PULLOUT	RIGHT	
6.616	6.673	PULLOUT	RIGHT	
6.627	6.685	CURB	RIGHT	
6.640	6.663	GUARDRAIL	RIGHT	
6.672	6.701	CURB	LEFT	
6.678	6.726	PULLOUT	LEFT	
6.694	6.722	CURB	RIGHT	
6.695	6.738	GUARDRAIL	RIGHT	
7.283	7.297	PULLOUT	LEFT	
7.553	7.553	INTERSECTION	LEFT	INT LT RTE 913
7.557	7.557	INTERSECTION	RIGHT	INT RT 012

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : CRATER RIM DRIVE

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
7.866	7.866	INTERSECTION	LEFT	INT LT RTE 209
8.877	8.931	GUARD WALL	RIGHT	
8.990	9.045	CURB	RIGHT	
9.004	9.004	INTERSECTION	RIGHT	INT RT RTE 408
9.015	9.015	INTERSECTION	LEFT	INT LT RTE 915
9.052	9.063	RETAINING WALL	RIGHT	
9.308	9.308	INTERSECTION	LEFT	INT LT RTE 916
9.378	9.378	INTERSECTION	LEFT	INT LT RTE 916
10.116	10.116	INTERSECTION	LEFT	INT LT RTE 409
10.463	10.463	INTERSECTION	LEFT	INT LT RTE 402
10.595	10.595	INTERSECTION	LEFT	RTE 010
10.610	10.610			ROUTE ENDS AT ROUTE 0010 AT MP 012
10.610	10.610	INTERSECTION	RIGHT	RTE 010

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0012 : CHAIN OF CRATERS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 755 ON RIGHT
0.005	0.005	INTERSECTION	RIGHT	ROUTE 0010
0.006	0.006	INTERSECTION	LEFT	ROUTE 0010
0.316	0.341	PULLOUT	RIGHT	
0.410	0.458	PULLOUT	RIGHT	
0.411	0.419	CURB	RIGHT	
0.961	0.961	INTERSECTION	LEFT	INT LET RTE 918
1.004	1.004	INTERSECTION	LEFT	INT RTE 918
1.320	1.320	INTERSECTION	RIGHT	INT RT UNPAVED ROAD
1.332	1.332	CATTLE GUARD	N/A	
1.518	1.547	PULLOUT	RIGHT	
1.523	1.550	CURB	RIGHT	
2.198	2.198	INTERSECTION	RIGHT	INT RT RTE 101
2.354	2.391	PULLOUT	RIGHT	
2.356	2.381	CURB	RIGHT	
2.579	2.611	TURNOUT	RIGHT	
2.583	2.604	CURB	RIGHT	
3.179	3.179	INTERSECTION	LEFT	INT LT RTE 919
3.231	3.231	INTERSECTION	LEFT	INT LT RTE 919
3.632	3.632	INTERSECTION	LEFT	INT LT RTE 208
3.971	4.071	PULLOUT	LEFT	
3.973	4.062	CURB	LEFT	
3.973	4.077	PULLOUT	RIGHT	
3.976	4.068	CURB	RIGHT	
4.298	4.298	INTERSECTION	RIGHT	INT RT RTE 405
5.439	5.531	PULLOUT	LEFT	
5.440	5.532	CURB	LEFT	

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0012 : CHAIN OF CRATERS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
5.441	5.536	PULLOUT	RIGHT	
5.442	5.535	CURB	RIGHT	
6.272	6.378	CURB	RIGHT	
6.273	6.379	PULLOUT	RIGHT	
6.297	6.401	PULLOUT	LEFT	
6.300	6.400	CURB	LEFT	
7.319	7.450	PULLOUT	RIGHT	
7.320	7.377	CURB	RIGHT	
7.361	7.382	GUARDRAIL	RIGHT	
7.379	7.450	CURB	RIGHT	
9.339	9.474	PULLOUT	RIGHT	
9.346	9.463	CURB	RIGHT	
9.729	9.729	INTERSECTION	RIGHT	INT RT RTE 921
9.800	9.800	INTERSECTION	RIGHT	INT RT RTE 921
10.242	10.379	GUARDRAIL	RIGHT	
10.389	10.488	CURB	RIGHT	
10.431	10.431	INTERSECTION	RIGHT	
10.896	10.945	GUARDRAIL	RIGHT	
11.171	11.213	PULLOUT	LEFT	
12.052	12.140	PULLOUT	LEFT	
12.058	12.143	CURB	LEFT	
12.158	12.305	GUARDRAIL	LEFT	
13.073	13.158	GUARDRAIL	LEFT	
13.196	13.386	GUARDRAIL	LEFT	
13.312	13.363	PULLOUT	RIGHT	
13.418	13.483	GUARDRAIL	LEFT	
13.871	13.998	PULLOUT	LEFT	

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0012 : CHAIN OF CRATERS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
13.875	13.969	CURB	LEFT	
14.578	14.685	CURB	LEFT	
14.582	14.688	CURB	RIGHT	
14.584	14.686	PULLOUT	RIGHT	
14.589	14.685	PULLOUT	LEFT	
15.113	15.163	PULLOUT	LEFT	
16.116	16.165	CURB	LEFT	
16.121	16.167	PULLOUT	LEFT	
16.133	16.133	INTERSECTION	RIGHT	
17.123	17.169	CURB	RIGHT	
17.123	17.169	PULLOUT	RIGHT	
17.328	17.392	PULLOUT	RIGHT	
17.334	17.382	CURB	RIGHT	
17.843	17.896	CURB	RIGHT	
17.845	17.896	PULLOUT	RIGHT	
18.296	18.347	CURB	RIGHT	
18.297	18.352	PULLOUT	RIGHT	
18.581	18.632	CURB	RIGHT	
18.584	18.635	PULLOUT	RIGHT	
19.750	19.750			ROUTE ENDS AT END OF LOOP AT ERUPTION SITE

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0100A : MAUNA LOA ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 5011 AT MP 3 ON THE RIGHT
0.007	0.007	INTERSECTION	RIGHT	
0.009	0.009	INTERSECTION	LEFT	
0.066	0.066	INTERSECTION	RIGHT	INT RT RTE 205
1.385	1.385	INTERSECTION	RIGHT	INT RT RTE 922
1.457	1.457	INTERSECTION	LEFT	
1.490	1.490			ROUTE ENDS AT ROUTE 0923

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0100B : MAUNA LOA LOOKOUT ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0923
0.071	0.071	INTERSECTION	LEFT	INT LT UNPAVED SERVICE ROAD
2.143	2.143	INTERSECTION	LEFT	
2.148	2.148	CATTLE GUARD	N/A	
4.331	4.331	CATTLE GUARD	N/A	
4.331	4.331	INTERSECTION	RIGHT	INT RT UNPAVED RTE
6.043	6.043	INTERSECTION	LEFT	
9.780	9.780			ROUTE ENDS AT END OF ROAD AT LOOKOUT

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0101 : HILINA PALI ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0012 AT MP 220 ON THE RIGHT
0.000	0.000	INTERSECTION	LEFT	ROUTE 12
0.000	0.000	INTERSECTION	RIGHT	ROUTE 12
1.637	1.637	INTERSECTION	RIGHT	INT RT UNPAVED SERVICE ROAD
1.758	1.758	CULVERT		N/A
3.589	3.589	INTERSECTION	RIGHT	INT RT CAMPGROUND
3.806	3.806	INTERSECTION	LEFT	
5.541	5.541	CULVERT		N/A
8.500	8.500			ROUTE ENDS AT END OF ROAD AT PALI OVERLOOK

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0201 : KILAUEA OVERLOOK ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 240 ON THE LEFT
0.004	0.004	INTERSECTION	LEFT	ROUTE 010
0.004	0.004	INTERSECTION	RIGHT	ROUTE 010
0.150	0.150	INTERSECTION	RIGHT	
0.196	0.196	INTERSECTION	RIGHT	ROUTE 910
0.200	0.200			ROUTE ENDS AT ROUTE 0910

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0204A : NAMAKANI PAIO CAMPGROUND ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 5011 AT MP 390
0.002	0.002	INTERSECTION	RIGHT	
0.008	0.008	INTERSECTION	LEFT	
0.053	0.053	INTERSECTION	LEFT	
0.165	0.165	INTERSECTION	RIGHT	
0.182	0.182	INTERSECTION	LEFT	
0.302	0.302	INTERSECTION	RIGHT	
0.310	0.310			ROUTE ENDS AT END OF LOOP
0.317	0.317	INTERSECTION	LEFT	

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0205 : TREE MOLDS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0100A AT MP 008 ON THE RIGHT
0.003	0.003	INTERSECTION	LEFT	ROUTE 100A
0.007	0.007	INTERSECTION	RIGHT	ROUTE 100A
0.120	0.120	INTERSECTION	LEFT	INT LT RTE 404
0.222	0.222	INTERSECTION	LEFT	INT RTE 205
0.441	0.441	INTERSECTION	RIGHT	
0.560	0.560			ROUTE ENDS AT END OF LOOP
0.566	0.566	INTERSECTION	LEFT	

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0206 : KIPUKA PUAULA DAY USE AREA ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
NO MAINTENANCE FEATURES IN ROUTE.				
0.000	0.000			ROUTE BEGINS AT ROUTE 0100A
0.000	0.000			ROUTE ENDS AT ROUTE 0922

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0208 : MAUNA ULU ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0012 AT MP 365 ON THE LEFT
0.010	0.010	INTERSECTION	RIGHT	ROUTE 012
0.013	0.013	INTERSECTION	LEFT	ROUTE 012
0.142	0.142	INTERSECTION	LEFT	INT LT RTE 408
0.326	0.357	PULLOUT	LEFT	
0.340	0.340			ROUTE ENDS AT ROUTE 0920
0.341	0.349	CURB	LEFT	
0.358	0.358	INTERSECTION	LEFT	INT LT RTE 208 (BEGIN ONE-WAY)

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0209 : PUU PUAI OVERLOOK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 79 ON THE LEFT
0.007	0.007	INTERSECTION	RIGHT	ROUTE 010
0.008	0.008	INTERSECTION	LEFT	ROUTE 010
0.200	0.200			ROUTE ENDS AT ROUTE 0914
0.210	0.210	INTERSECTION	RIGHT	ROUTE 914

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0210 : SULFUR BANKS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 MP 05 LEFT
0.001	0.001	INTERSECTION	LEFT	ROUTE 010
0.001	0.001	INTERSECTION	RIGHT	ROUTE 010
0.087	0.087	INTERSECTION	RIGHT	
0.110	0.110			ROUTE ENDS AT END OF LOOP

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0211 : STEAM VENTS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 095 ON LEFT
0.002	0.002	INTERSECTION	LEFT	ROUTE 010
0.009	0.009	INTERSECTION	RIGHT	ROUTE 010
0.031	0.031	INTERSECTION	LEFT	
0.044	0.044	INTERSECTION	RIGHT	INT RT RTE 909
0.124	0.124	INTERSECTION	RIGHT	
0.128	0.128	INTERSECTION	LEFT	
0.130	0.130			ROUTE ENDS AT ROUTE 0010 AT MP 107 ON THE LEFT

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0400 : WATER TANK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 035
0.008	0.008	INTERSECTION	LEFT	ROUTE 0010
0.011	0.011	INTERSECTION	RIGHT	ROUTE 0010
0.016	0.016	INTERSECTION	RIGHT	INT RT RTE 900
0.018	0.035	CURB	RIGHT	
0.024	0.024	INTERSECTION	RIGHT	
0.044	0.044	INTERSECTION	LEFT	INT LT RTE 902
0.200	0.200	INTERSECTION	LEFT	INT LT RTE 902
0.220	0.220	INTERSECTION	LEFT	
0.249	0.249	INTERSECTION	RIGHT	INT RT RTE 902
0.250	0.250	INTERSECTION	LEFT	INT LT RTE 902
0.348	0.348	INTERSECTION	RIGHT	ROUTE 0011
0.349	0.349	INTERSECTION	LEFT	ROUTE 0011
0.350	0.350			ROUTE ENDS AT THRU TANKS TO ROUTE 5011 AT MP 135

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0401 : NORTH RESIDENCE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 030 ON THE LEFT
0.006	0.006	INTERSECTION	RIGHT	INT RT RTE 905
0.039	0.039	INTERSECTION	RIGHT	INT RT RTE 906
0.058	0.062	CURB	RIGHT	
0.064	0.064	INTERSECTION	RIGHT	
0.092	0.092	INTERSECTION	RIGHT	INT RT RTE 904
0.095	0.095	INTERSECTION	RIGHT	
0.116	0.116	INTERSECTION	RIGHT	INT RT RTE 907
0.194	0.194	INTERSECTION	RIGHT	
0.257	0.257	INTERSECTION	RIGHT	
0.260	0.260			ROUTE ENDS AT INTERSECTION OF ROUTES 0402 AND 0403

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0402 : SOUTH RESIDENCE ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 1050 ON THE LEFT
0.007	0.007	INTERSECTION	LEFT	ROUTE 010
0.007	0.007	INTERSECTION	RIGHT	ROUTE 010
0.037	0.037	INTERSECTION	LEFT	INT LT UNPAVED PARKING
0.082	0.082	INTERSECTION	LEFT	INT LT RTE 908
0.095	0.095	INTERSECTION	LEFT	INT LT RTE 908
0.152	0.152	INTERSECTION	RIGHT	
0.164	0.164	INTERSECTION	LEFT	ROUTE 401
0.170	0.170			ROUTE ENDS AT INTERSECTION OF ROUTES 401 AND 403
0.173	0.173	INTERSECTION	RIGHT	ROUTE 403

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0403 : SOUTH RESIDENCE LOOP

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT INTERSECTION OF ROUTES 401 AND 402
0.008	0.008	INTERSECTION	LEFT	ROUTE 402
0.008	0.008	INTERSECTION	RIGHT	ROUTE 401
0.020	0.020	INTERSECTION	RIGHT	
0.028	0.028	INTERSECTION	LEFT	
0.049	0.049	INTERSECTION	RIGHT	
0.061	0.061	INTERSECTION	LEFT	INT LT RTE 403
0.116	0.116	INTERSECTION	RIGHT	
0.182	0.182	INTERSECTION	LEFT	
0.296	0.296	CULVERT	N/A	
0.328	0.328	INTERSECTION	LEFT	
0.352	0.352	INTERSECTION	RIGHT	
0.382	0.382	INTERSECTION	RIGHT	
0.390	0.390	INTERSECTION	LEFT	
0.420	0.420			ROUTE ENDS AT END OF LOOP
0.424	0.424	INTERSECTION	LEFT	ROUTE 403

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0404 : TREE MOLD STABLE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 0205 AT MP 012 ON THE LEFT
0.004	0.004	INTERSECTION	RIGHT	ROUTE 205
0.006	0.006	INTERSECTION	LEFT	ROUTE 205
0.226	0.226	INTERSECTION	LEFT	
0.250	0.250			ROUTE ENDS AT STABLE

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0409 : FIELD RESEARCH CENTER ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 1010 ON THE LEFT
0.006	0.006	INTERSECTION	LEFT	ROUTE 010
0.009	0.009	INTERSECTION	RIGHT	ROUTE 010
0.480	0.480			ROUTE ENDS AT ROUTE 0917
0.483	0.483	INTERSECTION	RIGHT	ROUTE 917

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0410 : MAUNA LOA EMERGENCY ACCESS ROAD

<i>FROM MILEPOST</i>	<i>TO MILEPOST</i>	<i>FEATURE</i>	<i>SIDE</i>	<i>COMMENT</i>
0.000	0.000			ROUTE BEGINS AT ROUTE 0010 AT MP 202 ON THE RIGHT
0.003	0.003	INTERSECTION	RIGHT	ROUTE 010
0.004	0.004	INTERSECTION	LEFT	ROUTE 010
0.087	0.087	INTERSECTION	LEFT	ROUTE 11
0.090	0.090			ROUTE ENDS AT INTERSECTION OF ROUTES 5011 AND 0100A
0.095	0.095	INTERSECTION	RIGHT	ROUTE 100A

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 5011 : HAWAII STATE ROUTE 11

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT EAST PARK BOUNDARY
0.774	0.902	GUARDRAIL	RIGHT	
0.887	0.887	INTERSECTION	LEFT	INT LT RTE 010
1.021	1.146	GUARDRAIL	RIGHT	
1.032	1.151	GUARDRAIL	LEFT	
1.378	1.378	INTERSECTION	LEFT	INT LT RTE 400
1.702	1.723	PULLOUT	RIGHT	
1.723	1.836	GUARDRAIL	LEFT	
2.586	2.586	INTERSECTION	RIGHT	INT RT PII MAUNA ROAD
2.591	2.591	INTERSECTION	LEFT	INT LT KILAUEA MILITARY CAMP
3.008	3.111	GUARDRAIL	LEFT	
3.119	3.153	PULLOUT	LEFT	
3.185	3.185	INTERSECTION	RIGHT	INT RT RTE 100A
3.195	3.195	INTERSECTION	LEFT	INT LT RTE 410
3.558	3.646	GUARDRAIL	RIGHT	
3.744	3.882	GUARDRAIL	RIGHT	
3.886	3.886	INTERSECTION	RIGHT	INT RT RTE 204A
3.905	4.148	GUARDRAIL	RIGHT	
4.014	4.143	GUARDRAIL	LEFT	
4.182	4.229	GUARDRAIL	LEFT	
4.192	4.266	GUARDRAIL	RIGHT	
4.457	4.622	GUARDRAIL	RIGHT	
4.475	4.568	GUARDRAIL	LEFT	
4.664	4.859	GUARDRAIL	RIGHT	
4.743	4.851	GUARDRAIL	LEFT	
4.904	5.054	GUARDRAIL	RIGHT	

HAVO: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 5011 : HAWAII STATE ROUTE 11

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
4.933	5.062	GUARDRAIL	LEFT	
5.107	5.506	GUARDRAIL	RIGHT	
5.127	5.235	GUARDRAIL	LEFT	
5.296	5.327	GUARDRAIL	LEFT	
5.408	5.559	GUARDRAIL	LEFT	
5.632	5.734	GUARDRAIL	RIGHT	
5.636	5.730	GUARDRAIL	LEFT	
5.965	6.000	GUARDRAIL	LEFT	
6.493	6.493	INTERSECTION	RIGHT	INT RT UNPAVED RTE
6.813	6.914	GUARDRAIL	RIGHT	
6.956	7.052	GUARDRAIL	LEFT	
6.959	7.010	GUARDRAIL	RIGHT	
7.267	7.390	GUARDRAIL	RIGHT	
7.558	7.668	GUARDRAIL	RIGHT	
7.568	7.696	GUARDRAIL	LEFT	
8.017	8.028	PULLOUT	RIGHT	
10.204	10.204	INTERSECTION	LEFT	INT LT KA'U DESERT TRAILHEAD PULLOUT
11.101	11.101	INTERSECTION	RIGHT	INT RT UNPAVED RTE
11.212	11.355	GUARDRAIL	RIGHT	
11.225	11.387	GUARDRAIL	LEFT	
11.910	11.910			ROUTE ENDS AT WEST PARK BOUNDARY

APPENDIX A: GLOSSARY OF TERMS AND ABBREVIATIONS

TERM OR ABBREVIATION	DESCRIPTION OR DEFINITION
8300	Numeric Code for Hawaii Volcanoes National Park
AADT	Annually Adjusted Daily Traffic. Average daily traffic adjusted for the term period comprising 80% of annual visitation
CRS	Condition Rating Sheets. (Section 5)
Drainage Condition Rating	A visual rating (Good, Poor) of the drainage condition. (see Section 10)
Excellent	Excellent rating with an index value of 95 or greater
Fair	Fair rating with an index value between 61 and 84
Func. Class	Functional Classification (see Route ID, Section 4)
Good	Good rating with an index value between 85 and 94
HAVO	Alpha Code for Hawaii Volcanoes National Park
IRI	International Roughness Index
Lane Width	Distance from road centerline to fogline, or from centerline to edge-of-pavement when no fogline exists
MRR	Manually Rated Route
NA	Not Applicable
NC	Not Collected
Paved Width	Distance from edge-of-pavement to edge-of-pavement
PCR	Pavement Condition Rating (see Section 10)

Poor	Poor Rating with an index value of 60 or less
RCI	Roughness Condition Index
SADT	Seasonal Annual Daily Traffic. Average daily traffic for the total defined "season"
SCR	Surface Condition Rating (see Section 10)
Shoulder Condition Rating	Visual rating (Good, Poor) of the condition of shoulder. (see Section 10)
Shoulder Width	Distance from fogline to hinge point, or if no fogline, from edge-of-pavement to hinge point

APPENDIX B: DESCRIPTION OF RATING SYSTEM

A numerical roadway rating system is used to describe the overall condition of the paved roadways and paved parking areas. In this system, a numerical rating between 1 and 100 is ascribed to each 0.02 miles of road. This numerical rating is called a Pavement Condition Rating (PCR). A “perfect” road, newly constructed with no surface distresses and a smooth surface, would be assigned a PCR rating of 100. Based on the type, severity, and extent of surface distresses points are deducted from 100 to arrive at the final PCR.

Data is collected on the following distresses and conditions:

- **Alligator Cracking** - a series of interconnecting cracks resembling alligator skin or chicken wire, which can occur anywhere in the lane.
- **Longitudinal Cracking** - cracks which are parallel to the pavement centerline or asphalt lay-down direction.
- **Transverse Cracking** - cracks perpendicular to the pavement centerline.
- **Pothole (patch)** - a bowl-shaped hole in the pavement surface. May be patched or not.
- **Rutting** - surface depressions in the wheel paths.

Roughness is collected as International Roughness Index (IRI) and is used in the PCR formula. Roughness is measured in inches of vertical displacement of the vehicle per mile traveled.

A Distress Rating Index value is calculated for each of the individual distresses at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

Alligator Cracking Index = $100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]$

Longitudinal Cracking Index = $100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]$

Transverse Cracking Index = $100 - [(20 * (\text{low}/15.1 + \text{medium}/7.5)) + (40 * (\text{high}/1.9))]$

Patching Index = $100 - [40 * (\%patching / 80)]$

Rutting Index: $100 - [40 * ((\text{low}/160) + (\text{med}/80) + (\text{high}/40))]$

Roughness Condition Index: (RCI) = $32 * [5 * e^{(-0.0041 * \text{average IRI})}]$

These 0.02 Distress Rating Index values are then averaged over one mile sections for the mile-by-mile Distress Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

Surface Condition Rating (SCR) = $100 - [(100 - AC_INDEX) + (100 - LC_INDEX) + (100 - TC_INDEX) + (100 - PATCH_INDEX) + (100 - RUT_INDEX)]$

Pavement Condition Rating (PCR) = $(SCR * 0.60) + (RCI * 0.40)$

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 12 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Parking Lot and Manually Rated Road Condition Rating

Surface Condition Distresses- Chip Seal:

Raveling – loss of surface rock chips revealing previous surface
Bleeding – asphalt or tar is bleeding through to the surface where surface looks slick with asphalt
Rutting
Potholes/Patching

Ratings - Chip Seal:

Excellent – None of the surface affected by the above (recently constructed)
Good – Less than 10% of surface affected by the above
Fair – Between 10% and 40% of surface affected by the above
Poor – More than 40% of surface affected by the above

Surface Condition - Asphalt:

Cracking of any type
Rutting
Potholes/Patching

Ratings - Asphalt:

Excellent – None of the surface affected by the above (recently constructed)
Good – Less than 10% of surface affected by the above
Fair – Between 10% and 40% of surface affected by the above
Poor – More than 40% of surface affected by the above

Index Values of Visual Ratings on Parking Lots and Manually Rated Roads

Excellent	97
Good	90
Fair	73
Poor	45

Drainage Condition Rating Definitions

- Good:** Minimal overall drainage problems. If funding were available for pavement maintenance, 25% or less is estimated to correct drainage deficiencies.
- Poor:** Problems exist that jeopardizes the integrity of the road in this section. If funding were available for pavement maintenance, 50% to 100% is estimated to correct drainage deficiencies.

Drainage Condition Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainage ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Drainage

Most water clears the road prism adequately with little concern of base saturation.

- X Pavement has minor deficiencies that interrupt water flow.
- X Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- X Curbs have deficiencies, but still function without erosion.
- X Down drains are placed properly, but show signs of some deterioration.
- X Culverts are adequate in numbers and size however, minor deficiencies are evident.
- X Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

Poor Drainage

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- X Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- X Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- X Portions of curbs are missing, allowing water to escape causing erosion.
- X Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- X Down drains show signs of water exiting in areas by the down drain causing erosion.
- X Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- X Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

- Good:** The shoulder is generally in good functional condition. If curbs are present, they are functional.
- Poor:** There is no shoulder because erosion has removed it. If curbs are present, they need to be replaced.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Shoulders

- X If shoulder is unpaved drop-offs are less than 1", but grading is required.
- X If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- X If curbs are present they are functional.

Poor Shoulder

- X If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- X If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- X If curbs are present they need replacement.
- X If curbs are present they need repairs, and there is erosion behind the curb.

APPENDIX C: DIGITAL IMAGE INFORMATION

All images collected in Cycle 3 are digital images. These images provide the best resolution for identifying sign inventories and pavement evaluations. The images can be viewed with an interactive software program called **Visi-Data**. Each park will have a copy of the Visi-Data program installed in the park for park personnel to access and use.

Only Cycle 3 data can be queried and reviewed using the Visi-Data software program. This program is a multimedia data presentation and analysis tool that can be accessed either at the individual park, park region or at NPS headquarters. The data is organized in a hierarchical manner and presented in tabular and graphical formats. The user is able to perform queries and drill down through the data to find the particular information they are trying to query. Associated digital right-of-way images from the either the LAN, USB port, individual DVD, or from the Visi-web application, can be presented along with the GPS locations.

APPENDIX D: METADATA

ARAN ROUTE GPS DATA

Background information of route spatial data.

GPS Records: GPS data for NPS routes is stored in the MS Access database for the park. The coordinates of the road traces are stored in the '**PMS_20**' table in the '**GPS_LAT**' and '**GPS_LON**' fields.

Data Collection Device:

Vehicle Information: Ford Van
Type of GPS Unit: NovAtel MiLLeNNium, 12 channel, dual frequency L1/L2, DGPS ready receiver w/MiLLeNNium 502 GPS antenna and OmniSTAR System 3000 LR
Inertial System: Applanix POS LV

Accuracy: Expected ground accuracy is 1 meter *

*The above accuracy assumes good GPS mission planning resulting in maximum GPS satellite observation and ideal environmental conditions. Due to less than ideal satellite and environmental conditions, some routes may lack the expected ground accuracy.

Geographic Datum: WGS 1984

Post Collection GPS Correction: Due to unanticipated GPS collection inaccuracies, some route locations have been digitized using DOQQ's and other data sources.

FHWA – NPS Road Inventory Program

Cycle 3 Metadata for the Park Database

The purpose of these sheets is to provide users of the Road Inventory Program's data with data accuracies and tolerances to help users define ways in which the RIP data can and cannot be used. For further information on specifics of data collection equipment, data collection procedures, equipment calibrations, or quality control/quality assurance procedures, please contact Jim Kennedy, Project Manager, Data Quality Assurance, at 720-963-3560 or jim.kennedy@fhwa.dot.gov.

All Road Inventory Program data undergoes quality control and quality assurance testing. This document represents the known data accuracies and tolerances for the data collection equipment, data collection procedures, and data processing procedures currently in use. Many additional tests conducted on the park databases during the quality assurance phase to ensure data integrity are not listed as a part of this document. Before it is delivered, a park database undergoes a large set of table design consistency, field data format consistency, data completeness, uniqueness of key fields, data reasonableness, acceptable data range, within-field data consistency, between-field data consistency, and between-table data consistency tests. Additional data sampling checks are conducted to ensure proper data upload from raw files into the park database and to quality check the pavement crack analysis. Further information is detailed in the FHWA – NPS RIP Quality Assurance Manual, available upon request.

This description of metadata includes only the known accuracies with which a data field matches its expected value. The tables that follow this page show each database field's:

- Field – field name
- Format – data type and number of characters of field
- Expected Value – meaning of value assigned to field
- Source – when in process field value obtained
- Validation – how field value obtained
- Expected Accuracy – accuracy with which contents of field match Expected Value

Verifying and continually improving the accuracy of Road Inventory Program data is an ongoing goal of the Federal Highway Administration and the National Park Service. Field testing and post-collection analysis of ARAN (Automatic Road ANalyzer) -collected data will continue in Cycle 4. Data quality is expected to improve as the FHWA – NPS Road Inventory Program continues to operate, due to the fact that future data collection cycles will consist in large part of data updates. Also, technological improvements are expected to render the data increasingly consistent with actual roadway conditions as data collection cycles progress.

Specific Caveats

- Three canned reports are titled "Features in Good Condition", "Features in Fair Condition," and "Features in Poor Condition." These titles could be misleading. In Cycle 3, condition assessments have been conducted on **signs only**. Condition assessments have not been conducted on non-sign features, such as culverts, guardrails, pullouts, etc. Although the database and canned reports might report a default value of "good" for un-assessed features, these condition values are not valid for import into FMSS.
- Database records that show a concrete surface type sometimes include index values that seem to show a perfect roadway (e.g., a Pavement Condition Rating (PCR) of 100). The Road Inventory Program does not actually conduct condition assessments of concrete surfaces. The perfect values are just default values assigned to unassessed sections of pavement and do not represent an assessment of the roadway surface's quality.
- On the USB drive, in the Database folder, parks are provided with intersection lists and exceptions lists. These documents should be treated as raw files and are **not accurate**. Refer to the final database for accurately post-processed intersection data.
- Most roadway data is collected in the primary direction lane of a roadway. To save data storage

- space and to reduce data analysis efforts, the assumption was made that the paved surface condition of a route's primary lane adequately represents the surface condition of the full roadway. Therefore, in the database, opposite-direction records in the PMS_Visidata table do not include assessed values for roadway surface distresses. Values such as 0, N/A, -1, or a repeat of the primary-direction assessed value indicate that no assessment was performed. The PMS_20 and PMS_Mile tables simply exclude all opposite routes.
- Most roadway features are collected relative to the primary direction lane of a roadway, using the primary-direction video. Signs are the only features collected using the opposite-direction video.

Key to Notes in Tables

(1): Note that only one value fits in field, so even if this value varies throughout the route, only one value is recorded here.

(2): Note that some MP values listed here are estimates recorded during the Route ID process for use by the data collection crew (e.g. "FROM ROUTE 0010 AT MILEPOST 30.3"). They are estimates only and are not expected to match the more accurate milepost values included elsewhere in the database in the BEG_MP, END_MP, and MP fields.

(3): Mileage is measured by the ARAN (Automatic Road ANalyzer) data collection vehicle out to the 0.001 decimal place. The DMI (distance measuring instrument) is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration.

(4): Features are measured differently depending on whether they are visible in the forward-facing video of the roadway, but every feature milepost measurement depends on the baseline measurement of the data collection vehicle's mileage. The ARAN (Automatic Road ANalyzer) data collection vehicle's mileage is measured by the DMI (distance measuring instrument) out to the 0.001 decimal place. The DMI is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration. If a feature will not be visible in the forward-facing video, its milepost is determined by the data collectors' key press tagging the milepost when the ARAN passes the feature. Key presses are entered into the ARAN software when the vehicle travels typically between 15 and 45 miles/hour, so a delay of a single second as the vehicle passes a feature would result in an inaccuracy of 0.004 miles (22 feet) to 0.012 miles (66 feet). If a feature is visible in the video, its milepost is determined during post-processing using a video measurement software called Surveyor. Features along the side of a roadway that are measured using the Surveyor software might not be located very accurately. Surveyor is known to be most accurate when measuring quantities near the center of the video frame, as opposed to in the edges of the video image.

(5): Only signs are evaluated for condition. No other features' conditions are assessed, so "N/A" was originally intended to be the default value for unassessed features. However, some non-sign features do have condition ratings in the database. These are not accurate, because no assessment was ever done on non-sign features.

(6): Condition assessments are not conducted on concrete (CO) surface types. Perfect values for concrete road sections are default values and do not represent a condition assessment of the concrete surfaces.

(7): Roadway cracking presence, type, severity, and extent are determined by filming the roadway in the primary lane continuously with two overlapping analog cameras of 640 x 480 resolution. The images from both cameras are stitched together in real time to create a continuous strip image of the roadway pavement in the primary lane. Cracks 3 mm or greater in width are visible in this video. A semi-automatic process running the WiseCrax software with additional input by human operators provides the cracking quantities recorded in these database fields. Quality checks have determined that a consistent 80% or better of the visible cracks are recorded.

Access Database Metadata

Master Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
RTE_NAME	(Text)	Route name	Route ID Meeting	Park Input	Untested. 50 characters fit in field
FUNCT_CLAS_S	X	Route functional classification	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PR! (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP_EST	999.999 (miles)	Estimated starting MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
END_MP_EST	999.999 (miles)	Estimated ending MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
FROM_DESC	(Text)	Beginning terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected.
TO_DESC	(Text)	Ending terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected.
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
COMP_DIR	XX	Compass direction of route's primary lane (nearest cardinal direction)	Route ID Meeting	Park Input/FHWA Determination	Untested
COMMENTS	(Text)	Special information, if any	Contractor Post-processing	Contractor Input	Untested
FILENAME	XXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
BEG_MP	999.999 (miles)	Beginning MP collected	ARAN Data Collection	Automatic Output	100% (3)
END_MP	999.999 (miles)	Erding MP collected	ARAN Data Collection	Automatic Output	100% (3)

PMS Feature Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLAS_S	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PR1 (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
MP	999.999 (miles)	Feature location along route	ARAN Data Collection/Contractor Post-processing	Survey Crew Input/Video Processing	Untested (4)
EVENT	XXXX	Event category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_CODE	XXXX	Event sub-category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_DESC	(Text)	Description of feature/contents of sign	Contractor Post-processing	Video Processing	Untested
MUTCD	"N/A"	N/A. Intended to be sign MUTCD code	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
CONDITION	XXX	Sign condition (G-D, F-R, P-R, N/A)	Contractor Post-processing	Video Processing	Untested (5)
COMMENT	(Text)	Sign label, intersecting route, etc.	Contractor Post-processing	Database Processing	Untested
OFFSET	"N/A"	N/A. Intended to be offset from pavement edge	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
SIDE	XXX	Side of route; "N/A" if not on one side	Contractor Post-processing	Video Processing	Untested
STR_NUMBER	XXXXXXXXXX	FHWA bridge structure number	FHWA Post-processing	Database Processing	Untested
GPS_LAT	"N/A"	N/A. Intended to be latitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_LON	"N/A"	N/A. Intended to be longitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_ELEV	"N/A"	N/A. Intended to be elevation	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_MODE	"N/A"	N/A. Intended to be GPS mode	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
VIDEO	><P><C03VID<#	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of jpg image showing feature	Contractor Post-processing	Automatic Output	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
FILENAME	XXXXXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	9999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISI_FROM	9999999 (millimiles)	Raw MP of first video frame showing feature	Contractor Post-processing	Database Processing	Untested
VISI_TO	9999999 (millimiles)	Raw MP of last video frame showing feature	Contractor Post-processing	Database Processing	Untested

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

PMS 20, PMS Mile & PMS Visidata Tables Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	X	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLASS	X	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Classification	Untested
BEG_MP	999.999 (miles)	MP at start of road interval described by database record	Contractor Post-processing	Park Input/FHWA Determination	Untested
END_MP	999.999 (miles)	MP at end of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
INT_LENGTH	999.9 (ft)	Length of road interval as aggregated for data table	Contractor Post-processing	Database Processing	100%
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
NO_LANES	X	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
LANE_NO	X	Data collection lane	Contractor Post-processing	Database Processing	Untested
WX_LANE_WID_TH	99.999 (ft)	WiseCrax (crack detection software) analysis width	Contractor Post-processing	Automatic Output	Untested
LANE_WIDTH	99.999 (ft)	Width of lane	Contractor Post-processing	Video Processing	Untested
PAVE_WIDTH	99.999 (ft)	Full pavement width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_L	99.999 (ft)	Left shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_R	99.999 (ft)	Right shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_COND_L	XXXXX	Left shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
SHLD_COND_R	XXXXX	Right shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_L	XXXXX	Left drainage condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_R	XXXXX	Right drainage condition	ARAN Data Collection	Survey Crew Input	Untested
SURF_TYPE	XX	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
PCR	999	Pavement Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
RCI	999	Roughness Condition Index; -1 if invalid IRI	Contractor Post-processing	Database Processing	100% for calculation

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
SCR	999	Surface Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
IRI_AVG	999.9 (inches/mile)	Average IRI	Contractor Post-processing	Database Processing	Untested
IRI_SD	999.9 (inches/mile)	IRI standard deviation	Contractor Post-processing	Database Processing	Untested
IRI_L	999.9 (inches/mile)	Left wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_R	999.9 (inches/mile)	Right wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_FLAG	0 or -1	-1 if invalid IRI data	Contractor Post-processing	Database Processing	Untested
RUT_INDEX	999	Rut index	Contractor Post-processing	Database Processing	100% for calculation (6)
RUT_AVG	99.99 (inches)	Average rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MAX	99.99 (inches)	Maximum rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_SD	9.9	Rut depth standard deviation	Contractor Post-processing	Database Processing	Untested (6)
RUT_LOW	999 (%)	Percent of low severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MED	999 (%)	Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_HI	999 (%)	Percent of high severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
XFALL	999.9 (% slope)	Cross fall at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
GRADE	999.9 (% slope)	Grade at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
AC_INDEX	999	Alligator cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
AC_LOW	999.9999 (%)	Percent of WiseCrax measured lane area with low-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_MED	999.9999 (%)	Percent of WiseCrax measured lane area with medium-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
AC_HI	999.9999 (%)	Percent of WiseCrax measured lane area with high-severity alligator cracking	Contractor Post-processing	Automatic Output	(6) (7)
LC_INDEX	999	Longitudinal cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
LC_LOW	999.99 (%)	Low-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_MED	999.99 (%)	Medium-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_HI	999.99 (%)	High-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
TC_INDEX	999	Transverse cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
TC_LOW	999.99 (cracks)	Count of low-severity transverse cracks, where one crack unit equals the WiseCrax lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_MED	999.99 (cracks)	Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
TC_HI	999.99 (cracks)	Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
PATCH_INDEX	999	Patching index	Contractor Post-processing	Database Processing	100% for calculation (6)

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
PATCHING	999.9999 (%)	Percent of WiseCrax measured lane area affected by patching	Contractor Post-processing	Manual Pavement Video Processing	Untested (6)
GPS_LAT	999.999999	Latitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_LON	-999.999999	Longitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_ELEV	99999.9	Elevation	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_MODE	XXX	GPS mode during collection	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
VIDEO	<Part>C03\VID->	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of jpg image showing road interval	Contractor Post-processing	Automatic Output	Untested
SPEED	999 (miles/hour)	Average ARAN speed during data collection	ARAN Data Collection	Automatic Output	Untested
BRIDGE_FLAG	0 or 1	Flag indicating presence of bridge in interval	ARAN Data Collection	Survey Crew Input	Untested
CONSTR_FLAG	0 or 1	Flag indicating construction in interval	ARAN Data Collection	Survey Crew Input	Untested
LANEDEV_FLAG	0 or 1	Flag indicating lane deviation in interval	ARAN Data Collection	Survey Crew Input	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
NODISTRESS	0 OR 1	Flag indicating absence of pavement distress	Contractor Post-processing	Database Processing	100%
FILENAME	XXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	999999	Unique record ID	Contractor Post-processing	Database Processing	100%
VISI_FROM	999999 (millimiles)	Raw MP of first video frame in section	Contractor Post-processing	Database Processing	Untested
VISI_TO	999999 (millimiles)	Raw MP of last video frame in section	Contractor Post-processing	Database Processing	Untested
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

Cycle 3 Shapefile Metadata

Metadata is provided for all shapefiles used for the creation of RIP report documents. The metadata for each shapefile associated with the park can be found in Section 10 of the PDF report provided on your park CD.

All shapefiles have the following spatial characteristics:

Geographic_Coordinate_Units: Decimal degrees
Spheroid: WGS 1984

havo_seg

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: havo_seg

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Routes

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. The shapefile is processed to aggregate adjacent segments with the same PCR rating.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.386444

East_Bounding_Coordinate: -155.083725

North_Bounding_Coordinate: 19.492327

South_Bounding_Coordinate: 19.282787

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 238

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: havo_seg

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: LENGTH

Attribute_Definition: Length of feature

Attribute_Definition_Source: ESRI

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RT_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCR_RATEAV

Attribute_Definition:

Numeric PCR definition. Average PCR value based on programmatic averaging of adjacent segments.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0

Range_Domain_Maximum: 100

Attribute:

Attribute_Label: PCRAV

Attribute_Definition: Verbal PCR definition based on value in PCRAV field

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: POOR

Enumerated_Domain_Value_Definition: PCR value <= 60
Enumerated_Domain:
 Enumerated_Domain_Value: FAIR
 Enumerated_Domain_Value_Definition: PCR value 61-84
Enumerated_Domain:
 Enumerated_Domain_Value: GOOD
 Enumerated_Domain_Value_Definition: PCR value 85-94
Enumerated_Domain:
 Enumerated_Domain_Value: EXCELLENT
 Enumerated_Domain_Value_Definition: PCR value 95-100

Attribute:

Attribute_Label: TSR_EDIT

Attribute_Definition: Indicates whether feature has been edited for graphic purposes.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: 1
 Enumerated_Domain_Value_Definition: Edit has been made to feature for graphic purposes

Enumerated_Domain:
 Enumerated_Domain_Value: 0
 Enumerated_Domain_Value_Definition: No edit made to feature.

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute:

Attribute_Label: BMP

Attribute:

Attribute_Label: EMP

Attribute:

Attribute_Label: PCR

Attribute:

Attribute_Label: PCR_RATE

Attribute:

Attribute_Label: RT_LENGTH

Attribute:

Attribute_Label: PCRM

Attribute:

Attribute_Label: PCR_RATEMI

Attribute:

Attribute_Label: PCR_RATEAV

Attribute:

Attribute_Label: PCRAV

Attribute:

Attribute_Label: TSR_EDIT

Distribution_Information:

Resource_Description: Downloadable Data
Standard_Order_Process:

Digital_Form:
Digital_Transfer_Information:
Transfer_Size: 0.016

Metadata_Reference_Information:
Metadata_Date: 20060109
Metadata_Contact:
 Contact_Information:
 Contact_Organization_Primary:
 Contact_Organization: EFLHD Sterling
 Contact_Person: Dan VanGilder
 Contact_Position: GIS Coordinator
 Contact_Address:
 Address_Type: mailing and physical address
 City: Sterling
 State_or_Province: Virginia
 Postal_Code: 20166
 Country: United States
 Contact_Voice_Telephone: 703-404-6361
 Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov
Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata
Metadata_Standard_Version: FGDC-STD-001-1998
Metadata_Time_Convention: local time
Metadata_Extensions:
 Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>
 Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Mon Jan 09 08:18:22 2006

havo_pkg_03

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: havo_pkg_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Parking Areas

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 5/8/2001

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.303525

East_Bounding_Coordinate: -155.161417

North_Bounding_Coordinate: 19.437889

South_Bounding_Coordinate: 19.317004

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for parking areas*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 25

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* havo_pkg_03*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:**Sequential unique whole numbers that are automatically generated.**Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* FEATURE*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute_Domain_Values:**Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating for route*Attribute:**Attribute_Label:* PHOTOS*Attribute_Definition:* Photo filename associated with feature*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT

Attribute_Definition: Feature area in square feet

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.018

Metadata_Reference_Information:

Metadata_Date: 20060109

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Mon Jan 09 08:17:13 2006

havo_pkg_03_map

Metadata also available as

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: havo_pkg_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Copy of Parking Areas

Purpose: Road Inventory Program

Supplemental_Information:

This shapefile is a copy of the source parking shapefile. The features are edited as needed for graphic purposes.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 5/8/2001

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.303457

East_Bounding_Coordinate: -155.161417

North_Bounding_Coordinate: 19.437907

South_Bounding_Coordinate: 19.317004

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: G-polygon

Point_and_Vector_Object_Count: 26

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: havo_pkg_03_map

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NAME

Attribute_Definition: Route name

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: FEATURE

Attribute:

Attribute_Label: SURF_TYPE

Attribute_Definition: Surface type of route

Attribute_Domain_Values:

Attribute:

Attribute_Label: CONDITION

Attribute_Definition: Condition rating for route

Attribute:

Attribute_Label: PHOTOS

Attribute_Definition: Photo filename associated with feature

Attribute:

Attribute_Label: COMMENT

Attribute_Definition: Field comment

Attribute:

Attribute_Label: GPS_DATE

Attribute_Definition: Date of GPS collection

*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Feature area in square feet

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.018

*Metadata_Reference_Information:**Metadata_Date:* 20060109*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Mon Jan 09 08:16:59 2006

havo_mrp_03

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: havo_mrp_03

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Manually Rated Roads - Polygons

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 5/9/2001

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.295152

East_Bounding_Coordinate: -155.273170

North_Bounding_Coordinate: 19.426743

South_Bounding_Coordinate: 19.342590

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: None

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for manually rated roads.*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 2

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* havo_mrp_03*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:**Sequential unique whole numbers that are automatically generated.**Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route Number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route Name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* SECTION_*Attribute_Definition:* Route section ID*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Area of manually rated road in square feet*Attribute:**Attribute_Label:* PROJECTN

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.187

*Metadata_Reference_Information:**Metadata_Date:* 20060109*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by mp version 2.7.33 on Mon Jan 09 08:15:52 2006

havo_mrp_03_map

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown

Title: havo_mrp_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Manually Rated Roads - Polygons

Purpose: Road Inventory Program

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 5/9/2001

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.295146

East_Bounding_Coordinate: -155.273210

North_Bounding_Coordinate: 19.426816

South_Bounding_Coordinate: 19.342631

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: None

Point_of_Contact:

Contact_Information:

*Contact_Person_Primary:**Contact_Person:* Dan VanGilder*Contact_Organization:* EFLHD*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Native_Data_Set_Environment:*

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog
8.3.0.800

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:* Good*Completeness_Report:* Complete for manually rated roads.*Lineage:**Source_Information:**Type_of_Source_Media:* GPS

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* G-polygon*Point_and_Vector_Object_Count:* 2

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.000000*Longitude_Resolution:* 0.000000*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clarke 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* havo_mrp_03_map*Attribute:**Attribute_Label:* FID*Attribute_Definition:* Internal feature number.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:**Sequential unique whole numbers that are automatically generated.**Attribute:**Attribute_Label:* Shape*Attribute_Definition:* Feature geometry.*Attribute_Definition_Source:* ESRI*Attribute_Domain_Values:**Unrepresentable_Domain:* Coordinates defining the features.*Attribute:**Attribute_Label:* PARK_ALPHA*Attribute_Definition:* Park alpha code*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NO*Attribute_Definition:* Route Number*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* RTE_NAME*Attribute_Definition:* Route Name*Attribute_Definition_Source:* Route ID Meeting*Attribute:**Attribute_Label:* SECTION_*Attribute_Definition:* Route section ID*Attribute:**Attribute_Label:* SURF_TYPE*Attribute_Definition:* Surface type of route*Attribute:**Attribute_Label:* CONDITION*Attribute_Definition:* Condition rating*Attribute:**Attribute_Label:* COMMENT*Attribute_Definition:* Field comment*Attribute:**Attribute_Label:* GPS_DATE*Attribute_Definition:* Date of GPS collection*Attribute:**Attribute_Label:* DATAFILE*Attribute:**Attribute_Label:* SQ_FT*Attribute_Definition:* Area of manually rated road in square feet*Attribute:**Attribute_Label:* PROJECTN

*Distribution_Information:**Resource_Description:* Downloadable Data*Standard_Order_Process:**Digital_Form:**Digital_Transfer_Information:**Transfer_Size:* 0.187

*Metadata_Reference_Information:**Metadata_Date:* 20060109*Metadata_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* EFLHD Sterling*Contact_Person:* Dan VanGilder*Contact_Position:* GIS Coordinator*Contact_Address:**Address_Type:* mailing and physical address*Address:* 21400 Ridgetop Circle*City:* Sterling*State_or_Province:* Virginia*Postal_Code:* 20166*Country:* United States*Contact_Voice_Telephone:* 703-404-6361*Contact_Electronic_Mail_Address:* dvangilder@fhwa.dot.gov*Metadata_Standard_Name:* FGDC Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998*Metadata_Time_Convention:* local time*Metadata_Extensions:**Online_Linkage:* <<http://www.esri.com/metadata/esriprof80.html>>*Profile_Name:* ESRI Metadata Profile

Generated by mp version 2.7.33 on Mon Jan 09 08:16:05 2006

havo_mi_pt

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: havo_mi_pt

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Mile Points

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. All attributes found in the PMS_20 table are found on the miles points.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: Not Available

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.383926

East_Bounding_Coordinate: -155.092712

North_Bounding_Coordinate: 19.485588

South_Bounding_Coordinate: 19.282787

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD Sterling

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for mile points

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity point

Point_and_Vector_Object_Count: 78

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: havo_mi_pt

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: RIP_CYCLE

Attribute_Definition: 3, for data collection cycle 3

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: STATE

Attribute_Definition: State where route is located

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: PARK_ALPHA

Attribute_Definition: Park alpha code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: PARK_NO

Attribute_Definition: Park numeric code

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: FUNCT_CLAS

Attribute_Definition: Route functional class

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: DIRECTION

Attribute_Definition: Survey lane: PRI (primary) or OPP (opposite)

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: BEG_MP

Attribute_Definition: MP at end of road interval described by database record

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: END_MP

Attribute_Definition: MP at end of road interval described by database record

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: INT_LENGTH

Attribute_Definition: Length of road interval as aggregated from data table

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RTE_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: NO_LANES

Attribute_Definition: Number of lanes in route

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: LANE_NO

Attribute_Definition: Data collection lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: WX_LANE_WI

Attribute_Definition: WiseCrax (crack detection software) analysis width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: LANE_WIDTH

Attribute_Definition: Width of lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: PAVE_WIDTH

Attribute_Definition: Full pavement width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_WIDTH

Attribute_Definition: Left shoulder width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_WID_1

Attribute_Definition: Right shoulder width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_COND_

Attribute_Definition: Left shoulder condition

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SHLD_COND1

Attribute_Definition: Right shoulder condition

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: DRAIN_COND
Attribute_Definition: Left drainage condition
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: DRAIN_CO_1
Attribute_Definition: Right drainage condition
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SURF_TYPE
Attribute_Definition: Surface type of route
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCR
Attribute_Definition: Pavement Condition Rating
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RCI
Attribute_Definition: Roughness Condition Index; -1 if invalid IRI
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SCR
Attribute_Definition: Surface Condition Rating
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_AVG
Attribute_Definition: Average IRI
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_SD
Attribute_Definition: IRI Standard Deviation
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IRI_L
Attribute_Definition: Left wheel path IRI
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: IRI_R
Attribute_Definition: Right wheel path IRI
Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: IRI_FLAG
Attribute_Definition: -1 if invalid IRI data
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_INDEX
Attribute_Definition: Rut index
Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_AVG
Attribute_Definition: Average rut depth of both wheelpaths
Attribute_Definition_Source: Contractor Post-processing

*Attribute:**Attribute_Label:* RUT_MAX*Attribute_Definition:* Maximum rut depth of both wheelpaths*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* RUT_SD*Attribute_Definition:* Rut depth standard deviation*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* RUT_LOW*Attribute_Definition:*

Percent of low severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* RUT_MED*Attribute_Definition:*

Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* RUT_HI*Attribute_Definition:*

Percent of high severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* XFALL*Attribute_Definition:* Cross fall at start of road interval*Attribute_Definition_Source:* ARAN Data Collection*Attribute:**Attribute_Label:* GRADE*Attribute_Definition:* Grade at start of road interval*Attribute_Definition_Source:* ARAN Data Collection*Attribute:**Attribute_Label:* AC_INDEX*Attribute_Definition:* Alligator cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* AC_LOW*Attribute_Definition:*

Percent of WiseCrax measured lane area with low-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* AC_MED*Attribute_Definition:*

Percent of WiseCrax measured lane area with medium-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* AC_HI*Attribute_Definition:*

Percent of WiseCrax measured lane area with high-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing

*Attribute:**Attribute_Label:* LC_INDEX*Attribute_Definition:* Longitudinal cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* LC_LOW*Attribute_Definition:*

Low-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* LC_MED*Attribute_Definition:*

Medium-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* LC_HI*Attribute_Definition:*

High-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_INDEX*Attribute_Definition:* Transverse cracking index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* TC_LOW*Attribute_Definition:*

Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_MED*Attribute_Definition:*

Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* TC_HI*Attribute_Definition:*

Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing*Attribute:**Attribute_Label:* PATCH_INDE*Attribute_Definition:* Patching index*Attribute_Definition_Source:* Contractor Post-processing*Attribute:**Attribute_Label:* PATCHING*Attribute_Definition:* Percent of WiseCrax measured lane area affected by patching

Attribute_Definition_Source: Contractor Post-processing
Attribute:
 Attribute_Label: GPS_LAT
 Attribute_Definition: Latitude coordinate
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: GPS_LON
 Attribute_Definition: Longitude coordinate
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: GPS_ELEV
 Attribute_Definition: Elevation
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: GPS_MODE
 Attribute_Definition: GPS mode during collection
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: VIDEO
 Attribute_Definition: Removable USB video hard drive number
 Attribute_Definition_Source: Contractor Post-processing

Attribute:
 Attribute_Label: IMAGE
 Attribute_Definition: Filename of .jpg image showing road interval
 Attribute_Definition_Source: Contractor Post-processing

Attribute:
 Attribute_Label: SPEED
 Attribute_Definition: Average ARAN speed during data collection
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: BRIDGE_FLA
 Attribute_Definition: Flag indicating presence of bridge in interval
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: CONSTR_FLA
 Attribute_Definition: Flag indicating construction in interval
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: LANEDEV_FL
 Attribute_Definition: Flag indicating lane deviation in interval
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: DATE
 Attribute_Definition: Data collection date
 Attribute_Definition_Source: ARAN Data Collection

Attribute:
 Attribute_Label: NODISTRESS
 Attribute_Definition: Flag indicating absence of pavement distress
 Attribute_Definition_Source: Contractor Post-processing

Attribute:
 Attribute_Label: FILENAME

Attribute_Definition: Filename of raw data files

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SECTION

Attribute_Definition: route section ID

Attribute_Definition_Source: Route ID Meeting / ARAN Data Collection

Attribute:

Attribute_Label: FKEY

Attribute_Definition: Unique record ID

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_FROM

Attribute_Definition: Raw MP of first video frame in section

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_TO

Attribute_Definition: Raw MP of last video frame in section

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IDKEY

Attribute_Definition: Unique record ID used by VisiData

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: MP_REF

Attribute_Definition: Range of mileage to play in VisiData

Attribute_Definition_Source: Contractor Post-processing

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.030

Metadata_Reference_Information:

Metadata_Date: 20060109

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>

Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Mon Jan 09 08:18:04 2006

havo_mi

Metadata also available as

Metadata:

- [Identification_Information](#)
 - [Data_Quality_Information](#)
 - [Spatial_Data_Organization_Information](#)
 - [Spatial_Reference_Information](#)
 - [Entity_and_Attribute_Information](#)
 - [Distribution_Information](#)
 - [Metadata_Reference_Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator: The TSR Group

Publication_Date: 2005

Title: havo_mi

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Routes

Purpose: Road Inventory Program

Supplemental_Information:

Data created by The TSR Group from GPS coordinates provided in the PMS_20 table. The shapefile is processed to aggregate adjacent segments with the same PCR rating provided in the PMS_mile table.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -155.386444

East_Bounding_Coordinate: -155.083725

North_Bounding_Coordinate: 19.492327

South_Bounding_Coordinate: 19.282787

Keywords:

Theme:

Theme_Keyword_Thesaurus: HAVO

Theme_Keyword: HAVO

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder

Contact_Organization: EFLHD

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 59

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000

Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Detailed_Description:

Entity_Type:

Entity_Type_Label: havo_mi

Attribute:

Attribute_Label: FID

Attribute_Definition: Internal feature number.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain:

Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute_Label: Shape

Attribute_Definition: Feature geometry.

Attribute_Definition_Source: ESRI

Attribute_Domain_Values:

Unrepresentable_Domain: Coordinates defining the features.

Attribute:

Attribute_Label: LENGTH

Attribute_Definition: Length of feature

Attribute_Definition_Source: ESRI

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute_Definition: Route number

Attribute_Definition_Source: Route ID Meeting

Attribute:

Attribute_Label: RT_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: PCRMI

Attribute_Definition: Numeric PCR definition

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0

Range_Domain_Maximum: 100

Attribute:

Attribute_Label: PCR_RATEMI

Attribute_Definition: Verbal PCR definition

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: POOR

Enumerated_Domain_Value_Definition: PCR value <= 60

Enumerated_Domain:

Enumerated_Domain_Value: FAIR
Enumerated_Domain_Value_Definition: PCR value 61-84

Enumerated_Domain:
Enumerated_Domain_Value: GOOD
Enumerated_Domain_Value_Definition: PCR value 85-94

Enumerated_Domain:
Enumerated_Domain_Value: EXCELLENT
Enumerated_Domain_Value_Definition: PCR value 95-100

Attribute:

Attribute_Label: TSR_EDIT
Attribute_Definition: Indicates whether feature has been edited for graphic purposes.

Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: 1
Enumerated_Domain_Value_Definition: Edit has been made to feature for graphic purposes

Enumerated_Domain:
Enumerated_Domain_Value: 0
Enumerated_Domain_Value_Definition: No edit made to feature.

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Transfer_Size: 0.016

Metadata_Reference_Information:

Metadata_Date: 20060109

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166

Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: <<http://www.esri.com/metadata/esriprof80.html>>
Profile_Name: ESRI Metadata Profile

Generated by [mp](#) version 2.7.33 on Mon Jan 09 08:17:52 2006