

The Road Inventory
of
New River Gorge National River
NERI - 4780









Road Inventory Program

Prepared By: Federal Highway Administration Eastern Federal Lands Highway Division Cycle 3



New River Gorge National River in West Virginia






TABLE OF CONTENTS

SECTION		<u>PAGE</u>
1.	INTRODUCTION	1 - 1
2.	PARK SUMMARY INFORMATION National Park Summaries Cost to Improve Based on Historical and Estimated Data Paved Route Miles and Percentages by Functional Class and PCR	2-1 2-2 2-3
3.	PARK SUMMARY MAPS Route Location Key Map Route Condition Key Map – PCR Mile by Mile	3 – 1 3 – 3
4.	PARK ROUTE INVENTORY Route Identification Lists (Numeric and Alphabetic)	4 – 1
5.	PAVED ROUTE CONDITION RATING SHEETS	5 – 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS	6 – 1
7.	PARKING LOT CONDITION RATING SHEETS Paved parking Areas	7 – 1
8.	PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY	8 – 1
9.	PARK ROUTE MAINTENANCE FEATURES ROAD LOG	9 – 1
10.	APPENDIX A. Glossary of Terms and Abbreviations B. Description of Rating System C. Digital Image Information D. Metadata	10 - 1 10 - 3 10 - 7 10 - 8

INTRODUCTION

<u>Background:</u> In July 1976, the National Park Service (NPS) and the Federal Highway Administration (FHWA) entered into a Memorandum of Agreement (MOA), establishing the Road Inventory Program (RIP). In 1980, the NPS and the FHWA terminated the 1976 MOA and entered into a new MOA that provided for the completion of the initial phase of the RIP. The purpose of the RIP, per the 1980 MOA, was to maintain and update RIP data in order to develop long-range and short-range costs and programs to bring National Park Service (NPS) roads up to, or to maintain, designated standards, and to establish a maintenance management program.

The FHWA's Federal Lands Highway (FLH) was assigned the task of identifying condition deficiencies and corrective priorities along with associated corrective costs, inventorying maintenance features (e.g., culverts, signs, guardrail, etc.), summarizing the data and findings in a report, and providing a photographic record of the road system.

The FLH completed the initial phase of the RIP in the early 1980's. As a result of this effort, each park received a RIP book, also known as the "Brown Book," that included the information collected during this initial RIP phase.

In an effort to maintain and update the RIP data, a cyclical data collection and reporting process was reestablished in the 1990's. The FLH completed two cycles of RIP data collection between 1994 and 2001. Cycle 1 data was collected in 44 large parks from 1994 to 1995. This data was found to be unusable for comparison to future cycles. Cycle 2 data was collected from March 1997 to January 2001 in 79 large parks and 5 small parks containing 4,874 route miles. Each park received a copy of a Cycle 2 RIP Report, also known as the "Blue Book."

Since 1984, the RIP Program has been funded through the Federal Lands Highway Program's Park Roads and Parkways (PRP) Program. Currently, the NPS Washington Headquarters' Park Facility Management Division is responsible for coordinating the RIP program with the FLH. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) which requires the Federal Highway Administration and the National Park Service, to develop, by rule, a Pavement Management System (PMS) for the park roads and parkways serving the National Park System. As a result of the requirements in TEA-21, the NPS and the FHWA are in the process of developing a PMS. The PMS will assist the decision-makers in effectively spending limited PRP Program funds. The PMS will provide information for planning and programming road maintenance, rehabilitation, and reconstruction activities. RIP data will provide the basic information for this system.

Key information included in the RIP is the mileage inventory and condition assessments accomplished by the RIP Program. The mileage and condition data are used in the current allocation formula of PRP Program funds.

RIP Cycle 3: A third RIP cycle was initiated in 2001. Data was collected from March 2001 to July 2004, and is included in the Cycle 3 Reports. Cycle 3 includes 254 large and small parks with a combined total of 5,455 route miles.

In the Cycle 3 Reports, a general condition rating of excellent, good, fair and poor is ascribed to each onemile section of paved roadway, and to each paved parking area. This condition rating system provides a realistic means of assessing the general funding needs for road improvements. Along with these descriptive condition ratings, a numerical rating between 0 and 100 is ascribed to each mile of road and to each parking area. This numerical rating is called a Pavement Condition Rating (PCR). The PCR rating system is described in Section 10 of this report.

All of the fieldwork required for obtaining inventory, condition, and maintenance feature information is coordinated with each park and the regional offices to ensure that the information in the RIP reports is accurate.

The FLH is responsible for all of the data presented in this report. Anyone having questions or comments regarding the contents of this report is encouraged to contact the FHWA RIP Coordinator. It is our aim to provide exceptional customer satisfaction in our delivery of the RIP program.

FHWA RIP Coordinator:

James A. Amenta FHWA/EFLHD Technical Services, HTS-15 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6366

New River Gorge National River Summaries

Overall Park Mileage Summary

PARK TOTAL SUMMARY ITEMS	TOTAL	DATE
Paved ARAN Driven Route Miles	2.31	11/14/2002
Unpaved Estimated Route Miles	26.08	11/14/2002
Paved ARAN and Unpaved Route Miles	28.39	
Paved ARAN Driven Lane Miles	4.46	11/14/2002
Paved MRR Lane Miles	0.00	
Parking Lot Lane Miles	6.88	11/14/2002
Total Paved Lane Miles	11.34	

Notes: Total Paved Lane Miles includes the sum of Paved ARAN Driven Lane Miles, Paved MRR Lane Miles, and Parking Lot Lane Miles

Unpaved Route Miles are estimates, they have not been inventoried by the Roadway Inventory Program (RIP)

New River Gorge National River Summaries

Cost to Improve to "Excellent" Condition

SOURCE	WORK PERFORMED	COST PER	INITIAL
		MILE	CONDITION
FHWA Awarded Projects	Surface Maintenance	\$30,000	Excellent
FHWA Awarded Projects	3-R (Resurfacing)	\$110,000	Good
FHWA Awarded Projects	3-R (Resurfacing, Restoration, and Rehabilitation) Projects	\$560,000	Fair
FHWA Awarded Projects	4-R (Resurfacing, Restoration, Rehabilitation, and Reconstruction) Projects	\$1,540,000	Poor

Based on the above table, the cost to improve ARAN driven paved road condition miles to "Excellent" PCR are:

Existing Condition	Existing Miles	Estimated Cost to Improve
Excellent	0.36	\$10,800
Good	0.70	\$77,000
Fair	1.25	\$700,000
Poor	0.00	\$0
Totals	2.31	\$787,800

The above numbers include the 35% PE, CE and contingency costs and are national averages. The cost estimates were used in the calculations for the 2004 Reauthorization Bill to determine the level of funding required to bring all the NPS roads into a Pavement Condition Rating (PCR) of Good (85).


These numbers are for preliminary planning purposes only and should not be used for project level proposals. For park planning level analysis, apply your park multiplier for more accurate regional costs.

New River Gorge National River Summaries


Paved Route Miles and Percentages by Functional Class and PCR for ARAN Driven Paved Roads

			Paveme	nt Conditio	n Rating				
	Poor (<=60)	Fair (61-84)		Good (85-94)		Excellent	Excellent (95-100)	
F.C.	MILES	%	MILES	%	MILES	%	MILES	%	MILES
1	0.28	12.12%	0.22	9.52%	0.16	6.93%			0.66
2	0.73	31.60%	0.40	17.32%	0.08	3.46%			1.21
3	0.24	10.39%	0.08	3.46%	0.12	5.19%			0.44
4									
5									
6									
7									
8									
Totals	1.25	54.11%	0.70	30.30%	0.36	15.58%	0.00	0.00%	2.31


New River Gorge National River Route Location Key Map




New River Gorge National River Route Location Area Map 1



Unique colors used to differentiate routes



New River Gorge National River Route Condition Key Map PCR - Mile by Mile



(Numerical By Route #)

Page 1 of 6

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Purple =

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

NERT

	NEKI New River Gorge National River										
Rte. #	FMSS Asset #	Route Name	Route De From	scription To	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0010	3319	GRANDVIEW ROAD (STATE ROUTE 9)	From East Park Boundary	To Route 0963 and Route 0964	0.66	0.00	0.66	1	2	0	AS
0100	50335	FERN CREEK ROAD	From East Park Boundary	To Route 0900	0.00	0.10	0.10	2	1	0	GR
0101	3273	BURNWOOD ROAD	From State Route 19	To End	0.00	0.80	0.80	2	2	0	GR
0102	56824	LANSING POST OFFICE ROAD	From Lansing Road	To East Park Boundary	0.00	0.10	0.10	2	2	0	GR
0103	53371	FAYETTE STATION ROAD	From West Park Boundary	To Route 0907C	0.00	0.30	0.30	2	1	0	GR
0104	13264	COLE PROPERTY ROAD	From Route 0103	To Route 0908	0.00	0.10	0.10	2	1	0	GR
0105	53372	BRIDGE TRAIL ROAD	From State Route 82	To Route 0910	0.00	0.10	0.10	2	1	0	GR
0106	13263	KAYMOOR TOP ROAD	From Kaymoor Road	To Route 0912	0.00	0.10	0.10	2	2	0	GR
0107	3235	CUNARD ROADWAY	From Cunard Road	To End	0.00	2.10	2.10	2	2	0	GR
0108	3236	COAL RUN ROAD	From Route 0107	To Route 0916	0.00	0.70	0.70	2	2	0	GR
0109	3237	BROOKLYN ROAD	From Route 0107	To Route 0917	0.00	1.00	1.00	2	2	0	GR
0110	53374	MINDEN-THURMOND TRAILHEAD ROAD	From Minden Road	To Route 0918	0.00	0.10	0.10	2	1	0	GR
0111	3255	MARTIN CEMETERY ROAD	From State Route 16	To End	0.00	2.20	2.20	2	2	0	GR
0112	53375	THURMOND-MINDEN TRAILHEAD ROAD	From State Route 25	To Route 0924	0.00	0.10	0.10	2	2	0	GR
0113	53376	COMMERCIAL ROW	From State Route 25	To Route 0927	0.00	0.10	0.10	2	1	0	GR
0114	3374	DUNGLEN ROAD	From State Route 25	To Route 0929	0.00	0.10	0.10	2	2	0	GR
0115	3357	STONECLIFF ROAD	From State Route 25	To Route 0931	0.00	0.40	0.40	2	2	0	GR
0116	53377	MCCREERY ROAD	From State Route 41	To Route 0935	0.00	0.10	0.10	2	2	0	GR
0117	3347	GLADE CREEK ROADWAY	From State Route 41	To End	0.00	6.10	6.10	2	2	0	GR
0118	3337	GRANDVIEW SANDBAR ROAD	From Route 0117	To Route 0200	0.00	0.70	0.70	2	2	0	GR
0119	53407	MILL CREEK ROAD	From Route 0117	To Route 0940	0.00	0.10	0.10	2	1	0	GR
0120	3332	ARMY CAMP ROAD	From State Route 41	To Route 0944	0.00	0.90	0.90	2	2	0	GR
0121	53408	UPPER GLADE CREEK ROAD	From State Route 64	To Route 0946	0.00	0.10	0.10	2	1	0	GR
0122	13272	BROOKSIDE ROAD	From State Route 20	To Route 0951	0.00	0.20	0.20	2	1	0	GR
0123	13275	BROOKS FALLS ROAD	From State Route 20	To Route 0954	0.00	0.10	0.10	2	1	0	GR
0124	13277	SANDSTONE FALLS ROAD	From River Road	To Route 0955B	0.00	0.10	0.10	2	2	0	GR
0125	13278	SANDSTONE FALLS LOWER BEACH ROAD	From River Road	To Route 0956B	0.00	0.20	0.20	2	2	0	GR
0126	53409	TURKEY SPUR ROAD	From Route 0010	To Route 0962	1.21	0.00	1.21	2	1/2	0	AS
0200	3348	GLADE CREEK CAMPGROUND ROAD	From Route 0117	To Route 0117	0.00	0.50	0.50	3	1	0	GR
0201	3294	QUINNIMONT ROAD	From State Route 41	To State Route 41	0.00	0.20	0.20	3	1	0	GR
0202	50379	GRANDVIEW VISITOR CENTER ROAD	From Route 0010	To Route 0010	0.44	0.00	0.44	3	2	0	AS
0400	3274	CANYON RIM WATER TANK ROAD	From Route 0102	To End	0.00	0.23	0.23	6	1	0	GR
0401	3275	AJAX MINES ROAD	From Fayette Station Road	To End	0.00	0.05	0.05	5	1	0	GR
0402	53410	KAYMOOR SERVICE ROAD	From Kaymoor Road	To End	0.00	4.20	4.20	6	1	0	GR
							·			08/19/2005	1

(Numerical By Route #)

Page 2 of 6

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Purple =

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

NFRI

Rte. #	FMSS Asset	Route Name	Route Desc From	cription To	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated	Surf Typ
	#									SQ/FI	
0403	13276	BALLARD FARM ROAD	From State Route 20	To End To End	0.00	0.20	0.20	6	1	0	GR GR
0404	3317	GRANDVIEW ADMINISTRATIVE ROAD	From Route 0910 From Route 0963	To Route 0117	0.00	2.00	2.00	6	1	0	GR
0700	13260	NERI NR025 GAULEY RANGER STATION ROAD	From	То	0.00	0.10	0.10	ZZ		0	GR
0701	13261	NERI NR025 LAING HOUSE DRIVEWAY	From	То	0.00	0.20	0.20	ZZ		0	GR
0702	13266	NERI NR028 SOUTHSIDE JUNCTION ROAD	From	То	0.00	0.10	0.10	ZZ		0	GR
0703	13269	NERI NR030 THAYER/DENT PROPERTY ROADS	From	То	0.00	0.10	0.10	ZZ		0	GR
0704	13273	NERI SR017 TUG CREEK BEACH ROAD	From	То	0.00	0.10	0.10	ZZ		0	GR
0705	13274	NERI SR018 HELMS BEACH ROAD	From	То	0.00	0.10	0.10	ZZ		0	GR
0706	3333	NERI NR022 ARMY CAMP CAMPGROUND ROAD	From	То	0.00	0.20	0.20	ZZ		0	GR
0707	3338	NERI NR023 GRANDVIEW SANDBAR CAMPGROUND ROAD	From	То	0.00	0.30	0.30	ZZ		0	GR
0900	3278	FERN CREEK PARKING	From Route 0100	To Parking	0.00	0.00	0.00	9	0	12,405	GR
0901	50348	BURNWOOD MAINTENANCE AREA	From Route 0101	To Parking	0.00	0.00	0.00	9	0	11,340	GR
0902	50350	BURNWOOD RANGER STATION PARKING	From Route 0101	To Parking	0.00	0.00	0.00	9	0	19,344	GR
0903	50352	BURNWOOD SEWAGE PLANT PARKING	From Route 0101	To Parking	0.00	0.00	0.00	9	0	3,325	GR
0904A	50356	BURNWOOD SHELTER PARKING A	From Route 0101	To Parking	0.00	0.00	0.00	9	0	900	GR
0904B	53739	BURNWOOD SHELTER PARKING B	From Route 0101	To Parking	0.00	0.00	0.00	9	0	900	GR
0906	3276	CANYON RIM VISITOR CENTER PARKING	From Lansing Road	To Parking	0.00	0.00	0.00	9	0	90,173	AS
0907A	50364	FAYETTE STATION PARKING A	From Route 0103	To Parking	0.00	0.00	0.00	9	0	10,575	GR
0907B	50365	FAYETTE STATION PARKING B	From Route 0103	To Parking	0.00	0.00	0.00	9	0	12,994	GR
0907C	50360	FAYETTE STATION PARKING C	From Route 0103	To Parking	0.00	0.00	0.00	9	0	6,095	GR
0908	50361	COLE PROPERTY PARKING	From Route 0104	To Parking	0.00	0.00	0.00	9	0	15,640	GR
0909	50367	KAYMOOR MINER TRAIL PARKING	From Kaymoor Road	To Parking	0.00	0.00	0.00	9	0	7,007	GR
0910	13281	BRIDGE TRAIL PARKING	From Route 0105	To Parking	0.00	0.00	0.00	9	0	9,378	GR
0911	13282	LONG POINT PARKING	From Kaymoor Road	To Parking	0.00	0.00	0.00	9	0	13,784	GR
0912	13283	KAYMOOR TOP PARKING	From Route 0106	To Parking	0.00	0.00	0.00	9	0	2,346	GF
0913	13284	CUNARD HORSE TRAIL PARKING	From Route 0107	To Parking	0.00	0.00	0.00	9	0	4,183	GR

(Numerical By Route #)

Page 3 of 6

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Purple =

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

NFRT

Rte. #	FMSS Asset #	Route Name	Route De	scription To	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0914A	51093	CUNARD PARKING A	From Route 0107	To Parking	0.00	0.00	0.00	9	0	3,276	GR
914B	13285	CUNARD PARKING B	From Route 0107	To Parking	0.00	0.00	0.00	9	0	21,420	GR
0915	50369	CUNARD RAFTING PARKING	From Route 0107	To Parking	0.00	0.00	0.00	9	0	9,056	GR
0916	53740	COAL RUN PARKING	From Route 0108	To Parking	0.00	0.00	0.00	9	0	688	GR
0917	53741	BROOKLYN PARKING	From Route 0109	To Parking	0.00	0.00	0.00	9	0	4,095	GR
0918		MINDEN-THURMOND TRAILHEAD PARKING	From Route 0110	To Parking	0.00	0.00	0.00	9	0	1,602	GR
)919A	3254	HEADQUARTERS PARKING A	From Main Street	To Parking	0.00	0.00	0.00	9	0	1,853	AS
)919B	53951	HEADQUARTERS PARKING B	From Main Street	To Parking	0.00	0.00	0.00	9	0	1,306	AS
)919C	53952	HEADQUARTERS PARKING C	From Main Street	To Parking	0.00	0.00	0.00	9	0	2,562	AS
0920	53953	HEADQUARTERS MAINTENANCE AREA	From Main Street	To Maintenance Area	0.00	0.00	0.00	9	0	10,685	AS
0921	53764	MAINTENANCE AREA	From Route 0920	To Maintenance Area	0.00	0.00	0.00	9	0	4,500	GR
0922	53954	ADMINISTRATIVE PARKING	From Main Street	To Parking	0.00	0.00	0.00	9	0	8,366	AS
0923	53955	GLEN JEAN BANK PARKING	From State Route 25	To Parking	0.00	0.00	0.00	9	0	4,549	AS
0924	12476	THURMOND-MINDEN TRAILHEAD PARKING	From Route 0112	To Parking	0.00	0.00	0.00	9	0	3,705	GR
0925	4065	SOUTHSIDE JUNCTION PARKING	From State Route 25	To Parking	0.00	0.00	0.00	9	0	3,740	GR
0926	13268	THURMOND DEPOT VISITOR CENTER PARKING	From State Route 25	To Parking	0.00	0.00	0.00	9	0	3,641	AS
0927	53742	COMMERCIAL ROW PARKING	From Route 0113	To Parking	0.00	0.00	0.00	9	0	2,800	GR
)928A	13287	DUNGLEN REPAIR SHOP PARKING A	From State Route 25	To Parking	0.00	0.00	0.00	9	0	21,703	GR
)928B	53743	DUNGLEN REPAIR SHOP PARKING B	From State Route 25	To Parking	0.00	0.00	0.00	9	0	10,000	GR
)928C	53744	DUNGLEN REPAIR SHOP PARKING C	From State Route 25	To Parking	0.00	0.00	0.00	9	0	10,000	GR
0929	53745	DUNGLEN PARKING	From Route 0114	To Parking	0.00	0.00	0.00	9	0	14,384	GR
0930	53746	STONECLIFF COMMERCIAL PARKING	From Route 0115	To Parking	0.00	0.00	0.00	9	0	24,764	GR
0931	53747	STONECLIFF PUBLIC USE PARKING	From Route 0115	To Parking	0.00	0.00	0.00	9	0	9,099	GR
0932	53748	STONECLIFF HANDICAPPED PARKING	From Route 0115	To Parking	0.00	0.00	0.00	9	0	294	GR
0933	53749	STONECLIFF BUS PARKING	From Route 0115	To Parking	0.00	0.00	0.00	9	0	16,002	GR
0934	53750	THAYER PARKING	From State Route 25	To State Route 25	0.00	0.00	0.00	9	0	13,530	GR
0935	50373	MCCREERY PARKING	From Route 0116	To Parking	0.00	0.00	0.00	9	0	8,970	GR
0936	13288	ORVILLE STORE PARKING	From State Route 41	To Parking	0.00	0.00	0.00	9	0	4,860	GR
)937A	13289	GLADE CREEK ROADSIDE PARKING A	From Route 0117	To Parking	0.00	0.00	0.00	9	0	25,056	GR
)937B	53751	GLADE CREEK ROADSIDE PARKING B	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,950	GR

(Numerical By Route #)

Page 4 of 6

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

Purple =

NFRT

Rte. #	FMSS Asset #	Route Name	Route Desc From	ription To	Paved Miles	Un- Paved Miles	Rte. Lgth	Func. Class	Rte. Lanes	Manual Rated SQ/FT	Surf. Type
0938	53752	GRANDVIEW SANDBAR UPPER PARKING	From Route 0118	To Parking	0.00	0.00	0.00	9	0	32,480	GR
0939	53753	GRANDVIEW SANDBAR LOWER PARKING	From Route 0118	To Parking	0.00	0.00	0.00	9	0	3,660	GR
0940	50376	MILL CREEK PARKING	From Route 0119	To Parking	0.00	0.00	0.00	9	0	3,520	GR
941A	13290	GLADE CREEK TRAILHEAD PARKING A	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,435	GR
)941B	53754	GLADE CREEK TRAILHEAD PARKING B	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,435	GR
)942A	13291	GLADE CREEK RESTROOM PARKING A	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,225	GR
)942B	53755	GLADE CREEK RESTROOM PARKING B	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,225	GR
)943A	13292	GLADE CREEK ACCESS PARKING A	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,540	GR
)943B	50300	GLADE CREEK ACCESS PARKING B	From Route 0117	To Parking	0.00	0.00	0.00	9	0	1,540	GR
0944	53756	ARMY CAMP PARKING	From Route 0120	To Parking	0.00	0.00	0.00	9	0	25,422	GR
0945	13293	MONKS STORE PARKING	From State Route 41	To Parking	0.00	0.00	0.00	9	0	3,675	GR
0946	13294	UPPER GLADE CREEK PARKING	From Route 0121	To Parking	0.00	0.00	0.00	9	0	6,161	GR
0947	53957	ZICKAFOOSE PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	12,857	AS
0948	50386	SANDSTONE FALLS OVERLOOK PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	5,600	GR
0949	13295	GWINNS RIDGE PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	747	GR
0950	53757	BROOKSIDE COMPOUND PARKING	From Route 0122	To Parking	0.00	0.00	0.00	9	0	6,240	GR
0951	53758	BROOKSIDE PARKING	From Route 0122	To Parking	0.00	0.00	0.00	9	0	1,700	GR
0952	53759	TUG CREEK BEACH PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	8,550	GR
0953	53760	HELMS BEACH PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	4,545	GR
0954	53761	BROOKS FALLS PARKING	From Route 0123	To Parking	0.00	0.00	0.00	9	0	11,240	GR
0955A	50388	SANDSTONE FALLS PARKING A	From Route 0124	To Parking	0.00	0.00	0.00	9	0	7,820	GR
0955B	53762	SANDSTONE FALLS PARKING B	From Route 0124	To Parking	0.00	0.00	0.00	9	0	3,045	GR
)956A	50391	SANDSTONE FALLS LOWER BEACH PARKING A	From Route 0125	To Parking	0.00	0.00	0.00	9	0	8,610	GR
)956B	53763	SANDSTONE FALLS LOWER BEACH PARKING B	From Route 0125	To Parking	0.00	0.00	0.00	9	0	5,112	GR
0957	57575	HEADQUARTERS AUXILIARY PARKING	From Main Street	To Parking	0.00	0.00	0.00	9	0	900	ОТ
0958	53973	DRESSING ROOM PARKING	From Route 0010	To Parking	0.00	0.00	0.00	9	0	11,386	AS
0959	53956	OPERATIONAL COMPOUND PARKING	From Route 0010	To Parking	0.00	0.00	0.00	9	0	8,907	AS
0960	53972	OPERATIONAL COMPOUND AUXILIARY PARKING	From Route 0959	To Parking	0.00	0.00	0.00	9	0	35,001	GR

(Numerical By Route #)

Page 5 of 6

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Purple =

Blue = All Paved Parking Areas

Grey = Paved Routes, ARAN not Driven

Red =

Green = All Unpaved Parking Areas

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven

NERI

New River Gorge National River

Rte.	FMSS		Route Desc	ription	Paved	Un-	Rte.	Func.	Rte.	Manual	Surf.
#	Asset #	Route Name	From	То	Miles	Paved Miles	Lgth	Class	Lanes	Rated SQ/FT	Туре
0961	53959	SHELTER AREA 1 PARKING	From Route 0010	To Parking	0.00	0.00	0.00	9	0	24,108	AS
0962	53958	TURKEY SPUR OVERLOOK PARKING	From Route 0126	To Parking	0.00	0.00	0.00	9	0	3,655	AS
0963	53960	SHELTER AREAS 3 AND 4 PARKING	From Route 0010	To Parking	0.00	0.00	0.00	9	0	28,307	AS
0964	53961	SHELTER AREA 2 PARKING	From Route 0010	To Parking	0.00	0.00	0.00	9	0	17,176	AS
0965A	53962	THEATER PARKING A	From Route 0202	To Parking	0.00	0.00	0.00	9	0	3,902	AS
0965B	53963	THEATER PARKING B	From Route 0202	To Parking	0.00	0.00	0.00	9	0	3,332	AS
0966	53964	MAIN OVERLOOK PARKING	From Route 0202	To Parking	0.00	0.00	0.00	9	0	52,326	AS
0967A	53965	OVERFLOW PARKING A	From Route 0202	To Parking	0.00	0.00	0.00	9	0	4,835	AS
0967B	53966	OVERFLOW PARKING B	From Route 0202	To Parking	0.00	0.00	0.00	9	0	6,848	AS
0967C	53967	OVERFLOW PARKING C	From Route 0202	To Parking	0.00	0.00	0.00	9	0	7,183	AS
0967D	53968	OVERFLOW PARKING D	From Route 0202	To Parking	0.00	0.00	0.00	9	0	5,389	AS
0967E	53969	OVERFLOW PARKING E	From Route 0202	To Parking	0.00	0.00	0.00	9	0	11,730	AS
0967F	53970	OVERFLOW PARKING F	From Route 0202	To Parking	0.00	0.00	0.00	9	0	5,915	AS
0967G	53971	OVERFLOW PARKING G	From Route 0202	To Parking	0.00	0.00	0.00	9	0	4,851	AS
0968	56828	SANDSTONE VISITOR CENTER PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	63,738	AS
0969		NUTTALL TRAC PARKING LOT	From State Route 5	To Parking	0.00	0.00	0.00	9	0	2,889	GR
0970		ROUTE 20 OVERLOOK PARKING	From State Route 20	To Parking	0.00	0.00	0.00	9	0	333	GR
0971	50600	GAULEY DAM ROAD PARKING	From State Route 129	To Parking	0.00	0.00	0.00	9	0	4,800	GR
0972		GAULEY LAUNCH SITE PARKING	From State Route 129	To Parking	0.00	0.00	0.00	9	0	2,475	GR
0973		GAULEY CAMPGROUND PARKING AREA	From State Route 129	To Parking	0.00	0.00	0.00	9	0	25,332	GR
0974		GAULEY CAMPGROUND RESTROOM PARKING	From State Route 129	To Parking	0.00	0.00	0.00	9	0	10,650	GR
0975		MILL CREEK LAUNCH SITE PARKING	From State Route 41	To Parking	0.00	0.00	0.00	9	0	1,725	GR
0976A		GRANDVIEW PARKING AREA A	From State Route 9	To Parking	0.00	0.00	0.00	9	0	2,293	GR
0976B		GRANDVIEW PARKING AREA B	From State Route 9	To Parking	0.00	0.00	0.00	9	0	2,294	GR
0977		LONG POINT TRAILHEAD PARKING	From State Route 3	To Parking	0.00	0.00	0.00	9	0	3,600	GR
0978		KAYMOOR ACCESS ROAD PARKING	From State Route 9	To Parking	0.00	0.00	0.00	9	0	66	GR
				Totals	2.31	26.08	28.39			984,175	

Road Inventory Program

NPS/RIP Route ID Report

(Numerical By Route #)

Page 6 of 6

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, ARAN Driven

Yellow = Unpaved Routes, ARAN not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, ARAN not Driven Red =

Black = Paved State, Local or Private non-NPS Routes, ARAN Driven Purple =

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 9. State Routes Invetoried for Park. Route Numbers 5000-5999
- Class 2 Connector Park Road (Public Roads) Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc. Route Numbers 100-199.
- Class 3 Special Purpose Park Road (Public Roads) Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Class 4 Primitive Park Roads (Public Roads) Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299.

Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.

- Class 5 Administrative Access Road (Administrative Roads) All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
- Class 6 Restricted Road (Administrative Roads) All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499.

 Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and

Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.

- Class 7 Urban Parkway (Urban Parkways and City Streets) These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- Class 8 City Streets (Urban Parkways and City Streets) City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.
- Class 9 Boat Ramp (Public and Administrative) Route Numbers 800-899.
 Parking Area (Public and Administrative) Route Numbers 900-1999.

******** A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park


The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinuted for future use.

 $\sf ZZ$ Functional Class Routes were added from FMSS Database. Final Route Number and Functional Class will be established during Park visit for Cycle 4 data collection.

road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

Surface Type Abbreviations:

- AS Asphaltic Concrete Pavement
- CO Portland Cement Concrete Pavement
- NC New Chip Seal Pavement (Under 5 Years)
- OC Old Chip Seal Pavement (5 Years and Greater)
- SS Slurry Seal Pavement
- GR Gravel Road Bed
- BR Brick or Pavers Road Bed
- CB Cobble Stone Road Bed
- SA Sand Road Bed
- DT Dirt or Native Material Road Bed
- OT Other Materials Road Bed



Northeast Region

NERI: New River Gorge National River

ROUTE: 0010	GRANDVIEW ROAD	(STATE ROUTE 9)	TOTAL LENGTH: 0.66 Miles
110016.0010			I O I AL LLIVO I I I I O I O I I I I I I

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


MODIE: 0010 CIMILD VIEW NO	712 (01711-	,	 	
Section Number	0			
Section Length (mi)	0.66			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	18			
Lane Width (ft)	9			
Shoulder Width (ft)	5			
Roadway Condition Information				
PCR (Pavement Condition Rating)	65			
RCI (Roughness Condition Index)	61			
SCR (Surface Condition Rating)	67			
Alligator Cracking Index	92			
Rutting Index	77			
Patching Index	99			
Tranverse Cracking Index	98			
Longitudinal Cracking Index	98			
Shoulder Condition Rating	GOOD			
Drainage Condition Rating	GOOD			

^{*} NC designates data not collected N/A designates not applicable

ROUTE: 0010 GRANDVIEW ROAD (STATE ROUTE 9)

^{**} See website for traffic data: http://www.efl.fhwa.dot.gov/nps/index.htm





Northeast Region


NERI: New River Gorge National River

ROUTE: 0126 TURKEY SPUR	ROAD		TOTAL LENGTH: 1.21 Miles			
Section Number	0	1				
Section Length (mi)	1.00	0.21				
AADT	**					
SADT	**					
ADT Date	**					
Cross Section Information						
Number of Lanes	2	2				
Paved Width (ft)	16	16				
Lane Width (ft)	8	8				
Shoulder Width (ft)	4	5				
Roadway Condition Information						
PCR (Pavement Condition Rating)	60	29				
RCI (Roughness Condition Index)	66	43				
SCR (Surface Condition Rating)	56	22				
Alligator Cracking Index	96	76				
Rutting Index	61	40				
Patching Index	100	99				
Tranverse Cracking Index	99	99				
Longitudinal Cracking Index	99	97				
Shoulder Condition Rating	GOOD	GOOD				
Drainage Condition Rating	GOOD	GOOD				

^{*} NC designates data not collected N/A designates not applicable

ROUTE: 0126 TURKEY SPUR ROAD

^{**} See website for traffic data: http://www.efl.fhwa.dot.gov/nps/index.htm



Northeast Region

NERI: New River Gorge National River

ROUTE: 0202 GRANDVIEW VISITOR CENTER ROAD	TOTAL LENGTH: 0.44 Miles
---	---------------------------------

NOOTE. 0202 ONANDYIEN TI	 TOTAL LLITOTTI. 0.77 MINGS			
Section Number	0			
Section Length (mi)	0.44			
AADT	**			
SADT	**			
ADT Date	**			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	17			
Lane Width (ft)	9			
Shoulder Width (ft)	0			
Roadway Condition Information				
PCR (Pavement Condition Rating)	54			
RCI (Roughness Condition Index)	66			
SCR (Surface Condition Rating)	51			
Alligator Cracking Index	83			
Rutting Index	68			
Patching Index	100			
Tranverse Cracking Index	96			
Longitudinal Cracking Index	99			
Shoulder Condition Rating	N/A			
Drainage Condition Rating	GOOD			

^{*} NC designates data not collected N/A designates not applicable

ROUTE: 0202 GRANDVIEW VISITOR CENTER ROAD

^{**} See website for traffic data: http://www.efl.fhwa.dot.gov/nps/index.htm

NERI: Manually Rated Paved Route Condition Rating Sheets

No data available for this section

CANYON RIM VISITOR CENTER PARKING From Lansing Road

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0906	Public	11/14/2002	90173	1.55	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths




HEADQUARTERS PARKING A From Main Street

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0919A	Public	11/15/2002	1853	0.03	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths





HEADQUARTERS PARKING B From Main Street

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0919B	Public	11/15/2002	1306	0.02	AS	GOOD / 90


^{*} Lane miles are based on 11' lane widths



HEADQUARTERS PARKING C From Main Street

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0919C	Public	11/15/2002	2562	0.04	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths



HEADQUARTERS MAINTENANCE AREA From Main Street

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0920	NonPublic	11/15/2002	10685	0.18	AS	FAIR / 73

^{*} Lane miles are based on 11' lane widths




ADMINISTRATIVE PARKING From Main Street

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0922	NonPublic	11/15/2002	8366	0.14	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths





Nain Street

GLEN JEAN BANK PARKING From State Route 25


		Public /	Date		Lane	Surface	
ı	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
	0923	Public	11/15/2002	4549	0.08	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths



THURMOND DEPOT VISITOR CENTER PARKING From State Route 25


ĺ		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
ľ	0926	Public	11/15/2002	3641	0.06	AS	GOOD / 90



ZICKAFOOSE PARKING From State Route 20

ſ		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
	0947	NonPublic	11/15/2002	12857	0.22	AS	GOOD / 90


^{*} Lane miles are based on 11' lane widths



DRESSING ROOM PARKING From Route 0010

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0958	Public	11/15/2002	11386	0.20	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths




OPERATIONAL COMPOUND PARKING From Route 0010

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0959	NonPublic	11/15/2002	8907	0.15	AS	POOR / 45

^{*} Lane miles are based on 11' lane widths








SHELTER AREA 1 PARKING From Route 0010

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0961	Public	11/15/2002	24108	0.42	AS	FAIR / 73


^{*} Lane miles are based on 11' lane widths



TURKEY SPUR OVERLOOK PARKING From Route 0126

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0962	Public	11/15/2002	3655	0.06	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








SHELTER AREAS 3 AND 4 PARKING From Route 0010

		Public /	Date		Lane	Surface	
R	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
(0963	Public	11/15/2002	28307	0.49	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths



SHELTER AREA 2 PARKING From Route 0010

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0964	Public	11/15/2002	17176	0.30	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths




New River Gorge National River Route 0965A

THEATER PARKING A From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0965A	Public	11/15/2002	3902	0.07	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths



New River Gorge National River Route 0965B

THEATER PARKING B From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0965B	Public	11/15/2002	3332	0.06	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths









New River Gorge National River Route 0966

MAIN OVERLOOK PARKING From Route 0202

ĺ		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
	0966	Public	11/15/2002	52327	0.90	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths






New River Gorge National River Route 0967A

OVERFLOW PARKING A From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0967A	Public	11/15/2002	4835	0.08	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0967B

OVERFLOW PARKING B From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0967B	Public	11/15/2002	6848	0.12	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths



100






New River Gorge National River Route 0967C

OVERFLOW PARKING C From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0967C	Public	11/15/2002	7183	0.12	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0967D

OVERFLOW PARKING D From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0967D	Public	11/15/2002	5389	0.09	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0967E

OVERFLOW PARKING E From Route 0202

ſ		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
	0967E	Public	11/15/2002	11730	0.20	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0967F

OVERFLOW PARKING F From Route 0202

ĺ		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
ĺ	0967F	Public	11/15/2002	5915	0.10	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0967G

OVERFLOW PARKING G From Route 0202

	Public /	Date		Lane	Surface	
Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
0967G	Public	11/15/2002	4851	0.08	AS	GOOD / 90

^{*} Lane miles are based on 11' lane widths








New River Gorge National River Route 0968

SANDSTONE VISITOR CENTER PARKING From State Route 20

Ī		Public /	Date		Lane	Surface	
	Route	NonPublic	Visited	Area (sq ft)	Miles *	Type	Condition / PCR
ĺ	0968	Public	11/15/2002	63738	1.10	AS	NC / -1

^{*} Lane miles are based on 11' lane widths



NERI: PARKWIDE MAINTENANCE FEATURES SUMMARY

FEATURE	PARK TOTAL	UNIT
BRIDGE	0	EACH
CATTLE GUARD	0	EACH
CULVERT	10	EACH
CURB	1,769	LINEAR FEET
DROP INLET	0	EACH
GUARD WALL	0	LINEAR FEET
GUARDRAIL	523	LINEAR FEET
INTERSECTION	23	EACH
LOW WATER CROSSING	0	EACH
OVERHEAD SIGN	0	EACH
PARK BOUNDARY	0	EACH
PAVED DITCH	0	LINEAR FEET
PULLOUT	0	EACH
RAILROAD CROSSING	0	EACH
RETAINING WALL	0	EACH
STATE BOUNDARY	0	EACH
TRAFFIC LIGHT	0	EACH
TUNNEL	0	EACH
TURNOUT	0	LINEAR FEET

NERI: ROUTE MAINTENANCE FEATURES SUMMARY

<i>FEATURE</i>	ROUTE 0010 GRANDVIEW ROAD (STATE ROUTE 9)	ROUTE 0126 TURKEY SPUR ROAD	ROUTE 0202 GRANDVIEW VISITOR CENTER ROAD	UNIT
BRIDGE	0	0	0	EACH
CATTLE GUARD	0	0	0	EACH
CULVERT	8	2	0	EACH
CURB	0	0	1,769	LINEAR FEET
DROP INLET	0	0	0	EACH
GUARD WALL	0	0	0	LINEAR FEET
GUARDRAIL	0	523	0	LINEAR FEET
INTERSECTION	7	2	14	EACH
LOW WATER CROSSING	0	0	0	EACH
OVERHEAD SIGN	0	0	0	EACH
PARK BOUNDARY	0	0	0	EACH
PAVED DITCH	0	0	0	LINEAR FEET
PULLOUT	0	0	0	EACH
RAILROAD CROSSING	0	0	0	EACH
RETAINING WALL	0	0	0	EACH
STATE BOUNDARY	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	EACH
TUNNEL	0	0	0	EACH
TURNOUT	0	0	0	LINEAR FEET

NERI: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0010 : GRANDVIEW ROAD (STATE ROUTE 9)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT EAST PARK BOUNDARY
0.070	0.070	CULVERT	N/A	
0.082	0.082	INTERSECTION	RIGHT	RTE 202
0.163	0.163	CULVERT	N/A	
0.215	0.215	CULVERT	N/A	
0.225	0.225	INTERSECTION	RIGHT	RTE 958
0.272	0.272	INTERSECTION	RIGHT	RTE 202
0.284	0.284	CULVERT	N/A	
0.340	0.340	INTERSECTION	LEFT	RTE 959
0.379	0.379	CULVERT	N/A	
0.399	0.399	INTERSECTION	RIGHT	RTE 961
0.461	0.461	CULVERT	N/A	
0.490	0.490	CULVERT	N/A	
0.542	0.542	CULVERT	N/A	
0.623	0.623	INTERSECTION	RIGHT	RTE 126
0.656	0.656	INTERSECTION	LEFT	RTE 964
0.660	0.660			ROUTE ENDS AT ROUTE 963 AND ROUTE

NERI: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0126 : TURKEY SPUR ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 010
0.006	0.006	INTERSECTION	RIGHT	ROUTE 010
0.147	0.195	GUARDRAIL	RIGHT	
0.227	0.227	CULVERT	N/A	
0.296	0.296	CULVERT	N/A	
0.343	0.362	GUARDRAIL	RIGHT	
0.725	0.745	GUARDRAIL	RIGHT	
1.199	1.211	GUARDRAIL	LEFT	
1.210	1.210			ROUTE ENDS AT ROUTE 962
1.211	1.211	INTERSECTION	RIGHT	ROUTE 962

NERI: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0202 : GRANDVIEW VISITOR CENTER ROAD

FROM MILEPOST	TO MILEPOST		CIDE	COMMENT
MILLEI OSI	WILLIOSI	FEATURE	SIDE	COMMENT
0.000	0.000			ROUTE BEGINS AT ROUTE 010
0.008	0.008	INTERSECTION	LEFT	ROUTE 117
0.098	0.137	CURB	LEFT	
0.110	0.110	INTERSECTION	RIGHT	RTE 965A
0.115	0.115	INTERSECTION	LEFT	RTE 965B
0.145	0.145	INTERSECTION	LEFT	RTE 966
0.155	0.155	INTERSECTION	LEFT	RTE 966
0.160	0.160	INTERSECTION	LEFT	RTE 966
0.165	0.349	CURB	RIGHT	
0.212	0.212	INTERSECTION	LEFT	RTE 202
0.216	0.265	CURB	LEFT	
0.240	0.240	INTERSECTION	LEFT	RTE 967B
0.241	0.241	INTERSECTION	RIGHT	RTE 967A
0.273	0.336	CURB	LEFT	
0.289	0.289	INTERSECTION	LEFT	RTE 967D
0.291	0.291	INTERSECTION	RIGHT	RTE 967B
0.326	0.326	INTERSECTION	RIGHT	RTE 967B
0.340	0.340	INTERSECTION	LEFT	RTE 202
0.440	0.440			ROUTE ENDS AT ROUTE 010
0.445	0.445	INTERSECTION	вотн	RTE 010
-				

APPENDIX A: GLOSSARY OF TERMS AND ABBREVIATIONS

TERM (DR
--------	-----------

ABBREVIATION DESCRIPTION OR DEFINITION

4780 Numeric Code for New River Gorge National River

AADT Annually Adjusted Daily Traffic. Average daily traffic adjusted for the term

period comprising 80% of annual visitation

CRS Condition Rating Sheets. (Section 5)

Drainage Condition

Rating

A visual rating (Good, Poor) of the drainage condition. (see Section 10)

Excellent rating with an index value of 95 or greater

Fair rating with an index value between 61 and 84

Func. Class Functional Classification (see Route ID, Section 4)

Good Good rating with an index value between 85 and 94

IRI International Roughness Index

Lane Width

Distance from road centerline to fogline, or from centerline to edge-of-pavement

when no fogline exists

MRR Manually Rated Route

NA Not Applicable

NC Not Collected

NERI Alpha Code for New River Gorge National River

Paved Width Distance from edge-of-pavement to edge-of-pavement

PCR Pavement Condition Rating (see Section 10)

Poor Poor Rating with an index value of 60 or less

RCI Roughness Condition Index

SADT Seasonal Annual Daily Traffic. Average daily traffic for the total defined

"season"

SCR Surface Condition Rating (see Section 10)

Shoulder Condition

Rating

Visual rating (Good, Poor) of the condition of shoulder. (see Section 10)

Shoulder Width Distance from fogline to hinge point, or if no fogline, from edge-of-pavement to

hinge point

APPENDIX B: DESCRIPTION OF RATING SYSTEM

A numerical roadway rating system is used to describe the overall condition of the paved roadways and paved parking areas. In this system, a numerical rating between 1 and 100 is ascribed to each 0.02 miles of road. This numerical rating is called a Pavement Condition Rating (PCR). A "perfect" road, newly constructed with no surface distresses and a smooth surface, would be assigned a PCR rating of 100. Based on the type, severity, and extent of surface distresses points are deducted from 100 to arrive at the final PCR.

Data is collected on the following distresses and conditions:

- **Alligator Cracking** a series of interconnecting cracks resembling alligator skin or chicken wire, which can ocurr anywhere in the lane.
- **Longitudinal Cracking** cracks which are parallel to the pavement centerline or asphalt lay-down direction.
- **Transverse Cracking** cracks perpendicular to the pavement centerline.
- **Pothole (patch)** a bowl-shaped hole in the pavement surface. May be patched or not.
- Rutting surface depressions in the wheel paths.

Roughness is collected as International Roughness Index (IRI) and is used in the PCR formula. Roughness is measured in inches of vertical displacement of the vehicle per mile traveled.

A Distress Rating Index value is calculated for each of the individual distresses at the 0.02 mile, or every 105.6 feet.

Rating Index Formulas

```
Alligator Cracking Index = 100 - [40 * (\%low/70 + \%medium/30 + \%high/10)]

Longitudinal Cracking Index = 100 - [40 * (\%low/350 + \%medium/200 + \%high/75)]

Transverse Cracking Index = 100 - [(20 * (low/15.1 + medium/7.5)) + (40 * (high/1.9))]

Patching Index = 100 - [40 * (\%patching / 80)]

Rutting Index: 100 - [40 * ((low/160) + (med/80) + (high/40))]

Roughness Condition Index: (RCI) = 32 * [5 * e^{(-0.0041 * average |RI)}]
```

These 0.02 Distress Rating Index values are then averaged over one mile sections for the mile-by-mile Disitress Rating Indexes, Surface Condition Rating (SCR) and Pavement Condition Rating (PCR).

```
Surface Condition Rating (SCR) = 100 - [(100 - AC_INDEX) + (100 - LC_INDEX) + (100 - TC_INDEX) + (100 - PATCH_INDEX) + (100 - RUT_INDEX)]
```

```
Pavement Condition Rating (PCR) = (SCR * 0.60) + (RCI * 0.40)
```

NOTE: Collection of roughness data is dependant on the data collection vehicle traveling at a minimum speed of 12 mph. In the event that a route cannot be safely traveled at this minimum speed, and results in no roughness data, the SCR only will be calculated.

Parking Lot and Manually Rated Road Condition Rating

Surface Condition Distresses- Chip Seal:

Raveling – loss of surface rock chips revealing previous surface

Bleeding – asphalt or tar is bleeding through to the surface where surface looks slick with asphalt

Rutting

Potholes/Patching

Ratings - Chip Seal:

Excellent – None of the surface affected by the above (recently constructed)

Good – Less than 10% of surface affected by the above

Fair - Between 10% and 40% of surface affected by the above

Poor - More than 40% of surface affected by the above

Surface Condition - Asphalt:

Cracking of any type

Rutting

Potholes/Patching

Ratings - Asphalt:

Excellent – None of the surface affected by the above (recently constructed)

Good - Less than 10% of surface affected by the above

Fair - Between 10% and 40% of surface affected by the above

Poor - More than 40% of surface affected by the above

Index Values of Visual Ratings on Parking Lots and Manually Rated Roads

Excellent 97

Good 90

Fair 73

Poor 45

Drainage Condition Rating Definitions

Good: Minimal overall drainage problems. If funding were available for pavement maintenance,

25% or less is estimated to correct drainage deficiencies.

Poor: Problems exist that jeopardizes the integrity of the road in this section. If funding were

available for pavement maintenance, 50% to 100% is estimated to correct drainage

deficiencies.

Drainage Condition Rating Criteria

The following are examples of basic criteria to help the rater to identify the different drainage ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Drainage

Most water clears the road prism adequately with little concern of base saturation.

- X Pavement has minor deficiencies that interrupt water flow.
- X Shoulders are mostly adequate as they relate to surrounding terrain. Shoulder design generally coincides with the drainage design.
- X Curbs have deficiencies, but still function without erosion.
- X Down drains are placed properly, but show signs of some deterioration.
- X Culverts are adequate in numbers and size however, minor deficiencies are evident.
- X Ditches are not paved, but solid and have enough area to maintain and carry required volume of water.

Poor Drainage

This section has areas of inadequate drainage ability that is causing base saturation that could cause a road failure.

- X Pavement grade is irregular and holds dangerous amounts of water (hydroplaning is a concern), or shows massive alligator cracking.
- X Shoulder design induces ponding that encroaches on the pavement (drivers try to avoid ponds).
- X Portions of curbs are missing, allowing water to escape causing erosion.
- X Drop inlets, due to various reasons, are only able to drain 50% or less efficiently.
- X Down drains show signs of water exiting in areas by the down drain causing erosion.
- X Culverts are functionally deficient including size, installation, location, or grade giving water opportunity to saturate the road base.
- X Ditches allow water opportunity to saturate the road base through various reasons such as low places in ditch where design has not allowed for water to drain, little or no room in the road prism for a needed ditch, or water is disappearing within the ditch.

Shoulder Condition Rating Definitions

Good: The shoulder is generally in good functional condition. If curbs are present, they are

functional.

Poor: There is no shoulder because erosion has removed it. If curbs are present, they need

to be replaced.

Shoulder Rating Criteria

The following are examples of basic criteria to help the rater to identify the different shoulder ratings. While in the field, many other flaws will be discovered, but these criteria should give a feel for where the flaws would apply in the ratings.

Good Shoulders

- X If shoulder is unpaved drop-offs are less than 1", but grading is required.
- X If shoulder is paved rut depth is less than 1/2", sealed cracks are present, and grading is required.
- X If curbs are present they are functional.

Poor Shoulder

- X If shoulder is unpaved drop-offs are greater than 4" and erosion has removed the shoulder.
- X If shoulder is paved rut depth is greater than 1". Open cracks are greater than 1/4" deep, and erosion has removed the shoulder.
- X If curbs are present they need replacement.
- X If curbs are present they need repairs, and there is erosion behind the curb.

APPENDIX C: DIGITAL IMAGE INFORMATION

All images collected in Cycle 3 are digital images. These images provide the best resolution for identifying sign inventories and pavement evaluations. The images can be viewed with an interactive software program called **Visi-Data**. Each park will have a copy of the Visi-Data program installed in the park for park personnel to access and use.

Only Cycle 3 data can be queried and reviewed using the Visi-Data software program. This program is a multimedia data presentation and analysis tool that can be accessed either at the individual park, park region or at NPS headquarters. The data is organized in a hierarchical manner and presented in tabular and graphical formats. The user is able to perform queries and drill down through the data to find the particular information they are trying to query. Associated digital right-of-way images from the either the LAN, USB port, individual DVD, or from the Visi-web application, can be presented along with the GPS locations.

APPENDIX D: METADATA

ARAN ROUTE GPS DATA

Background information of route spatial data.

GPS Records: GPS data for NPS routes is stored in the MS Access database for the park. The coordinates of the road traces are stored in the 'PMS_20' table in the 'GPS_LAT' and 'GPS_LON' fields.

Data Collection Device:

Vehicle Information: Ford Van

Type of GPS Unit: NovAtel MiLLennium, 12 channel, dual frequency L1/L2, DGPS ready

receiver w/MiLLennium 502 GPS antenna and OmniSTAR System 3000

LR

Inertial System: Applanix POS LV

Accuracy: Expected ground accuracy is 1 meter *

*The above accuracy assumes good GPS mission planning resulting in maximum GPS satellite observation and ideal environmental conditions. Due to less than ideal satellite and environmental conditions, some routes may lack the expected ground accuracy.

Geographic Datum: WGS 1984

Post Collection GPS Correction: Due to unanticipated GPS collection inaccuracies, some route locations have been digitized using DOQQ's and other data sources.

FHWA – NPS Road Inventory Program Cycle 3 Metadata for the Park Database

The purpose of these sheets is to provide users of the Road Inventory Program's data with data accuracies and tolerances to help users define ways in which the RIP data can and cannot be used. For further information on specifics of data collection equipment, data collection procedures, equipment calibrations, or quality control/quality assurance procedures, please contact Jim Kennedy, Project Manager, Data Quality Assurance, at 720-963-3560 or jim.kennedy@fhwa.dot.gov.

All Road Inventory Program data undergoes quality control and quality assurance testing. This document represents the known data accuracies and tolerances for the data collection equipment, data collection procedures, and data processing procedures currently in use. Many additional tests conducted on the park databases during the quality assurance phase to ensure data integrity are not listed as a part of this document. Before it is delivered, a park database undergoes a large set of table design consistency, field data format consistency, data completeness, uniqueness of key fields, data reasonableness, acceptable data range, within-field data consistency, between-field data consistency, and between-table data consistency tests. Additional data sampling checks are conducted to ensure proper data upload from raw files into the park database and to quality check the pavement crack analysis. Further information is detailed in the FHWA – NPS RIP Quality Assurance Manual, available upon request.

This description of metadata includes only the known accuracies with which a data field matches its expected value. The tables that follow this page show each database field's:

- Field field name
- Format data type and number of characters of field
- Expected Value meaning of value assigned to field
- Source when in process field value obtained
- Validation how field value obtained
- Expected Accuracy accuracy with which contents of field match Expected Value

Verifying and continually improving the accuracy of Road Inventory Program data is an ongoing goal of the Federal Highway Administration and the National Park Service. Field testing and post-collection analysis of ARAN (Automatic Road ANalyzer) -collected data will continue in Cycle 4. Data quality is expected to improve as the FHWA – NPS Road Inventory Program continues to operate, due to the fact that future data collection cycles will consist in large part of data updates. Also, technological improvements are expected to render the data increasingly consistent with actual roadway conditions as data collection cycles progress.

Specific Caveats

- Three canned reports are titled "Features in Good Condition", "Features in Fair Condition," and "Features in Poor Condition." These titles could be misleading. In Cycle 3, condition assessments have been conducted on **signs only**. Condition assessments have not been conducted on non-sign features, such as culverts, guardrails, pullouts, etc. Although the database and canned reports might report a default value of "good" for un-assessed features, these condition values are not valid for import into FMSS.
- Database records that show a concrete surface type sometimes include index values that seem
 to show a perfect roadway (e.g., a Pavement Condition Rating (PCR) of 100). The Road
 Inventory Program does not actually conduct condition assessments of concrete surfaces. The
 perfect values are just default values assigned to unassessed sections of pavement and do not
 represent an assessment of the roadway surface's quality.
- On the USB drive, in the Database folder, parks are provided with intersection lists and exceptions lists. These documents should be treated as raw files and are **not accurate**. Refer to the final database for accurately post-processed intersection data.
- Most roadway data is collected in the primary direction lane of a roadway. To save data storage

space and to reduce data analysis efforts, the assumption was made that the paved surface condition of a route's primary lane adequately represents the surface condition of the full roadway. Therefore, in the database, opposite-direction records in the PMS_Visidata table do not include assessed values for roadway surface distresses. Values such as 0, N/A, -1, or a repeat of the primary-direction assessed value indicate that no assessment was performed. The PMS_20 and PMS_Mile tables simply exclude all opposite routes.

 Most roadway features are collected relative to the primary direction lane of a roadway, using the primary-direction video. Signs are the only features collected using the opposite-direction video.

Key to Notes in Tables

- (1): Note that only one value fits in field, so even if this value varies throughout the route, only one value is recorded here.
- (2): Note that some MP values listed here are estimates recorded during the Route ID process for use by the data collection crew (e.g. "FROM ROUTE 0010 AT MILEPOST 30.3"). They are estimates only and are not expected to match the more accurate milepost values included elsewhere in the database in the BEG_MP, END_MP, and MP fields.
- (3): Mileage is measured by the ARAN (Automatic Road ANalyzer) data collection vehicle out to the 0.001 decimal place. The DMI (distance measuring instrument) is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration.
- (4): Features are measured differently depending on whether they are visible in the forward-facing video of the roadway, but every feature milepost measurement depends on the baseline measurement of the data collection vehicle's mileage. The ARAN (Automatic Road ANalyzer) data collection vehicle's mileage is measured by the DMI (distance measuring instrument) out to the 0.001 decimal place. The DMI is very accurate, with extremely slight variations in measurement due to air temperature, tire inflation, curves, hills, and equipment calibration. If a feature will not be visible in the forward-facing video, its milepost is determined by the data collectors' key press tagging the milepost when the ARAN passes the feature. Key presses are entered into the ARAN software when the vehicle travels typically between 15 and 45 miles/hour, so a delay of a single second as the vehicle passes a feature would result in an inaccuracy of 0.004 miles (22 feet) to 0.012 miles (66 feet). If a feature is visible in the video, its milepost is determined during post-processing using a video measurement software called Surveyor. Features along the side of a roadway that are measured using the Surveyor software might not be located very accurately. Surveyor is known to be most accurate when measuring quantities near the center of the video frame, as opposed to in the edges of the video image.
- (5): Only signs are evaluated for condition. No other features' conditions are assessed, so "N/A" was originally intended to be the default value for unassessed features. However, some non-sign features do have condition ratings in the database. These are not accurate, because no assessment was ever done on non-sign features.
- (6): Condition assessments are not conducted on concrete (CO) surface types. Perfect values for concrete road sections are default values and do not represent a condition assessment of the concrete surfaces.
- (7): Roadway cracking presence, type, severity, and extent are determined by filming the roadway in the primary lane continuously with two overlapping analog cameras of 640 x 480 resolution. The images from both cameras are stitched together in real time to create a continuous strip image of the roadway pavement in the primary lane. Cracks 3 mm or greater in width are visible in this video. A semi-automatic process running the WiseCrax software with additional input by human operators provides the cracking quantities recorded in these database fields. Quality checks have determined that a consistent 80% or better of the visible cracks are recorded.

Access Database Metadata

Master Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	×	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	×	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	××××	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
RTE_NAME	(Text)	Route name	Route ID Meeting	Park Input	Untested. 50 characters fit in field
FUNCT_CLAS S	×	Route functional classification	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP_EST	999.999 (miles)	Estimated starting MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
END_MP_EST	999.999 (miles)	Estimated ending MP	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
FROM_DESC	(Text)	Beginning terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
TO_DESC	(Text)	Ending terminus of route	Route ID Meeting	Park Input/FHWA Determination	Estimated before data collected. (2)
NO_LANES	×	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
SURF_TYPE	××	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
COMP_DIR	×	Compass direction of route's primary lane (nearest cardinal direction)	Route ID Meeting	Park Input/FHWA Determination	Untested
COMMENTS	(Text)	Special information, if any	Contractor Post-processing	Contractor Input	Untested
FILENAME	XXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	6666666	Unique record ID	Contractor Post-processing	Database Processing	100%
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
BEG_MP	999.999 (miles)	Beginning MP collected	ARAN Data Collection	Automatic Output	100% (3)
END_MP	999.999 (miles)	Ending MP collected	ARAN Data Collection	Automatic Output	100% (3)

PMS_Feature Table Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	×	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	X	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLAS S	×	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
MP	999.999 (miles)	Feature location along route	ARAN Data Collection/Contractor Post- processing	Survey Crew Input/Video Processing	Untested (4)
EVENT	XXXX	Event category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_CODE	XXXX	Event sub-category of feature	Contractor Post-processing	Video Processing	Untested
EVENT_DESC	(Text)	Description of feature/contents of sign	Contractor Post-processing	Video Processing	Untested
MUTCD	"N/A"	N/A. Intended to be sign MUTCD code	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
CONDITION	XXX	Sign condition (G-D, F-R, P-R, N/A)	Contractor Post-processing	Video Processing	Untested (5)
COMMENT	(Text)	Sign label, intersecting route, etc.	Contractor Post-processing	Database Processing	Untested
OFFSET	"N/A"	N/A. Intended to be offset from pavement edge	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
SIDE	XXX	Side of route; "N/A" if not on one side	Contractor Post-processing	Video Processing	Untested
STR_NUMBER	XXXXXXXXX	FHWA bridge structure number	FHWA Post-processing	Database Processing	Untested
GPS_LAT	"N/A"	N/A. Intended to be latitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_LON	"N/A"	N/A. Intended to be longitude coordinate	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_ELEV	"N/A"	N/A. Intended to be elevation	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
GPS_MODE	"N/A"	N/A. Intended to be GPS mode	Contractor Post-processing	Database Processing	Values inaccurate, defaulted to N/A
VIDEO	<park>C03VID<#</park>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing feature	Contractor Post-processing	Automatic Output	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
FILENAME	XXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	6666666	Unique record ID	Contractor Post-processing	Database Processing	100%
VISI_FROM	999999 (millimiles)	Raw MP of first video frame showing feature	Contractor Post-processing	Database Processing	Untested
VISI_TO	999999 (millimiles)	Raw MP of last video frame showing feature	Contractor Post-processing	Database Processing	Untested

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

PMS_20, PMS_Mile & PMS_Visidata Tables Metadata:

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
RIP_CYCLE	×	3, for data collection cycle 3	Route ID Meeting	FHWA Determination	100%
STATE	XX	State where route is located	Route ID Meeting	Park Input/FHWA Determination	Untested. (1)
PARK_ALPHA	XXXX	Park alpha code	Route ID Meeting	NPS References	Untested
PARK_NO	XXXX	Park numeric code	Route ID Meeting	NPS References	Untested
RTE_NO	XXXXXX	Route number	Route ID Meeting	Park Input/FHWA Classification	Untested
FUNCT_CLASS	×	Route functional class	Route ID Meeting	Park Input/FHWA Classification	Untested
DIRECTION	XXX	Survey lane: PRI (primary) or OPP (opposite)	Route ID Meeting	Park Input/FHWA Determination	Untested
BEG_MP	999.999 (miles)	MP at start of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
END_MP	999.999 (miles)	MP at end of road interval described by database record	Contractor Post-processing	Database Processing	100% (3)
INT_LENGTH	999.9 (ft)	Length of road interval as aggregated for data table	Contractor Post-processing	Database Processing	100%
RTE_LENGTH	999.999 (miles)	Collected route length	ARAN Data Collection	Automatic Output	100%
NO_LANES	×	Number of lanes in route	ARAN Data Collection	Survey Crew Input	Untested. (1)
LANE_NO	×	Data collection lane	Contractor Post-processing	Database Processing	Untested
WX_LANE_WID TH	99.999 (ft)	WiseCrax (crack detection software) analysis width	Contractor Post-processing	Automatic Output	Untested
LANE_WIDTH	99.999 (ft)	Width of lane	Contractor Post-processing	Video Processing	Untested
PAVE_WIDTH	99.999 (ft)	Full pavement width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_L	99.999 (ft)	Left shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_WIDTH_ R	99.999 (ft)	Right shoulder width	Contractor Post-processing	Video Processing	Untested
SHLD_COND_L	XXXX	Left shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
SHLD_COND_R	XXXX	Right shoulder condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_L	XXXX	Left drainage condition	ARAN Data Collection	Survey Crew Input	Untested
DRAIN_COND_ R	XXXX	Right drainage condition	ARAN Data Collection	Survey Crew Input	Untested
SURF_TYPE	×	Surface type of route	ARAN Data Collection	Survey Crew Input	Untested. (1)
PCR	666	Pavement Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
RCI	666	Roughness Condition Index; -1 if invalid IRI	Contractor Post-processing	Database Processing	100% for calculation

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
SCR	666	Surface Condition Rating	Contractor Post-processing	Database Processing	100% for calculation (6)
IRI_AVG	999.9 (inches/mile)	Average IRI	Contractor Post-processing	Database Processing	Untested
IRI_SD	999.9 (inches/mile)	IRI standard deviation	Contractor Post-processing	Database Processing	Untested
IRI_L	999.9 (inches/mile)	Left wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_R	999.9 (inches/mile)	Right wheel path IRI	ARAN Data Collection	Automatic Output	Untested
IRI_FLAG	0 or -1	-1 if invalid IRI data	Contractor Post-processing	Database Processing	Untested
RUT_INDEX	666	Rut index	Contractor Post-processing	Database Processing	100% for calculation (6)
RUT_AVG	99.99 (inches)	Average rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MAX	99.99 (inches)	Maximum rut depth of both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_SD	6.6	Rut depth standard deviation	Contractor Post-processing	Database Processing	Untested (6)
RUT_LOW	(%) 666	Percent of low severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_MED	(%) 666	Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
RUT_HI	(%) 666	Percent of high severity ruts (on a 0-200% scale) in both wheelpaths	Contractor Post-processing	Database Processing	Untested (6)
XFALL	999.9 (% slope)	Cross fall at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
GRADE	999.9 (% slope)	Grade at start of road interval	ARAN Data Collection	Automatic Output	Precise but inaccurate. Not reported in Cycle 4
AC_INDEX	666	Alligator cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
AC_LOW	686.9899 (%)	Percent of WiseCrax measured lane area with low-severity alligator cracking	Contractor Post-processing	Automatic Output	(2) (9)
AC_MED	686.9999 (%)	Percent of WiseCrax measured lane area with medium-severity alligator cracking	Contractor Post-processing	Automatic Output	(2) (9)
AC_HI	999.9999 (%)	Percent of WiseCrax measured lane area with high-severity alligator cracking	Contractor Post-processing	Automatic Output	(2) (2)
LC_INDEX	666	Longitudinal cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
LC_LOW	999.99 (%)	Low-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_MED	999.99 (%)	Medium-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(6) (7)
LC_HI	999.99 (%)	High-severity longitudinal cracking in lane as a percentage of road interval length	Contractor Post-processing	Automatic Output	(2) (9)
TC_INDEX	666	Transverse cracking index	Contractor Post-processing	Database Processing	100% for calculation (6)
TC_LOW	999.99 (cracks)	Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(2) (9)
TC_MED	999.99 (cracks)	Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(2) (9)
TC_HI	999.99 (cracks)	Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured lane width	Contractor Post-processing	Automatic Output	(6) (7)
PATCH_INDEX	666	Patching index	Contractor Post-processing	Database Processing	100% for calculation (6)

FIELD	FORMAT	EXPECTED VALUE	SOURCE	VALIDATION	EXPECTED ACCURACY
PATCHING	(%) 6666.666	Percent of WiseCrax measured lane area affected by patching	Contractor Post-processing	Manual Pavement Video Processing	Untested (6)
GPS_LAT	666666666666666666666666666666666666666	Latitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_LON	-999.999999	Longitude coordinate	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_ELEV	6.9999.9	Elevation	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
GPS_MODE	XXX	GPS mode during collection	ARAN Data Collection	Automatic Output	See GPS Metadata sheet distributed with data
VIDEO	<park>C03VID<#></park>	Removable USB video hard drive number	Contractor Post-processing	Database Processing	Untested
IMAGE	(Text)	Filename of .jpg image showing road interval	Contractor Post-processing	Automatic Output	Untested
SPEED	999 (miles/hour)	Average ARAN speed during data collection	ARAN Data Collection	Automatic Output	Untested
BRIDGE_FLAG	0 or 1	Flag indicating presence of bridge in interval	ARAN Data Collection	Survey Crew Input	Untested
CONSTR_FLAG	0 or 1	Flag indicating construction in interval	ARAN Data Collection	Survey Crew Input	Untested
LANEDEV_FLA G	0 or 1	Flag indicating lane deviation in interval	ARAN Data Collection	Survey Crew Input	Untested
DATE	DD/MM/YY	Data collection date	ARAN Data Collection	Automatic Output	100%
NODISTRESS	0 OR 1	Flag indicating absence of pavement distress	Contractor Post-processing	Database Processing	100%
FILENAME	XXXXXXX	Filename of raw data files	ARAN Data Collection	Automatic Output	100%
SECTION	XXXXX	Route section ID	Route ID Meeting/ARAN Data Collection	Survey Crew Input/Automatic Output	100%
FKEY	6666666	Unique record ID	Contractor Post-processing	Database Processing	100%
VISI_FROM	999999 (millimiles)	Raw MP of first video frame in section	Contractor Post-processing	Database Processing	Untested
VISI_TO	999999 (millimiles)	Raw MP of last video frame in section	Contractor Post-processing	Database Processing	Untested
IDKEY	(Text)	Unique record ID used by VisiData	Contractor Post-processing	Database Processing	Untested
MP_REF	(Text)	Range of mileage to play in VisiData	Contractor Post-processing	Database Processing	Untested

Cycle 3 Shapefile Metadata

Metadata is provided for all shapefiles used for the creation of RIP report documents. The metadata for each shapefile associated with the park can be found in Section 10 of the PDF report provided on your park CD.

All shapefiles have the following spatial characteristics:

Geographic_Coordinate_Units: Decimal degrees Spheroid: WGS 1984

neri_seg Page 1 of 5

neri_seg

Metadata also available as

Metadata:

- Identification Information
- Data Quality Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

```
Identification_Information:
     Citation:
           Citation_Information:
                 Originator: The TSR Group
                 Publication_Date: 2005
                 Title: neri seg
                 Geospatial_Data_Presentation_Form: vector digital data
                 Online_Linkage: Not Available
     Description:
           Abstract: Routes
           Purpose: Road Inventory Program
           Supplemental_Information:
                 Data created by The TSR Group from GPS coordinates provided in the PMS_20
                 table. The shapefile is processed to aggregate adjacent segments with the same PCR
                 rating.
     Time_Period_of_Content:
           Time_Period_Information:
                 Single_Date/Time:
                       Calendar_Date: 2005
           Currentness_Reference: ground condition
     Status:
           Progress: Complete
           Maintenance_and_Update_Frequency: As per RIP cycle
     Spatial_Domain:
           Bounding_Coordinates:
                 West_Bounding_Coordinate: -81.069206
                 East_Bounding_Coordinate: -81.062431
                 North_Bounding_Coordinate: 37.848141
                 South_Bounding_Coordinate: 37.829239
     Keywords:
           Theme:
                 Theme_Keyword_Thesaurus: NERI
                 Theme_Keyword: NERI
```

neri_seg Page 2 of 5

Access_Constraints: None

Use_Constraints: Redistribution needs permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder Contact_Organization: EFLHD

Contact_Position: GIS Coordinator Contact Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native Data Set Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial Data Organization Information:

Direct_Spatial_Reference_Method: Vector Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 24

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000 Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

neri_seg Page 3 of 5

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information: Detailed_Description: Entity_Type: Entity_Type_Label: neri_seg Attribute: *Attribute_Label:* FID Attribute_Definition: Internal feature number. Attribute_Definition_Source: ESRI Attribute_Domain_Values: *Unrepresentable_Domain:* Sequential unique whole numbers that are automatically generated. Attribute: Attribute_Label: Shape *Attribute_Definition:* Feature geometry. Attribute_Definition_Source: ESRI Attribute_Domain_Values: *Unrepresentable_Domain:* Coordinates defining the features. Attribute: Attribute_Label: FNODE_ Attribute_Definition: Length of feature Attribute_Definition_Source: ESRI Attribute: Attribute_Label: TNODE_ Attribute: Attribute_Label: LPOLY_ *Attribute_Definition:* Route number Attribute_Definition_Source: Route ID Meeting Attribute: Attribute_Label: RPOLY_ Attribute Definition: Collected route length Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: LENGTH Attribute_Definition: Numeric PCR definition. Average PCR value based on programatic averaging of adjacent segments. Attribute_Domain_Values: Range_Domain: Range_Domain_Minimum: 0 Range_Domain_Maximum: 100 Attribute: Attribute_Label: NERI_SEG_ Attribute_Definition: Verbal PCR definition based on value in PCRAV field Attribute_Domain_Values: *Enumerated_Domain:* Enumerated_Domain_Value: POOR

neri_seg Page 4 of 5

Enumerated_Domain_Value_Definition: PCR value <= 60

Enumerated_Domain:

Enumerated_Domain_Value: FAIR

Enumerated_Domain_Value_Definition: PCR value 61-84

Enumerated_Domain:

Enumerated Domain Value: GOOD

Enumerated_Domain_Value_Definition: PCR value 85-94

Enumerated_Domain:

Enumerated_Domain_Value: EXCELLENT

Enumerated_Domain_Value_Definition: PCR value 95-100

Attribute:

Attribute_Label: NERI_SEG_I

Attribute_Definition: Indicates whether feature has been edited for graphic purposes.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated Domain Value: 1

Enumerated_Domain_Value_Definition: Edit has been made to feature

for graphic purposes

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: No edit made to feature.

Attribute:

Attribute Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute:

Attribute_Label: BMP

Attribute:

Attribute_Label: EMP

Attribute:

Attribute_Label: PCR

Attribute:

Attribute_Label: PCR_RATE

Attribute:

Attribute Label: RT LENGTH

Attribute:

Attribute_Label: PCRMI

Attribute:

Attribute_Label: PCR_RATEMI

Attribute:

Attribute_Label: PCR_RATEAV

Attribute:

Attribute_Label: PCRAV

Attribute:

Attribute_Label: TSR_EDIT

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

neri_seg Page 5 of 5

Digital_Form:

Digital_Transfer_Information: Transfer_Size: 0.016

Metadata_Reference_Information:

Metadata Date: 20060119

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:47:26 2006

neri_pkg_03 Page 1 of 4

neri_pkg_03

Metadata also available as

Metadata:

- Identification Information
- Data Quality_Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

```
Identification_Information:
     Citation:
           Citation_Information:
                 Originator: Eastern Federal Lands Highway Division
                 Publication_Date: Unknown
                 Title: neri_pkg_03
                 Geospatial_Data_Presentation_Form: vector digital data
                 Online_Linkage: Not Available
     Description:
           Abstract: Parking Areas
           Purpose: Road Inventory Program
     Time_Period_of_Content:
           Time_Period_Information:
                 Single_Date/Time:
                      Calendar_Date: 11/14/2002
           Currentness_Reference: ground condition
     Status:
           Progress: Complete
           Maintenance_and_Update_Frequency: As per RIP cycle
     Spatial_Domain:
           Bounding_Coordinates:
                 West_Bounding_Coordinate: -81.155940
                 East_Bounding_Coordinate: -80.891127
                 North_Bounding_Coordinate: 38.071900
                 South_Bounding_Coordinate: 37.766105
     Keywords:
           Theme:
                 Theme_Keyword_Thesaurus: NERI
                 Theme_Keyword: NERI
     Access Constraints: None
     Use_Constraints: Redistribution needs permission from EFLHD/NPS
     Point_of_Contact:
           Contact_Information:
```

neri_pkg_03 Page 2 of 4

Contact_Person_Primary:

Contact_Person: Dan VanGilder Contact_Organization: EFLHD Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact Electronic Mail Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector *Point_and_Vector_Object_Information:*

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: G-polygon

Point_and_Vector_Object_Count: 26

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000 Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866 Semi-major Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

neri_pkg_03 Page 3 of 4

Entity_and_Attribute_Information: Detailed_Description: Entity_Type: Entity_Type_Label: neri_pkg_03 Attribute: Attribute Label: FID Attribute_Definition: Internal feature number. Attribute_Definition_Source: ESRI Attribute_Domain_Values: *Unrepresentable_Domain:* Sequential unique whole numbers that are automatically generated. Attribute: Attribute Label: Shape Attribute_Definition: Feature geometry. Attribute_Definition_Source: ESRI Attribute Domain Values: *Unrepresentable_Domain:* Coordinates defining the features. Attribute: Attribute_Label: PARK_ALPHA Attribute_Definition: Park alpha code Attribute_Definition_Source: Route ID Meeting Attribute: Attribute_Label: RTE_NO *Attribute_Definition:* Route number Attribute_Definition_Source: Route ID Meeting Attribute: Attribute_Label: RTE_NAME Attribute_Definition: Route name Attribute_Definition_Source: Route ID Meeting Attribute: Attribute_Label: FEATURE Attribute: Attribute_Label: SURF_TYPE Attribute_Definition: Surface type of route Attribute Domain Values: Attribute: Attribute_Label: CONDITION Attribute_Definition: Condition rating for route Attribute: Attribute_Label: PHOTOS Attribute_Definition: Photo filename associated with feature *Attribute:* Attribute_Label: COMMENT Attribute_Definition: Field comment Attribute: Attribute_Label: GPS_DATE Attribute_Definition: Date of GPS collection Attribute: Attribute Label: DATAFILE Attribute: *Attribute_Label:* SQ_FT

neri_pkg_03 Page 4 of 4

Attribute_Definition: Feature area in square feet

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

 $Digital_Transfer_Information:$

Transfer_Size: 0.018

Metadata_Reference_Information:

Metadata_Date: 20060119

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:48:34 2006

neri_pkg_03_map Page 1 of 4

neri_pkg_03_map

Metadata also available as

Metadata:

- Identification Information
- Data Quality_Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

```
Identification_Information:
Citation:
Citation_Information:
Originator: Fast
```

Originator: Eastern Federal Lands Highway Division

Publication_Date: Unknown Title: neri_pkg_03_map

Geospatial_Data_Presentation_Form: vector digital data

Online_Linkage: Not Available

Description:

Abstract: Copy of Parking Areas Purpose: Road Inventory Program Supplemental_Information:

This shapefile is a copy of the source parking shapefile. The features are edited as

needed for graphic purposes.

Time_Period_of_Content:

 $Time_Period_Information:$

Single_Date/Time:

Calendar_Date: 11/14/2002

Currentness_Reference: ground condition

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As per RIP cycle

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -81.155895 East_Bounding_Coordinate: -80.887614 North_Bounding_Coordinate: 38.071927 South_Bounding_Coordinate: 37.766125

Keywords:

Theme:

Theme_Keyword_Thesaurus: NERI

Theme_Keyword: NERI

Access_Constraints: None

neri_pkg_03_map Page 2 of 4

Use_Constraints: Redistribution needs permission from EFLHD/NPS *Point_of_Contact:* Contact_Information: Contact_Person_Primary: Contact_Person: Dan VanGilder Contact Organization: EFLHD Contact_Position: GIS Coordinator Contact_Address: *Address_Type:* mailing and physical address Address: 21400 Ridgetop Circle City: Sterling State_or_Province: Virginia Postal Code: 20166 Country: United States Contact_Voice_Telephone: 703-404-6361 Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native_Data_Set_Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information: Attribute_Accuracy: Attribute_Accuracy_Report: Good

Completeness_Report: Complete for parking areas

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct Spatial Reference Method: Vector Point_and_Vector_Object_Information: SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: G-polygon

Point_and_Vector_Object_Count: 26

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000 Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866 Semi-major_Axis: 6378206.400000 neri_pkg_03_map Page 3 of 4

Denominator_of_Flattening_Ratio: 294.978698

```
Entity_and_Attribute_Information:
     Detailed Description:
           Entity_Type:
                 Entity_Type_Label: neri_pkg_03_map
           Attribute:
                 Attribute_Label: FID
                 Attribute_Definition: Internal feature number.
                 Attribute_Definition_Source: ESRI
                 Attribute_Domain_Values:
                       Unrepresentable_Domain:
                             Sequential unique whole numbers that are automatically generated.
           Attribute:
                 Attribute_Label: Shape
                 Attribute_Definition: Feature geometry.
                 Attribute_Definition_Source: ESRI
                 Attribute Domain Values:
                       Unrepresentable_Domain: Coordinates defining the features.
           Attribute:
                 Attribute_Label: PARK_ALPHA
                 Attribute_Definition: Park alpha code
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute Label: RTE NO
                 Attribute_Definition: Route number
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: RTE_NAME
                 Attribute_Definition: Route name
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute Label: FEATURE
           Attribute:
                 Attribute Label: SURF TYPE
                 Attribute_Definition: Surface type of route
                 Attribute_Domain_Values:
           Attribute:
                 Attribute Label: CONDITION
                 Attribute_Definition: Condition rating for route
           Attribute:
                 Attribute_Label: PHOTOS
                 Attribute_Definition: Photo filename associated with feature
           Attribute:
                 Attribute_Label: COMMENT
                 Attribute_Definition: Field comment
           Attribute:
                 Attribute_Label: GPS_DATE
                 Attribute_Definition: Date of GPS collection
```

neri_pkg_03_map Page 4 of 4

Attribute:

Attribute_Label: DATAFILE

Attribute:

Attribute_Label: SQ_FT

Attribute_Definition: Feature area in square feet

Distribution_Information:

Resource_Description: Downloadable Data

 $Standard_Order_Process:$

Digital_Form:

 $Digital_Transfer_Information:$

Transfer_Size: 0.018

Metadata_Reference_Information:

Metadata_Date: 20060119

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder

Contact_Position: GIS Coordinator

Contact Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact Electronic Mail Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:48:21 2006

neri_nonnps Page 1 of 4

neri_nonnps

Metadata also available as

Metadata:

- Identification Information
- Data Quality Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

Access_Constraints: None

```
Identification_Information:
     Citation:
           Citation_Information:
                 Originator: The TSR Group
                 Publication_Date: 2005
                 Title: neri nonnps
                 Geospatial_Data_Presentation_Form: vector digital data
                 Online_Linkage: Not Available
     Description:
           Abstract: non-NPS roads
           Purpose: Road Inventory Program
           Supplemental_Information:
                 Data created by The TSR Group from heads-up digitizing of roads representing non-
                 NPS roads for graphic purposes
     Time_Period_of_Content:
           Time_Period_Information:
                 Single_Date/Time:
                       Calendar_Date: 2005
           Currentness_Reference: ground condition
     Status:
           Progress: Complete
           Maintenance_and_Update_Frequency: As per RIP cycle
     Spatial_Domain:
           Bounding_Coordinates:
                 West_Bounding_Coordinate: -81.156251
                 East_Bounding_Coordinate: -80.880823
                 North_Bounding_Coordinate: 38.073521
                 South_Bounding_Coordinate: 37.765384
     Keywords:
           Theme:
                 Theme_Keyword_Thesaurus: NERI
                 Theme_Keyword: NERI
```

neri_nonnps Page 2 of 4

Use_Constraints: Redistribution needs permission from EFLHD/NPS *Point_of_Contact: Contact_Information:* Contact_Person_Primary: Contact_Person: Dan VanGilder Contact Organization: EFLHD Contact_Position: GIS Coordinator Contact_Address: Address_Type: mailing and physical address Address: 21400 Ridgetop Circle City: Sterling State_or_Province: Virginia Postal Code: 20166 Country: United States Contact_Voice_Telephone: 703-404-6361 Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov *Native_Data_Set_Environment:* Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

Data_Quality_Information:
 Attribute_Accuracy:
 Attribute_Accuracy_Report: Good
 Completeness_Report: Complete for non-NPS roads
 Lineage:
 Source_Information:
 Type_of_Source_Media: Heads-up digitized

8.3.0.800

Spatial_Data_Organization_Information:
 Direct_Spatial_Reference_Method: Vector
 Point_and_Vector_Object_Information:
 SDTS_Terms_Description:
 SDTS_Point_and_Vector_Object_Type: String
 Point_and_Vector_Object_Count: 6

Spatial_Reference_Information:
 Horizontal_Coordinate_System_Definition:
 Geographic:
 Latitude_Resolution: 0.000000
 Longitude_Resolution: 0.000000
 Geographic_Coordinate_Units: Decimal degrees
 Geodetic_Model:
 Horizontal_Datum_Name: North American Datum of 1927
 Ellipsoid_Name: Clarke 1866

Semi-major_Axis: 6378206.400000

neri_nonnps Page 3 of 4

Denominator_of_Flattening_Ratio: 294.978698

```
Entity_and_Attribute_Information:
     Detailed Description:
           Entity_Type:
                 Entity_Type_Label: neri_nonnps
           Attribute:
                 Attribute_Label: FID
                 Attribute_Definition: Internal feature number.
                 Attribute_Definition_Source: ESRI
                 Attribute Domain Values:
                       Unrepresentable_Domain:
                             Sequential unique whole numbers that are automatically generated.
           Attribute:
                 Attribute_Label: Shape
                 Attribute_Definition: Feature geometry.
                 Attribute_Definition_Source: ESRI
                 Attribute Domain Values:
                       Unrepresentable_Domain: Coordinates defining the features.
           Attribute:
                 Attribute Label: Id
                 Attribute_Definition: Name of road if available
           Attribute:
                 Attribute_Label: Name
Distribution_Information:
     Resource_Description: Downloadable Data
     Standard_Order_Process:
           Digital_Form:
                 Digital_Transfer_Information:
                       Transfer_Size: 0.008
Metadata_Reference_Information:
     Metadata_Date: 20060119
     Metadata Contact:
            Contact_Information:
                 Contact_Organization_Primary:
                       Contact_Organization: EFLHD Sterling
                       Contact_Person: Dan VanGilder
                 Contact Position: GIS Coordinator
                 Contact_Address:
                       Address_Type: mailing and physical address
                       Address: 21400 Ridgetop Circle
                       City: Sterling
```

State_or_Province: Virginia

neri_nonnps Page 4 of 4

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:47:37 2006

neri_mi_pt Page 1 of 10

neri_mi_pt

Metadata also available as

Metadata:

- Identification Information
- Data Quality Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

```
Identification_Information:
     Citation:
           Citation_Information:
                 Originator: The TSR Group
                 Publication_Date: 2005
                 Title: neri mi pt
                 Geospatial_Data_Presentation_Form: vector digital data
                 Online_Linkage: Not Available
     Description:
           Abstract: Mile Points
           Purpose: Road Inventory Program
           Supplemental_Information:
                 Data created by The TSR Group from GPS coordinates provided in the PMS_20
                 table. All attributes found in the PMS_20 table are found on the miles points.
     Time_Period_of_Content:
           Time_Period_Information:
                 Single_Date/Time:
                       Calendar_Date: 2005
           Currentness_Reference: ground condition
     Status:
           Progress: Complete
           Maintenance_and_Update_Frequency: Not Available
     Spatial_Domain:
           Bounding_Coordinates:
                 West_Bounding_Coordinate: -81.068726
                 East_Bounding_Coordinate: -81.064598
                 North_Bounding_Coordinate: 37.846436
                 South_Bounding_Coordinate: 37.829239
     Keywords:
           Theme:
                 Theme_Keyword_Thesaurus: NERI
                 Theme_Keyword: NERI
     Access_Constraints: None
```

neri_mi_pt Page 2 of 10

Use_Constraints: Redistribution needs permission from EFLHD/NPS *Point_of_Contact: Contact_Information:* Contact_Person_Primary: Contact_Person: Dan VanGilder Contact Organization: EFLHD Sterling Contact_Position: GIS Coordinator Contact_Address: Address_Type: mailing and physical address Address: 21400 Ridgetop Circle City: Sterling State_or_Province: Virginia Postal Code: 20166 Country: United States Contact_Voice_Telephone: 703-404-6361 Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov *Native_Data_Set_Environment:* Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

Data_Quality_Information:

Attribute_Accuracy:

8.3.0.800

Attribute_Accuracy_Report: Good

Completeness_Report: Complete for mile points

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Entity point

Point_and_Vector_Object_Count: 4

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000 Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866 Semi-major_Axis: 6378206.400000 neri_mi_pt Page 3 of 10

Denominator_of_Flattening_Ratio: 294.978698

```
Entity_and_Attribute_Information:
     Detailed Description:
           Entity_Type:
                  Entity_Type_Label: neri_mi_pt
           Attribute:
                 Attribute_Label: FID
                 Attribute_Definition: Internal feature number.
                 Attribute_Definition_Source: ESRI
                 Attribute Domain Values:
                        Unrepresentable_Domain:
                             Sequential unique whole numbers that are automatically generated.
           Attribute:
                 Attribute_Label: Shape
                 Attribute_Definition: Feature geometry.
                 Attribute_Definition_Source: ESRI
                 Attribute Domain Values:
                        Unrepresentable_Domain: Coordinates defining the features.
           Attribute:
                 Attribute_Label: RIP_CYCLE
                 Attribute_Definition: 3, for data collection cycle 3
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: STATE
                 Attribute_Definition: State where route is located
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: PARK_ALPHA
                 Attribute_Definition: Park alpha code
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute Label: PARK NO
                 Attribute_Definition: Park numeric code
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: RTE NO
                 Attribute_Definition: Route number
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: FUNCT_CLAS
                 Attribute_Definition: Route functional class
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: DIRECTION
                 Attribute_Definition: Survey lane: PRI (primary) or OPP (opposite)
                 Attribute_Definition_Source: Route ID Meeting
           Attribute:
                 Attribute_Label: BEG_MP
```

neri_mi_pt Page 4 of 10

Attribute_Definition: MP at end of road interval described by database record Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: END_MP

Attribute_Definition: MP at end of road interval described by database record

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: INT_LENGTH

Attribute_Definition: Length of road interval as aggregated from data table

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RTE_LENGTH

Attribute_Definition: Collected route length

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute Label: NO LANES

Attribute_Definition: Number of lanes in route

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: LANE_NO

Attribute_Definition: Data collection lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: WX_LANE_WI

Attribute_Definition: WiseCrax (crack detection software) analysis width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: LANE_WIDTH

Attribute_Definition: Width of lane

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: PAVE_WIDTH

Attribute_Definition: Full pavement width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD WIDTH

Attribute_Definition: Left shouler width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_WID_1

Attribute_Definition: Right shoulder width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: SHLD_COND_

Attribute_Definition: Left shoulder condition

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SHLD_COND1

Attribute Definition: Right shoulder condition

Attribute Definition Source: ARAN Data Collection

Attribute:

neri_mi_pt Page 5 of 10

Attribute_Label: DRAIN_COND Attribute_Definition: Left drainage condition Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: DRAIN_CO_1 Attribute Definition: Right drainage condition Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: SURF_TYPE Attribute_Definition: Surface type of route Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute Label: PCR Attribute_Definition: Pavement Condition Rating Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute Label: RCI Attribute_Definition: Roughness Condition Index; -1 if invalid IRI Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: SCR Attribute_Definition: Surface Condition Rating Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: IRI_AVG Attribute_Definition: Average IRI Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: IRI_SD Attribute_Definition: IRI Standard Deviation Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: IRI_L Attribute_Definition: Left wheel path IRI Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: IRI_R Attribute_Definition: Rigth wheel path IRI Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: IRI_FLAG Attribute Definition: -1 if invalid IRI data Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute Label: RUT INDEX Attribute Definition: Rut index Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute Label: RUT AVG

file://J:\FHWA_RoadInvProg\Data\Park_Report\NERI_4780\Section_10\neri_mi_pt_md.h... 1/19/2006

Attribute_Definition: Average rut depth of both wheelpaths Attribute_Definition_Source: Contractor Post-processing

neri_mi_pt Page 6 of 10

Attribute: Attr

Attribute_Label: RUT_MAX

Attribute_Definition: Maximum rut depth of both wheelpaths Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_SD

Attribute_Definition: Rut depth standard deviation

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_LOW

Attribute_Definition:

Percent of low severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_MED

Attribute Definition:

Percent of medium severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: RUT_HI

Attribute_Definition:

Percent of high severity ruts (on a 0-200% scale) in both wheelpaths

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: XFALL

Attribute_Definition: Cross fall at start of road interval

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: GRADE

Attribute_Definition: Grade at start of road interval

Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: AC_INDEX

Attribute_Definition: Alligator cracking index

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: AC_LOW

Attribute_Definition:

Percent of WiseCrax measured lane area with low-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute Label: AC MED

Attribute_Definition:

Percent of WiseCrax measured lane area with medium-severity alligator

cracking

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: AC_HI

Attribute Definition:

Percent of WiseCrax measured lane area with high-severity alligator cracking

Attribute_Definition_Source: Contractor Post-processing

neri_mi_pt Page 7 of 10

Attribute:

Attribute_Label: LC_INDEX

Attribute_Definition: Longitudinal cracking index

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute Label: LC LOW

Attribute_Definition:

Low-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: LC_MED

Attribute_Definition:

Medium-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: LC_HI

Attribute_Definition:

High-severity longitudinal cracking in lane as a percentage of road interval length

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: TC_INDEX

Attribute_Definition: Transverse cracking index

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: TC_LOW

Attribute_Definition:

Count of low-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: TC_MED

Attribute Definition:

Count of medium-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: TC_HI

Attribute_Definition:

Count of high-severity transverse cracks, where one crack unit equals the WiseCrax measured land width

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: PATCH_INDE

Attribute_Definition: Patching index

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: PATCHING

Attribute_Definition: Percent of WiseCrax measured lane area affected by patching

neri_mi_pt Page 8 of 10

Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: GPS_LAT Attribute_Definition: Latitude coordinate Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: GPS_LON Attribute_Definition: Longitude coordinate Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: GPS_ELEV Attribute_Definition: Elevation Attribute Definition Source: ARAN Data Collection Attribute: Attribute_Label: GPS_MODE Attribute_Definition: GPS mode during collection Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: VIDEO Attribute_Definition: Removable USB video hard drive number Attribute Definition Source: Contractor Post-processing Attribute: Attribute_Label: IMAGE Attribute_Definition: Filename of .jpg image showing road interval Attribute_Definition_Source: Contractor Post-processing Attribute: Attribute_Label: SPEED Attribute_Definition: Average ARAN speed during data collection Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: BRIDGE_FLA Attribute_Definition: Flag indicating presence of bridge in interval Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute Label: CONSTR FLA Attribute_Definition: Flag indicating construction in interval Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: LANEDEV_FL Attribute_Definition: Flag indicating lane deviation in interval Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: DATE Attribute_Definition: Data collection date Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: NODISTRESS Attribute_Definition: Flag indicating absence of pavement distress

Attribute_Label: FILENAME

Attribute:

Attribute Definition Source: Contractor Post-processing

neri_mi_pt Page 9 of 10

Attribute_Definition: Filename of raw data files Attribute_Definition_Source: ARAN Data Collection

Attribute:

Attribute_Label: SECTION

Attribute_Definition: route section ID

Attribute_Definition_Source: Route ID Meeting / ARAN Data Collection

Attribute:

Attribute_Label: FKEY

Attribute_Definition: Unique record ID

Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_FROM

Attribute_Definition: Raw MP of first video frame in section Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: VISI_TO

Attribute_Definition: Raw MP of last video frame in section Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: IDKEY

Attribute_Definition: Unique record ID used by VisiData Attribute_Definition_Source: Contractor Post-processing

Attribute:

Attribute_Label: MP_REF

Attribute_Definition: Range of mileage to play in VisiData Attribute_Definition_Source: Contractor Post-processing

Distribution_Information:

Resource_Description: Downloadable Data

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information: Transfer Size: 0.030

Metadata_Reference_Information:

Metadata_Date: 20060119

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder Contact_Position: GIS Coordinator

Contact_Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

neri_mi_pt Page 10 of 10

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:47:53 2006

neri_mi Page 1 of 5

neri_mi

Metadata also available as

Metadata:

- Identification Information
- Data Quality Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity_and_Attribute_Information
- <u>Distribution_Information</u>
- Metadata Reference Information

```
Identification_Information:
     Citation:
           Citation_Information:
                 Originator: The TSR Group
                 Publication Date: 2005
                 Title: neri mi
                 Geospatial_Data_Presentation_Form: vector digital data
                 Online_Linkage: Not Available
     Description:
           Abstract: Routes
           Purpose: Road Inventory Program
           Supplemental_Information:
                 Data created by The TSR Group from GPS coordinates provided in the PMS_20
                 table. The shapefile is processed to aggregate adjacent segments with the same PCR
                 rating provided in the PMS_mile table.
     Time_Period_of_Content:
           Time_Period_Information:
                 Single_Date/Time:
                       Calendar_Date: 2005
           Currentness_Reference: ground condition
     Status:
           Progress: Complete
           Maintenance_and_Update_Frequency: As per RIP cycle
     Spatial_Domain:
           Bounding_Coordinates:
                 West_Bounding_Coordinate: -81.069206
                 East_Bounding_Coordinate: -81.062431
                 North_Bounding_Coordinate: 37.848141
                 South_Bounding_Coordinate: 37.829239
     Keywords:
           Theme:
                 Theme_Keyword_Thesaurus: NERI
                 Theme_Keyword: NERI
```

neri_mi Page 2 of 5

Access_Constraints: None

Use_Constraints: Redistribution meeds permission from EFLHD/NPS

Point_of_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Dan VanGilder Contact_Organization: EFLHD Contact_Position: GIS Coordinator

Contact Address:

Address_Type: mailing and physical address

Address: 21400 Ridgetop Circle

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Native Data Set Environment:

Microsoft Windows 2000 Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 8.3.0.800

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report: Good Completeness_Report: Complete for routes

Lineage:

Source_Information:

Type_of_Source_Media: GPS

Spatial Data Organization Information:

Direct_Spatial_Reference_Method: Vector Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: String

Point_and_Vector_Object_Count: 3

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.000000 Longitude_Resolution: 0.000000

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clarke 1866

neri_mi Page 3 of 5

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information: Detailed_Description: Entity_Type: Entity_Type_Label: neri_mi Attribute: *Attribute_Label:* FID Attribute_Definition: Internal feature number. Attribute_Definition_Source: ESRI Attribute_Domain_Values: *Unrepresentable_Domain:* Sequential unique whole numbers that are automatically generated. Attribute: Attribute_Label: Shape *Attribute_Definition:* Feature geometry. Attribute_Definition_Source: ESRI Attribute_Domain_Values: *Unrepresentable_Domain:* Coordinates defining the features. Attribute: Attribute_Label: FNODE_ Attribute_Definition: Length of feature Attribute_Definition_Source: ESRI Attribute: Attribute_Label: TNODE_ Attribute: Attribute_Label: LPOLY_ *Attribute_Definition:* Route number Attribute_Definition_Source: Route ID Meeting Attribute: Attribute_Label: RPOLY_ Attribute Definition: Collected route length Attribute_Definition_Source: ARAN Data Collection Attribute: Attribute_Label: LENGTH Attribute_Definition: Numeric PCR definition Attribute_Domain_Values: Range_Domain: Range_Domain_Minimum: 0 Range_Domain_Maximum: 100 Attribute: Attribute_Label: NERI_MI_ Attribute_Definition: Verbal PCR definition Attribute_Domain_Values: Enumerated Domain: Enumerated_Domain_Value: POOR Enumerated_Domain_Value_Definition: PCR value <= 60 Enumerated_Domain:

neri_mi Page 4 of 5

Enumerated_Domain_Value: FAIR

Enumerated_Domain_Value_Definition: PCR value 61-84

Enumerated_Domain:

Enumerated_Domain_Value: GOOD

Enumerated_Domain_Value_Definition: PCR value 85-94

Enumerated Domain:

Enumerated_Domain_Value: EXCELLENT

Enumerated_Domain_Value_Definition: PCR value 95-100

Attribute:

Attribute_Label: NERI_MI_ID

Attribute_Definition: Indicates whether feature has been edited for graphic purposes.

Attribute_Domain_Values:

Enumerated Domain:

Enumerated_Domain_Value: 1

Enumerated_Domain_Value_Definition: Edit has been made to feature

for graphic purposes

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: No edit made to feature.

Attribute:

Attribute_Label: ID

Attribute:

Attribute_Label: RTE_NO

Attribute:

Attribute_Label: BMP

Attribute:

Attribute_Label: EMP

Attribute:

Attribute_Label: PCR

Attribute:

Attribute_Label: PCR_RATE

Attribute:

Attribute_Label: RT_LENGTH

Attribute:

Attribute_Label: PCRMI

Attribute:

Attribute_Label: PCR_RATEMI

Attribute:

Attribute_Label: PCR_RATEAV

Attribute:

Attribute_Label: PCRAV

Attribute:

Attribute_Label: TSR EDIT

Distribution_Information:

Resource_Description: Downloadable Data

Standard Order Process:

Digital_Form:

Digital_Transfer_Information:

neri_mi Page 5 of 5

Transfer_Size: 0.016

Metadata_Reference_Information:

Metadata Date: 20060119

Metadata_Contact:

Contact Information:

Contact_Organization_Primary:

Contact_Organization: EFLHD Sterling

Contact_Person: Dan VanGilder Contact Position: GIS Coordinator

Contact Address:

Address_Type: mailing and physical address

City: Sterling

State_or_Province: Virginia

Postal_Code: 20166 Country: United States

Contact_Voice_Telephone: 703-404-6361

Contact_Electronic_Mail_Address: dvangilder@fhwa.dot.gov

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time

Metadata_Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Generated by mp version 2.7.33 on Thu Jan 19 08:48:06 2006