						(Numerical By Route #)		_					_	e 1 of
Red te	ng Colo ext deno	otes		aved Routes, DCV Driven		outes, DCV not Driven Blue or Private non-NPS Routes	e = All Paved Parkin	<u> </u>		reen = All	Unpaved	Parking Area	S	
	k. milea	*Un ** D	paved	· ·		pried by the Road Inventory Pro								
CA	AVE	E CA	ARLS	BAD CAVERNS NA	TIONAL PARK									
Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De From	escription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Are Map
010ZZ	5	15458		WALNUT CANYON ENTRANCE ROADS	FROM STATE HIGHWAY 7 (CARLSBAD CAVERN HIGHWAY / NON NPS) NEAR EAST PARK BOUNDARY	TO ROUTE 0900 (VISITOR CENTER EAST PARKING LOT)	N/A	7.03	0.00	7.03	1		AS	1,2
0200	5	15459		REEF TOP CIRCLE	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 6.09 ON LEFT	TO ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 6.39 ON LEFT	N/A	0.73	0.00	0.73	3		AS	1
0201	NC	15525		RATTLESNAKE CANYON ROAD	FROM PARK BOUNDARY	TO END	N/A	0.00	0.84	0.84	4		GR	
0202	NC	15486		SLAUGHTER CANYON	FROM PARK BOUNDARY	TO END	N/A	0.00	1.22	1.22	4		GR	
0203	NC	15042		PR 203 YC ENTRANCE ROAD	FROM PR 202	TO PARKING	N/A	0.00	2.00	2.00	4		GR	
0401	NC	15585		LAGOON / WATER PLANT ROAD	FROM PARK BOUNDARY	TO END	N/A	0.00	2.91	2.91	6		GR	
0402	5	91828	Π	PERMIAN DRIVE	FROM ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.15 ON RIGHT	TO END	N/A	0.13	0.00	0.13	5		AS	1
0403	NC	91654		GUADALUPE RIDGE ROAD	FROM ROUTE 0500 (SCENIC LOOP ROAD)	TO END	N/A	0.00	2.00	2.00	6		GR	
0404	NC	91659		SPS SUBSTATION ROAD	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD)	TO END	N/A	0.00	0.21	0.21	6		GR	
0405	NC	15652		BONEYARD ACCESS ROAD (QUARRY ROAD)	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD)	TO END	N/A	0.00	0.33	0.33	6		GR	
0406	NC	91661		BAT GUANO ROAD	FROM ROUTE 0903 (AMPHITHEATER HANDICAPPED PARKING)	TO END	N/A	0.00	0.25	0.25	6		GR	
0407	NC	91662		RATTLESNAKE SPRINGS ROAD	FROM U.S. HIGHWAY 62/180	TO END	N/A	0.00	0.85	0.85	6		GR	
0500	NC	15045		SCENIC LOOP ROAD	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 4.73 ON RIGHT	TO ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 6.39 ON RIGHT	N/A	0.00	9.59	9.59	3		GR	
900	5	15524		VISITOR CENTER EAST PARKING LOT	FROM END OF ROUTE 0010AZ (WALNUT CANYON ENTRANCE	TO PARKING	N⁄A	0.00	0.00	0.00		151,934	AS	1

Road II	oad Inventory Program 09/05/2012 (Numerical By Route #) Page 2 of 5													
Red te appro	ng Colo ext deno x. milea	otes ige Fun ** D	ey = Pa npaved DCV - E	aved Routes, DCV Driven wed Routes, DCV not Driv route data was obtained f Data Collection Vehicle	Plack = State, Local From NPS and was not inventor NC - Not Collected	outes, DCV not Driven Blu or Private non-NPS Routes bried by the Road Inventory Pr	e = All Paved Parking = Concessio rogram (RIP).			Green = All	Unpaved	Parking Area	S	
Rte. No.	Cycle Collected	FMSS No.	Concess Route		Route De From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0901	5	15550		VISITOR CENTER WEST PARKING LOT	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 6.75 ON LEFT	TO ROUTE 0902 (VISITOR CENTER EMPLOYEE PARKING)	N/A	0.00	0.00	0.00		132,636	AS	1
0902	5	91860		VISITOR CENTER EMPLOYEE PARKING	FROM ROUTE 0901 (VISITOR CENTER WEST PARKING LOT)	TO PARKING	N/A	0.00	0.00	0.00		11,723	AS	1
0903	5	91862		AMPHITHEATER HANDICAPPED PARKING	FROM ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.54 ON LEFT	TO PARKING	N/A	0.00	0.00	0.00		18,973	AS	1
0904	5	91663		MAINTENANCE YARD	FROM ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.17 ON RIGHT	TO MAINTENANCE AREA	N/A	0.00	0.00	0.00		19,926	AS	1
0905	5	91707		MAINTENANCE PARKING AREA	FROM ROUTE 0907 (BAT FLIGHT HANDICAPPED PARKING AND BUS UNLOADING)	TO PARKING	N/A	0.00	0.00	0.00		5,883	СО	1
0906	NC	91708		FRONT MAINTENANCE PARKING	ADJACENT TO ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.16 ON RIGHT		N/A	0.00	0.00	0.00		3,000	GR	
0907	NC	91800		BAT FLIGHT HANDICAPPED PARKING AND BUS UNLOADING	FROM ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.26 ON LEFT	TO ROUTE 0905 (MAINTENANCE PARKING AREA)	N/A	0.00	0.00	0.00		7,000	GR	
0908	5	91809		LAW ENFORCEMENT PARKING	ADJACENT TO ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.46 ON LEFT		N/A	0.00	0.00	0.00		590	AS	1
0909	5	91811		ADMIN EMPLOYEE PARKING	ADJACENT TO ROUTE 0200 (REEF TOP CIRCLE) AT MP 0.47 ON RIGHT		N/A	0.00	0.00	0.00		1,827	AS	1
0910	5	91818		EAST SIXPLEX AREA	FROM ROUTE 0402 (PERMIAN DRIVE) AT MP 0.07 ON RIGHT	TO PARKING	N/A	0.00	0.00	0.00		5,512	AS	1
0911	5	91821		REAR ADMINISTRATIVE PARKING	FROM ROUTE 0402 (PERMIAN DRIVE) AT MP 0.05 ON LEFT	TO PARKING	N/A	0.00	0.00	0.00		6,751	AS	1
0912	NC	91822		UNPAVED ADMINISTRATIVE PARKING A	FROM ROUTE 0911 (REAR ADMINISTRATIVE PARKING)	TO PARKING	N/A	0.00	0.00	0.00		6,755	GR	
0911	5	91821		REAR ADMINISTRATIVE PARKING UNPAVED ADMINISTRATIVE	(PERMIAN DRIVE) AT MP 0.07 ON RIGHT FROM ROUTE 0402 (PERMIAN DRIVE) AT MP 0.05 ON LEFT FROM ROUTE 0911 (REAR ADMINISTRATIVE	TO PARKING	N/A	0.00	0.00	0.00		6	5,751	5,751 AS

Shading Color Key:		Color Key: White = Paved Routes, DCV Dri			Yellow = Unpaved F	ow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas Green = All Unpaved Parking Area								
	ext deno k. milea	Gro	ey = Pa	aved Routes, DCV not Dri	ven Black = State, Loca	= State, Local or Private non-NPS Routes = Concession Route Flag ON								
		*Ur ** [d route data was obtained Data Collection Vehicle	from NPS and was not inven NC - Not Collected	toried by the Road Inventory Pr			J					
CA	V E	- c,	ARLS	SBAD CAVERNS NA	TIONAL PARK									
Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route D From	escription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Are Maj
)913	NC	91824		UNPAVED ADMINISTRATIVE PARKING B	FROM ROUTE 0911 (REAR ADMINISTRATIVE PARKING)	TO PARKING	N/A	0.00	0.00	0.00		1,500	GR	
914	5	91825		INDIAN ROCK SHELTER PARKING	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 3.47 ON LEFT	TO ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 3.49 ON LEFT	N/A	0.00	0.00	0.00		12,469	AS	2
915	5	91826		PICNIC PARKING	ADJACENT TO ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 1.80 ON RIGHT		N/A	0.00	0.00	0.00		3,094	AS	2
916	NC	1977		PERMIAN DRIVE HOUSING OVERFLOW PARKING	FROM ROUTE 0402 (PERMIAN DRIVE) AT MP 0.125 ON RIGHT	TO PARKING	N/A	0.00	0.00	0.00		1,977	AS	1

Road Inventory Pro			P Route ID Report		Page 4 of 5				
Shading Color Key: Red text denotes approx. mileage	Grey = Paved Routes, DCV not Driven *Unpaved route data was obtained from NPS and ** DCV - Data Collection Vehicle NC - Not 0	Collected	non-NPS Routes = Concession Route Flag ON e Road Inventory Program (RIP).		reas				
	CYCLE 5 SUMMARY	Y TOTALS FOR	<u>CYCLE 5 CONCESSION TOTALS</u>						
	DCV Driven Route Miles	7.84	Conces	sion Paved Route Miles	0.00				
	Manually Rated Route Miles	0.00	Concessio	on Unpaved Route Miles	0.00				
TOTAL PAR	K ROUTE MILES COLLECTED IN CYCLE 5	7.84	TOTAL CON	CESSION ROUTE MILES	0.00				
	Manually Rated Routes (SQFT)	0	Concession Pa	ved Parking Area SQFT	0				
	TOTAL UNPAVED PARK ROUTE MILES	20.20	Concession Unpa	Unpaved Parking Area SQFT					
			TOTAL CONCESSIO	0					
			Concession Manually Rated Rotes SQFT						
* <u>CY</u>	CLE 5 PARKING AREA TOT	ALS	CYCLE 5 WEIGHTED AVERAGE PARK VALUES						
	Paved Parking (SQFT)	371,318		DCV Driven PCR	99				
	Unpaved Parking (SQFT)	18,255	**Manı	ally Rated Routes PCR	N/A				
	TOTAL PARKING (SQFT)	389,573		**Parking PCR	94				
			***Tota	I Equivalent Lane Miles	23.75				

* - The Parking Area Totals SQFT value represents **all** parking areas collected in Cycle 5, both park and concessionaire.

** - Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

*** - Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

0	Color Key:	White = Paved Routes, DCV Driven	en Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas		Green = All Unpaved Parking Areas
ed text	denotes nileage	Grey = Paved Routes, DCV not Driven	Black = State, Local or Private non-NPS Rou	es = Concession Route Flag O	N
	0	-	NPS and was not inventoried by the Road Inventor C - Not Collected	ory Program (RIP).	
		General Park F	Road Functional Classification 1	able	Surface Type Abbreviations
lass 1			ch constitute the main access route, circulatory tour, or the Trace) are numbered 1 - 9. State Routes Inventoried for		AS - Asphaltic Concrete Pavement
ass 2		ark Road (Public Roads) - Roads which provide acc s, etc. Route Numbers 100-199.	CO - Portland Cement Concrete Pavement BR - Brick or Pavers Road Bed		
<u>ass 3</u>		ose Park Road (Public Roads) - Roads which prov re facilities, etc. These roads generally serve low	CB - Cobble Stone Road Bed GR - Gravel Road Bed		
<u>ass 4</u>	roads freque	k Roads (Public Roads) - Roads which provide cir ntly have no minimum design standards and thei ional Classes 3 and 4 have the same route numbe	SA - Sand Road Bed NV - Native or Dirt Material Road Bed		
lass 5		ve Access Road (Administrative Roads) - All publi utility areas. Route Numbers 400-499.	ts or structures such as park offices, employee	OT - Other Materials Road Bed	
<u>ass 6</u>	Note: Func	tional Classes 5 and 6 have the same route numb	osed to the public, including patrol roads, truck trails, an ers because historically they were numbered similarly ar e housing are often closed to the public, this restriction w	d often there is little distinction between	
<u>lass 7</u>	an urban are		ilities serve high volumes of park and non-park related tr the major parkways which serve as gateways to our nati mbers 1-9.		
lass 8			re usually extensions of the adjoining street system that orm with accepted local engineering practice and local con		
			a park or other unit of the NPS which are administered by k road is not based on traffic volumes or design speed, b		¢
ationwid	e which are de	signated by the 300 and 500 series. The numbers	ries for interpretive roads, and a 500 series for one-way s for these roads will be maintained for reporting consiste 0 and 500 series will be discontinued for future use.		
	0 route numbe 1 for GPS and V		, County or City owned which border, traverse, or provide	e access to Park Facilities or Assets. 5000 Routes	

NPS/RIP Subcomponent Details for CAVE

Road Inventory Program 09/05/2012

(Numerical By Subcomponent #)

Page 1 of 1

0 ,	White = Paved Routes, DCV Driven	Yellow = Unpaved Routes, DCV not Driven	Blue = All Paved Parking Areas	Green = All Unpaved Parking Areas
Red text denotes approx. mileage	Grey = Paved Routes, DCV not Driven	Black = State, Local or Private non-NPS Route	s = Concession Route Flag ON	

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

CAVE CARLSBAD C

CARLSBAD CAVERNS NATIONAL PARK

Asset Entered in FMSS System

Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description ame From To o				Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0010ZZ	15458	5	WALNUT CANYON ENTRANCE ROADS	FROM STATE HIGHWAY 7 (CARLSBAD CAVERN HIGHWAY / NON NPS) NEAR EAST PARK BOUNDARY	TO ROUTE 0900 (VISITOR CENTER EAST PARKING LOT)		1	7.03	0.00	7.03	

Asset CAVE-0010ZZ Subcomponent Breakdown

Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description From To				Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0010AZ	15458	5	WALNUT CANYON ENTRANCE ROAD	FROM STATE HIGHWAY 7 (CARLSBAD CAVERN HIGHWAY / NON NPS) NEAR EAST PARK BOUNDARY	TO ROUTE 0900 (VISITOR CENTER EAST PARKING LOT)		1	6.98	0.00	6.98	
0010BZ	15458	NC	VC TURN AROUND	FROM ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD) AT MP 6.92 ON LEFT	TO ROUTE 0010AZ (WALNUT CANYON ENTRANCE ROAD)		1	0.05	0.00	0.05	