

Road Inventory and Condition Assessment



Effigy Mounds National Monument EFMO - 6290

Cycle 5 Report

Prepared By: Federal Highway Administration

Road Inventory Program (RIP)

Data Collected: 04/2012 Report Date: 07/2012

Effigy Mounds National Monument in Iowa






TABLE OF CONTENTS

	<u>SECTION</u>	PAGE
1.	INTRODUCTION	1-1
2.	PARK ROUTE INVENTORY Route IDs, Subcomponents & Changes Report (As Applicable)	2 – 1
3.	PARK SUMMARY INFORMATION	3 – 1
4.	PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map	4 – 1 4 – 2
5.	PAVED ROUTE CONDITION RATING SHEETS	5 – 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS MRR Pages	6 – 1
7.	PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	7 – 1
8.	PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARIES	8 – 1
9.	ROUTE MAINTENANCE FEATURES ROAD LOGS	9 – 1
10.	APPENDIX Glossary of Terms and Abbreviations GPS on Manually Rated Routes Geodatabase Background and Metadata	10 - 1 $10 - 2$ $10 - 3$

Section 1 Introduction



Effigy Mounds National Monument



INTRODUCTION

The Federal Highway Administration, (FHWA), in the mid 1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on National Park Service (NPS) roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into an MOA (Memorandum Of Agreement) which established the RIP (Road Inventory Program). This MOA was terminated and revised in 1980 to establish a new MOA aiming to update RIP data and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a maintenance management program.

The FHWA completed this initial phase of the RIP in the early 1980s. As a result of this effort, each NPS site included in the study received a RIP Report known as the "Brown Book" which included the information collected during this first RIP phase.

In the 1990s, the effort was again renewed to update and maintain the RIP data. By this time the computer age was upon us and a process was employed that relied heavily on electronic data collection and computer technology. A cyclical program was developed and the RIP completed two cycles of data collection from 1994 to 2001. Cycle 1, starting in 1994, was conducted in 44 "large parks" (parks containing 10 or more paved route miles). Cycle 2 began in 1997 and comprised 79 large parks and 5 small parks totaling 4,874 paved route miles. Each of these parks received a RIP Report known as the "Blue Book". Cycle 3, from 2001 to 2004, was conducted in all parks, large and small, that contained any paved routes, including parking areas and, again, each park received a RIP Report and associated electronic files.

Cycle 4 was initiated in the spring of 2006 covering 86 large parks and several associated small parks consisting of 5,553 paved route miles and 6,232 paved parking areas. Data collection has been completed for Cycle 4 and all data has been delivered to the NPS.

In 2005, the FHWA began implementing the use of a Pavement Management System (PMS) to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions, an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method, specifically the distresses and indexes that comprise the Pavement Condition Rating (PCR). It was determined that a better representation of PCR could

be achieved by modifying the relative impact certain distresses would have on the overall rating. The changes that were implemented were endorsed by management at both the FHWA and NPS in October 2010. These changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection. Because of these changes, the PCR Condition ratings reported in Cycle 5 do not directly relate to the condition ratings reported in previous cycle RIP Reports. For more detailed information about the changes, see Section 3 and Section 10 in this RIP Report.

Cycle 5 has launched in the summer of 2010 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 5, the decision was made to collect condition data in large parks on Functional Class 1, 2, and 7 paved routes only, as well as any new routes that were previously not collected. In small parks, all paved routes and parking areas will be collected. As a result, this will include 81 large parks with 4,459 paved route miles and 168 small parks with 529 paved route miles and associated paved parking areas.

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with FLH is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6371 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3560

Section 2 Park Route Inventory



Effigy Mounds National Monument



Cycle 5 NPS/RIP Route ID Report

Road Inventory Program 07/16/2012

(Numerical By Route #)

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas Grey = Paved Routes, DCV not Driven Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

Green = All Unpaved Parking Areas

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle NC - Not Collected

EFMO

EFFIGY MOUNDS NATIONAL MONUMENT

Rte.	cle	FMSS	ess		Route Description		Maint.	Paved	Un-	Total	Func.	Manual	Surf.	Area
No.	Cycl	No.	Concess Route	Route Name	From	То	District	Miles	Paved Miles	Route Length	Class	Rated SQ/FT	Туре	Maps
0401	NC	2939		SOUTH MAINTENANCE ROAD	FROM STATE HIGHWAY 76	TO END	N/A	0.00	0.80	0.80	6	-1	GR	
0403	NC	2940		NORTH MAINTENANCE ROAD	FROM ROUTE 0901 (EFFIGY MOUNDS MAINTENANCE PARKING AREA)	TO END	N/A	0.00	0.30	0.30	6	-1	GR	
0404	NC	11891		BRIDGE ACCESS ROAD	FROM STATE HIGHWAY 76	TO END	N/A	0.00	0.10	0.10	6	-1	GR	
0900	5	2956		EFFIGY MOUNDS VISITOR CENTER PARKING	FROM STATE HIGHWAY 76	TO PARKING	N/A	0.00	0.00	0.00		43,888	AS	1
0901	5	16775		EFFIGY MOUNDS MAINTENANCE PARKING AREA	FROM ROUTE 0900 (EFFIGY MOUNDS VISITOR CENTER PARKING)	TO PARKING	N/A	0.00	0.00	0.00		17,176	AS	1

Page 1 of 3

Cycle 5 NPS/RIP Route ID Report

Road Inventory Program 07/16/2012

(Numerical By Route #)

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle NC - Not Collected

CYCLE 5 SUMMARY TOTALS FOR EFFIGY MOUNDS NATIONAL MONUMENT							
CYCLE 5 ROUTE TOTALS		CYCLE 5 CONCESSION TOTALS					
DCV Driven Route Miles	0.00	Concession Paved Route Miles	0.00				
Manually Rated Route Miles	0.00	Concession Unpaved Route Miles	0.00				
TOTAL PARK ROUTE MILES COLLECTED IN CYCLE 5	0.00	TOTAL CONCESSION ROUTE MILES	0.00				
Manually Rated Routes (SQFT)	0	Concession Paved Parking Area SQFT	0				
TOTAL UNPAVED PARK ROUTE MILES	1.20	Concession Unpaved Parking Area SQFT	0				
		TOTAL CONCESSION PARKING AREA SQFT	0				
		Concession Manually Rated Rotes SQFT	0				
* CYCLE 5 PARKING AREA TOTA	ALS	CYCLE 5 WEIGHTED AVERAGE PARK VAL	.UES				
Paved Parking (SQFT)	61,064	DCV Driven PCR	N/A				
Unpaved Parking (SQFT)	0	**Manually Rated Routes PCR	N/A				
TOTAL PARKING (SQFT)	61,064	**Parking PCR	45				
		***Total Equivalent Lane Miles	1.05				

^{* -} The Parking Area Totals SQFT value represents all parking areas collected in Cycle 5, both park and concessionaire.

Page 2 of 3

^{** -} Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

^{*** -} Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

Cycle 5 NPS/RIP Route ID Report

Road Inventory Program 07/16/2012

(Numerical By Route #)

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle NC - Not Collected

Grey = Paved Routes, DCV not Driven

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors.

 Route Numbers 1 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 9. State Routes Inventoried for Park. Route Numbers 5000-5999
- Class 2 Connector Park Road (Public Roads) Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, camparounds, etc. Route Numbers 100-199.
- <u>Class 3</u> Special Purpose Park Road (Public Roads) Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Class 4 Primitive Park Roads (Public Roads) Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299.

 Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.
- <u>Class 5</u> Administrative Access Road (Administrative Roads) All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas. Route Numbers 400-499.
- Class 6
 Restricted Road (Administrative Roads) All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499.
 Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.
- Class 7 Urban Parkway (Urban Parkways and City Streets) These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- Class 8 City Streets (Urban Parkways and City Streets) City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

5000 route numbers are assigned to Non-NPS Routes that are State, County or City owned which border, traverse, or provide access to Park Facilities or Assets. 5000 Routes are driven for GPS and Video Log only.

Surface Type Abbreviations:

- AS Asphaltic Concrete Pavement
- **CO Portland Cement Concrete Pavement**
- BR Brick or Pavers Road Bed

Green = All Unpaved Parking Areas

- CB Cobble Stone Road Bed
- GR Gravel Road Bed SA - Sand Road Bed
- NV Native or Dirt Material Road Bed
- OT Other Materials Road Bed

Page 3 of 3

ROUTE IDENTIFICATION CHANGES TO PAVED ROUTES FROM PREVIOUS CYCLE - EFMO

ROUTES MODIFIED FROM PREVIOUS INVENTORY:							
Route #	Route Name	Type of Modification	Comments				
0901	EFFIGY MOUNDS MAINTENANCE PARKING AREA	SQ FEET CHANGE	GPS RECOLLECTED TO CAPTURE ADDED PAVEMENT ON THE WEST END OF THE MAINTENANCE AREA. USER LEVEL CHANGED FROM NONPUBLIC TO PUBLIC.				

Section 3 Park Summary Information



Effigy Mounds National Monument



Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.


Section 4 Park Route Location Maps




Effigy Mounds National Monument



Effigy Mounds National Monument Route Location Map Key Map



Effigy Mounds National Monument Route Location Map Area 1



Unique colors used to differentiate routes



Section 5 Paved Route Condition Rating Sheets



Effigy Mounds National Monument



Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

Section 6 Manually Rated Paved Route Condition Rating Sheets



Effigy Mounds National Monument



MANUALLY RATED ROUTE CONDITION RATING SHEETS

No data available for this section.

Section 7 Parking Area Condition Rating Sheets



Effigy Mounds National Monument



EFFIGY MOUNDS NATIONAL MONUMENT Route 0900

EFFIGY MOUNDS VISITOR CENTER PARKING FROM STATE HIGHWAY 76 TO PARKING

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0900	PUBLIC	4/25/2012	43,888	0.76	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			CONCRETE CURB		
0	5	2	AND GUTTER	NO CURB	POOR/45

^{*} Lane miles are based on 11' lane widths









EFFIGY MOUNDS NATIONAL MONUMENT Route 0901

EFFIGY MOUNDS MAINTENANCE PARKING AREA FROM ROUTE 0900 (EFFIGY MOUNDS VISITOR CENTER PARKING) TO PARKING

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0901	PUBLIC	4/25/2012	17,176	0.30	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
2	2	0	GUTTER	NO CURB	POOR/45

^{*} Lane miles are based on 11' lane widths








Rte 0900

Section 8 Parkwide/Route Maintenance Features Summaries



Effigy Mounds National Monument



EFMO: PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY

Note: There are no Data Collection Vehicle routes in this park. However, counts were made of the features listed in the table below.

Route					
Number	Culverts	Drop Inlets	Gates	Curb	Curb & Gutter
0900	0	5	2	NO CURB	CONCRETE CURB AND GUTTER
0901	2	2	0	NO CURB	NO CURB AND GUTTER
Totals	2	7	2		

NC = Not Collected

NO = This feature does not exist

Section 9 Route Maintenance Features Road Logs



Effigy Mounds National Monument



Note: This park is classified as a Small Park. No DCV routes exist in this park at the time of data collection. Therefore, there is no data to report for this section.

Section 10 Appendix



Effigy Mounds National Monument



GLOSSARY OF TERMS AND ABBREVIATIONS

TERM OR

ABBREVIATION DESCRIPTION OR DEFINITION

Excellent rating with an index value of 97

Fair rating with an index value of 73

Func. Class Functional Classification (see Route ID, Section 2)

Good Good rating with an index value of 90

MRR Manually Rated Route

MRL Manually Rated Line

MRP Manually Rated Polygon

N/A Not Applicable

NC Not Collected

PKG Parking Area

Poor Poor rating with an index value of 45

GPS on Manually Rated Roads (MRR)

Parking areas, some roads, and other paved areas that are not fully drivable with the RIP Data Collection Vehicle are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS backpack units.

Geodatabase - Background and Metadata

In addition to this park report, a *geodatabase* containing both tabular and spatial data specific to this park has been provided. All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer. Consolidating the RIP data into one database creates a seamless relationship of tables and geographic data. It will allow RIP to facilitate easier updates and enhancements in the future.

A geodatabase can be thought of as simply a database containing spatial data. Many different tables are contained with the park's geodatabase. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the *metadata*. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog.