

Road Inventory Program

Road Inventory and Condition Assessment



Gloria Dei (Old Swedes') Church National Historic Site GLDE

Cycle 5 Report

Prepared By: Federal Highway Administration Road Inventory Program (RIP) Data Collected: 06/2013 Report Date: 10/2013

Gloria Dei (Old Swedes') Church National Historic Site in Pennsylvania






TABLE OF CONTENTS

	SECTION	PAGE
1.	INTRODUCTION	1 - 1
2.	PARK ROUTE INVENTORY Route IDs, Subcomponents & Changes Report (As Applicable)	2 – 1
3.	PARK SUMMARY INFORMATION	3 – 1
4.	PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map	4 - 1 4 - 2
5.	PAVED ROUTE CONDITION RATING SHEETS	5 – 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS MRR Pages	6 – 1
7.	PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	7 – 1
8.	PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARIES	8 – 1
9.	ROUTE MAINTENANCE FEATURES ROAD LOGS	9 – 1
10.	APPENDIX Glossary of Terms and Abbreviations GPS on Manually Rated Routes Geodatabase Background and Metadata	10 - 1 10 - 2 10 - 3

Section 1 Introduction





INTRODUCTION

The Federal Highway Administration, (FHWA), in the mid 1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on National Park Service (NPS) roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into an MOA (Memorandum Of Agreement) which established the RIP (Road Inventory Program). This MOA was terminated and revised in 1980 to establish a new MOA aiming to update RIP data and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a maintenance management program.

The FHWA completed this initial phase of the RIP in the early 1980s. As a result of this effort, each NPS site included in the study received a RIP Report known as the "Brown Book" which included the information collected during this first RIP phase.

In the 1990s, the effort was again renewed to update and maintain the RIP data. By this time the computer age was upon us and a process was employed that relied heavily on electronic data collection and computer technology. A cyclical program was developed and the RIP completed two cycles of data collection from 1994 to 2001. Cycle 1, starting in 1994, was conducted in 44 "large parks" (parks containing 10 or more paved route miles). Cycle 2 began in 1997 and comprised 79 large parks and 5 small parks totaling 4,874 paved route miles. Each of these parks received a RIP Report known as the "Blue Book". Cycle 3, from 2001 to 2004, was conducted in all parks, large and small, that contained any paved routes, including parking areas and, again, each park received a RIP Report and associated electronic files.

Cycle 4 was initiated in the spring of 2006 covering 86 large parks and several associated small parks consisting of 5,553 paved route miles and 6,232 paved parking areas. Data collection has been completed for Cycle 4 and all data has been delivered to the NPS.

In 2005, the FHWA began implementing the use of a Pavement Management System (PMS) to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions, an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method, specifically the distresses and indexes that comprise the Pavement Condition Rating (PCR). It was determined that a better representation of PCR could

be achieved by modifying the relative impact certain distresses would have on the overall rating. The changes that were implemented were endorsed by management at both the FHWA and NPS in October 2010. These changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection. Because of these changes, the PCR Condition ratings reported in Cycle 5 do not directly relate to the condition ratings reported in previous cycle RIP Reports. For more detailed information about the changes, see Section 3 and Section 10 in this RIP Report.

Cycle 5 has launched in the summer of 2010 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 5, the decision was made to collect condition data in large parks on Functional Class 1, 2, and 7 paved routes only, as well as any new routes that were previously not collected. In small parks, all paved routes and parking areas will be collected. As a result, this will include 81 large parks with 4,459 paved route miles and 231 small parks with 529 paved route miles and associated paved parking areas.

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with FLH is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6371 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3556

<u>Section 2</u> Park Route Inventory





Cycle 5 NPS/RIP Route ID Report (Numerical By Route #) Road Inventory Program 10/14/2013 Page 1 of 3 White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas Green = All Unpaved Parking Areas Shading Color Key: Red text denotes Grey = Paved Routes, DCV not Driven Black = State, Local or Private non-NPS Routes = Concession Route Flag ON approx. mileage *Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP). ** DCV - Data Collection Vehicle NC - Not Collected

GLORIA DEI (OLD SWEDES') CHURCH NATIONAL HISTORIC SITE

GLDE

Rte. No.	Cycle Collected	FMSS No.	Concess Route		Route Do From	escription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0900	5			CHURCH PARKING ACCESS	FROM CHRISTIAN STREET	TO NON NPS GLORIA DEI CHURCH PARKING LOT	N/A	0.00	0.00	0.00		1,670	AS	1
0901	5			SWANSON STREET	FROM CHRISTIAN STREET	TO END	N/A	0.00	0.00	0.00		4,162	GB	1

Road Inventory Pro	ogram 10/14/2013	-	P Rou	<pre>te ID Report #)</pre>		Page 2 of 3
Shading Color Key:	White = Paved Routes, DCV Driven	ellow = Unpaved Routes, DC	V not Driven	Blue = All Paved Parking Areas	Green = All Unpaved Parking	Areas
Red text denotes approx. mileage	Grey = Paved Routes, DCV not Driven	lack = State, Local or Private	non-NPS Route	s = Concession Route Flag ON		
	*Unpaved route data was obtained from NPS ** DCV - Data Collection Vehicle NC - N	and was not inventoried by th ot Collected	e Road Inventor	y Program (RIP).		
<u>CYCL</u>	E 5 SUMMARY TOTALS FO	OR GLORIA DEI	(OLD SW	EDES') CHURCH NATI	ONAL HISTORIC	SITE
	CYCLE 5 ROUTE TOTALS	5		CYCLE 5 CONCES	SION TOTALS	
	DCV Driven Route Mil	es 0.00	Concession Paved Route Miles			0.00
	Manually Rated Route Miles 0.00			Concession Unpaved Route Miles		0.00
TOTAL PAR	K ROUTE MILES COLLECTED IN CYCLE	5 0.00	TOTAL CONCESSION ROUTE MILES		0.00	
	Manually Rated Routes (SQF	T) 0	Concession Paved Parking Area SQFT			0
	TOTAL UNPAVED PARK ROUTE MIL	ES 0.00	Concession Unpaved Parking Area SQFT		0	
				TOTAL CONCESSIO	N PARKING AREA SQFT	0
				Concession Manua	ally Rated Routes SQFT	0
* <u>C`</u>	YCLE 5 PARKING AREA TO	<u>TALS</u>	<u>C</u>	YCLE 5 WEIGHTED AV	ERAGE PARK VAI	<u>LUES</u>
	Paved Parking (SQF	T) 5,832	DCV Driven PCR			N/A
	Unpaved Parking (SQF	T) 0		**Manı	ally Rated Routes PCR	N/A
	TOTAL PARKING (SQF	T) 5,832			**Parking PCR	65
				***Tota	l Equivalent Lane Miles	0.10

* - The Parking Area Totals SQFT value represents all parking areas collected in Cycle 5, both park and concessionaire.

** - Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

*** - Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

oad Inve	entory Pro	gram 10/14/2013	le 5 NPS/RIP Route ID Report (Numerical By Route #)	Page 3 d			
0	Color Key:	White = Paved Routes, DCV Driven	Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas	Green = All Unpaved Parking Areas			
Red text denotes approx. mileage		Grey = Paved Routes, DCV not Driven					
	Ŭ	•	NPS and was not inventoried by the Road Inventory Program (RIP). IC - Not Collected				
		General Park	Road Functional Classification Table	Surface Type Abbreviations			
<u>Class 1</u>			ch constitute the main access route, circulatory tour, or thoroughfare for park visitors. Trace) are numbered 1 - 9. State Routes Inventoried for Park. Route Numbers 5000-5999	AS - Asphaltic Concrete Pavement			
<u>Class 2</u>		rk Road (Public Roads) - Roads which provide ac s, etc. Route Numbers 100-199.	cess within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks,	CO - Portland Cement Concrete Pavemen BR - Brick or Pavers Road Bed			
<u>Class 3</u>	3 Special Purpose Park Road (Public Roads) - Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299. CB - Cobble Stone Road Bed GR - Gravel Road Bed						
<u>Class 4</u>	Primitive Park Roads (Public Roads) - Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299. Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly. SA - Sand Road Bed NV - Native or Dirt Material						
<u>Class 5</u>	Administrative Access Road (Administrative Roads) - All public roads intended for access to administrative developments or structures such as park offices, employee guarters, or utility areas. Route Numbers 400-499.						
<u>Class 6</u>	BS - Bluestone						
<u>Class 7</u>	an urban are		cilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in the major parkways which serve as gateways to our nation's capital. Other major park roads or portions umbers 1-9.				
<u>Class 8</u>			are usually extensions of the adjoining street system that are owned and maintained by the National Park form with accepted local engineering practice and local conditions. Route Numbers 600-699.				
A pa	ark road system	n contains those roads within or giving access to	**************************************				
nationwide	e which are des	signated by the 300 and 500 series. The number	eries for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads s for these roads will be maintained for reporting consistency. However, since these interpretive and 00 and 500 series will be discontinued for future use.				
	0 route numbe 1 for GPS and V		e, County or City owned which border, traverse, or provide access to Park Facilities or Locations. 5000 Routes	5			

ROUTES ADDED FROM PREVIOUS INVENTORY:					
Route #	Route Name	Reason for Addition	Comments		
0901	SWANSON STREET	OTHER	NEW ROUTE ADDED DURING THE CYCLE 5 ROUTE ID MEETING.		
OTHER CHANGES FROM PREVIOUS INVENTORY:					
Route #	Route Name	Type of Change	Comments		

Section 3 Park Summary Information






Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 4</u> Park Route Location Maps






Gloria Dei (Old Swedes') Church National Historic Site Route Location Map Key Map







Gloria Dei (Old Swedes') Church National Historic Site Route Location Map Area 1



Unique colors used to differentiate routes



<u>Section 5</u> Paved Route Condition Rating Sheets





Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 6</u> Manually Rated Paved Route Condition Rating Sheets





MANUALLY RATED ROUTE CONDITION RATING SHEETS

No data available for this section.

<u>Section 7</u> Parking Area Condition Rating Sheets





GLORIA DEI (OLD SWEDES') CHURCH NATIONAL HISTORIC SITE Route 0900


CHURCH PARKING ACCESS FROM CHRISTIAN STREET TO NON NPS GLORIA DEI CHURCH PARKING LOT

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0900	PUBLIC	6/19/2013	1,670	0.03	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
0	0	1	GUTTER	NO CURB	POOR/45

* Lane miles are based on 11' lane widths







GLORIA DEI (OLD SWEDES') CHURCH NATIONAL HISTORIC SITE Route 0901

SWANSON STREET FROM CHRISTIAN STREET TO END

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0901	NONPUBLIC	6/19/2013	4,162	0.07	GB
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
0	2	0	GUTTER	BRICK CURB	FAIR/73

* Lane miles are based on 11' lane widths













<u>Section 8</u> Parkwide/Route Maintenance Features Summaries





GLDE: PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY

Note: There are no Data Collection Vehicle routes in this park. However, counts were made of the features listed in the table below.

Route					
Number	Culverts	Drop Inlets	Gates	Curb	Curb & Gutter
0900	0	0	1	NO CURB	NO CURB AND GUTTER
0901	0	2	0	BRICK CURB	NO CURB AND GUTTER
Totals	0	2	1		

NC = Not Collected

NO = This feature does not exist

<u>Section 9</u> Route Maintenance Features Road Logs





Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

Section 10 Appendix





GLOSSARY OF TERMS AND ABBREVIATIONS

TERM ORABBREVIATIONDESCRIPTION OR DEFINITION

DCV	Data Collection Vehicle
Excellent	Excellent rating with an index value of 97
Fair	Fair rating with an index value from 73
Func. Class	Functional Classification (see Route ID, Section 2)
Good	Good rating with an index value of 90
MRR	Manually Rated Route
MRL	Manually Rated Line
MRP	Manually Rated Polygon
N/A	Not Applicable
NC	Not Collected
PCR	Pavement Condition Rating
PKG	Parking Area
Poor	Poor rating with an index value of 45
RIP	Road Inventory Program

GPS on Manually Rated Roads (MRR)

Parking areas, some roads, and other paved areas that are not fully drivable with the Data Collection Vehicle are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS backpack units. Paved campground pads and driveways are not typically included in the inventory or GPS.

Geodatabase - Background and Metadata

In addition to this park report, a *geodatabase* containing both tabular and spatial data specific to this park has been provided. All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer. Consolidating the RIP data into one database creates a seamless relationship of tabular and geographic data. It will allow RIP to facilitate easier updates and enhancements in the future.

A geodatabase can be thought of as simply a database containing spatial data. Many different tables are contained within the park's geodatabase. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the *metadata*. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog. The metadata portion of the geodatabase also includes data dictionary report functionality that formats the metadata into an easy to read report.