

Road Inventory and Condition Assessment



Natchez Trace Parkway NATR - 5570

Cycle 5 Report

Prepared By: Federal Highway Administration

Road Inventory Program (RIP)

Data Collected: 02/2012 Report Date: 11/2012

Natchez Trace Parkway in Mississippi, Alabama, & Tennessee






TABLE OF CONTENTS

	<u>SECTION</u>	PAGE
1.	INTRODUCTION	1 - 1
2.	PARK ROUTE INVENTORY Route IDs, Subcomponents & Changes Report (As Applicable)	2 – 1
3.	PARK SUMMARY INFORMATION Paved Route Miles and Percentages by Functional Class and PCR DCV Road Condition Summary	$3-1 \\ 3-3$
4.	PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map Route Condition Key Map – PCR Mile by Mile Route Condition Area Map – PCR Mile by Mile	4-1 $4-2$ $4-21$ $4-22$
5.	PAVED ROUTE CONDITION RATING SHEETS CRS Pages	5 – 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS MRR Pages	6 – 1
7.	PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	7 – 1
8.	ROUTE MAINTENANCE FEATURES SUMMARIES DCV Route Maintenance Features Summary Structure List	$8-1 \\ 8-2$
9.	ROUTE MAINTENANCE FEATURES ROAD LOGS Route Maintenance Features Road Logs	9 – 1
10.	APPENDIX Explanation of Changes to the RIP Index Equations and Determination of PCR Explanation of the Excellent, Good, Fair and Poor Condition Descriptions Description of Rating System Surface Distresses Index Formulas Data Collection Vehicle Subsystems Geodatabase – Background and Metadata Glossary of Terms and Abbreviations	10-1 $10-2$ $10-3$ $10-5$ $10-12$ $10-16$ $10-19$

Section 1 Introduction



Natchez Trace Parkway



INTRODUCTION

The Federal Highway Administration, (FHWA), in the mid 1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on National Park Service (NPS) roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into an MOA (Memorandum Of Agreement) which established the RIP (Road Inventory Program). This MOA was terminated and revised in 1980 to establish a new MOA aiming to update RIP data and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a maintenance management program.

The FHWA completed this initial phase of the RIP in the early 1980s. As a result of this effort, each NPS site included in the study received a RIP Report known as the "Brown Book" which included the information collected during this first RIP phase.

In the 1990s, the effort was again renewed to update and maintain the RIP data. By this time the computer age was upon us and a process was employed that relied heavily on electronic data collection and computer technology. A cyclical program was developed and the RIP completed two cycles of data collection from 1994 to 2001. Cycle 1, starting in 1994, was conducted in 44 "large parks" (parks containing 10 or more paved route miles). Cycle 2 began in 1997 and comprised 79 large parks and 5 small parks totaling 4,874 paved route miles. Each of these parks received a RIP Report known as the "Blue Book". Cycle 3, from 2001 to 2004, was conducted in all parks, large and small, that contained any paved routes, including parking areas and, again, each park received a RIP Report and associated electronic files.

Cycle 4 was initiated in the spring of 2006 covering 86 large parks and several associated small parks consisting of 5,553 paved route miles and 6,232 paved parking areas. Data collection has been completed for Cycle 4 and all data has been delivered to the NPS.

In 2005, the FHWA began implementing the use of a Pavement Management System (PMS) to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions, an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method, specifically the distresses and indexes that comprise the Pavement Condition Rating (PCR). It was determined that a better representation of PCR could

be achieved by modifying the relative impact certain distresses would have on the overall rating. The changes that were implemented were endorsed by management at both the FHWA and NPS in October 2010. These changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection. Because of these changes, the PCR Condition ratings reported in Cycle 5 do not directly relate to the condition ratings reported in previous cycle RIP Reports. For more detailed information about the changes, see Section 3 and Section 10 in this RIP Report.

Cycle 5 has launched in the summer of 2010 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 5, the decision was made to collect condition data in large parks on Functional Class 1, 2, and 7 paved routes only, as well as any new routes that were previously not collected. In small parks, all paved routes and parking areas will be collected. As a result, this will include 81 large parks with 4,459 paved route miles and 168 small parks with 529 paved route miles and associated paved parking areas.

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with FLH is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6371 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3560

Section 2 Park Route Inventory



Natchez Trace Parkway



Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 1 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0001A	5	67615		NA MOTOR ROAD	FROM LIBERTY ROAD AT MP 0.0	TO BEGIN ROUTE 0001B (PG MOTOR ROAD) AT STATE ROUTE 61 (LOWER MISSISSIPPI GREAT RIVER ROAD)/HIGHWAY 61S BRIDGE AT MP 38.17	NATCHEZ DISTRICT	38.17	0.00	38.17	1	-1	AS	1,2
0001B	5	68184		PG MOTOR ROAD	FROM STATE ROUTE 61 BRIDGE AT MP 38.17	TO INTERSTATE 20 BRIDGE AT MP 88.24	PORT GIBSON DISTRICT	50.07	0.00	50.07	1	-1	AS	2,3,4
0001C	5	68003		RI MOTOR ROAD	FROM END OF 0001B (PG MOTOR ROAD) AT THE I-20 BRIDGE AT MP 88.24	TO BEGIN 0001D (KO MOTOR ROAD) AT STATE ROUTE 16 BRIDGE AT MP 136.51	RIDGELAND DISTRICT	48.27	0.00	48.27	1	-1	AS	4,5,6
0001D	5	80240		KO MOTOR ROAD	FROM STATE ROUTE 16 BRIDGE AT MP 136.51	TO BRIDGE AT MP 194.95	KOSCIUSKO DISTRICT	58.44	0.00	58.44	1	-1	AS	6,7,8
0001E	5	67668		DA MOTOR ROAD	FROM BRIDGE AT MP 194.95	TO STATE ROUTE 32 BRIDGE AT MP 241.49	DANCY DISTRICT	46.54	0.00	46.54	1	-1	AS	8,9,10
0001F	5	67799		TU MOTOR ROAD	FROM STATE ROUTE 32 BRIDGE AT MP 241.49	TO STATE ROUTE 4 BRIDGE AT MP 299.82	TUPELO DISTRICT	58.33	0.00	58.33	1	-1	AS	10,11,1 2,13
0001G	5	67739		CH MOTOR ROAD	FROM STATE ROUTE 4 BRIDGE AT MP 299.82	TO COLLINWOOD ROAD BRIDGE AT MP 358.73	CHEROKEE DISTRICT	58.91	0.00	58.91	1	-1	AS	13,14,1 5,16
0001H	5	68103		ML MOTOR ROAD	FROM COLLINWOOD ROAD BRIDGE AT MP 358.73	TO JACKSON FALLS ROAD BRIDGE AT MP 409.00	MERIWETHER LEWIS DISTRICT	50.27	0.00	50.27	1	-1	AS	16,17,1 8
00011	5	68056		LF MOTOR ROAD	FROM JACKSON FALLS ROAD BRIDGE AT MP 409.00	TO STATE ROUTE 100 WB AT MP 447.11	LEIPERS FORK DISTRICT	38.11	0.00	38.11	1	-1	AS	18,19
0100	5	114515		NA MOTOR ROAD WESTBOUND EXIT ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 0.31 ON LEFT	TO LIBERTY ROAD (WESTBOUND)	NATCHEZ DISTRICT	0.20	0.00	0.20	1	-1	AS	1
0101	5	238646		CH CAVE SPRING ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 311.34 ON LEFT	TO END OF LOOP	CHEROKEE DISTRICT	0.17	0.00	0.17	2	-1	AS	13
0102	5	238483		CH BEAR CREEK ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 315.41 ON LEFT	TO END OF LOOP	CHEROKEE DISTRICT	0.40	0.00	0.40	2	-1	AS	13
0103	5	238484		CH COLBERT FERRY VC ACCESS ROAD	FROM ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 0.06 ON RIGHT	TO ROUTE 0211 (CH COLBERT FERRY OVERLOOK ROAD) AT MP 0.05 ON LEFT	CHEROKEE DISTRICT	0.14	0.00	0.14	2	-1	AS	14

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Page 2 of 33

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0104	5	238485		CH LAUDERDALE ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 332.00 ON RIGHT	TO END OF LOOP	CHEROKEE DISTRICT	0.19	0.00	0.19	2	-1	AS	14
0105	5	238486		CH ROCK SPRINGS ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 333.58 ON RIGHT	TO END OF LOOP	CHEROKEE DISTRICT	0.18	0.00	0.18	2	-1	AS	15
0106	5	238487		CH MCGLAMERY STAND ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 356.8 ON LEFT	TO END OF LOOP	CHEROKEE DISTRICT	0.15	0.00	0.15	2	-1	AS	15
0107	5	238489		ML NAPIER MINE ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 385.94 ON LEFT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.15	0.00	0.15	2	-1	AS	17
0108A	5	67639		NA SR 61 ACCESS SOUTH A	FROM STATE ROUTE 61	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 8.41 ON LEFT	NATCHEZ DISTRICT	0.23	0.00	0.23	1	-1	AS	1
0108B	5	104042		NA SR 61 ACCESS SOUTH B	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 8.41 ON LEFT	TO STATE ROUTE 61 (LOWER MISSISSIPPI GREAT RIVER ROAD)/HIGHWAY 61N	NATCHEZ DISTRICT	0.15	0.00	0.15	1	-1	AS	1
0108C	5	104043		NA SR 61 ACCESS SOUTH C	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 8.61 ON RIGHT	TO STATE ROUTE 61 (LOWER MISSISSIPPI GREAT RIVER ROAD)/HIGHWAY 61N	NATCHEZ DISTRICT	0.16	0.00	0.16	1	-1	AS	1
0108D	5	104044		NA SR 61 ACCESS SOUTH D	FROM STATE ROUTE 61	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 8.66	NATCHEZ DISTRICT	0.16	0.00	0.16	1	-1	AS	1
0108E	5	104046		NA SR 61 ACCESS SOUTH E	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 8.70 ON LEFT	TO STATE ROUTE 61 (LOWER MISSISSIPPI GREAT RIVER ROAD)/HIGHWAY 61N	NATCHEZ DISTRICT	0.33	0.00	0.33	1	-1	AS	1
0110	5	67642		NA RESIDENCE ROAD (MCGEHEE ROAD)	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 9.53 ON LEFT	TO PARK BOUNDARY	NATCHEZ DISTRICT	0.12	0.00	0.12	2	-1	AS	1
0111	5	67645		NA MOUNT LOCUST HISTORICAL SITE ENTRANCE	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 15.94 ON LEFT	TO ROUTE 0904A (NA MOUNT LOCUST HISTORICAL SITE PARKING)	NATCHEZ DISTRICT	0.15	0.00	0.15	2	-1	AS	1
0112	5	67647		NA SR 553 ACCESS ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 20.55 ON RIGHT	TO MISSISSIPPI STATE ROUTE 553	NATCHEZ DISTRICT	0.16	0.00	0.16	1	-1	AS	1

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Page 3 of 33

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0113	5	67652		NA WALTON ACCESS ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 25.20 ON LEFT	TO WALTON ROAD	NATCHEZ DISTRICT	0.10	0.00	0.10	1	-1	AS	2
0114A	5	67672		NA SR 552 ACCESS ROAD A	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 30.83 ON RIGHT	TO STATE ROUTE 552 (LOWER MISSISSIPPI GREAT RIVER ROAD)	NATCHEZ DISTRICT	0.22	0.00	0.22	1	-1	AS	2
0114B	5	104047		NA SR 552 ACCESS ROAD B	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 31.00 ON LEFT	TO STATE ROUTE 552 (LOWER MISSISSIPPI GREAT RIVER ROAD)	NATCHEZ DISTRICT	0.21	0.00	0.21	1	-1	AS	2
0116	5	67656		NA SR 61 ACCESS ROAD NORTH	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 38.01	TO STATE ROUTE 61 (LOWER MISSISSIPPI GREAT RIVER ROAD)/HIGHWAY 61S	NATCHEZ DISTRICT	0.18	0.00	0.18	1	-1	AS	2
0118	5	68185		PG SR 18 ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 41.78 ON LEFT	TO STATE ROUTE 18	PORT GIBSON DISTRICT	0.23	0.00	0.23	1	-1	AS	2
0120	5	68186		PG MANGUM MOUND ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 45.9 ON LEFT	TO END OF LOOP	PORT GIBSON DISTRICT	0.54	0.00	0.54	2	-1	AS	2
0121	5	68187		PG GRINDSTONE FORD ACCESS ROAD	FROM ROUTE 0120 (PG MANGUM MOUND ACCESS ROAD) AT MP 0.08 ON RIGHT	TO END OF LOOP	PORT GIBSON DISTRICT	0.62	0.00	0.62	2	-1	AS	2
0122	5	68188		PG OLD TRACE PARKWAY (WHITAKER ROAD)	FROM EAST PARK BOUNDARY	TO BIG SAND CAMPGROUND ROAD CROSSING ROUTE 0001B AT MP 52.95	PORT GIBSON DISTRICT	0.10	0.00	0.10	2	-1	AS	3
0123	5	68189		PG ROCKY SPRINGS ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 55.47 ON LEFT	TO END OF LOOP	PORT GIBSON DISTRICT	1.25	0.00	1.25	2	-1	AS	3
0124	5	68190		PG UTICA / REGANTOWN ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 59.84 ON LEFT	TO UTICA ROAD	PORT GIBSON DISTRICT	0.27	0.00	0.27	1	-1	AS	3
0125	5	68191		PG SR 27 ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 67.27 ON RIGHT	TO STATE ROUTE 27	PORT GIBSON DISTRICT	0.17	0.00	0.17	1	-1	AS	3
0126	5	68192		PG DEANS STAND ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 74.27 ON RIGHT	TO END OF LOOP	PORT GIBSON DISTRICT	0.26	0.00	0.26	2	-1	AS	4
0127	5	68193		PG SR 467 ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 79.82 ON RIGHT	TO STATE ROUTE 467	PORT GIBSON DISTRICT	0.24	0.00	0.24	1	-1	AS	4

Road Inventory Program 11/13/2012

(Numerical By Route #)

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Page 4 of 33

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle	FMSS No.	Concess Route	Route Name	Route Des	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0128	5	68194		PG AIRPORT ROAD ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 83.52 ON LEFT	TO JOHN BELL WILLIAM AIRPORT ROAD	PORT GIBSON DISTRICT	0.11	0.00	0.11	1	-1	AS	4
0129A	5	68195		PG I-20 ACCESS ROAD A	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 88.02 ON RIGHT	TO INTERSTATE 20	PORT GIBSON DISTRICT	0.39	0.00	0.39	1	-1	AS	4
0129B	5	104066		PG I-20 ACCESS ROAD B	FROM INTERSTATE 20	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 88.06 ON RIGHT	PORT GIBSON DISTRICT	0.27	0.00	0.27	1	-1	AS	4
0129C	5	104069		PG I-20 ACCESS ROAD C	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 88.33 ON RIGHT	TO INTERSTATE 20	PORT GIBSON DISTRICT	0.20	0.00	0.20	1	-1	AS	4
0129D	5	104070		PG I-20 ACCESS ROAD D	FROM INTERSTATE 20	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 88.34 ON RIGHT	PORT GIBSON DISTRICT	0.30	0.00	0.30	1	-1	AS	4
0130	5	68010		RI I-55 ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 102.79 ON RIGHT	TO INTERSTATE 55 AT END OF TAPER	RIDGELAND DISTRICT	0.35	0.00	0.35	1	-1	AS	5
0130A	5	114519		RI I-55 ACCESS ROAD A	FROM INTERSTATE 55	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 102.54 ON RIGHT	RIDGELAND DISTRICT	0.35	0.00	0.35	1	-1	AS	5
0130B	5	114549		RI I-55 ACCESS ROAD B	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 102.47 ON LEFT	TO INTERSTATE 55 AT END OF TAPER	RIDGELAND DISTRICT	0.60	0.00	0.60	1	-1	AS	5
0130C	5	114551		RI I-55 ACCESS ROAD C	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 102.42 ON RIGHT	TO ROUTE 0130B AT MP 0.29 ON RIGHT	RIDGELAND DISTRICT	0.21	0.00	0.21	1	-1	AS	5
0130E	5	114550		RI I-55 ACCESS ROAD E	FROM I-55 AT START OF RAMP TAPER	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 102.79 ON RIGHT	RIDGELAND DISTRICT	0.42	0.00	0.42	1	-1	AS	5
0130F	5	114737		RI I-55 ACCESS ROAD F	FROM ROUTE 0130E (RI I-55 ACCESS ROAD E) AT MP 0.233 ON LEFT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 102.5 ON LEFT	RIDGELAND DISTRICT	0.38	0.00	0.38	1	-1	AS	5
0131	5	68011		RI U.S. 51 ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 103.66 ON RIGHT	TO RICE ROAD	RIDGELAND DISTRICT	0.25	0.00	0.25	1	-1	AS	5
0132A	5	68015		RI OLD CANTON / AIRPORT ACCESS ROAD A	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 104.78 ON RIGHT	TO OLD CANTON / AIRPORT ROAD	RIDGELAND DISTRICT	0.26	0.00	0.26	1	-1	AS	5
0132B	5	104083		RI SR 123 AIRPORT ACCESS ROAD B	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 104.63 ON LEFT	TO STATE ROUTE 123	RIDGELAND DISTRICT	0.30	0.00	0.30	1	-1	AS	5
				I					I		j i		J	

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 5 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0133A	5	68016		RI SR 43 ACCESS ROAD A	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 116.04 ON RIGHT	ROUTE 43	RIDGELAND DISTRICT	0.21	0.00	0.21	1	-1	AS	6
0133B	5	104084		RI SR 43 ACCESS ROAD B	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 116.27	ROUTE 43	RIDGELAND DISTRICT	0.26	0.00	0.26	1	-1	AS	6
0134A	5	68019		RI SR 16 ACCESS ROAD A	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 136.37 ON LEFT	ROUTE 16	RIDGELAND DISTRICT	0.11	0.00	0.11	1	-1	AS	6
0134B	5	104085		KO SR 16 ACCESS ROAD B	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 136.72 ON RIGHT	ROUTE 16	KOSCIUSKO DISTRICT	0.15	0.00	0.15	1	-1	AS	6
0136A	5	80243		KO SR 35 ACCESS ROAD A	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 161.40 ON RIGHT	TO MISSISSIPPI STATE ROUTE 35/MISSISSIPPI STATE ROUTE 19/HUNTINGTON STREET	KOSCIUSKO DISTRICT	0.14	0.00	0.14	1	-1	AS	7
0136B	5	104072		KO SR 35 ACCESS ROAD B	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 161.65 ON LEFT	TO MISSISSIPPI STATE ROUTE 35/MISSISSIPPI STATE ROUTE 19/HUNTINGTON STREET	KOSCIUSKO DISTRICT	0.12	0.00	0.12	1	-1	AS	7
0137A	5	80244		KO SR 12 ACCESS ROAD A	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 167.03 ON LEFT	TO STATE ROUTE 12	KOSCIUSKO DISTRICT	0.16	0.00	0.16	1	-1	AS	7
0137В	5	104073		KO SR 12 ACCESS ROAD B	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 167.50 ON RIGHT	TO STATE ROUTE 12	KOSCIUSKO DISTRICT	0.12	0.00	0.12	1	-1	AS	7
0138	5	80245		KO ETHYL CROSSING ACCESS ROAD	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 171.64 ON LEFT	TO COUNTY ROAD 2101	KOSCIUSKO DISTRICT	0.20	0.00	0.20	1	-1	AS	7
0139	5	67673		DA LITTLE MOUNTAIN SUMMIT ROAD	FROM ROUTE 0224 (DA JEFF BUSBY ENTRANCE ROAD) AT MP 0.05 ON RIGHT	TO END OF LOOP	DANCY DISTRICT	0.90	0.00	0.90	2	-1	AS	8
0140	5	67678		DA SR 9 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 197.24 ON RIGHT	TO MISSISSIPPI STATE ROUTE 9	DANCY DISTRICT	0.10	0.00	0.10	1	-1	AS	8
0141A	5	67681		DA U.S. 82 ACCESS ROAD A	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 206.16 ON RIGHT	TO U.S. ROUTE 82/COUNTY ROAD 276	DANCY DISTRICT	0.29	0.00	0.29	1	-1	AS	8
]			

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 6 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte.	e ted	FMSS	ess	Route Name	Route Des	scription	Maint.	Paved	Un- Paved	Total Route	Func.	Manual	Surf.	Area
No.	Cycle Collected	No.	Concess Route	Route Name	From	То	District	Miles	Miles	Length	Class	Rated SQ/FT	Туре	Maps
0141B	5	104048		DA U.S. 82 ACCESS ROAD B	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 206.46 ON RIGHT	TO U.S. ROUTE 82/COUNTY ROAD 276	DANCY DISTRICT	0.19	0.00	0.19	1	-1	AS	8
0142	5	67683		DA DANCY DISTRICT/HWY 15 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 216.57 ON LEFT	TO STATE ROUTE 15/BEGIN ROUTE 414	DANCY DISTRICT	0.12	0.00	0.12	1	-1	AS	8
0143	5	67687		DA SR 46 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 221.54 ON LEFT	TO MISSISSIPPI STATE ROUTE 46 (PINEWOOD ROAD)	DANCY DISTRICT	0.17	0.00	0.17	1	-1	AS	9
0144	5	67688		DA SR 389 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 228.55 ON LEFT	TO STATE ROUTE 389	DANCY DISTRICT	0.10	0.00	0.10	1	-1	AS	9
0145	5	67689		DA SR 8 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 231.67 ON RIGHT	TO STATE ROUTE 8	DANCY DISTRICT	0.16	0.00	0.16	1	-1	AS	9
0146	5	67690		DA SR 32 ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 241.43 ON LEFT	TO STATE ROUTE 32	DANCY DISTRICT	0.09	0.00	0.09	1	-1	AS	10
0147	5	67801		TU DAVIS LAKE / OWL CREEK MOUND ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 245.39 ON LEFT	TO COUNTY ROAD 413	TUPELO DISTRICT	0.10	0.00	0.10	1	-1	AS	10
0148	5	67802		TU SR 41 ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 249.15 ON RIGHT	TO STATE ROUTE 41	TUPELO DISTRICT	0.11	0.00	0.11	1	-1	AS	10
0149	5	67803		TU PONTOCOLA ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 253.88 ON RIGHT	TO PONTOCOLA ROAD	TUPELO DISTRICT	0.16	0.00	0.16	1	-1	AS	10
0150A	5	67805		TU CLIFF GOOKIN BLVD ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 260.94 ON RIGHT	TO CLIFF GOOKIN BOULEVARD	TUPELO DISTRICT	0.15	0.00	0.15	1	-1	AS	11
0150B	5	104053		TU CLIFF GOOKIN BLVD ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 261.16 ON LEFT	TO CLIFF GOOKIN BOULEVARD	TUPELO DISTRICT	0.15	0.00	0.15	1	-1	AS	11
0151A	5	67806		TU U.S. 278 ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 262.16 ON RIGHT	TO U.S. 278 (WEST MAIN STREET)	TUPELO DISTRICT	0.28	0.00	0.28	1	-1	AS	11
0151B	5	104055		TU U.S. 278 ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 262.38 ON LEFT	TO U.S. 278 (WEST MAIN STREET)	TUPELO DISTRICT	0.22	0.00	0.22	1	-1	AS	11
0152A	5	67808		TU MCCULLOUGH BOULEVARD ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 264.72 ON RIGHT	TU MCCULLOUGH BOULEVARD	TUPELO DISTRICT	0.22	0.00	0.22	1	-1	AS	11

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 7 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0152B	5	104074		TU MCCULLOUGH BOULEVARD ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 264.99 ON LEFT	TU MCCULLOUGH BOULEVARD	TUPELO DISTRICT	0.19	0.00	0.19	1	-1	AS	11
0153A	5	67809		TU U.S. 78 ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 266.05 ON RIGHT	TO INTERSTATE 22/U.S. ROUTE 78	TUPELO DISTRICT	0.40	0.00	0.40	1	-1	AS	11
0153B	5	104075		TU U.S. 78 ACCESS ROAD B	FROM INTERSTATE ROUTE 22	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 266.06 ON RIGHT	TUPELO DISTRICT	0.26	0.00	0.26	1	-1	AS	11
0153C	5	104076		TU U.S. 78 ACCESS ROAD C	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 266.31 ON RIGHT	TO INTERSTATE 22/U.S. ROUTE 78	TUPELO DISTRICT	0.41	0.00	0.41	1	-1	AS	11
0153D	5	104077		TU U.S. 78 ACCESS ROAD D	FROM INTERSTATE ROUTE 22	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 266.36 ON RIGHT	TUPELO DISTRICT	0.42	0.00	0.42	1	-1	AS	11
0154A	5	67810		TU SR 145 ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 268.73 ON LEFT	TO MISSISSIPPI STATE ROUTE 145	TUPELO DISTRICT	0.46	0.00	0.46	1	-1	AS	11
0154B	5	104078		TU SR 145 ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 268.96 ON RIGHT	TO MISSISSIPPI STATE ROUTE 145	TUPELO DISTRICT	0.40	0.00	0.40	1	-1	AS	11
0155A	5	67811		TU SR 363 ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 273.01 ON LEFT	TO MISSISSIPPI STATE ROUTE 363 (MOBILE STREET)	TUPELO DISTRICT	0.15	0.00	0.15	1	-1	AS	12
0155B	5	104079		TU SR 363 ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 273.30 ON RIGHT	TO MISSISSIPPI STATE ROUTE 363 (MOBILE STREET)	TUPELO DISTRICT	0.16	0.00	0.16	1	-1	AS	12
0156	5	67812		TU FRIENDSHIP ROAD ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 278.45 ON LEFT	TO FRIENDSHIP ROAD	TUPELO DISTRICT	0.13	0.00	0.13	1	-1	AS	12
0157A	5	67813		TU SR 371 ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 284.61 ON RIGHT	TO MISSISSIPPI STATE ROUTE 371	TUPELO DISTRICT	0.17	0.00	0.17	1	-1	AS	12
0157B	5	104080		TU SR 371 ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 285.08 ON LEFT	TO MISSISSIPPI STATE ROUTE 371	TUPELO DISTRICT	0.12	0.00	0.12	1	-1	AS	12
0158A	5	67814		TU SILOAM ROAD ACCESS ROAD A	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 290.68 ON LEFT	TO SILOAM ROAD	TUPELO DISTRICT	0.16	0.00	0.16	1	-1	AS	12
0158B	5	104081		TU SILOAM ROAD ACCESS ROAD B	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 290.75 ON RIGHT	TO SILOAM ROAD	TUPELO DISTRICT	0.13	0.00	0.13	1	-1	AS	12

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 8 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0159	5	67816		TU BAY SPRINGS LAKE ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 296.07 ON RIGHT	TO BAY SPRINGS ROAD	TUPELO DISTRICT	0.10	0.00	0.10	1	-1	AS	13
0160	5	67743		CH SR 4 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 300.03 ON RIGHT	ROUTE 4	CHEROKEE DISTRICT	0.16	0.00	0.16	1	-1	AS	13
0161A	5	67745		CH SR 25 ACCESS ROAD A	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 305.57ON RIGHT	ROUTE 25	CHEROKEE DISTRICT	0.17	0.00	0.17	1	-1	AS	13
0161B	5	104052		CH SR 25 ACCESS ROAD B	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 305.91 ON LEFT	TO MISSISSIPPI STATE ROUTE 25	CHEROKEE DISTRICT	0.20	0.00	0.20	1	-1	AS	13
0162	5	67747		CH TISHOMINGO STATE PARK ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 306.74 ON LEFT	TO COUNTY ROAD 90	CHEROKEE DISTRICT	0.52	0.00	0.52	1	-1	AS	13
0163	5	67749		CH SR 30 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 310.57 ON RIGHT	TO STATE ROUTE 30	CHEROKEE DISTRICT	0.26	0.00	0.26	1	-1	AS	13
0164	5	67751		CH COLBERT CR 1 ACCESS ROAD (MAUD ROAD)	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 312.61 ON RIGHT	TO COLBERT COUNTY ROUTE 1	CHEROKEE DISTRICT	0.14	0.00	0.14	1	-1	AS	13
0165	5	67753		CH U.S. 72 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 323.36 ON LEFT	TO U.S. ROUTE 72	CHEROKEE DISTRICT	0.79	0.00	0.79	1	-1	AS	14
0166	5	67756		CH NORTH PIKE ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 329.43 ON RIGHT	TO NORTH PIKE ROAD	CHEROKEE DISTRICT	0.08	0.00	0.08	1	-1	AS	14
0167	5	67758		CH COLBERT FERRY VC ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 330.55 ON LEFT	TO "T" INTERSECTION WITH ROUTE 0210 (CH COLBERT PARK MARINA ROAD) (LEFT) AND ROUTE 0211 (CH COLBERT FERRY OVERLOOK ROAD) (RIGHT)	CHEROKEE DISTRICT	0.06	0.00	0.06	2	-1	AS	14
0168	5	67759		CH LAUDERDALE COUNTY 2 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 332.30 ON LEFT	TO LAUDERDALE COUNTY ROAD 2	CHEROKEE DISTRICT	0.16	0.00	0.16	1	-1	AS	14
0169	5	67761		CH CR 14 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 335.20 ON LEFT	TO LAUDERDALE COUNTY ROAD 14	CHEROKEE DISTRICT	0.20	0.00	0.20	1	-1	AS	15

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 9 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0170	5	67762		CH SR 20 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 339.90 ON RIGHT	TO ALABAMA STATE ROUTE 20	CHEROKEE DISTRICT	0.27	0.00	0.27	1	-1	AS	15
0171	5	67764		CH SR 13 ACCESS ROAD	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 354.63 ON RIGHT	TO TENNESSEE STATE ROUTE 13 (CHISHOLM ROAD)	CHEROKEE DISTRICT	0.12	0.00	0.12	1	-1	AS	15
0172	5	68104		ML COLLINWOOD ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 358.82 ON LEFT	TO COLLINWOOD ROAD	MERIWETHER LEWIS DISTRICT	0.13	0.00	0.13	1	-1	AS	16
0173A	5	68105		ML U.S. 64 ACCESS ROAD A	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 373.98 ON RIGHT	TO TENNESSEE 15/U.S. ROUTE 64/LAWERENCEBURG HIGHWAY	MERIWETHER LEWIS DISTRICT	0.15	0.00	0.15	1	-1	AS	16
0173B	5	104063		ML U.S. 64 ACCESS ROAD B	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 374.28 ON LEFT	TO U.S. ROUTE 64/TENNESSEE STATE ROUTE 15/LAWERENCEBURG HIGHWAY	MERIWETHER LEWIS DISTRICT	0.18	0.00	0.18	1	-1	AS	16
0174	5	68106		ML NAPIER ROAD ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 384.89 ON LEFT	TO NAPIER ROAD	MERIWETHER LEWIS DISTRICT	0.13	0.00	0.13	1	-1	AS	17
0175	5	68107		ML MERIWETHER LEWIS SPUR ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 389.97 ON LEFT	TO ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD)	MERIWETHER LEWIS DISTRICT	0.22	0.00	0.22	2	-1	AS	17
0176	5	68108		ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD	FROM STATE ROUTE 20	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.59	0.00	0.59	1	-1	AS	17
0177	5	68109		ML SR 412 ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 395.24 ON RIGHT	TO STATE ROUTE 412	MERIWETHER LEWIS DISTRICT	0.22	0.00	0.22	1	-1	AS	17
0178	5	68110		ML DEVILS BACKBONE STATE PARK ENTRANCE	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 398.30 ON LEFT	TO DEVILS BACKBONE STATE PARK ENTRANCE GATE	MERIWETHER LEWIS DISTRICT	0.08	0.00	0.08	1	-1	AS	17
0179	5	68061		LF SR 50 ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 412.23 ON RIGHT	TO TENNESSEE STATE ROUTE 50	LEIPERS FORK DISTRICT	0.13	0.00	0.13	1	-1	AS	18
0180	5	68063		LF SR 7 ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 419.97 ON LEFT	TO STATE ROUTE 7	LEIPERS FORK DISTRICT	0.18	0.00	0.18	1	-1	AS	18

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 10 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte.	le cted	FMSS	ess	Route Name	Route De	scription	Maint.	Paved	Un- Paved	Total Route	Func.	Manual Rated	Surf.	Area
No.	Cycle Collected	No.	Concess Route	Route Name	From	То	District	Miles	Miles	Length	Class	SQ/FT	Туре	Maps
0181	5	68064		LF PINEWOOD ROAD / SR 46 ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 433.24 ON LEFT	TO TENNESSEE STATE ROUTE 46 (PINEWOOD ROAD)	LEIPERS FORK DISTRICT	0.22	0.00	0.22	1	-1	AS	19
0182	5	68065		LF SR 96 ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 441.77 ON RIGHT	TO TENNESSEE STATE ROUTE 96 (NEW HIGHWAY 96 WEST)	LEIPERS FORK DISTRICT	0.59	0.00	0.59	1	-1	AS	19
0183A	5	68066		LF SR 100 ACCESS ROAD A	FROM STATE ROUTE 100 EB AT START OF TAPER	TO ROUTE 0001I (LF MOTOR ROAD) AT END OF TAPER	LEIPERS FORK DISTRICT	0.40	0.00	0.40	1	-1	AS	19
0183B	5	104082		LF SR 100 ACCESS ROAD B	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 446.55 ON RIGHT	TO TENNESSEE ROUTE 100 EB AT PAVEMENT CHANGE	LEIPERS FORK DISTRICT	0.23	0.00	0.23	1	-1	AS	19
0183C	5	105180		LF I-40 ACCESS ROAD VIA MCCRORY LANE	FROM ROUTE 00011 (LF MOTOR ROAD) AT MP 446.77 ON RIGHT	TO END AT MCCRORY LANE	LEIPERS FORK DISTRICT	0.16	0.00	0.16	1	-1	AS	19
0184	5	67818		TU PALMETTO ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 257.44 ON	TO PALMETTO ROAD	TUPELO DISTRICT	0.18	0.00	0.18	1	-1	AS	11
0185	5	238490		PG SUNKEN TRACE PARKING ACCESS ROAD	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 42.1 ON LEFT	TO END OF LOOP	PORT GIBSON DISTRICT	0.16	0.00	0.16	2	-1	AS	2
0186	5	238491		NA SOUTH FORK COLES CREEK ACCESS ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 21.16 ON LEFT	TO END OF LOOP	NATCHEZ DISTRICT	0.27	0.00	0.27	2	-1	AS	1
0187	5	238492		NA ELIZABETH FEMALE ACADEMY ACCESS ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 5.19 ON LEFT	TO END OF LOOP	NATCHEZ DISTRICT	0.17	0.00	0.17	2	-1	AS	1
0188	5	231489		RI PINEHAVEN ACCESS ROAD (CLINTON)	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 90.19 ON RIGHT	TO PINEHAVEN ROAD	RIDGELAND DISTRICT	0.12	0.00	0.12	1	-1	AS	5
0189A	5	114627		RI U.S. 49 ACCESS ROAD A	FROM STATE ROUTE 49 AT START OF RAMP TAPER	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 94.29 ON LEFT	RIDGELAND DISTRICT	0.33	0.00	0.33	1	-1	AS	5
0189B	5	114628		RI U.S. 49 ACCESS ROAD B	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 94.29 ON LEFT	TO U.S. ROUTE 49 (MEDGAR EVERS BOULEVARD) AT END OF TAPER	RIDGELAND DISTRICT	0.31	0.00	0.31	1	-1	AS	5
0189C	5	114629		RI U.S. 49 SPUR ROAD C	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 94.40 ON LEFT (START OF TAPER)	TO ROUTE 0189B (RI U.S. 49 ACCESS ROAD B) AT MP 0.08	RIDGELAND DISTRICT	0.14	0.00	0.14	1	-1	AS	5

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 11 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle	FMSS No.	Concess Route	Route Name	Route De From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0189D	5	114631		RI U.S. 49 ACCESS ROAD D	FROM STATE ROUTE 49 AT START OF TAPER	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 94.76 ON LEFT	RIDGELAND DISTRICT	0.27	0.00	0.27	1	-1	AS	5
0189E	5	114632		RI U.S. 49 ACCESS ROAD E	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 94.77 ON LEFT	TO U.S. ROUTE 49 (MEDGAR EVERS BOULEVARD) AT END OF TAPER	RIDGELAND DISTRICT	0.27	0.00	0.27	1	-1	AS	5
0189F	5	114630		RI U.S. 49 SPUR ROAD F	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 94.87 ON LEFT	TO ROUTE 0189E (RI U.S. 49 ACCESS ROAD E) AT MP 0.07 ON RIGHT	RIDGELAND DISTRICT	0.14	0.00	0.14	1	-1	AS	5
0190	5	238497		RI CHOCTAW AGENCY ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 101.97 ON LEFT	TO END OF LOOP	RIDGELAND DISTRICT	0.21	0.00	0.21	2	-1	AS	5
0191	5	238499		RI BRASHEARS ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 105.84 ON RIGHT	TO END OF LOOP	RIDGELAND DISTRICT	0.14	0.00	0.14	2	-1	AS	5
0192	5	238498		RI RESERVOIR OVERLOOK / LAKEVIEW ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 106.92 ON RIGHT	TO END OF LOOP	RIDGELAND DISTRICT	0.24	0.00	0.24	2	-1	AS	5
0193	5	238500		RI BOYD MOUNDS ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 108.25 ON RIGHT	TO END OF LOOP	RIDGELAND DISTRICT	0.18	0.00	0.18	2	-1	AS	5
0194	5	238501		RI WEST FLORIDA BOUNDARY ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 109.23 ON RIGHT	TO END OF LOOP	RIDGELAND DISTRICT	0.26	0.00	0.26	2	-1	AS	5
0195	5	238502		DA BYNUM MOUNDS ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 234.55 ON RIGHT	TO END OF LOOP	DANCY DISTRICT	0.20	0.00	0.20	2	-1	AS	9
0196	5	238503		DA WITCH DANCE PICNIC AREA ACCESS ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 235.43 ON LEFT	TO END OF LOOP	DANCY DISTRICT	0.29	0.00	0.29	2	-1	AS	9
0197	5	238504		LF OLD TRACE ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 430.50 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.26	0.00	0.26	2	-1	AS	19
0198	5	238505		LF GORDON HOUSE AND FERRY SITE ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 411.94 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.20	0.00	0.20	2	-1	AS	18
0199	5	238506		ML SWAN VIEW OVERLOOK ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 396.66 ON LEFT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.15	0.00	0.15	2	-1	AS	17
							j							

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 12 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0200	4	68196		PG ROCKY SPRINGS CAMPGROUND ROAD	FROM ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.06 ON RIGHT	TO END OF LOOP	PORT GIBSON DISTRICT	0.58	0.00	0.58	3	-1	AS	3
0201	4	68197		PG ROCKY SPRINGS PICNIC LOOP ROAD	FROM ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.11 ON LEFT	TO END OF LOOP	PORT GIBSON DISTRICT	0.64	0.00	0.64	3	-1	AS	3
0202A	5	68020		RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 124.07 (KEEPING RIGHT)	TO END OF LOOP	RIDGELAND DISTRICT	0.20	0.00	0.20	2	-1	AS	6
0202В	5	238507		RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B	FROM ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.04 ON LEFT	TO END OF LOOP	RIDGELAND DISTRICT	0.14	0.00	0.14	2	-1	AS	6
0203	4	67691		DA JEFF BUSBY CAMPGROUND ROAD	FROM ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.05 ON LEFT		DANCY DISTRICT	0.25	0.00	0.25	3	-1	AS	8
0204	4	67694		DA JEFF BUSBY PICNIC ACCESS ROAD	FROM ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.14 ON RIGHT	TO END OF LOOP	DANCY DISTRICT	0.33	0.00	0.33	3	-1	AS	8
0205	5	67820		TU CHICKASAW VILLAGE ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 264.17 ON LEFT	TO END OF LOOP	TUPELO DISTRICT	0.29	0.00	0.29	2	-1	AS	11
0206	5	67821		TU OLD TOWN OVERLOOK ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 266.35 ON LEFT	TO END OF LOOP	TUPELO DISTRICT	0.23	0.00	0.23	2	-1	AS	11
0207	5	67822		TU N.E.E.D. CENTER ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 268.40 ON LEFT	TO COUNTY ROAD 681 (BEECH SPRINGS ROAD)	TUPELO DISTRICT	0.32	0.00	0.32	2	-1	AS	11
0208	5	67823		TU HQ ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 268.54 ON RIGHT	TO MISSISSIPPI STATE ROUTE 145	TUPELO DISTRICT	0.31	0.00	0.31	1	-1	AS	11
0209	5	67825		TU TENN-TOM WATERWAY ACCESS ROAD	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 295.87 ON LEFT	TO END OF LOOP	TUPELO DISTRICT	0.28	0.00	0.28	2	-1	AS	12
0210	5	67765		CH COLBERT PARK MARINA ROAD	FROM END OF ROUTE 0167 (CH COLBERT FERRY VC ROAD), LEFT	TO END OF LOOP	CHEROKEE DISTRICT	1.68	0.00	1.68	2	-1	AS	14

Road Inventory Program 11/13/2012

(Numerical By Route #)

....

Page 13 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle	FMSS No.	Concess Route	Route Name	Route Des	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0211	5	67766		CH COLBERT FERRY OVERLOOK ROAD	FROM END OF ROUTE 0167 (CH COLBERT FERRY VC ROAD), RIGHT	TO END OF LOOP	CHEROKEE DISTRICT	0.56	0.00	0.56	2	-1	AS	14
0212	5	68111		ML OLD TRACE DRIVE (SOUTH)	FROM ROUTE 1009 (ML SOUTH OLD TRACE DRIVE PARKING)	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 381.61	MERIWETHER LEWIS DISTRICT	2.49	0.00	2.49	2	-1	AS	16
0213	5	68112		ML METAL FORD ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 386.93 ON LEFT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.55	0.00	0.55	2	-1	AS	17
0214	5	68113		ML LITTLE SWAN ROAD	FROM ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD) AT MP 0.23 ON RIGHT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	2.01	0.00	2.01	2	-1	AS	17
0215	5	68114		ML PICNIC AREA ROAD	FROM ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 0.21 ON RIGHT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.41	0.00	0.41	2	-1	AS	17
0216	4	68115		ML CAMPGROUND ENTRANCE ROAD	FROM ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.18 ON RIGHT	TO END OF LOOP	MERIWETHER LEWIS DISTRICT	0.36	0.00	0.36	3	-1	AS	17
0216A	4	238508		ML CAMPGROUND LOOP	FROM ROUTE 0216 (ML CAMPGROUND ENTRANCE ROAD) AT MP 0.03 ON RIGHT	TO ROUTE 0216 (ML CAMPGROUND ENTRANCE ROAD) AT MP 0.06 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.24	0.00	0.24	3	-1	AS	17
0217	4	68116		ML OLD TRACE DRIVE	FROM ROUTE 1029 (ML TOBACCO BARN PARKING) AT BACK	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 407.30 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	1.17	1.17	3	43,985	AS	18
0218	NC	68067		LF TOTTY LANE	FROM COUNTY ROAD 50	TO PARK BOUNDARY AT CATTLE GUARD	LEIPERS FORK DISTRICT	0.00	0.10	0.10	3	-1	GR	
0219	5	68069		LF JACKSON FALLS ACCESS ROAD	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 408.94 ON LEFT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.29	0.00	0.29	3	-1	AS	18
0220	5	68071		LF WATERVALLEY OVERLOOK ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 416.11 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.50	0.00	0.50	3	-1	AS	18
0221	4	68072		LF TENNESSEE VALLEY DIVIDE ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 428.17 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.19	0.00	0.19	3	-1	AS	19
0222	4	68073		LF GARRISON CREEK ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 431.79 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.33	0.00	0.33	3	-1	AS	19
]			J] []	

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 14 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0223	5	68074		LF BACKBONE OVERLOOK ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 443.75 ON RIGHT	TO END OF LOOP	LEIPERS FORK DISTRICT	0.76	0.00	0.76	3	-1	AS	19
0224	5	238509		DA JEFF BUSBY ENTRANCE ROAD	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 195.00 ON RIGHT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 195.11 ON RIGHT	DANCY DISTRICT	0.13	0.00	0.13	2	-1	AS	8
0225	5	238510		CH BUZZARD ROOST ACCESS ROAD	FROM ROUTE 0165 (CH SR 72 ACCESS ROAD) AT MP 0.24 ON LEFT	TO END OF LOOP	CHEROKEE DISTRICT	0.15	0.00	0.15	2	-1	AS	14
0400	4	67909		NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD	FROM ROUTE 0111 (NA MOUNT LOCUST HISTORICAL SITE ENTRANCE) AT MP 0.07 ON RIGHT	TO END AT SECOND GATE	NATCHEZ DISTRICT	0.17	0.00	0.17	5	-1	AS	1
0401	4	67911		NA MOUNT LOCUST HISTORICAL SITE RANGER OFFICE ROAD	FROM ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) AT MP 0.12 ON LEFT	TO END OF PAVEMENT	NATCHEZ DISTRICT	0.05	0.00	0.05	5	-1	AS	1
0402	NC	67912		NA TENNER ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 16.16	TO PARK BOUNDARY ON LEFT AND RIGHT	NATCHEZ DISTRICT	0.00	0.60	0.60	5	-1	GR	
0403	NC	67913		NA HUNTING ROAD	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 17.32	TO PARK BOUNDARY ON LEFT AND RIGHT	NATCHEZ DISTRICT	0.00	0.32	0.32	5	-1	GR	
0404	4	68198		PG PORT GIBSON DISTRICT OFFICE	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 39.82 ON LEFT	TO ROUTE 0405 (PG PORT GIBSON RESIDENCES)	PORT GIBSON DISTRICT	0.00	0.00	0.00	5	53,935	AS	2
0405	4	68199		PG PORT GIBSON RESIDENCES	FROM MS-SR 547 (MCCOMB AVE)	TO PORT GIBSON RESIDENCES	PORT GIBSON DISTRICT	0.00	0.00	0.00	5	15,999	AS	2
0406	4	68200		PG ROCKY SPRINGS MAINTENANCE ACCESS ROAD	FROM ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.06 ON LEFT	TO ROUTE 0921 (PG ROCKY SPRINGS MAINTENANCE AREA)	PORT GIBSON DISTRICT	0.13	0.00	0.13	5	-1	AS	3
0407	4	68028		RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 103.77 ON LEFT	TO JACKSON STREET	RIDGELAND DISTRICT	0.16	0.00	0.16	5	-1	AS	5
0408	5	68031		RI RIDGELAND RESIDENTIAL AREA	FROM ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.13 ON LEFT	TO DEAD END	RIDGELAND DISTRICT	0.01	0.06	0.07	5	998	AS	5
				1							J L		1 1	

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 15 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0409	5	80246		KO KOSCIUSKO DISTRICT HEAD QUARTERS ACCESS ROAD	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 161.40 ON LEFT	TO ATTALA ROAD 5993	KOSCIUSKO DISTRICT	0.00	0.00	0.00	5	35,864	AS	7
0410	5	80247		KO KOSCIUSKO RESIDENCE AREA	FROM ROUTE 0409 (KO KOSCIUSKO DISTRICT HEAD QUARTERS ACCESS ROAD)	TO END	KOSCIUSKO DISTRICT	0.00	0.00	0.00	5	16,168	AS	7
0411	5	67695		DA JEFF BUSBY ADMINISTRATION ACCESS ROAD	FROM ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.04 ON RIGHT	TO INTERSECTION WITH BRIGHT ROAD	DANCY DISTRICT	0.13	0.00	0.13	2	-1	AS	8
0412	4	67697		DA JEFF BUSBY RESIDENCE ACCESS ROAD	FROM ROUTE 0411 (DA JEFF BUSBY ADMINISTRATION ACCESS ROAD) AT MP 0.08	TO JEFF BUSBY RESIDENCES	DANCY DISTRICT	0.00	0.00	0.00	5	8,800	AS	8
0413	5	67701		DA JEFF BUSBY MAINTENANCE ACCESS ROAD	FROM ROUTE 0411 (DA JEFF BUSBY ADMINISTRATION ACCESS ROAD) AT MP 0.11	TO JEFF BUSBY MAINTENANCE OFFICE	DANCY DISTRICT	0.00	0.00	0.00	5	13,792	AS	8
0414	4	67704		DA DANCY MAINTENANCE ACCESS ROAD	FROM END OF ROUTE 0142 (DA DANCY DISTRICT/HWY 15 ACCESS ROAD) / STATE ROUTE 15	TO ROUTE 0957 (DA DANCY MAINTENANCE PARKING)	DANCY DISTRICT	0.14	0.00	0.14	5	-1	AS	8
0415	4	67826		TU BONEYARD ROAD	FROM ROUTE 0207 (TU N.E.E.D. CENTER ROAD) AT MP 0.07 ON RIGHT	TO END	TUPELO DISTRICT	0.00	0.00	0.00	5	10,274	AS	11
0416	4	67827		TU MAINTENANCE ACCESS ROAD	FROM ROUTE 0208 (TU HQ ACCESS ROAD) AT MP 0.11 ON LEFT	TO ROUTE 0972 (TU MAINTENANCE YARD PARKING)	TUPELO DISTRICT	0.00	0.00	0.00	5	16,267	AS	11
0417	4	67829		TU HQ RESIDENCE ACCESS ROAD	FROM ROUTE 0208 (TU HQ ACCESS ROAD) AT MP 0.11 ON RIGHT	TO ROUTE 0418 (TU RESIDENCE LOOP ROAD)	TUPELO DISTRICT	0.10	0.00	0.10	5	-1	AS	11
0418	4	67830		TU RESIDENCE LOOP ROAD	FROM END OF ROUTE 0417 (TU HQ RESIDENCE ACCESS ROAD) (KEEPING RIGHT)	TO END OF LOOP	TUPELO DISTRICT	0.46	0.00	0.46	5	-1	AS	11
0419	4	67831		TU RESIDENCE ROAD (DRIVE 647)	FROM ROUTE 0418 (TU RESIDENCE LOOP ROAD) AT MP 0.24 ON RIGHT	TO END AT DRIVE 657	TUPELO DISTRICT	0.13	0.00	0.13	5	-1	AS	11
]	

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 16 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte.	ted	FMSS	sss		Route De	scription	Maint.	Paved	Un-	Total	Func.	Manual	Surf.	Area
No.	Cycle Collected	No.	Concess Route	Route Name	From	То	District	Miles	Paved Miles	Route Length	Class	Rated SQ/FT	Туре	Maps
0420	4	67833		TU SEWAGE TREATMENT ACCESS ROAD	FROM ROUTE 0419 (TU RESIDENCE ROAD (DRIVE 647)) AT MP 0.10 ON RIGHT	TO SEWAGE TREATMENT AREA	TUPELO DISTRICT	0.10	0.00	0.10	5	-1	AS	11
0421	4	67834		TU RESIDENCE 145 EXIT ROAD	FROM ROUTE 0418 (TU RESIDENCE LOOP ROAD) AT MP 0.30 ON RIGHT	TO MISSISSIPPI STATE ROUTE 145	TUPELO DISTRICT	0.13	0.00	0.13	5	-1	AS	11
0422	4	67835		TU EAST RESIDENCE ROAD	FROM STATE ROUTE 145 ACROSS FROM ROUTE 0208 (TU HQ ACCESS ROAD) TERMINUS (KEEP RIGHT)	TO MISSISSIPPI STATE ROUTE 145	TUPELO DISTRICT	0.38	0.00	0.38	5	-1	AS	11
0423	4	67836		TU NORTH RESIDENCE ROAD	FROM ROUTE 0422 (TU EAST RESIDENCE ROAD) AT MP 0.02 ON LEFT	TO END OF LOOP AT RESIDENCES	TUPELO DISTRICT	0.13	0.00	0.13	5	-1	AS	11
0424	4	67767		CH CHEROKEE STORAGE ROAD	FROM ROUTE 0990 (CH CHEROKEE MAINTENANCE OFFICE PARKING) ON RIGHT	TO END	CHEROKEE DISTRICT	0.13	0.00	0.13	5	-1	AS	14
0425	4	67769		CH FIRING RANGE ROAD	FROM ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 0.15 ON LEFT	TO END OF LOOP	CHEROKEE DISTRICT	1.17	0.00	1.17	6	-1	AS	14
0426	4	67770		CH DUMPSTER DRIVE	FROM ROUTE 425 AT MP 0.06 ON RIGHT	TO END AT DUMPSTERS	CHEROKEE DISTRICT	0.00	0.00	0.00	5	10,743	AS	14
0427	4	68117		ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD	FROM ROUTE 0175 (ML MERIWETHER LEWIS SPUR ROAD) AT MP 0.10 ON RIGHT	TO ROUTE 1013 (ML MERIWETHER LEWIS MAINTENANCE PARKING) ON LEFT AND BEGIN ROUTE 0428 (ML MERIWETHER LEWIS PIKE ROAD)	MERIWETHER LEWIS DISTRICT	0.16	0.00	0.16	3	-1	AS	17
0428	4	68118		ML MERIWETHER LEWIS PIKE ROAD	FROM END OF ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD) AT ROUTE 1013 ENTRY	TO END OF PAVEMENT	MERIWETHER LEWIS DISTRICT	0.30	0.00	0.30	5	-1	AS	17
0429	4	68076		LF LEIPERS FORK MAINTENANCE DISTRICT OFFICE ACCESS ROAD	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 433.61 ON LEFT	TO ROUTE 1041 (LF LEIPERS FORK MAINTENANCE PARKING)	LEIPERS FORK DISTRICT	0.34	0.00	0.34	5	-1	AS	19
0430	4	238511		TU RESIDENCE WATER TOWER ROAD	FROM ROUTE 0422 (TU EAST RESIDENCE ROAD) AT MP 0.03 ON LEFT	TO END AT FENCE	TUPELO DISTRICT	0.07	0.00	0.07	6	-1	AS	11

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 17 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess	Route Name	Route De From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0431	5	98678		LF WILLIAMSON COUNTY ACCESS RAMP	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 437.16 ON THE LEFT	TO DEAD END AT PROPOSED WILLIAMSON COUNTY PARK AT MP 0.26	LEIPERS FORK DISTRICT	0.19	0.07	0.26	2	-1	AS	19
0900	4	67943		NA OLD TRACE EXHIBIT PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 9.04 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 9.07 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		4,203	AS	1
0901	4	67944		NA EMERALD MOUND PARKING	FROM EMERALD MOUND ROAD	TO EMERALD MOUND ROAD	NATCHEZ DISTRICT	0.00	0.00	0.00		5,868	AS	1
0902	4	67945		NA TURPIN CREEK PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 12.44 ON LEFT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 12.48 ON LEFT	NATCHEZ DISTRICT	0.00	0.00	0.00		7,255	AS	1
0903	4	67947		NA LOESS BLUFF PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 12.72 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 12.75 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		5,791	AS	1
0904A	4	67948		NA MOUNT LOCUST HISTORICAL SITE PARKING	FROM END OF ROUTE 0111 (NA MOUNT LOCUST HISTORICAL SITE ENTRANCE)	TO PARKING	NATCHEZ DISTRICT	0.00	0.00	0.00		23,484	AS	1
)904BZZ	4	67951		NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE PARKING AREAS	ADJACENT TO ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) ON LEFT AND RIGHT		NATCHEZ DISTRICT	0.00	0.00	0.00		24,604	AS	1
0905	4	67952		NA COLES CREEK PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 17.85 ON LEFT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 17.91 ON LEFT	NATCHEZ DISTRICT	0.00	0.00	0.00		11,089	AS	1
0906	4	67954		NA BULLEN CREEK PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 18.75 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 18.78 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		5,568	AS	1
0907	4	67955		NA SOUTH FORK COLES CREEK PARKING	ADJACENT TO ROUTE 0186 (NA SOUTH FORK COLES CREEK ACCESS ROAD) AT MP 0.24 ON RIGHT		NATCHEZ DISTRICT	0.00	0.00	0.00		1,891	AS	1
0908	4	67956		NA MUD ISLAND CREEK PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 22.06 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 22.12 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		9,701	AS	1
0909	4	79919		NA NORTH FORK COLES CREEK PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 23.93 ON LEFT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 24.01 ON LEFT	NATCHEZ DISTRICT	0.00	0.00	0.00		16,518	AS	1
														<u> </u>

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 18 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0910	4	79921		NA COONBOX PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 27.55 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 27.61 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		10,746	AS	2
0911	4	79922		NA LORMAN PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 29.75 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 29.80 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		10,410	AS	2
0912	4	68201		PG SUNKEN TRACE PARKING	ADJACENT TO ROUTE 0185 (PG SUNKEN TRACE PARKING ACCESS ROAD) AT MP 0.12 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		4,315	AS	2
0913	4	68202		PG MANGUM MOUND PARKING	ADJACENT TO ROUTE 0120 (PG MANGUM MOUND ACCESS ROAD) AT MP 0.05 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		3,950	AS	2
0914	4	68203		PG GRINDSTONE FORD PARKING	ADJACENT TO ROUTE 0121 (PG GRINDSTONE FORD ACCESS ROAD) AT MP 0.57 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		4,870	AS	2
0915	4	68204		PG MANGUM SITE / GRINDSTONE FORD PARKING	ADJACENT TO ROUTE 0120 (PG MANGUM MOUND ACCESS ROAD) AT MP 0.05 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		10,630	AS	2
0916	4	68205		PG OWENS CREEK PARKING	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 53.01 ON LEFT	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 53.05 ON LEFT	PORT GIBSON DISTRICT	0.00	0.00	0.00		9,366	AS	3
0917	4	68206		PG OLD NATCHEZ TRACE PARKING	FROM ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.65 ON RIGHT	TO ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.67 ON RIGHT	PORT GIBSON DISTRICT	0.00	0.00	0.00		4,897	AS	3
0918	4	68207		PG ROCKY SPRINGS VILLAGE SITE PARKING	ADJACENT TO ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.94 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		3,275	AS	3
0919	4	68208		PG ROCKY SPRINGS TRAIL PARKING	FROM ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 1.06 ON LEFT	TO ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 1.08 ON LEFT	PORT GIBSON DISTRICT	0.00	0.00	0.00		3,504	AS	3
0920ZZ	4	68209		PG ROCKY SPRINGS PICNIC LOOP PARKING AREAS	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		13,121	AS	3

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 19 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0921	4	68210		PG ROCKY SPRINGS MAINTENANCE AREA	FROM END OF ROUTE 0406 (PG ROCKY SPRINGS MAINTENANCE ACCESS ROAD)	TO PARKING	PORT GIBSON DISTRICT	0.00	0.00	0.00		6,593	AS	3
0922	4	68211		PG ROCKY SPRINGS VC PARKING	ADJACENT TO ROUTE 0123 (PG ROCKY SPRINGS ACCESS ROAD) AT MP 0.02 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		2,381	AS	3
0923	4	68212		PG LOWER CHOCTAW PARKING	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 61.69 ON LEFT	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 61.72 ON LEFT	PORT GIBSON DISTRICT	0.00	0.00	0.00		8,939	AS	3
0924	4	68213		PG DEAN'S STAND PARKING	ADJACENT TO ROUTE 0126 (PG DEANS STAND ROAD) AT MP 0.21 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		4,074	AS	4
0925	4	68214		PG BATTLE OF RAYMOND PARKING	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 79.23 ON RIGHT	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 79.27 ON RIGHT	PORT GIBSON DISTRICT	0.00	0.00	0.00		6,204	AS	4
0926	4	68215		PG CLINTON PARKING	FROM ROUTE 0001B (PG MOTOR ROAD) AT MP 87.60 ON RIGHT	TO ROUTE 0001B (PG MOTOR ROAD) AT MP 87.65 (ON RIGHT)	PORT GIBSON DISTRICT	0.00	0.00	0.00		9,299	AS	4
0927	4	68033		RI CRAFT CENTER PARKING	FROM ROUTE 0131 (RI U.S. 51 ACCESS ROAD) AT MP 0.02 ON LEFT	TO ROUTE 0131 (RI U.S. 51 ACCESS ROAD) AT MP 0.08 ON LEFT	RIDGELAND DISTRICT	0.00	0.00	0.00		28,542	AS	5
0928	4	68035		RI BRASHEARS / OLD TRACE PARKING	ADJACENT TO ROUTE 0191 (RI BRASHEARS ACCESS ROAD) AT MP 0.07 ON RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		1,803	AS	5
0929	4	68039		RI RESERVOIR OVERLOOK/LAKEVIEW PARKING	ADJACENT TO ROUTE 0192 (RI RESERVOIR OVERLOOK / LAKEVIEW ACCESS ROAD) AT MP 0.17 ON RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		6,307	AS	5
0930	4	68044		RI BOYD MOUNDS PARKING	ADJACENT TO ROUTE 0193 (RI BOYD MOUNDS ACCESS ROAD) AT MP 0.09 ON RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		4,998	AS	5
0931	4	68045		RI WEST FLORIDA BOUNDARY PARKING	ADJACENT TO ROUTE 0194 (RI WEST FLORIDA BOUNDARY ACCESS ROAD) AT MP 0.20 ON RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		2,435	AS	5

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 20 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0932	4	68046		RI TUPELO-BALD CYPRESS SWAMP PARKING	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 123.42 ON RIGHT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 123.47 ON RIGHT	RIDGELAND DISTRICT	0.00	0.00	0.00		10,440	AS	6
0933	4	68048		RI CHOCTAW BOUNDARY PARKING	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 129.88 ON LEFT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 129.92 ON LEFT	RIDGELAND DISTRICT	0.00	0.00	0.00		6,727	AS	6
0934	4	68050		RI YOCKANOOKANY PICNIC PARKING	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 132.38 ON LEFT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 132.42 ON LEFT	RIDGELAND DISTRICT	0.00	0.00	0.00		7,395	AS	6
0935	4	80248		KO ROBINSON ROAD PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 137.07 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 137.18 ON RIGHT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		22,670	AS	6
0936	4	80250		KO RED DOG PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 141.57 ON LEFT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 141.59 ON LEFT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		6,110	AS	6
0937	4	80251		KO MYRICK CREEK (BEAVER DAM) PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 146.76 ON LEFT	TO PARKING	KOSCIUSKO DISTRICT	0.00	0.00	0.00		8,777	AS	7
0938	4	80252		KO HOLLY HILL PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 155.93 ON LEFT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 155.97 ON LEFT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		19,993	AS	7
0939	4	80253		KO KOSCIUSKO VC PARKING	FROM ROUTE 0136B (KO SR 35 ACCESS ROAD B) AT MP 0.06 ON LEFT	TO PARKING	KOSCIUSKO DISTRICT	0.00	0.00	0.00		16,467	AS	7
0940	4	80254		KO HURRICANE CREEK PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 166.04 ON LEFT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 166.06 ON LEFT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		4,597	AS	7
0941	4	80255		KO COLE CREEK PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 177.44 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 177.47 (ON RIGHT)	KOSCIUSKO DISTRICT	0.00	0.00	0.00		7,660	AS	7
0942	4	80256		KO BETHEL MISSION PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 178.04 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 178.09 ON RIGHT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		7,358	AS	7
0943	4	80257		KO FRENCH CAMP SOUTH PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 182.49 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 182.53 ON RIGHT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		7,408	AS	7
0944	4	80259		KO FRENCH CAMP NORTH PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 182.84 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 182.87 ON RIGHT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		8,142	AS	7

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 21 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	То	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0946	4	80260		KO BYWAY OVERLOOK PARKING	FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 191.79 ON RIGHT	TO ROUTE 0001D (KO MOTOR ROAD) AT MP 191.86 ON RIGHT	KOSCIUSKO DISTRICT	0.00	0.00	0.00		10,323	AS	8
)947ZZ	4	67705		DA JEFF BUSBY CONCESSION PARKING AREAS	ADJACENT TO ROUTE 0224 (DA JEFF BUSBY ENTRANCE ROAD) AND ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) ON LEFT AND RIGHT		DANCY DISTRICT	0.00	0.00	0.00		17,545	AS	8
0948	4	67707		DA FOOTTRAIL PARKING	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.61 ON LEFT		DANCY DISTRICT	0.00	0.00	0.00		3,557	AS	8
)949ZZ	4	67709		DA JEFF BUSBY PARK PARKING AREAS	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) ON RIGHT		DANCY DISTRICT	0.00	0.00	0.00		6,087	AS	8
0950	4	67711		DA JEFF BUSBY BATHROOM PARKING	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) AT MP 0.19 ON LEFT		DANCY DISTRICT	0.00	0.00	0.00		2,261	AS	8
)951ZZ	4	67712		DA JEFF BUSBY PICNIC PARKING AREAS	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) ON RIGHT		DANCY DISTRICT	0.00	0.00	0.00		4,009	AS	8
0952	4	67713		DA OLD TRACE PARKING AREA	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 200.56 ON RIGHT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 200.58 ON RIGHT	DANCY DISTRICT	0.00	0.00	0.00		5,175	AS	8
0953	4	67715		DA BALLARD CREEK PARKING	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 203.31 ON RIGHT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 203.33 ON RIGHT	DANCY DISTRICT	0.00	0.00	0.00		6,041	AS	8
0954	4	67717		DA PIGEON ROOST PARKING	ADJACENT TO ROUTE 0001E (DA MOTOR ROAD) AT MP 205.51 ON RIGHT		DANCY DISTRICT	0.00	0.00	0.00		4,686	AS	8
0955	4	67719		DA WAYSIDE EXHIBIT PARKING	FROM ROUTE 0141A (DA SR 82 ACCESS ROAD A) AT MP 0.15 ON LEFT	TO ROUTE 0141A (DA SR 82 ACCESS ROAD A) AT MP 0.19 ON LEFT	DANCY DISTRICT	0.00	0.00	0.00		8,659	AS	8
0956	4	67720		DA LINE CREEK PARKING	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 215.37 ON LEFT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 215.40 ON LEFT	DANCY DISTRICT	0.00	0.00	0.00		7,136	AS	8
0957	4	67722		DA DANCY MAINTENANCE PARKING	FROM END OF ROUTE 0414 (DA DANCY MAINTENANCE ACCESS ROAD)	TO PARKING	DANCY DISTRICT	0.00	0.00	0.00		39,192	AS	8

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Green = All Unpaved Parking Areas

Page 22 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

** DCV - Data Collection Vehicle

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

NATCHEZ TRACE PARKWAY

Grey = Paved Routes, DCV not Driven

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated	Surf. Type	Area Maps
	00		8 "						Miles	Length		SQ/FT		
0958	4	67723		DA OLD TRACE PARKING NORTH	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 223.49 ON LEFT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 223.55 ON LEFT	DANCY DISTRICT	0.00	0.00	0.00		8,350	AS	9
0959	4	67727		DA BYNUM MOUNDS PARKING	ADJACENT TO ROUTE 0195 (DA BYNUM MOUNDS ACCESS ROAD) AT MP 0.14 ON RIGHT		DANCY DISTRICT	0.00	0.00	0.00		4,527	AS	9
0960	4	67729		DA WITCH DANCE ROADSIDE PARKING	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 235.48 ON LEFT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 235.51 ON LEFT	DANCY DISTRICT	0.00	0.00	0.00		4,530	AS	9
0961	4	67730		DA OLD FOSSILS PARKING	FROM ROUTE 0001E (DA MOTOR ROAD) AT MP 237.23 ON RIGHT	TO ROUTE 0001E (DA MOTOR ROAD) AT MP 237.25 (ON RIGHT)	DANCY DISTRICT	0.00	0.00	0.00		7,306	AS	10
0962	4	67837		TU CHICKASAW AGENCY PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 243.62 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 243.66 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		6,684	AS	10
0963	4	67838		TU HERNANDO DESOTA PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 245.55 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 245.61 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		10,073	AS	10
0964	4	67839		TU MONROE MISSION PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 247.84 ON RIGHT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 247.88 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		7,810	AS	10
0965	4	67840		TU TOCKSHISH PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 251.89 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 251.94 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		7,712	AS	10
0966	4	67841		TU CHICKASAW COUNCIL HOUSE PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 253.38 ON RIGHT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 253.43 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		7,227	AS	10
0967	4	67842		TU BLACK BELT OVERLOOK PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 254.20 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 254.28 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		15,373	AS	10
0968	4	67843		TU CHICKASAW VILLAGE PARKING	ADJACENT TO ROUTE 0205 (TU CHICKASAW VILLAGE ACCESS ROAD)		TUPELO DISTRICT	0.00	0.00	0.00		1,950	AS	11
0969ZZ	4	67846		TU OLD TOWN OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) ON RIGHT		TUPELO DISTRICT	0.00	0.00	0.00		3,813	AS	11
0970	4	67848		TU OLD TOWN LAKE OVERLOOK PARKING	FROM ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) AT MP 0.05 ON LEFT	TO PARKING	TUPELO DISTRICT	0.00	0.00	0.00		18,446	AS	11
														1

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 23 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0971	4	67850		TU VC PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 268.36 AND 268.40 ON RIGHT	TO ROUTE 0208 (TU HQ ACCESS ROAD) AT MP 0.02 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		50,080	AS	11
0972	4	67852		TU MAINTENANCE YARD PARKING	FROM END OF ROUTE 0416 (TU MAINTENANCE ACCESS ROAD)	TO PARKING	TUPELO DISTRICT	0.00	0.00	0.00		54,908	AS	11
0973	4	67854		TU HEAD QUARTERS ADMINISTRATION PARKING	FROM ROUTE 0417 (TU HQ RESIDENCE ACCESS ROAD) AT MP 0.02 ON RIGHT	TO ROUTE 0417 (TU HQ RESIDENCE ACCESS ROAD) AT MP 0.06 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		13,402	AS	11
0974	4	67855		TU N.E.E.D. CENTER PARKING	FROM ROUTE 0207 (TU N.E.E.D. CENTER ROAD) AT MP 0.15 ON LEFT	TO ROUTE 0207 (TU N.E.E.D. CENTER ROAD) AT MP 0.21 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		9,745	AS	11
0975	4	67857		TU OLD TRACE PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 271.79 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 271.82 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		6,141	AS	12
0976	4	67858		TU DOGWOOD VALLEY PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 277.75 ON LEFT	TO PARKING	TUPELO DISTRICT	0.00	0.00	0.00		22,486	AS	12
0977	4	67859		TU TWENTYMILE BOTTOM PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 280.94 ON LEFT	TO PARKING	TUPELO DISTRICT	0.00	0.00	0.00		16,329	AS	12
0978	4	67860		TU DONIVAN SLOUGH PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 285.78 ON LEFT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 285.81 ON LEFT	TUPELO DISTRICT	0.00	0.00	0.00		7,935	AS	12
0979	4	67861		TU BROWNS BOTTOM PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 288.82 ON RIGHT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 288.90 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		14,577	AS	12
0980	4	67862		TU PHARR MOUNDS PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 289.18 ON RIGHT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 289.22 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		13,358	AS	12
0981	4	67863		TU TENN-TOM PARKING	ADJACENT TO ROUTE 0209 (TU TENN-TOM WATERWAY ACCESS ROAD) AT MP 0.20 ON RIGHT		TUPELO DISTRICT	0.00	0.00	0.00		7,780	AS	12
0982	4	67864		TU JOURDAN CREEK PARKING	FROM ROUTE 0001F (TU MOTOR ROAD) AT MP 297.85 ON RIGHT	TO ROUTE 0001F (TU MOTOR ROAD) AT MP 297.89 ON RIGHT	TUPELO DISTRICT	0.00	0.00	0.00		8,596	AS	13
0983	4	67772		CH CHEROKEE PARKING 1	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 303.43 ON RIGHT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 303.47 ON RIGHT	CHEROKEE DISTRICT	0.00	0.00	0.00		6,408	AS	13

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 24 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0984	4	67773		CH CAVE SPRING PARKING	ADJACENT TO ROUTE 0101 (CH CAVE SPRING ACCESS ROAD) AT MP 0.12 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		4,675	AS	13
0985	5	67774		CH BEAR CREEK MOUND PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 311.80 ON LEFT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 311.87 ON LEFT	CHEROKEE DISTRICT	0.00	0.00	0.00		12,778	AS	13
0986	4	67775		CH ROCK CREEK PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 314.38 ON RIGHT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 314.42 ON RIGHT	CHEROKEE DISTRICT	0.00	0.00	0.00		9,824	AS	13
0987ZZ	4	67777		CH BEAR CREEK PICNIC PARKING AREAS	ADJACENT TO ROUTE 0102 (CH BEAR CREEK ACCESS ROAD) ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		20,178	AS	13
0988	4	67778		CH FREEDOM HILLS OVERLOOK PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 319.53 ON LEFT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 319.60 ON LEFT	CHEROKEE DISTRICT	0.00	0.00	0.00		13,870	AS	13
0989	4	67779		CH BUZZARD ROOST PARKING	ADJACENT TO ROUTE 0225 (CH BUZZARD ROOST ACCESS ROAD) AT MP 0.13 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		17,081	AS	14
0990	4	67780		CH CHEROKEE MAINTENANCE OFFICE PARKING	FROM ROUTE 0165 (CH SR 72 ACCESS ROAD) AT MP 0.66 ON RIGHT	TO PARKING	CHEROKEE DISTRICT	0.00	0.00	0.00		70,515	AS	14
0991	4	67782		CH SINK HOLE PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 326.85 ON RIGHT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 326.89 ON RIGHT	CHEROKEE DISTRICT	0.00	0.00	0.00		7,873	AS	14
0992	4	67783		CH COLBERT FERRY VC PARKING	ADJACENT TO ROUTE 0103 (CH COLBERT FERRY VC ACCESS ROAD) AT MP 0.07 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		4,181	AS	14
0993ZZ	4	67784		CH COLBERT BOAT RAMP PARKING AREAS	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) ON RIGHT SIDE		CHEROKEE DISTRICT	0.00	0.00	0.00		38,439	AS	14
0994ZZ	4	67785		CH COLBERT PICNIC PARKING AREAS	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.58 ON LEFT AND RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		17,116	AS	14
0995	4	67786		CH COLBERT STAND PARKING	ADJACENT TO ROUTE 0211 (CH COLBERT FERRY OVERLOOK ROAD) AT MP 0.30 ON LEFT		CHEROKEE DISTRICT	0.00	0.00	0.00		3,638	AS	14

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 25 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
0996	4	67788		CH COLBERT FERRY OVERLOOK PARKING	ADJACENT TO ROUTE 0211 (CH COLBERT FERRY OVERLOOK ROAD) AT MP 0.49 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		6,540	AS	14
0997	4	67789		CH LAUDERDALE PARKING	ADJACENT TO ROUTE 0104 (CH LAUDERDALE ACCESS ROAD) AT MP 0.07 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		7,625	AS	14
0998	4	67790		CH ROCK SPRING PARKING	ADJACENT TO ROUTE 0105 (CH ROCK SPRINGS ACCESS ROAD) AT MP 0.10 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		3,841	AS	15
0999	4	67791		CH STATE LINE PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 345.55 ON LEFT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 345.57 ON LEFT	CHEROKEE DISTRICT	0.00	0.00	0.00		3,407	AS	15
1000	4	67792		CH CYPRESS CREEK PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 347.31 ON LEFT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 347.38 ON LEFT	CHEROKEE DISTRICT	0.00	0.00	0.00		12,381	AS	15
1001	4	67793		CH HOLLY PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 350.03 ON LEFT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 350.09 ON LEFT	CHEROKEE DISTRICT	0.00	0.00	0.00		11,723	AS	15
1002	4	67795		CH SUNKEN TRACE PARKING	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 354.47 ON RIGHT	TO ROUTE 0001G (CH MOTOR ROAD) AT MP 354.52 ON RIGHT	CHEROKEE DISTRICT	0.00	0.00	0.00		9,800	AS	15
1003ZZ	5	67796		CH MCGLAMERY STAND PARKING AREAS	ADJACENT TO ROUTE 0001G (CH MOTOR ROAD) AT MP 356.85 ON LEFT AND ROUTE 0106 (CH ROCK SPRINGS ACCESS ROAD) AT MP 0.12 ON RIGHT		CHEROKEE DISTRICT	0.00	0.00	0.00		3,672	AS	15
1004	4	68119		ML SWEETWATER BRANCH PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 366.99 ON LEFT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 367.03 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		13,130	AS	16
1005	4	68120		ML LOWER GLENROCK PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 368.46 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 368.49 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		8,645	AS	16
1006	4	68121		ML UPPER GLENROCK PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 369.07 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 369.22 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		30,542	AS	16

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Page 26 of 33

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De From	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
1007	4	68122		ML DOGWOOD MUDHOLE PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 371.34 ON LEFT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 371.36 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		14,582	AS	16
1008	4	68123		ML EXHIBIT SHELTER PARKING	FROM ROUTE 0173A (ML U.S. 64 ACCESS ROAD A) AT MP 0.04 ON LEFT	TO ROUTE 0173A (ML U.S. 64 ACCESS ROAD A) AT MP 0.09 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		13,404	AS	16
1009	4	68124		ML SOUTH OLD TRACE DRIVE PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 379.84 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 379.87 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		5,976	AS	16
1010	4	68125		ML JACKS BRANCH PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 381.85 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 381.88 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		7,852	AS	16
1011	4	68126		ML NAPIER MINE PARKING	ADJACENT TO ROUTE 0107 (ML NAPIER MINE ACCESS ROAD) AT MP 0.11 ON RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		2,837	AS	17
1012	4	68127		ML METAL FORD PARKING	ADJACENT TO ROUTE 0213 (ML METAL FORD ACCESS ROAD) AT MP 0.48 ON RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		3,432	AS	17
1013ZZ	5	68128		ML MERIWETHER LEWIS MAINTENANCE PARKING AREAS	FROM ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD) AT MP 0.16 ON LEFT	TO ROUTE 0428 (ML MERIWETHER LEWIS PIKE ROAD) AT MP 0.05 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		41,099	AS	17
1014	4	68129		ML GRINDERS INN PARKING	FROM ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD) AT MP 0.28 ON LEFT	TO ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD) AT MP 0.32 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		15,474	AS	17
1017	4	68132		ML LITTLE SWAN OVERLOOK PARKING	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 0.75 ON LEFT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		2,946	AS	17
1018	4	68133		ML LITTLE SWAN PARKING A	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.15 ON RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		5,277	AS	17
1019	4	68134		ML LITTLE SWAN PARKING B	FROM ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.62 ON LEFT	TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.66 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		5,605	AS	17
1020ZZ	5	68135		ML LITTLE SWAN PICNIC PARKING AREAS	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) ON LEFT AND RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		9,318	AS	17

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Page 27 of 33

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
1023	4	68136		ML ENGLISH CAMP BRANCH PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 390.71 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 390.74 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		4,114	AS	17
1024	4	68137		ML PHOSPHATE MINE PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 394.82 ON LEFT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 394.90 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		11,986	AS	17
1025	4	68138		ML FALL HOLLOW WATERFALL PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 396.07 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 396.09 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		3,851	AS	17
1026	4	68139		ML SWAN VIEW OVERLOOK PARKING	ADJACENT TO ROUTE 0199 (ML SWAN VIEW OVERLOOK ACCESS ROAD) AT MP 0.13 ON RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		3,305	AS	17
1027	4	68140		ML OLD TRACE PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 401.56 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 401.58 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		7,447	AS	17
1028	4	68141		ML SHEBOSS PLACE PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 404.96 ON RIGHT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 405.04 ON RIGHT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		18,908	AS	18
1029	5	68142		ML TOBACCO BARN PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 405.84 ON RIGHT	TO ROUTE 0217 (ML OLD TRACE DRIVE)	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		19,110	AS	18
1030	4	68143		ML OLD TRACE WALK PARKING	FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 407.89 ON LEFT	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 407.94 ON LEFT	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		15,890	AS	18
1031ZZ	4	68077		LF JACKSON FALLS PARKING AREAS	ADJACENT TO ROUTE 0219 (LF JACKSON FALLS ACCESS ROAD) ON LEFT AND RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		8,613	AS	18
1032	4	68079		LF BAKER BLUFF PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 409.33 ON RIGHT	TO ROUTE 0001I (LF MOTOR ROAD) AT MP 409.38 ON RIGHT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		12,207	AS	18
1033ZZ	4	68080		LF GORDON HOUSE AND FERRY SITE PARKING AREAS	ADJACENT TO ROUTE 0198 (LF GORDON HOUSE AND FERRY SITE ACCESS ROAD) ON RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		6,207	AS	18
1034	4	68082		LF WATERVALLEY OVERLOOK PARKING	ADJACENT TO ROUTE 0220 AT MP 0.37 ON RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		1,783	AS	18
1035	4	68083		LF BICYCLE PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 422.12 ON RIGHT	TO ROUTE 0001I (LF MOTOR ROAD) AT MP 422.17 ON RIGHT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		12,590	AS	18

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 28 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte.	ed	FMSS	SS		Route Description		Maint.	Paved	Un-	Total	Func.	Manual	Surf.	Area
No.	Cycle Collected	No.	Concess Route	Route Name	From	То	District	Miles	Paved Miles	Route Length	Class	Rated SQ/FT	Туре	Maps
1036ZZ	4	68084		LF TENNESSEE VALLEY DIVIDE PARKING AREAS	ADJACENT TO ROUTE 0221 (LF TENNESSEE VALLEY DIVIDE ACCESS ROAD) AT MP 0.16 ON LEFT AND RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		3,795	AS	19
1037	4	68086		LF BURNS BRANCH PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 429.50 ON RIGHT	TO PARKING	LEIPERS FORK DISTRICT	0.00	0.00	0.00		16,043	AS	19
1038ZZ	4	68087		LF OLD TRACE PARKING AREAS	ADJACENT TO ROUTE 0197 (LF OLD TRACE ACCESS ROAD) ON LEFT AND RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		4,353	AS	19
1039	4	68091		LF GARRISON CREEK HIKING PARKING	FROM ROUTE 0222 (LF	TO ROUTE 0222 (LF GARRISON CREEK ACCESS ROAD) AT MP 0.10 ON RIGHT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		15,701	AS	19
1040	4	68092		LF GARRISON CREEK HORSE STAGING PARKING	ADJACENT TO ROUTE 0222 (LF GARRISON CREEK ACCESS ROAD) AT MP 0.21 ON RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		8,441	AS	19
1041	4	68093		LF LEIPERS FORK MAINTENANCE PARKING	FROM END OF ROUTE 0429 (LF LEIPERS FORK MAINTENANCE DISTRICT OFFICE ACCESS ROAD)	TO ROUTE 1042 (LF LEIPERS FORK MAINTENANCE FACILITY VISITOR PARKING)	LEIPERS FORK DISTRICT	0.00	0.00	0.00		57,633	AS	19
1042	4	68094		LF LEIPERS FORK MAINTENANCE FACILITY VISITOR PARKING	FROM PINEWOOD ROAD ACROSS	TO ROUTE 1041 (LF LEIPERS FORK MAINTENANCE PARKING)	LEIPERS FORK DISTRICT	0.00	0.00	0.00		12,772	AS	19
1043	4	68095		LF CARROLL CEMETERY PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 439.69 ON RIGHT	TO PARKING	LEIPERS FORK DISTRICT	0.00	0.00	0.00		16,623	AS	19
1044	4	68096		LF ARCH BRIDGE PARKING	ADJACENT TO ROUTE 0182 (LF SR 96 ACCESS ROAD) AT MP 0.51 ON LEFT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		2,726	AS	19
1045	4	68097		LF BIRDSONG HOLLOW PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 442.49 ON LEFT	TO ROUTE 0001I (LF MOTOR ROAD) AT MP 442.53 ON LEFT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		12,465	AS	19
1046	4	68098		LF BACKBONE ENTRANCE PARKING	FROM ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.08 ON RIGHT	TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.10 ON RIGHT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		5,261	AS	19

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 29 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des	scription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
1047	4	68099		LF BACKBONE HIKING PARKING	ADJACENT TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.21 ON RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		2,393	AS	19
1048ZZ	4	68100		LF BACKBONE OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) ON LEFT AND RIGHT		LEIPERS FORK DISTRICT	0.00	0.00	0.00		15,473	AS	19
1049	4	68101		LF NORTHERN TERMINUS PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 444.28 ON LEFT	TO ROUTE 0001I (LF MOTOR ROAD) AT MP 444.39 ON LEFT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		54,988	AS	19
1050	4	68102		LF ENTRANCE PARKING	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 446.34 ON LEFT	TO ROUTE 0001I (LF MOTOR ROAD) AT MP 446.38 ON LEFT	LEIPERS FORK DISTRICT	0.00	0.00	0.00		2,694	AS	19
1051ZZ	5	105181		RI RIDGELAND MAINTENANCE OFFICE PARKING AREAS	ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) ON LEFT AND RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		13,322	AS	5
1052	4	105175		PG ROCKY SPRINGS CAMPGROUND AMPHITHEATER PARKING	ADJACENT TO ROUTE 0200 (PG ROCKY SPRINGS CAMPGROUND ROAD) AT MP 0.31 ON RIGHT		PORT GIBSON DISTRICT	0.00	0.00	0.00		2,953	AS	3
1053	4	114513		NA NATCHEZ ENTRANCE PARKING	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 0.38 ON RIGHT	TO ROUTE 0001A (NA MOTOR ROAD) AT MP 0.41 ON RIGHT	NATCHEZ DISTRICT	0.00	0.00	0.00		2,676	AS	1
1054	4	114501		NA ELIZABETH FEMALE ACADEMY PARKING	ADJACENT TO ROUTE 0187 (NA ELIZABETH FEMALE ACADEMY ACCESS ROAD) AT MP 0.13 ON RIGHT		NATCHEZ DISTRICT	0.00	0.00	0.00		4,227	AS	1
1056	4	114509		RI COWLES MEAD CEMETERY PARKING	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 89.28 ON RIGHT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 89.35 ON RIGHT	RIDGELAND DISTRICT	0.00	0.00	0.00		17,692	AS	5
1057	4	114508		RI RIDGELAND PARKING 1	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 91.23 ON LEFT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 91.26 ON LEFT	RIDGELAND DISTRICT	0.00	0.00	0.00		14,302	AS	5
1058	4	114510		RI OSBURN STAND PARKING	FROM ROUTE 0001C (RI MOTOR ROAD) AT MP 95.10 ON LEFT	TO ROUTE 0001C (RI MOTOR ROAD) AT MP 95.15 ON LEFT	RIDGELAND DISTRICT	0.00	0.00	0.00		18,750	AS	5
1059	4	114514		RI CHOCTAW AGENCY PARKING	ADJACENT TO ROUTE 0190 (RI CHOCTAW AGENCY ACCESS ROAD) AT MP 0.09 ON RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		4,089	AS	5

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 30 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route Des From	cription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Area Maps
1060ZZ	4	114923		RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING AREAS	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) ON LEFT AND RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		9,076	AS	6
1061ZZ	4	114924		RI RIVER BEND PEARL RIVER / RECREATION NORTH PARKING AREAS	ADJACENT TO ROUTE 0202B (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B) AT MP 0.00 ON LEFT AND RIGHT		RIDGELAND DISTRICT	0.00	0.00	0.00		4,899	AS	6
1062ZZ	4	114925		DA WITCH DANCE PARKING AREAS	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) ON LEFT AND RIGHT SIDES		DANCY DISTRICT	0.00	0.00	0.00		17,972	AS	9
1063	5	238512		ML DEVILS BACKBONE TRAILHEAD PARKING	ADJACENT TO ROUTE 0178Z (ML DEVILS BACKBONE STATE PARK ENTRANCE) AT MP 0.00 ON LEFT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		2,016	AS	17
1064	4	238513		ML CAMPGROUND COMFORT STATION PARKING	ADJACENT TO ROUTE 0216 (ML CAMPGROUND ENTRANCE ROAD) AT MP 0.19 ON RIGHT		MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		1,717	AS	17
1065	5	238779		TU HORSE TRAIL PARKING	FROM WEST JACKSON STREET	TO WEST JACKSON STREET	TUPELO DISTRICT	0.00	0.00	0.00		14,543	AS	11
1066	5	237527		ML EDUCATIONAL CENTER PARKING	FROM ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD)	TO PARKING	MERIWETHER LEWIS DISTRICT	0.00	0.00	0.00		31,694	AS	17
5000	4			CH COOPER RIDGE / ARLIE HOLT CROSSROAD MP 346.018	FROM BIG CYPRESS ROAD (EASTSIDE)	TO MCGEE ROAD (WESTSIDE)	CHEROKEE DISTRICT	0.67	0.00	0.67		-1	AS	15
5001	4			CH BIG CYPRESS ROAD CROSSROAD MP 347.556	FROM GIL CHRIST ROAD	TO CHARLIE SCOTT LANE	CHEROKEE DISTRICT	0.34	0.00	0.34		-1	AS	15
5002	4			CH WRIGHT RIDGE / WEATHERFORD CREEK CROSSROAD MP 348.621	FROM JIMMY HOLT ROAD (EASTSIDE)	TO BIG CYPRESS ROAD (WESTSIDE)	CHEROKEE DISTRICT	0.40	0.00	0.40		-1	AS	15

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 31 of 33

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

NATR

Rte.	ted	FMSS	ess te		Route Des	cription	Maint.	Paved	Un-	Total	Func.	Manual	Surf.	Area
No.	Cycle Collected	No.	Concess Route	Route Name	From	То	District	Miles	Paved Miles	Route Length	Class	Rated SQ/FT	Туре	Maps
5003	4			CH WALTER PIGG CROSSROADS MP 352.069	FROM JACKSON CEMETERY ROAD (EASTSIDE)	TO BIG CYPRESS ROAD (WESTSIDE)	CHEROKEE DISTRICT	0.54	0.00	0.54		-1	AS	15
5004	4			CH BIG CYPRESS ROAD CROSSROAD MP 352.632	FROM BERRY ROAD (WESTSIDE)	TO PARK BOUNDARY AFTER RESIDENCE DRIVE ON RIGHT (EASTSIDE)	CHEROKEE DISTRICT	0.70	0.00	0.70		-1	AS	15
5005	4			CH PINEY ROAD CROSSROAD MP 353.373	FROM BIG CYPRESS ROAD (EASTSIDE)	TO E. C. JACKSON LANE (WESTSIDE)	CHEROKEE DISTRICT	0.13	0.00	0.13		-1	AS	15
5006	4			ML GLENROCK / UPPER FACTORY CREEK CROSSROAD MP 368.252	FROM ELECTRIC POLE ON LEFT NEAR EAST SIDE OF BRIDGE (EASTSIDE)	TO FIRST RESIDENCE ON RIGHT (WESTSIDE)	MERIWETHER LEWIS DISTRICT	0.52	0.00	0.52		-1	AS	16
5007	4			ML BRUSH CREEK INTERSECTION MP 376.712	FROM PARK BOUNDARY NEAR BRUSH CREEK ROAD (EASTSIDE)	TO ROUTE 0001H (ML MOTOR ROAD) AT MP 376.71	MERIWETHER LEWIS DISTRICT	0.15	0.00	0.15		-1	AS	16
5008	4			CH CR 8 CROSSROAD MP 341.596	FROM COUNTY ROAD 319 ON RIGHT (EASTSIDE)	TO COUNTY ROAD 5 AT STOP SIGN (WESTSIDE)	CHEROKEE DISTRICT	0.39	0.00	0.39		-1	AS	15
5010	4			CH CR 10 CROSSROAD MP 344.543	FROM INTERSECTION WITH HIGHWAY 157 (EASTSIDE)	TO COUNTY ROAD 5 ON LEFT (WESTSIDE)	CHEROKEE DISTRICT	0.89	0.00	0.89		-1	AS	15
5109	4			NA SR 109 / WHITE ROAD	FROM INTERSECTION WITH CANNONSBURG ROAD (EASTSIDE)	TO INTERSECTION WITH CHAMBERLAIN ROAD (WESTSIDE)	NATCHEZ DISTRICT	0.22	0.00	0.22		-1	AS	1
5407	4			KO SR 407/413 CROSSROAD MP 182.645	FROM FRENCH CAMP MCCOOL ROAD (EASTSIDE)	TO Y INTERSECTION WITH STATE ROUTE 407	KOSCIUSKO DISTRICT	0.49	0.00	0.49		-1	AS	7
5415	4			KO SR 415 CROSSROAD MP 192.848	FROM HUMPHERY ROAD (EASTSIDE)	TO PRIVATE UNPAVED ROAD ON RIGHT (WESTSIDE)	KOSCIUSKO DISTRICT	1.59	0.00	1.59		-1	AS	8
5429	4			KO SR 429 CROSSROAD MP 147.872	FROM PLEASANT GROVE ROAD (EASTSIDE)	TO STATE ROUTE 43 INTERSECTION	KOSCIUSKO DISTRICT	1.90	0.00	1.90		-1	AS	7

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/13/2012

(Numerical By Route #)

Page 32 of 33

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Green = All Unpaved Parking Areas

= Concession Route Flag ON

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

CYCLE 5 COLLECTED	SUMMARY T	OTALS FOR NATCHEZ TRACE PARKWAY	
CYCLE 5 COLLECTED ROUTE TO	Γ ALS	CYCLE 5 COLLECTED CONCESSION TOTAL	ALS
DCV Driven Route Miles	490.42	Concession Paved Route Miles	0.00
Manually Rated Route Miles	0.01	Concession Paved Parking Area SQFT	0
TOTAL PARK ROUTE MILES COLLECTED IN CYCLE 5	490.43	Concession Manually Rated Rotes SQFT	0
Manually Rated Routes (SQFT)	65,824	CYCLE 5 COLLECTED WEIGHTED AVERAGE PAR	RK VALUES
* CYCLE 5 COLLECTED PARKING AREA	A TOTALS	DCV Driven PCR	88
Paved Parking (SQFT)	108,776	**Manually Rated Routes PCR	45
		**Parking PCR	87
		***Total Equivalent Lane Miles	1063.23

TOTAL PARK SUMMARY FOR NATCHEZ TRACE PARKWAY

ROUTE TOTALS	
TOTAL PAVED PARK ROUTE MILES	497.59
TOTAL PAVED PARKING (SQFT)	2,119,879

^{* -} The Parking Area Totals SQFT value represents all parking areas collected in Cycle 5, both park and concessionaire.

^{*}Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

^{**} DCV - Data Collection Vehicle

^{** -} Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

^{*** -} Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

Road Inventory Program 10/16/2012

(Numerical By Route #)

Shading Color Key: Red text denotes approx. mileage

Blue = All Paved Parking Areas White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven Grey = Paved Routes, DCV not Driven Black = State, Local or Private non-NPS Routes

Green = All Unpaved Parking Areas

= Concession Route Flag ON

*Unpayed route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP)

*** Only Functional Class 1, 2, & 7 routes, and previously uncollected routes were collected in Cycle 5

General Park Road Functional Classification Table

- Class 1 Principal Park Road/Rural Parkway (Public Roads) Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Route Numbers 1 - 99. Note: Rural parkways (e.g. Natchez Trace) are numbered 1 - 9. State Routes Inventoried for Park, Route Numbers 5000-5999
- Connector Park Road (Public Roads) Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, Class 2 camparounds, etc. Route Numbers 100-199.
- Special Purpose Park Road (Public Roads) Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, Class 3 concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation. Route Numbers 200-299.
- Primitive Park Roads (Public Roads) Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These Class 4 roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Route Numbers 200-299. Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.
- Administrative Access Road (Administrative Roads) All public roads intended for access to administrative developments or structures such as park offices, employee Class 5 quarters, or utility areas. Route Numbers 400-499.
- Restricted Road (Administrative Roads) All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499. Class 6 Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather
- Urban Parkway (Urban Parkways and City Streets) These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in Class 7 an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.
- City Streets (Urban Parkways and City Streets) City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Class 8 Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 number series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

5000 route numbers are assigned to Non-NPS Routes that are State. County or City owned which border, traverse, or provide access to Park Facilities or Assets. 5000 Routes are driven for GPS and Video Log only.

Surface Type Abbreviations:

Page 33 of 33

- AS Asphaltic Concrete Pavement
- CO Portland Cement Concrete Pavement
- BR Brick or Pavers Road Bed
- **CB Cobble Stone Road Bed**
- **GR Gravel Road Bed**
- SA Sand Road Bed
- NV Native or Dirt Material Road Bed
- OT Other Materials Road Bed

^{**} DCV - Data Collection Vehicle

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 1 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Do	escription To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0904BZZ	67951	4	NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE PARKING AREAS	ADJACENT TO ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	24,60
0920ZZ	68209	4	PG ROCKY SPRINGS PICNIC LOOP PARKING AREAS	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) ON RIGHT				0.00	0.00	0.00	13,12
0947ZZ	67705	4	DA JEFF BUSBY CONCESSION PARKING AREAS	ADJACENT TO ROUTE 0224 (DA JEFF BUSBY ENTRANCE ROAD) AND ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	17,54
0949ZZ	67709	4	DA JEFF BUSBY PARK PARKING AREAS	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) ON RIGHT				0.00	0.00	0.00	6,08
0951ZZ	67712	4	DA JEFF BUSBY PICNIC PARKING AREAS	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) ON RIGHT				0.00	0.00	0.00	4,00
0969ZZ	67846	4	TU OLD TOWN OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) ON RIGHT				0.00	0.00	0.00	3,8
0987ZZ	67777	4	CH BEAR CREEK PICNIC PARKING AREAS	ADJACENT TO ROUTE 0102 (CH BEAR CREEK ACCESS ROAD) ON RIGHT				0.00	0.00	0.00	20,1
0993ZZ	67784	4	CH COLBERT BOAT RAMP PARKING AREAS	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) ON RIGHT SIDE				0.00	0.00	0.00	38,4
0994ZZ	67785	4	CH COLBERT PICNIC PARKING AREAS	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.58 ON LEFT AND RIGHT				0.00	0.00	0.00	17,1
1003ZZ	67796	5	CH MCGLAMERY STAND PARKING AREAS	ADJACENT TO ROUTE 0001G (CH MOTOR ROAD) AT MP 356.85 ON LEFT AND ROUTE 0106 (CH ROCK SPRINGS ACCESS ROAD) AT MP 0.12 ON RIGHT				0.00	0.00	0.00	3,67
1013ZZ	68128	5	ML MERIWETHER LEWIS MAINTENANCE PARKING AREAS	FROM ROUTE 0427 (ML MERI WETHER LEWIS MAINTENANCE SHOP ACCESS ROAD) AT MP 0.16 ON LEFT	TO ROUTE 0428 (ML MERIWETHER LEWIS PIKE ROAD) AT MP 0.05 ON LEFT			0.00	0.00	0.00	41,0
1020ZZ	68135	5	ML LITTLE SWAN PICNIC PARKING AREAS	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	9,3

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 2 of 11

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description From	То	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1031ZZ	68077	4	LF JACKSON FALLS PARKING AREAS	ADJACENT TO ROUTE 0219 (LF JACKSON FALLS ACCESS ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	8,613
1033ZZ	68080	4	LF GORDON HOUSE AND FERRY SITE PARKING AREAS	ADJACENT TO ROUTE 0198 (LF GORDON HOUSE AND FERRY SITE ACCESS ROAD) ON RIGHT				0.00	0.00	0.00	6,20
1036ZZ	68084	4	LF TENNESSEE VALLEY DIVIDE PARKING AREAS	ADJACENT TO ROUTE 0221 (LF TENNESSEE VALLEY DIVIDE ACCESS ROAD) AT MP 0.16 ON LEFT AND RIGHT				0.00	0.00	0.00	3,79
1038ZZ	68087	4	LF OLD TRACE PARKING AREAS	ADJACENT TO ROUTE 0197 (LF OLD TRACE ACCESS ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	4,35
1048ZZ	68100	4	LF BACKBONE OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	15,47
1051ZZ	105181	5	RI RIDGELAND MAINTENANCE OFFICE PARKING AREAS	ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) ON LEFT AND RIGHT				0.00	0.00	0.00	13,32
1060ZZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING AREAS	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) ON LEFT AND RIGHT				0.00	0.00	0.00	9,07
1061ZZ	114924	4	RI RIVER BEND PEARL RIVER / RECREATION NORTH PARKING AREAS	ADJACENT TO ROUTE 0202B (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B) AT MP 0.00 ON LEFT AND RIGHT				0.00	0.00	0.00	4,89
1062ZZ	114925	4	DA WITCH DANCE PARKING AREAS	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) ON LEFT AND RIGHT SIDES				0.00	0.00	0.00	17,97

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 3 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Asset	NATR	-09	04BZZ Subcomponent	t Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route D From	escription To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0904BAZ	67951	4	NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE PARKING A	ADJACENT TO ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) AT MP 0.13 ON RIGHT				0.00	0.00	0.00	1,488
0904BBZ	67951	4	NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE PARKING B	ADJACENT TO ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) AT MP 0.13 ON LEFT				0.00	0.00	0.00	1,228
0904BCZ	67951	4	NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE PARKING C	FROM ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) AT MP 0.15 ON RIGHT	TO ROUTE 0400 (NA MOUNT LOCUST HISTORICAL SITE MAINTENANCE ROAD) AT MP 0.17 ON RIGHT			0.00	0.00	0.00	21,888

Rte.	FMSS	cle Ilected		Route Descript	ion	Concess Route	Func. Class	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	ည်ပို	Route Name	From	То	Co Ro	Fa	Miles	Miles	Length	SQ/FT
0920AZ	68209	4	PG ROCKY SPRINGS PICNIC LOOP PARKING A	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) AT MP 0.19 ON RIGHT				0.00	0.00	0.00	3,575
0920BZ	68209	4	PG ROCKY SPRINGS PICNIC LOOP PARKING B	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) AT MP 0.32 ON RIGHT				0.00	0.00	0.00	3,234
0920CZ	68209	4	PG ROCKY SPRINGS PICNIC LOOP PARKING C	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) AT MP 0.50 ON RIGHT				0.00	0.00	0.00	2,301
0920DZ	68209	4	PG ROCKY SPRINGS PICNIC LOOP PARKING D	ADJACENT TO ROUTE 0201 (PG ROCKY SPRINGS PICNIC LOOP ROAD) AT MP 0.57 ON RIGHT				0.00	0.00	0.00	4,011

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 4 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Asset	NATR	-09	947ZZ Subcomponent I	Breakdown							
Rte.	FMSS	cle		Route Descriptio	n	Concess Route	Func. Class	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	<u>გ</u>	Route Name	From	То	S &	Fu	Miles	Miles	Length	SQ/FT
0947AZ	67705	4	DA JEFF BUSBY CONCESSION PARKING A	ADJACENT TO ROUTE 0224 (DA JEFF BUSBY ENTRANCE ROAD) AT MP 0.05 ON LEFT				0.00	0.00	0.00	12,608
0947BZ	67705	4	DA JEFF BUSBY CONCESSION PARKING B	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.02 ON RIGHT				0.00	0.00	0.00	4,937

Asset	NATR	-09	49ZZ Subcomponent	Breakdown							
Rte.	FMSS	sle lected		Route Descriptio	n	Concess Route	SS	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	Cycle Colle	Route Name	From	То	<u>S</u> S	Func. Class	Miles	Miles	Length	SQ/FT
0949AZ	67709	4	DA JEFF BUSBY PARK PARKING A	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.81 ON RIGHT				0.00	0.00	0.00	2,900
0949BZ	67709	4	DA JEFF BUSBY PARK PARKING B	ADJACENT TO ROUTE 0139 (DA LITTLE MOUNTAIN SUMMIT ROAD) AT MP 0.87 ON RIGHT				0.00	0.00	0.00	3,187

Asset	NATR	-09	951ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description From	То	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0951AZ	67712	4	DA JEFF BUSBY PICNIC PARKING A	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) AT MP 0.28 ON RIGHT				0.00	0.00	0.00	1,523
0951BZ	67712	4	DA JEFF BUSBY PICNIC PARKING B	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) AT MP 0.30 ON RIGHT				0.00	0.00	0.00	1,410
0951CZ	67712	4	DA JEFF BUSBY PICNIC PARKING C	ADJACENT TO ROUTE 0204 (DA JEFF BUSBY PICNIC ACCESS ROAD) AT MP 0.32 ON RIGHT				0.00	0.00	0.00	1,076

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 5 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Asset	NATR	-09	969ZZ Subcomponent I	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description From	ı To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0969AZ	67846	4	TU OLD TOWN OVERLOOK PARKING A	ADJACENT TO ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) AT MP 0.15 ON RIGHT				0.00	0.00	0.00	1,035
0969BZ	67846	4	TU OLD TOWN OVERLOOK PARKING B	ADJACENT TO ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) AT MP 0.17 ON RIGHT				0.00	0.00	0.00	1,543
0969CZ	67846	4	TU OLD TOWN OVERLOOK PARKING C	ADJACENT TO ROUTE 0206 (TU OLD TOWN OVERLOOK ACCESS ROAD) AT MP 0.18 ON RIGHT				0.00	0.00	0.00	1,235

Asset	NATR	-09	87ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Descriptio From	n To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
0987AZ	67777	4	CH BEAR CREEK PICNIC PARKING A	ADJACENT TO ROUTE 0102 (CH BEAR CREEK ACCESS ROAD) AT MP 0.13 ON RIGHT				0.00	0.00	0.00	7,722
0987BZ	67777	4	CH BEAR CREEK PICNIC PARKING B	ADJACENT TO ROUTE 0102 (CH BEAR CREEK ACCESS ROAD) AT MP 0.19 ON RIGHT				0.00	0.00	0.00	5,767
0987CZ	67777	4	CH BEAR CREEK PICNIC PARKING C	ADJACENT TO ROUTE 0102 (CH BEAR CREEK ACCESS ROAD) AT MP 0.26 ON RIGHT				0.00	0.00	0.00	6,689

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 6 of 11

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

NATCHEZ TRACE PARKWAY

Grey = Paved Routes, DCV not Driven

Asset	NATR	-09	93ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name		escription	Concess Route	-unc. Class	Paved	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
NO.	110.	0.0	Route Name	From	То	ن ۲	ᅹᇹ	Miles	Miles	Longin	30/71
0993AZ	67784	4	CH COLBERT BOAT RAMP PARKING A	FROM ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.42 ON RIGHT	TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.54 ON RIGHT			0.00	0.00	0.00	37,826
0993BZ	67784	4	CH COLBERT BOAT RAMP COMFORT STATION PARKING B	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.52 ON RIGHT				0.00	0.00	0.00	613

Asset	NATR	-09	94ZZ Subcomponent	Breakdown							
Rte.	FMSS No.	Cycle Collected	Route Name	Route Description		Concess Route	Func. Class	Paved	Un- Paved	Total Route Length	Manual Rated SQ/FT
No.		00	Route Name	From	То	ٽ <u>ت</u>	료급	Miles	Miles	Length	SQ/F1
0994AZ	67785	4	CH COLBERT PICNIC PARKING A	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.58 ON RIGHT				0.00	0.00	0.00	9,348
0994BZ	67785	4	CH COLBERT PICNIC PARKING B	ADJACENT TO ROUTE 0210 (CH COLBERT PARK MARINA ROAD) AT MP 1.58 ON LEFT				0.00	0.00	0.00	7,768

Asset	NATR	-10	003ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route De From	escription	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1003AZ	67796		CH MCGLAMERY STAND PARKING A	FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 356.80 ON LEFT	TO ROUTE 0106 (CH ROCK SPRINGS ACCESS ROAD) AT MP		E 0	0.00	0.00	0.00	2,732
1003BZ	67796	5	CH MCGLAMERY STAND PARKING B	ADJACENT TO ROUTE 0106 (CH MCGLAMERY STAND ACCESS	0.01 ON RIGHT			0.00	0.00	0.00	940
				ROAD) AT MP 0.12 ON RIGHT							

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 7 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Asset	NATR	-10	013ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route De From	escription To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1013AZ	68128	4	ML MERIWETHER LEWIS MAINTENANCE PARKING A	FROM ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD) AT MP 0.16 ON LEFT	TO ROUTE 0428 (ML MERIWETHER LEWIS PIKE ROAD) AT MP 0.05 ON LEFT			0.00	0.00	0.00	38,776
1013BZ	68128	5	ML MERIWETHER LEWIS MAINTENANCE PARKING B	ADJACENT TO ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD)				0.00	0.00	0.00	2,323

NATR	-10	020ZZ Subcomponent	Breakdown							
FMSS No.	Cycle Collected	Route Name	Route Description	n To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
68135	5	ML LITTLE SWAN PICNIC PARKING A	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.92 ON RIGHT				0.00	0.00	0.00	4,290
68135	5	ML LITTLE SWAN PICNIC PARKING B	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT				0.00	0.00	0.00	4,124
68135	5	ML LITTLE SWAN PICNIC PARKING C	ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.86 ON RIGHT				0.00	0.00	0.00	904
	FMSS No. 68135	FMSS No. 50 68135 5	FMSS POST Route Name 68135 5 ML LITTLE SWAN PICNIC PARKING A 68135 5 ML LITTLE SWAN PICNIC PARKING B	Route Name From 68135 ML LITTLE SWAN PICNIC PARKING A LITTLE SWAN ROAD) AT MP 1.92 ON RIGHT 68135 ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 68135 ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 68135 ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.86	FMSS No. 200 Route Name From To 68135 5 ML LITTLE SWAN PICNIC PARKING A DJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.92 ON RIGHT 68135 5 ML LITTLE SWAN PICNIC PARKING A DJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 68135 5 ML LITTLE SWAN PICNIC PARKING A DJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT	FMSS No. 200 Route Name From To 200 Route Name A 200 Route Name A 200 Route Name Promise Name Name Name Name Name Name Name Nam	FMSS No. Post Route Name From To So Est Se	FMSS No. 200 Route Name From To 200 200 Even Miles 88135 S ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 88135 S ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 88135 S ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.86	Route Description Route Description Route Description Route Description Route Description Route Description To Paved Miles Paved Miles From To O.00 O.00	FMSS No. 29 Route Name From To 8135 S ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING B ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING B ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING B ADJACENT TO ROUTE 0214 (ML LITTLE SWAN PICNIC PARKING B ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 88135 S ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT 88135 D ML LITTLE SWAN PICNIC PARKING ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.86

Asset	NATR	-10	31ZZ Subcomponent	Breakdown							
Rte.	FMSS	Cycle Collected		Route Description		Concess Route	Func. Class	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	ે ડે	Route Name	From	То	ပို	F.S.	Miles	Miles	Length	SQ/FT
1031AZ	68077	4	LF JACKSON FALLS PARKING A	ADJACENT TO ROUTE 0219 (LF JACKSON FALLS ACCESS ROAD) AT MP 0.25 ON RIGHT				0.00	0.00	0.00	5,302
1031BZ	68077	4	LF JACKSON FALLS PARKING B	ADJACENT TO ROUTE 0219 (LF JACKSON FALLS ACCESS ROAD) AT MP 0.25 ON LEFT				0.00	0.00	0.00	3,311

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 8 of 11

Shading Color Key: Red text denotes approx. mileage

White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Asset	NATR FMSS	cted	33ZZ Subcomponent I	Breakdown Route Descript	ion	Concess Route	SS.	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	Cycle Collec	Route Name	From	То	<u> </u>	Fur Cla	Miles	Miles	Length	SQ/FT
1033AZ	68080	4	LF GORDON HOUSE AND FERRY SITE PARKING A	ADJACENT TO ROUTE 0198 (LF GORDON HOUSE AND FERRY SITE ACCESS ROAD) AT MP 0.11 ON RIGHT				0.00	0.00	0.00	3,775
1033BZ	68080	4	LF GORDON HOUSE AND FERRY SITE BUS PARKING B	ADJACENT TO ROUTE 0198 (LF GORDON HOUSE AND FERRY SITE ACCESS ROAD) AT MP 0.15 ON RIGHT				0.00	0.00	0.00	2,432

Asset	NATR	-10	36ZZ Subcomponent	Breakdown							
Rte.	FMSS	cle llected		Route Description	า	ncess ute	SS	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	<u>ي</u> 2	Route Name	From	То	Conc	Func	Miles	Miles	Length	SQ/FT
1036AZ	68084	4	LF TENNESSEE VALLEY DIVIDE PARKING A	ADJACENT TO ROUTE 0221 (LF TENNESSEE VALLEY DIVIDE ACCESS ROAD) AT MP 0.17 ON RIGHT				0.00	0.00	0.00	2,831
1036BZ	68084	4	LF TENNESSEE VALLEY DIVIDE BUS PARKING B	ADJACENT TO ROUTE 0221 (LF TENNESSEE VALLEY DIVIDE ACCESS ROAD) AT MP 0.17 ON LEFT				0.00	0.00	0.00	964
		- 1		,					1		

Rte.	E. FMSS ected			Route Descrip	tion	ncess	SS.	Paved	Un- Paved	Total Route	Manual Rated
No.	No.	င်လ	Route Name	From	То	Conc	Func. Class	Miles	Miles	Length	SQ/FT
1038AZ	68087	4	LF OLD TRACE PARKING A	ADJACENT TO ROUTE 0197 (LF OLD TRACE ACCESS ROAD) AT MP 0.20 ON RIGHT				0.00	0.00	0.00	2,556
1038BZ	68087	4	LF OLD TRACE BUS PARKING B	ADJACENT TO ROUTE 0197 (LF OLD TRACE ACCESS ROAD) AT MP 0.20 ON LEFT				0.00	0.00	0.00	1,797

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 9 of 11

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven

Yellow = Unpaved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

NATCHEZ TRACE PARKWAY

Grey = Paved Routes, DCV not Driven

Asset	NATR	-10	48ZZ Subcomponent	Breakdown							
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route De From	escription To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1048AZ	68100	4	LF BACKBONE OVERLOOK PARKING A	FROM ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.68 ON LEFT	TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.71 ON LEFT			0.00	0.00	0.00	10,194
1048BZ	68100	4	LF BACKBONE OVERLOOK PARKING B	ADJACENT TO ROUTE 0223 (LF BACKBONE OVERLOOK ROAD) AT MP 0.68 ON RIGHT				0.00	0.00	0.00	5,279

Rte.	FMSS	le lected		Route Description	on	cess	.; v	Dovod	Un- Paved	Total Route	Manual Rated
No.	No.	Cyc	Route Name	From	То	Conce Route	Func. Class	Paved Miles	Miles	Length	SQ/FT
1051AZ	105181	5	RI RIDGELAND MAINTENANCE OFFICE PARKING A	ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.09 ON LEFT				0.00	0.00	0.00	5,571
1051BZ	105181	5	RI RIDGELAND MAINTENANCE OFFICE PARKING B	ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.09 ON RIGHT				0.00	0.00	0.00	6,497
1051CZ	105181	5	RI RIDGELAND MAINTENANCE OFFICE PARKING C	ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.13 ON RIGHT				0.00	0.00	0.00	1,254

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 10 of 11

Green = All Unpaved Parking Areas

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

NATCHEZ TRACE PARKWAY

Grey = Paved Routes, DCV not Driven

Rte.	FMSS	cle Ilected	Route Description					Paved	Un- Paved	Total Route	Manual Rated
No.	No.	χ <u>ο</u>	Route Name	From	То	Conce Route	Func. Class	Miles	Miles	Length	SQ/FT
1060AZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING A	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.02 ON RIGHT				0.00	0.00	0.00	355
1060BZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING B	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.04 ON LEFT				0.00	0.00	0.00	2,612
1060CZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING C	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.06 ON RIGHT				0.00	0.00	0.00	1,079
1060DZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING D	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.09 ON LEFT				0.00	0.00	0.00	2,388
1060EZ	114923	4	RI RIVER BEND PEARL RIVER / RECREATION SOUTH PARKING E	ADJACENT TO ROUTE 0202A (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A) AT MP 0.19 ON RIGHT				0.00	0.00	0.00	2,642

Asset	Asset NATR-1061ZZ Subcomponent Breakdown										
Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description	n To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1061AZ	114924	4	RI RIVER BEND PEARL RIVER / RECREATION NORTH PARKING A	ADJACENT TO ROUTE 0202B (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B) AT MP 0.09 ON RIGHT				0.00	0.00	0.00	2,726
1061BZ	114924	4	RI RIVER BEND PEARL RIVER / RECREATION NORTH PARKING B	ADJACENT TO ROUTE 0202B (RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B) AT MP 0.10 ON LEFT				0.00	0.00	0.00	2,173

Road Inventory Program 11/08/2012

(Numerical By Subcomponent #)

Page 11 of 11

Shading Color Key: Red text denotes approx. mileage White = Paved Routes, DCV Driven Yellow = Unpaved Routes, DCV not Driven

Blue = All Paved Parking Areas

Green = All Unpaved Parking Areas

Grey = Paved Routes, DCV not Driven

Black = State, Local or Private non-NPS Routes

= Concession Route Flag ON

*Unpaved route data was obtained from NPS and was not inventoried by the Road Inventory Program (RIP).

NATR

Rte. No.	FMSS No.	Cycle Collected	Route Name	Route Description	n To	Concess Route	Func. Class	Paved Miles	Un- Paved Miles	Total Route Length	Manual Rated SQ/FT
1062AZ	114925	4	DA WITCH DANCE HORSE TRAILER PARKING	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.07 ON LEFT			FO	0.00	0.00	0.00	5,622
1062BZ	114925	4	DA WITCH DANCE COMFORT STATION PARKING	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.10 ON RIGHT				0.00	0.00	0.00	1,642
1062CZ	114925	4	DA WITCH DANCE PICNIC PARKING 1	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.11 ON LEFT				0.00	0.00	0.00	2,098
1062DZ	114925	4	DA WITCH DANCE PICNIC PARKING 2	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.20 ON RIGHT				0.00	0.00	0.00	1,485
1062EZ	114925	4	DA WITCH DANCE HANDICAP PICNIC PARKING	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.23 ON RIGHT				0.00	0.00	0.00	4,936
1062FZ	114925	4	DA WITCH DANCE PICNIC PARKING 3	ADJACENT TO ROUTE 0196 (DA WITCH DANCE PICNIC AREA ACCESS ROAD) AT MP 0.27 ON RIGHT				0.00	0.00	0.00	2,189

	ROUTES	S ADDED FROM PREVIOUS IN	VENTORY:
Route #	Route Name	Reason for Addition	Comments
1065	TU HORSE TRAIL PARKING	OTHER	NEW ROUTE ADDED SINCE CYCLE 4 DATA COLLECTION.
1066	ML EDUCATIONAL CENTER PARKING	OTHER	NEW ROUTE ADDED SINCE CYCLE 4 DATA COLLECTION.
	ROUTES	MODIFIED FROM PREVIOUS II	NVENTORY:
Route #	Route Name	Type of Modification	Comments
0408	RI RIDGELAND RESIDENTIAL AREA	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 BECAUSE THE SHAPE HAS CHANGED SINCE CYCLE 4 DATA COLLECTION. ONLY A SMALL PORTION IS PAVED IN CYCLE 5.
0409	KO KOSCIUSKO DISTRICT HEAD QUARTERS ACCESS ROAD	OTHER	A PORTION OF ROUTE 0410 WAS COLLECTED AS PART OF ROUTE 0409 IN CYCLE 4. ROUTE GPS WAS COLLECTED IN CYCLE 5 TO ACCURATELY REFLECT SHAPE GEOMETRY.
0410	KO KOSCIUSKO RESIDENCE AREA	OTHER	A PORTION OF ROUTE 0410 WAS COLLECTED AS PART OF ROUTE 0409 IN CYCLE 4. ROUTE GPS WAS COLLECTED IN CYCLE 5 TO ACCURATELY REFLECT SHAPE GEOMETRY.
0413	DA JEFF BUSBY MAINTENANCE ACCESS ROAD	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 TO ACCURATELY REFLECT SHAPE GEOMETRY.
0431	LF WILLIAMSON COUNTY ACCESS RAMP	OTHER	NEW ROUTE ADDED DURING THE 2008 ALIGNMENT.
0985	CH BEAR CREEK MOUND PARKING	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 TO UPDATE GPS.
1003ZZ	CH MCGLAMERY STAND PARKING AREAS	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 BECAUSE THE SHAPE HAS CHANGED SINCE CYCLE 4 DATA COLLECTION.

	ROUTES MODIFIED FROM PREVIOUS INVENTORY:									
Route #	Route Name	Type of Modification	Comments							
1029	ML TOBACCO BARN PARKING	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 BECAUSE THE SHAPE HAS CHANGED SINCE CYCLE 4 DATA COLLECTION.							
1051ZZ	RI RIDGELAND MAINTENANCE OFFICE PARKING AREAS	SQ FEET CHANGE	ROUTE RECOLLECTED IN CYCLE 5 BECAUSE THE SHAPE HAS CHANGED SINCE CYCLE 4 DATA COLLECTION.							

	OTHER (CHANGES FROM PREVIOUS IN	VENTORY:
Route #	Route Name	Type of Change	Comments
0114B	NA SR 552 ACCESS ROAD B	COLLECTION METHOD CHANGE	ROUTE WAS COLLECTED WITH THE DATA COLLECTION VEHICLE IN CYCLE 5; WAS MANUALLY RATED IN CYCLE 4.
0122	PG OLD TRACE PARKWAY (WHITAKER ROAD)	OTHER	ROUTE WAS COLLECTED IN CYCLE 3 AND REMOVED IN CYCLE 4 FROM THE RIP INVENTORY. ROUTE HAS BEEN ADDED BACK TO THE RIP INVENTORY BECAUSE IT IS OWNED AND MAINTAINED BY NATR.
0132B	RI SR 123 AIRPORT ACCESS ROAD B	OTHER	THE ALIGNMENT OF THIS ROUTE, AS COLLECTED, WAS CHANGED FROM CYCLE 4 TO CYCLE 5 TO MATCH HOW OTHER RAMPS ARE COLLECTED. ROUTE WAS COLLECTED WITH THE DATA COLLECTION VEHICLE; WAS MANUALLY RATED IN CYCLE 4.
0151A	TU U.S. 278 ACCESS ROAD A	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "TU SR 6 ACCESS ROAD A".
0151B	TU U.S. 278 ACCESS ROAD B	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "TU SR 6 ACCESS ROAD B".
0215	ML PICNIC AREA ROAD	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "ML SPRING ROAD".
0216	ML CAMPGROUND ENTRANCE ROAD	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "ML LITTLE SWAN CREEK TRAILER ACCESS ROAD".
0216A	ML CAMPGROUND LOOP	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "ML LITTLE SWAN CREEK TRAILER ACCESS LOOP A".
0411	DA JEFF BUSBY ADMINISTRATION ACCESS ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASSIFICATION CHANGED FROM 5 TO 2. ROUTE IS AN ACCESS ROAD TO THE PARK.
1013ZZ	ML MERIWETHER LEWIS MAINTENANCE PARKING AREAS	SQ FEET CHANGE	A NEW SECTION OF PARKING WAS ADDED IN CYCLE 5.

	OTHER CHANGES FROM PREVIOUS INVENTORY:										
Route #	Route Name	Type of Change	Comments								
1020ZZ	ML LITTLE SWAN PICNIC PARKING AREAS	SQ FEET CHANGE	A NEW SECTION OF PARKING WAS ADDED IN CYCLE 5.								
1049	LF NORTHERN TERMINUS PARKING	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "LF PROPOSED VC PARKING".								
1064	ML CAMPGROUND COMFORT STATION PARKING	OTHER	ROUTE NAME CHANGED IN CYCLE 5; WAS "ML LITTLE SWAN CREEK COMFORT STATION PKG".								

Section 3 Park Summary Information



Natchez Trace Parkway



NATR: PAVED ROUTE MILES AND PERCENTAGES BY FUNCTIONAL CLASS AND PCR

		Р	avement C	Condition F	ating (PCF	₹)			
	Poor (0-60)	Fair (6	1-84)	Good (85-94)		4) Excellent (95-1		TOTAL
F.C.	MILES	%	MILES	%	MILES	%	MILES	%	MILES
1	48.15	9.82%	51.86	10.57%	90.63	18.48%	280.14	57.12%	470.78
2	3.35	0.68%	2.55	0.52%	3.96	0.81%	8.23	1.68%	18.09
3			0.02	0.00%	0.10	0.02%	1.43	0.29%	1.55
4									
5									
6									
7									
8									
Totals	51.50	10.50%	54.43	11.10%	94.69	19.31%	289.80	59.09%	490.42

Note:

The information in this table is derived from the PMS_20 table in the Park database, which only contains processed data from routes collected with the Data Collection Vehicle (DCV). Information for Manually Rated Routes (MRR) and Parking Areas is not reported in this table. Only Functional Class 1, 2, & 7 routes, and any new routes not previously collected by RIP, are collected in Large Parks.


Explanation of the Excellent, Good, Fair and Poor Condition Descriptions

In addition to the RIP Index changes that have been implemented in Cycle 5, we will also aim to provide greater assistance in translating excellent/good/fair/poor categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the types of treatments that should be considered now and into the future.


- Excellent/New: PCR of 95-100. Pavements in this range will require only spot repairs
- Good: PCR of 85-94. Pavements in this range will likely be candidates for Preventive Maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84. Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include single-lift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 0-60. Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R). Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.

At this time, specific Maintenance and Rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions the year in which the data was collected. For further information or to obtain additional Pavement Management System's data from our Highway Pavement Management Application (HPMA) please contact the Eastern Federal Lands pavement team.


Condition Categories and Treatments




ROUTE		FUNCT	PAVED	SURFACE	AVERAGE SURFACE CONDITION	AVERAGE PAVEMENT CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0001A	NA MOTOR ROAD	1	38.17	ASPHALT	95	97
0001B	PG MOTOR ROAD	1	50.07	ASPHALT	95	97
0001C	RI MOTOR ROAD	1	48.27	ASPHALT	68	80
0001D	KO MOTOR ROAD	1	58.44	ASPHALT	98	98
0001E	DA MOTOR ROAD	1	46.54	ASPHALT	46	68




ROUTE		FUNCT	PAVED	SURFACE	AVERAGE SURFACE CONDITION	AVERAGE PAVEMENT CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0001F	TU MOTOR ROAD	1	58.33	ASPHALT	68	81
0001G	CH MOTOR ROAD	1	58.91	ASPHALT	79	87
0001H	ML MOTOR ROAD	1	50.27	ASPHALT	96	98
0001I	LF MOTOR ROAD	1	38.11	ASPHALT	96	98
0100	NA MOTOR ROAD WESTBOUND EXIT ROAD	1	0.20	ASPHALT	95	95




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0101	CH CAVE SPRING ACCESS ROAD	2	0.17	ASPHALT	96	96
0102	CH BEAR CREEK ACCESS ROAD	2	0.40	ASPHALT	78	78
0103	CH COLBERT FERRY VC ACCESS ROAD	2	0.14	ASPHALT	92	92
0104	CH LAUDERDALE ACCESS ROAD	2	0.19	ASPHALT	94	94
0105	CH ROCK SPRINGS ACCESS ROAD	2	0.18	ASPHALT	94	94




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0106	CH MCGLAMERY STAND ACCESS ROAD	2	0.15	ASPHALT	92	92
0107	ML NAPIER MINE ACCESS ROAD	2	0.15	ASPHALT	93	93
0108A	NA SR 61 ACCESS SOUTH A	1	0.23	ASPHALT	98	98
0108B	NA SR 61 ACCESS SOUTH B	1	0.15	ASPHALT	97	97
0108C	NA SR 61 ACCESS SOUTH C	1	0.16	ASPHALT	100	100




ROUTE		FUNCT	PAVED	SURFACE	AVERAGE SURFACE CONDITION	AVERAGE PAVEMENT CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0108D	NA SR 61 ACCESS SOUTH D	1	0.16	ASPHALT	99	99
0108E	NA SR 61 ACCESS SOUTH E	1	0.33	ASPHALT	96	96
0110	NA RESIDENCE ROAD (MCGEHEE ROAD)	2	0.12	ASPHALT	94	94
0111	NA MOUNT LOCUST HISTORICAL SITE ENTRANCE	2	0.15	ASPHALT	96	96
0112	NA SR 553 ACCESS ROAD	1	0.16	ASPHALT	84	84




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0113	NA WALTON ACCESS ROAD	1	0.10	ASPHALT	0	0
0114A	NA SR 552 ACCESS ROAD A	1	0.22	ASPHALT	92	92
0114B	NA SR 552 ACCESS ROAD B	1	0.21	ASPHALT	75	75
0116	NA SR 61 ACCESS ROAD NORTH	1	0.18	ASPHALT	30	30
0118	PG SR 18 ACCESS ROAD	1	0.23	ASPHALT	99	99




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH	-	AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0120	PG MANGUM MOUND ACCESS ROAD	2	0.54	ASPHALT	99	94
0121	PG GRINDSTONE FORD ACCESS ROAD	2	0.62	ASPHALT	100	100
0122	PG OLD TRACE PARKWAY (WHITAKER ROAD)	2	0.10	ASPHALT	96	96
0123	PG ROCKY SPRINGS ACCESS ROAD	2	1.25	ASPHALT	97	95
0124	PG UTICA / REGANTOWN ROAD	1	0.27	ASPHALT	98	98




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0125	PG SR 27 ACCESS ROAD	1	0.17	ASPHALT	98	98
0126	PG DEANS STAND ROAD	2	0.26	ASPHALT	99	99
0127	PG SR 467 ACCESS ROAD	1	0.24	ASPHALT	95	95
0128	PG AIRPORT ROAD ACCESS ROAD	1	0.11	ASPHALT	99	99
0129A	PG I-20 ACCESS ROAD A	1	0.39	ASPHALT	83	83




ROUTE NUMBER	ROUTE NAME	FUNCT CLASS	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0129B	PG I-20 ACCESS ROAD B	1	0.27	ASPHALT	79	79
0129C	PG I-20 ACCESS ROAD C	1	0.20	ASPHALT	90	90
0129D	PG I-20 ACCESS ROAD D	1	0.30	ASPHALT	92	92
0130	RI I-55 ACCESS ROAD	1	0.35	ASPHALT	64	64
0130A	RI I-55 ACCESS ROAD A	1	0.35	ASPHALT	66	66




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0130B	RI I-55 ACCESS ROAD B	1	0.60	ASPHALT	85	85
0130C	RI I-55 ACCESS ROAD C	1	0.21	ASPHALT	94	94
0130E	RI I-55 ACCESS ROAD E	1	0.42	ASPHALT	84	84
0130F	RI I-55 ACCESS ROAD F	1	0.38	ASPHALT	93	93
0131	RI U.S. 51 ACCESS ROAD	1	0.25	ASPHALT	90	90




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0132A	RI OLD CANTON / AIRPORT ACCESS ROAD A	1	0.26	ASPHALT	0	0
0132B	RI SR 123 AIRPORT ACCESS ROAD B	1	0.30	ASPHALT	24	24
0133A	RI SR 43 ACCESS ROAD A	1	0.21	ASPHALT	71	71
0133B	RI SR 43 ACCESS ROAD B	1	0.26	ASPHALT	0	0
0134A	RI SR 16 ACCESS ROAD A	1	0.11	ASPHALT	97	97




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0134B	KO SR 16 ACCESS ROAD B	1	0.15	ASPHALT	95	95
0136A	KO SR 35 ACCESS ROAD A	1	0.14	ASPHALT	97	97
0136B	KO SR 35 ACCESS ROAD B	1	0.12	ASPHALT	97	97
0137A	KO SR 12 ACCESS ROAD A	1	0.16	ASPHALT	95	95
0137B	KO SR 12 ACCESS ROAD B	1	0.12	ASPHALT	0.4	94




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0138	KO ETHYL CROSSING ACCESS ROAD	1	0.20	ASPHALT	92	92
0139	DA LITTLE MOUNTAIN SUMMIT ROAD	2	0.90	ASPHALT	93	93
0140	DA SR 9 ACCESS ROAD	1	0.10	ASPHALT	79	79
0141A	DA U.S. 82 ACCESS ROAD A	1	0.29	ASPHALT	76	76
0141B	DA U.S. 82 ACCESS ROAD B	1	0.19	ASPHALT	22	22




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0142	DA DANCY DISTRICT/HWY 15 ACCESS ROAD	1	0.12	ASPHALT	0	0
0143	DA SR 46 ACCESS ROAD	1	0.17	ASPHALT	81	81
0144	DA SR 389 ACCESS ROAD	1	0.10	ASPHALT	70	70
0145	DA SR 8 ACCESS ROAD	1	0.16	ASPHALT	86	86
0146	DA SR 32 ACCESS ROAD	1	0.09	ASPHALT	98	98




ROUTE NUMBER	ROUTE NAME	FUNCT CLASS	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0147	TU DAVIS LAKE / OWL CREEK MOUND ACCESS ROAD	1	0.10	ASPHALT	87	87
0148	TU SR 41 ACCESS ROAD	1	0.11	ASPHALT	90	90
0149	TU PONTOCOLA ACCESS ROAD	1	0.16	ASPHALT	69	69
0150A	TU CLIFF GOOKIN BLVD ACCESS ROAD A	1	0.15	ASPHALT	94	94
0150B	TU CLIFF GOOKIN BLVD ACCESS ROAD B	1	0.15	ASPHALT	93	93




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0151A	TU U.S. 278 ACCESS ROAD A	1	0.28	ASPHALT	84	84
0151B	TU U.S. 278 ACCESS ROAD B	1	0.22	ASPHALT	83	83
0152A	TU MCCULLOUGH BOULEVARD ACCESS ROAD A	1	0.22	ASPHALT	92	92
0152B	TU MCCULLOUGH BOULEVARD ACCESS ROAD B	1	0.19	ASPHALT	90	90
0153A	TU U.S. 78 ACCESS ROAD A	1	0.40	ASPHALT	90	90




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0153B	TU U.S. 78 ACCESS ROAD B	1	0.26	ASPHALT	96	96
0153C	TU U.S. 78 ACCESS ROAD C	1	0.41	ASPHALT	95	95
0153D	TU U.S. 78 ACCESS ROAD D	1	0.42	ASPHALT	95	95
0154A	TU SR 145 ACCESS ROAD A	1	0.46	ASPHALT	96	96
0154B	TU SR 145 ACCESS ROAD B	1	0.40	ASPHALT	0	0




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0155A	TU SR 363 ACCESS ROAD A	1	0.15	ASPHALT	51	51
0155B	TU SR 363 ACCESS ROAD B	1	0.16	ASPHALT	43	43
0156	TU FRIENDSHIP ROAD ACCESS ROAD	1	0.13	ASPHALT	68	68
0157A	TU SR 371 ACCESS ROAD A	1	0.17	ASPHALT	67	67
0157B	TU SR 371 ACCESS ROAD B	1	0.12	ASPHALT	5	5




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0158A	TU SILOAM ROAD ACCESS ROAD A	1	0.16	ASPHALT	98	98
0158B	TU SILOAM ROAD ACCESS ROAD B	1	0.13	ASPHALT	65	65
0159	TU BAY SPRINGS LAKE ACCESS ROAD	1	0.10	ASPHALT	92	92
0160	CH SR 4 ACCESS ROAD	1	0.16	ASPHALT	0	0
0161A	CH SR 25 ACCESS ROAD A	1	0.17	ASPHALT	95	95




ROUTE NUMBER	ROUTE NAME	FUNCT CLASS	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0161B	CH SR 25 ACCESS ROAD B	1	0.20	ASPHALT	97	97
0162	CH TISHOMINGO STATE PARK ACCESS ROAD	1	0.52	ASPHALT	89	68
0163	CH SR 30 ACCESS ROAD	1	0.26	ASPHALT	88	88
0164	CH COLBERT CR 1 ACCESS ROAD (MAUD ROAD)	1	0.14	ASPHALT	98	98
0165	CH U.S. 72 ACCESS ROAD	1	0.79	ASPHALT	96	96




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0166	CH NORTH PIKE ACCESS ROAD	1	0.08	ASPHALT	81	81
0167	CH COLBERT FERRY VC ROAD	2	0.06	ASPHALT	56	56
0168	CH LAUDERDALE COUNTY 2 ACCESS ROAD	1	0.16	ASPHALT	96	96
0169	CH CR 14 ACCESS ROAD	1	0.20	ASPHALT	80	80
0170	CH SR 20 ACCESS ROAD	1	0.27	ASPHALT	92	92




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0171	CH SR 13 ACCESS ROAD	1	0.12	ASPHALT	95	95
0172	ML COLLINWOOD ACCESS ROAD	1	0.13	ASPHALT	91	91
0173A	ML U.S. 64 ACCESS ROAD A	1	0.15	ASPHALT	93	93
0173B	ML U.S. 64 ACCESS ROAD B	1	0.18	ASPHALT	98	98
0174	ML NAPIER ROAD ACCESS ROAD	1	0.13	ASPHALT	99	99




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0175	ML MERIWETHER LEWIS SPUR ROAD	2	0.22	ASPHALT	93	93
0176	ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD	1	0.59	ASPHALT	98	98
0177	ML SR 412 ACCESS ROAD	1	0.22	ASPHALT	86	86
0178	ML DEVILS BACKBONE STATE PARK ENTRANCE	1	0.08	ASPHALT	85	85
0179	LF SR 50 ACCESS ROAD	1	0.13	ASPHALT	100	100




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0180	LF SR 7 ACCESS ROAD	1	0.18	ASPHALT	100	100
0181	LF PINEWOOD ROAD / SR 46 ACCESS ROAD	1	0.22	ASPHALT	97	97
0182	LF SR 96 ACCESS ROAD	1	0.59	ASPHALT	89	93
0183A	LF SR 100 ACCESS ROAD A	1	0.40	ASPHALT	96	96
0183B	LF SR 100 ACCESS ROAD B	1	0.23	ASPHALT	93	93



ROUTE NUMBER	ROUTE NAME	101101	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0183C	LF I-40 ACCESS ROAD VIA MCCRORY LANE	1	0.16	ASPHALT	98	98
0184	TU PALMETTO ACCESS ROAD	1	0.18	ASPHALT	99	99
0185	PG SUNKEN TRACE PARKING ACCESS ROAD	2	0.16	ASPHALT	99	99
0186	NA SOUTH FORK COLES CREEK ACCESS ROAD	2	0.27	ASPHALT	22	22
0187	NA ELIZABETH FEMALE ACADEMY ACCESS ROAD	2	0.17	ASPHALT	100	100




ROUTE NUMBER	ROUTE NAME	101.01	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0188	RI PINEHAVEN ACCESS ROAD (CLINTON)	1	0.12	ASPHALT	92	92
0189A	RI U.S. 49 ACCESS ROAD A	1	0.33	ASPHALT	92	92
0189B	RI U.S. 49 ACCESS ROAD B	1	0.31	ASPHALT	94	94
0189C	RI U.S. 49 SPUR ROAD C	1	0.14	ASPHALT	100	100
0189D	RI U.S. 49 ACCESS ROAD D	1	0.27	ASPHALT	93	93




DCV - Data Collection Vehicle

					AVERAGE SURFACE	AVERAGE PAVEMENT
ROUTE		FUNCT	PAVED	SURFACE	CONDITION	CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0189E	RI U.S. 49 ACCESS ROAD E	1	0.27	ASPHALT	90	90
0189F	RI U.S. 49 SPUR ROAD F	1	0.14	ASPHALT	96	96
0190	RI CHOCTAW AGENCY ACCESS ROAD	2	0.21	ASPHALT	94	94
0191	RI BRASHEARS ACCESS ROAD	2	0.14	ASPHALT	91	91
	RI RESERVOIR OVERLOOK / LAKEVIEW ACCESS					
0192	ROAD	2	0.24	ASPHALT	68	68




Data Collected 02/2012 3-29


ROUTE NUMBER	ROUTE NAME	101101	PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0193	RI BOYD MOUNDS ACCESS ROAD	2	0.18	ASPHALT	0	0
0194	RI WEST FLORIDA BOUNDARY ACCESS ROAD	2	0.26	ASPHALT	43	43
0195	DA BYNUM MOUNDS ACCESS ROAD	2	0.20	ASPHALT	66	66
0196	DA WITCH DANCE PICNIC AREA ACCESS ROAD	2	0.29	ASPHALT	67	67
0197	LF OLD TRACE ACCESS ROAD	2	0.26	ASPHALT	97	97




					AVERAGE SURFACE	AVERAGE PAVEMENT
ROUTE		FUNCT	PAVED	SURFACE	CONDITION	CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0198	LF GORDON HOUSE AND FERRY SITE ACCESS ROAD	2	0.20	ASPHALT	100	100
0199	ML SWAN VIEW OVERLOOK ACCESS ROAD	2	0.15	ASPHALT	100	100
	RI RIVER BEND PEARL RIVER ACCESS ROAD /					
0202A	RECREATION AREA A	2	0.20	ASPHALT	94	94
	RI RIVER BEND PEARL RIVER ACCESS ROAD /					_
0202B	RECREATION AREA B	2	0.14	ASPHALT	84	84
0205	TU CHICKASAW VILLAGE ACCESS ROAD	2	0.29	ASPHALT	94	94




ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0206	TU OLD TOWN OVERLOOK ACCESS ROAD	2	0.23	ASPHALT	92	92
0207	TU N.E.E.D. CENTER ROAD	2	0.32	ASPHALT	30	30
0208	TU HQ ACCESS ROAD	1	0.31	ASPHALT	95	95
0209	TU TENN-TOM WATERWAY ACCESS ROAD	2	0.28	ASPHALT	96	96
0210	CH COLBERT PARK MARINA ROAD	2	1.68	ASPHALT	64	64




					AVERAGE SURFACE	AVERAGE PAVEMENT
ROUTE		FUNCT	PAVED	SURFACE	CONDITION	CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0211	CH COLBERT FERRY OVERLOOK ROAD	2	0.56	ASPHALT	91	91
0212	ML OLD TRACE DRIVE (SOUTH)	2	2.49	ASPHALT	57	57
0213	ML METAL FORD ACCESS ROAD	2	0.55	ASPHALT	94	94
0214	ML LITTLE SWAN ROAD	2	2.01	ASPHALT	93	93
0215	ML PICNIC AREA ROAD	2	0.41	ASPHALT	97	97



ROUTE NUMBER	ROUTE NAME		PAVED LENGTH		AVERAGE SURFACE CONDITION RATING (SCR)	AVERAGE PAVEMENT CONDITION RATING (PCR)
0219	LF JACKSON FALLS ACCESS ROAD	3	0.29	ASPHALT	99	99
0220	LF WATERVALLEY OVERLOOK ACCESS ROAD	3	0.50	ASPHALT	100	100
0223	LF BACKBONE OVERLOOK ROAD	3	0.76	ASPHALT	97	97
0224	DA JEFF BUSBY ENTRANCE ROAD	2	0.13	ASPHALT	24	24
0225	CH BUZZARD ROOST ACCESS ROAD	2	0.15	ASPHALT	98	98



					AVERAGE	AVERAGE
					SURFACE	PAVEMENT
ROUTE		FUNCT	PAVED	SURFACE	CONDITION	CONDITION
NUMBER	ROUTE NAME	CLASS	LENGTH	TYPE	RATING (SCR)	RATING (PCR)
0411	DA JEFF BUSBY ADMINISTRATION ACCESS ROAD	2	0.13	ASPHALT	100	100
0431	LF WILLIAMSON COUNTY ACCESS RAMP	2	0.19	ASPHALT	89	89




Section 4 Park Route Location Maps



Natchez Trace Parkway





25


50

0

50


Miles

4-1




Routes Collected in Previous Cycle


4 2 0 4 Miles










Unique colors used to differentiate routes



















Routes Collected in Previous Cycle 6

6 3 0 6 Miles




Routes Collected in Previous Cycle 6

6 3 0 6 Miles









Unique colors used to differentiate routes







Routes Collected in Previous Cycle

2 2 1 0 Miles









Unique colors used to differentiate routes










4-18


Miles






Routes Collected in Previous Cycle






4-21







4-22





















2


Miles





































1.5


Miles




1.5


3

Miles




4-38





1.5




4-40

Section 5 Paved Route Condition Rating Sheets



Natchez Trace Parkway






2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION				TOTAL LENGTH:	
Section Number	0	1	2	3	4
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	25	26	24	27
Lane Width (ft)	11	11	11	10	11
Roadway Condition Information					
SCR (Surface Condition Rating)	96	90	92	99	99
PCR (Pavement Condition Rating)	95	94	95	99	99
Distress Index Values					
Structural Crack Index	96	90	92	99	99
Transverse Cracking Index	100	100	99	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	94	100	100	100	100

NOTES:

Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.




2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION			TOT	TAL LENGTI	H: 38.17 Miles
Section Number	5	6	7	8	9
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	26	25	25	28	23
Lane Width (ft)	10	10	10	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	99	99	88	100	100
PCR (Pavement Condition Rating)	99	99	93	100	100
Distress Index Values					
Structural Crack Index	100	100	88	100	100
Transverse Cracking Index	100	100	96	100	100
Patching Index	100	99	100	100	100
Rutting Index	99	99	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100

5-3



COLLECTED:

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY


COLUMN ACT DECION

SOUTHEAST REGION			TOTAL	LENGTH:	38.17 Miles
Section Number	10	11	12	13	14
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	23	23	24	24
Lane Width (ft)	10	10	10	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	99	100
PCR (Pavement Condition Rating)	100	100	100	99	100
Distress Index Values					
Structural Crack Index	100	100	100	99	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100

NOTES:

Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.

2/8/2012




2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION			TOTAL	LENGTH:	38.17 Miles
Section Number	15	16	17	18	19
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	23	23	24	23
Lane Width (ft)	11	10	10	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	100	100
PCR (Pavement Condition Rating)	100	100	100	100	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION			TOTAL	LENGTH:	38.17 Miles
Section Number	20	21	22	23	24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	24	25	24	24
Lane Width (ft)	10	10	11	10	11
Roadway Condition Information					
SCR (Surface Condition Rating)	99	96	100	98	93
PCR (Pavement Condition Rating)	99	98	100	99	96
Distress Index Values					
Structural Crack Index	100	96	100	100	94
Transverse Cracking Index	100	99	100	98	93
Patching Index	100	100	100	100	100
Rutting Index	99	99	100	99	98
Roughness Condition Index (RCI)	100	100	100	100	100




2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION			TOTAL	LENGTH:	38.17 Miles
Section Number	25	26	27	28	29
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	24	25	24	24
Lane Width (ft)	11	11	11	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	94	97	97	96	95
PCR (Pavement Condition Rating)	96	98	98	98	97
Distress Index Values					
Structural Crack Index	95	97	99	98	95
Transverse Cracking Index	94	98	99	98	98
Patching Index	100	100	100	100	100
Rutting Index	100	99	97	96	98
Roughness Condition Index (RCI)	100	100	100	100	100

NOTES:


Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.



2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION			TOTAL	LENGTH:	38.17 Miles
Section Number	30	31	32	33	34
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	26	25	24	24	23
Lane Width (ft)	10	10	11	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	97	89	94	75	86
PCR (Pavement Condition Rating)	98	93	96	85	92
Distress Index Values					
Structural Crack Index	100	89	94	75	86
Transverse Cracking Index	99	99	100	98	96
Patching Index	100	100	100	100	100
Rutting Index	97	100	100	99	99
Roughness Condition Index (RCI)	100	100	100	100	100




2/8/2012

ROUTE: 0001A NA MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION


SOUTHEAST REGION				ΓAL LENGTH:	38.17 Miles
Section Number	35	36	37	38	
Section Length (mi)	1.00	1.00	1.00	0.17	
Cross Section Information					
Number of Lanes	2	2	2	2	
Paved Width (ft)	24	24	25	23	
Lane Width (ft)	10	11	11	11	
Roadway Condition Information					
SCR (Surface Condition Rating)	85	69	75	68	
PCR (Pavement Condition Rating)	91	81	85	81	
Distress Index Values					
Structural Crack Index	85	69	75	68	
Transverse Cracking Index	94	95	93	98	
Patching Index	100	100	100	100	
Rutting Index	99	100	99	98	
Roughness Condition Index (RCI)	100	100	100	100	



ROUTE: 0001B PG MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/8/2012
TOTAL LENGTH: 50.07 Miles
NOTE: Route 0001B begins at MP 38 17 and ends at MP 88 24


SOUTHEAST REGION	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	38.17	39.17	40.17	41.17	42.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	100	97	99	99	98
PCR (Pavement Condition Rating)	100	98	99	99	99
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	97	99	99	98
Roughness Condition Index (RCI)	100	100	100	100	100



ROUTE: 0001B PG MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles


SOUTHEAST REGION	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	43.17	44.17	45.17	46.17	47.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	99	98	99	99	99
PCR (Pavement Condition Rating)	99	99	99	99	99
Distress Index Values					
Structural Crack Index	100	99	100	100	100
Transverse Cracking Index	100	99	100	100	99
Patching Index	100	100	100	100	100
Rutting Index	99	98	99	99	99
Roughness Condition Index (RCI)	100	100	100	100	100



ROUTE: 0001B PG MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY


VAY COLLECTED: 2/8/2012
TOTAL LENGTH: 50.07 Miles

SOUTHEAST REGION	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	48.17	49.17	50.17	51.17	52.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	98	99	100	100	100
PCR (Pavement Condition Rating)	99	99	100	100	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	98	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	99	99	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles

SOUTHEAST REGION	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	53.17	54.17	55.17	56.17	57.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	99	99	99	99	100
PCR (Pavement Condition Rating)	99	99	99	99	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	99	99	99	99	100
Roughness Condition Index (RCI)	100	100	100	100	100



COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles


SOUTHEAST REGION	NOTE: Rout	te 0001B beg	gins at MP 38	.17 and ends	at MP 88.24
Section Number	58.17	59.17	60.17	61.17	62.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	99	99	95	95	89
PCR (Pavement Condition Rating)	99	99	97	97	93
Distress Index Values					
Structural Crack Index	100	99	98	95	89
Transverse Cracking Index	100	100	95	96	98
Patching Index	100	100	100	95	100
Rutting Index	99	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



COLUMNE A CT DECLON

COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles


SOUTHEAST REGION I	NOTE: Rout	te 0001B beg	gins at MP 38	.17 and ends	at MP 88.24
Section Number	63.17	64.17	65.17	66.17	67.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	91	89	95	96	94
PCR (Pavement Condition Rating)	95	93	97	98	96
Distress Index Values					
Structural Crack Index	91	89	99	97	94
Transverse Cracking Index	98	96	98	96	99
Patching Index	100	100	95	97	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



COLUMN ACT DECLON


COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles

SOUTHEAST REGION I	NOTE: Rout	te 0001B beg	gins at MP 38	.17 and ends	at MP 88.24
Section Number	68.17	69.17	70.17	71.17	72.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	95	94	98	91	98
PCR (Pavement Condition Rating)	97	96	99	95	99
Distress Index Values					
Structural Crack Index	96	94	99	99	100
Transverse Cracking Index	99	99	98	97	98
Patching Index	95	100	100	91	100
Rutting Index	99	99	100	100	99
Roughness Condition Index (RCI)	100	100	100	100	100




COLLECTED: 2/8/2012
TOTAL LENGTH: 50.07 Miles
NOTE: Route 0001B begins at MP 38.17 and ends at MP 88.24

SOUTHEAST REGION	NOTE: Rout	te 0001B be	gins at MP 38	3.17 and ends	at MP 88.24
Section Number	73.17	74.17	75.17	76.17	77.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	96	94	90	90	87
PCR (Pavement Condition Rating)	98	96	94	94	92
Distress Index Values					
Structural Crack Index	96	98	90	96	87
Transverse Cracking Index	97	97	98	99	97
Patching Index	100	94	96	90	92
Rutting Index	99	100	99	99	99
Roughness Condition Index (RCI)	100	100	100	100	100



COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles


SOUTHEAST REGION	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	78.17	79.17	80.17	81.17	82.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	92	88	93	88	88
PCR (Pavement Condition Rating)	95	93	96	93	93
Distress Index Values					
Structural Crack Index	92	91	95	88	88
Transverse Cracking Index	93	88	93	94	91
Patching Index	98	100	98	98	98
Rutting Index	99	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



COLUMN ACT DECLON

COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles

SOUTHEAST REGION I	NOTE: Rout	e 0001B beg	ins at MP 38	.17 and ends	at MP 88.24
Section Number	83.17	84.17	85.17	86.17	87.17
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	9	9	9	9	9
Roadway Condition Information					
SCR (Surface Condition Rating)	92	90	81	83	85
PCR (Pavement Condition Rating)	95	94	89	90	90
Distress Index Values					
Structural Crack Index	97	95	81	83	88
Transverse Cracking Index	92	91	97	99	99
Patching Index	92	90	96	97	85
Rutting Index	99	100	98	100	99
Roughness Condition Index (RCI)	100	100	100	100	97



PCR Poor Fair Good Excellent No Data (0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0001B PG MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/8/2012 TOTAL LENGTH: 50.07 Miles

SOUTHEAST REGION NOTE: Route 0001B begins at MP 38.17 and ends at MP 88.24 Section Number 88.17 Section Length (mi) 0.07 Cross Section Information


Cross Section Information Number of Lanes 31 Paved Width (ft) Lane Width (ft) 10 Roadway Condition Information 94 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 96 Distress Index Values 94 Structural Crack Index 97 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** 100 Roughness Condition Index (RCI)



NATR: NATCHEZ TRACE PARKWAY


COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION NO	OTE: Route	0001C begin	ns at MP 88.2	24 and ends a	t MP 136.51
Section Number	88.24	89.24	90.24	91.24	92.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	26	26	26	26	27
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	96	98	90	81	89
PCR (Pavement Condition Rating)	98	99	90	82	89
Distress Index Values					
Structural Crack Index	96	99	99	99	89
Transverse Cracking Index	99	100	100	99	99
Patching Index	99	98	90	81	95
Rutting Index	97	99	100	99	99
Roughness Condition Index (RCI)	100	100	89	83	90



COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION NO	OTE: Route	0001C begin	ns at MP 88.2	24 and ends a	t MP 136.51
Section Number	93.24	94.24	95.24	96.24	97.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	26	34	26	27	25
Lane Width (ft)	11	12	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	89	88	93	98	96
PCR (Pavement Condition Rating)	91	93	95	99	98
Distress Index Values					
Structural Crack Index	94	88	96	98	96
Transverse Cracking Index	100	100	99	99	99
Patching Index	89	100	93	100	100
Rutting Index	98	98	98	99	99
Roughness Condition Index (RCI)	93	100	99	100	100




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012
TOTAL LENGTH: 48.27 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


SOUTHEAST REGION N	OTE: Route	0001C begin	ns at MP 88.2	24 and ends a	t MP 136.51
Section Number	98.24	99.24	100.24	101.24	102.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	25	26	25	32
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	94	96	97	94	78
PCR (Pavement Condition Rating)	96	98	98	92	78
Distress Index Values					
Structural Crack Index	94	96	97	94	78
Transverse Cracking Index	100	100	99	99	96
Patching Index	100	100	98	95	91
Rutting Index	99	99	97	99	99
Roughness Condition Index (RCI)	100	100	100	89	78



NATR: NATCHEZ TRACE PARKWAY


COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION NO	OTE: Route	0001C begi	ns at MP 88.2	24 and ends a	nt MP 136.51
Section Number	103.24	104.24	105.24	106.24	107.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	26	33	25	26	25
Lane Width (ft)	11	12	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	73	0	0	0	0
PCR (Pavement Condition Rating)	84	36	40	37	40
Distress Index Values					
Structural Crack Index	73	0	0	0	0
Transverse Cracking Index	89	96	96	100	98
Patching Index	96	95	100	77	94
Rutting Index	99	98	97	96	97
Roughness Condition Index (RCI)	100	91	99	93	100



COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles


SOUTHEAST REGION N	OTE: Rou	te 0001C be	gins at MP 8	8.24 and end	ls at MP 136.51
Section Number	108.24	109.24	110.24	111.24	112.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	25	24	24	24
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	0	0	58	81	12
PCR (Pavement Condition Rating)	35	36	75	89	47
Distress Index Values					
Structural Crack Index	0	0	58	81	12
Transverse Cracking Index	99	99	92	97	96
Patching Index	100	97	100	92	100
Rutting Index	89	94	100	100	99
Roughness Condition Index (RCI)	87	91	100	100	100



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION N	OTE: Route	e 0001C begi	ns at MP 88.2	24 and ends a	at MP 136.51
Section Number	113.24	114.24	115.24	116.24	117.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	25	25	25	23
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	6	44	80	93	73
PCR (Pavement Condition Rating)	44	66	88	96	84
Distress Index Values					
Structural Crack Index	6	44	80	93	73
Transverse Cracking Index	95	98	96	98	98
Patching Index	100	99	100	100	100
Rutting Index	99	97	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012
TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION NOTE: Route 0001C begins at MP 88.24 and ends at MP 136.51


SOUTHEAST REGION N	OIE: Route	e ooote begi	iis at Mir oo.	24 and ends a	ii MIP 130.31
Section Number	118.24	119.24	120.24	121.24	122.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	24	23	23	23
Lane Width (ft)	11	10	11	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	84	48	0	42	62
PCR (Pavement Condition Rating)	90	69	40	65	77
Distress Index Values					
Structural Crack Index	84	48	0	42	62
Transverse Cracking Index	95	89	88	91	87
Patching Index	100	100	100	100	100
Rutting Index	100	99	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012
TOTAL LENGTH: 48.27 Miles


SOUTHEAST REGION NO	OTE: Route	0001C begin	ns at MP 88.2	24 and ends a	t MP 136.51
Section Number	123.24	124.24	125.24	126.24	127.24
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	23	23	23	24
Lane Width (ft)	11	10	10	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	91	37	75	89	93
PCR (Pavement Condition Rating)	95	62	85	93	96
Distress Index Values					
Structural Crack Index	95	37	75	91	93
Transverse Cracking Index	91	90	90	89	93
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



WAY COLLECTED: 2/9/2012 TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION NOTE: Route 0001C begins at MP 88.24 and ends at MP 136.51 128.24 129.24 130.24 132.24 Section Number 131.24 Section Length (mi) 1.00 1.00 1.00 1.00 1.00 **Cross Section Information** Number of Lanes Paved Width (ft)


23	23	23	23	24
10	10	10	10	11
82	86	90	95	98
89	92	94	97	99
82	86	91	97	100
89	88	90	95	98
100	100	100	100	100
100	100	100	100	100
100	100	100	100	100
	82 89 82 89 100 100	10 10 82 86 89 92 82 86 89 88 100 100 100 100	10 10 82 86 89 92 90 94 82 86 91 89 88 90 100 100 100 100 100 100	10 10 10 82 86 90 95 89 92 94 97 82 86 91 97 89 88 90 95 100 100 100 100 100 100 100 100



NATR: NATCHEZ TRACE PARKWAY


COLLECTED: 2/9/2012
TOTAL LENGTH: 48.27 Miles

SOUTHEAST REGION N	OTE: Route	e 0001C begi	ns at MP 88.2	24 and ends at MP 136.51
Section Number	133.24	134.24	135.24	136.24
Section Length (mi)	1.00	1.00	1.00	0.27
Cross Section Information				
Number of Lanes	2	2	2	2
Paved Width (ft)	23	23	24	24
Lane Width (ft)	11	11	11	11
Roadway Condition Information				
SCR (Surface Condition Rating)	99	98	100	99
PCR (Pavement Condition Rating)	99	99	100	99
Distress Index Values				
Structural Crack Index	100	100	100	99
Transverse Cracking Index	99	98	100	100
Patching Index	100	100	100	100
Rutting Index	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100



COLLECTED: 2/10/2012 TOTAL LENGTH: 58.44 Miles


SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	136.51	137.51	138.51	139.51	140.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	100	99		
PCR (Pavement Condition Rating)	100	100	100	100	99		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	99		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		



SOUTHEAST REGION


ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

Section Number	141.51	142.51	143.51	144.51	145.51
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	32	32	32	32	32
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	99	100	100	99	98
PCR (Pavement Condition Rating)	99	100	100	99	99
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	99	100	100	99	98
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




COLLECTED: 2/10/2012 TOTAL LENGTH: 58.44 Miles

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95								
Section Number	146.51	147.51	148.51	149.51	150.51			
Section Length (mi)	1.00	1.00	1.00	1.00	1.00			
Cross Section Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	32	32	32	32	32			
Lane Width (ft)	10	10	10	10	10			
Roadway Condition Information								
SCR (Surface Condition Rating)	98	100	100	100	100			
PCR (Pavement Condition Rating)	99	100	100	100	100			
Distress Index Values								
Structural Crack Index	100	100	100	100	100			
Transverse Cracking Index	98	100	100	100	100			
Patching Index	100	100	100	100	100			
Rutting Index	100	100	100	100	100			
Roughness Condition Index (RCI)	100	100	100	1100	1100			



COLLECTED: 2/10/2012 TOTAL LENGTH: 58.44 Miles

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	151.51	152.51	153.51	154.51	155.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	99	100		
PCR (Pavement Condition Rating)	100	100	100	99	100		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	100	100	99	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ROUTE: 0001D KO MOTOR ROAD

NATR: NATCHEZ TRACE PARKWAY COLLECTED:


2/10/2012 **TOTAL LENGTH: 58.44 Miles** NOTE: Route 0001D begins at MP 136 51 and ends at MP 194 95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	156.51	157.51	158.51	159.51	160.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	99	100	100	100		
PCR (Pavement Condition Rating)	100	99	100	100	100		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	99	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	161.51	162.51	163.51	164.51	165.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	99	98		
PCR (Pavement Condition Rating)	100	100	100	99	99		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	100	100	99	98		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	166.51	167.51	168.51	169.51	170.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	100	100		
PCR (Pavement Condition Rating)	100	100	100	100	100		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	171.51	172.51	173.51	174.51	175.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	99	100		
PCR (Pavement Condition Rating)	100	100	100	99	100		
Distress Index Values							
Structural Crack Index	100	100	100	99	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	176.51	177.51	178.51	179.51	180.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	100	100	100	100	100		
PCR (Pavement Condition Rating)	100	100	100	100	100		
Distress Index Values							
Structural Crack Index	100	100	100	100	100		
Transverse Cracking Index	100	100	100	100	100		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95						
Section Number	181.51	182.51	183.51	184.51	185.51	
Section Length (mi)	1.00	1.00	1.00	1.00	1.00	
Cross Section Information						
Number of Lanes	2	2	2	2	2	
Paved Width (ft)	32	32	32	32	32	
Lane Width (ft)	10	10	10	10	10	
Roadway Condition Information						
SCR (Surface Condition Rating)	100	85	85	85	81	
PCR (Pavement Condition Rating)	100	91	91	91	89	
Distress Index Values						
Structural Crack Index	100	97	85	94	99	
Transverse Cracking Index	100	85	87	85	81	
Patching Index	100	91	93	97	85	
Rutting Index	100	96	98	99	98	
Roughness Condition Index (RCI)	100	100	100	100	100	




COLLECTED: 2/10/2012 TOTAL LENGTH: 58.44 Miles

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95							
Section Number	186.51	187.51	188.51	189.51	190.51		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	32	32	32	32	32		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	85	75	95	100	100		
PCR (Pavement Condition Rating)	91	85	97	100	100		
Distress Index Values							
Structural Crack Index	98	95	97	100	100		
Transverse Cracking Index	85	75	96	100	100		
Patching Index	90	95	95	100	100		
Rutting Index	98	95	100	100	100		
Roughness Condition Index (RCI)	100	99	100	100	100		




ARKWAY COLLECTED: 2/10/2012
TOTAL LENGTH: 58.44 Miles
NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95

SOUTHEAST REGION NOTE: Route 0001D begins at MP 136.51 and ends at MP 194.95						
Section Number	191.51	192.51	193.51	194.51		
Section Length (mi)	1.00	1.00	1.00	0.44		
Cross Section Information						
Number of Lanes	2	2	2	2		
Paved Width (ft)	32	32	32	32		
Lane Width (ft)	10	10	10	10		
Roadway Condition Information						
SCR (Surface Condition Rating)	100	96	87	91		
PCR (Pavement Condition Rating)	100	98	91	95		
Distress Index Values						
Structural Crack Index	100	99	98	99		
Transverse Cracking Index	100	96	87	91		
Patching Index	100	100	96	93		
Rutting Index	100	99	95	97		
Roughness Condition Index (RCI)	100	100	97	100		



ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 46.54 Miles
NOTE: Route 0001F, begins at MP 194 95 and ends at MP 241 49


SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49							
Section Number	194.95	195.95	196.95	197.95	198.95		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	24	24	24	23		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	89	93	86	87	87		
PCR (Pavement Condition Rating)	93	96	92	92	92		
Distress Index Values							
Structural Crack Index	95	98	96	98	97		
Transverse Cracking Index	89	93	86	87	87		
Patching Index	93	97	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		



COLUMN ACT DECLON


KWAY COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles

SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49							
Section Number	199.95	200.95	201.95	202.95	203.95		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	23	23	23	23		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	87	88	89	82	82		
PCR (Pavement Condition Rating)	92	93	93	89	89		
Distress Index Values							
Structural Crack Index	97	96	97	82	82		
Transverse Cracking Index	87	88	89	90	86		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




XWAY COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles

SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49 $20\overline{7.95}$ Section Number 204.95 205.95 206.95 208.95 Section Length (mi) 1.00 1.00 1.00 1.00 1.00 **Cross Section Information** 2 Number of Lanes 2 23 24 24 23 23 Paved Width (ft) Lane Width (ft) 10 10 10 10 10 Roadway Condition Information 80 89 76 51 63 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 88 93 86 71 78 Distress Index Values 91 90 Structural Crack Index 80 95 89 87 89 76 51 63 Transverse Cracking Index 94 94 100 100 100 Patching Index 100 100 100 100 100 **Rutting Index** 100 100 100 100 100 Roughness Condition Index (RCI)




ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 46.54 Miles
NOTE: Route 0001E begins at MP 194 95 and ends at MP 241 49

SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49							
Section Number	209.95	210.95	211.95	212.95	213.95		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	23	23	23	23	23		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	71	81	75	82	81		
PCR (Pavement Condition Rating)	83	89	85	89	89		
Distress Index Values							
Structural Crack Index	71	88	75	82	81		
Transverse Cracking Index	76	81	82	83	86		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




WAY COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles

SOUTHEAST REGION NO	TE: Route	0001E begin	is at MP 194.	95 and ends	at MP 241.49
Section Number	214.95	215.95	216.95	217.95	218.95
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	24	23	24	23
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	86	87	87	81	83
PCR (Pavement Condition Rating)	92	92	92	89	90
Distress Index Values					
Structural Crack Index	92	93	87	81	83
Transverse Cracking Index	86	87	87	87	93
Patching Index	100	100	100	100	97
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles


SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49							
Section Number	219.95	220.95	221.95	222.95	223.95		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	23	23	23	23	23		
Lane Width (ft)	10	10	10	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	66	50	0	0	0		
PCR (Pavement Condition Rating)	80	70	40	40	40		
Distress Index Values							
Structural Crack Index	66	50	0	0	0		
Transverse Cracking Index	89	88	95	98	91		
Patching Index	100	96	96	94	97		
Rutting Index	100	99	99	98	99		
Roughness Condition Index (RCI)	100	100	100	100	100		



SOUTHEAST REGION

ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 46.54 Miles
NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49


Section Number	224.95	225.95	226.95	227.95	228.95
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	24	24	24	23
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	0	0	0	0	0
PCR (Pavement Condition Rating)	40	40	40	40	40
Distress Index Values					
Structural Crack Index	0	0	0	0	0
Transverse Cracking Index	97	96	88	82	84
Patching Index	95	93	95	100	94
Rutting Index	99	99	99	99	99
Roughness Condition Index (RCI)	100	100	100	100	100



COLUMN ACT DECLON


COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles

SOUTHEAST REGION NO	TE: Route	e 0001E beg	gins at MP 19	94.95 and end	ls at MP 241.49
Section Number	229.95	230.95	231.95	232.95	233.95
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	23	23	24	23
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	0	0	0	0	0
PCR (Pavement Condition Rating)	40	40	40	40	40
Distress Index Values					
Structural Crack Index	0	0	0	0	0
Transverse Cracking Index	92	88	86	97	93
Patching Index	100	100	100	99	98
Rutting Index	99	100	100	99	99
Roughness Condition Index (RCI)	100	100	100	99	100




AY COLLECTED: 2/11/2012 TOTAL LENGTH: 46.54 Miles

SOUTHEAST REGION NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49								
Section Number	234.95	235.95	236.95	237.95	238.95			
Section Length (mi)	1.00	1.00	1.00	1.00	1.00			
Cross Section Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	23	23	23	23	23			
Lane Width (ft)	10	10	10	10	10			
Roadway Condition Information								
SCR (Surface Condition Rating)	0	0	0	0	0			
PCR (Pavement Condition Rating)	40	40	40	40	40			
Distress Index Values								
Structural Crack Index	0	0	0	0	0			
Transverse Cracking Index	95	100	99	94	93			
Patching Index	97	94	97	98	100			
Rutting Index	98	99	98	96	98			
Roughness Condition Index (RCI)	100	100	100	100	100			



ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 46.54 Miles
NOTE: Route 0001E begins at MP 194.95 and ends at MP 241.49


SOUTHEAST REGION NO	TE: Rout	te 0001E beg	ins at MP	194.95 and	l ends at MP 241.	.49
Section Number	239.95	240.95				
Section Length (mi)	1.00	0.54				
Cross Section Information						
Number of Lanes	2	2				
Paved Width (ft)	24	23				
Lane Width (ft)	10	10				
Roadway Condition Information						
SCR (Surface Condition Rating)	0	0				
PCR (Pavement Condition Rating)	40	40				
Distress Index Values						
Structural Crack Index	0	0				
Transverse Cracking Index	90	91				
Patching Index	94	98				
Rutting Index	99	97				
Roughness Condition Index (RCI)	100	100				



NATR: NATCHEZ TRACE PARKWAY


COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles

SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82 244.49 Section Number 241.49 242.49 243.49 245.49 Section Length (mi) 1.00 1.00 1.00 1.00 1.00 **Cross Section Information** 2 Number of Lanes 2 2 31 31 31 31 31 Paved Width (ft) Lane Width (ft) 11 11 11 11 11 Roadway Condition Information 98 94 99 99 99 SCR (Surface Condition Rating) 99 99 99 PCR (Pavement Condition Rating) 99 96 Distress Index Values 99 Structural Crack Index 98 94 100 100 100 100 100 99 99 Transverse Cracking Index 100 100 100 100 100 Patching Index 100 100 100 **Rutting Index** 100 100 100 100 100 100 100 Roughness Condition Index (RCI)



COLLECTED: 2/11/2012 TOTAL LENGTH: 58.33 Miles


SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82								
Section Number	246.49	247.49	248.49	249.49	250.49			
Section Length (mi)	1.00	1.00	1.00	1.00	1.00			
Cross Section Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	31	31	31	31	31			
Lane Width (ft)	11	11	11	11	11			
Roadway Condition Information								
SCR (Surface Condition Rating)	99	98	95	96	96			
PCR (Pavement Condition Rating)	99	99	97	98	98			
Distress Index Values								
Structural Crack Index	99	99	95	96	96			
Transverse Cracking Index	99	98	99	99	100			
Patching Index	100	100	100	100	100			
Rutting Index	100	100	100	99	100			
Roughness Condition Index (RCI)	100	100	100	100	100			



NATR: NATCHEZ TRACE PARKWAY COLLECTED: 2/11/2012 **TOTAL LENGTH: 58.33 Miles**

NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82 SOUTHEAST REGION


Section Number	251.49	252.49	253.49	254.49	255.49
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	98	96	98	97	99
PCR (Pavement Condition Rating)	99	98	99	98	99
Distress Index Values					
Structural Crack Index	98	96	99	99	99
Transverse Cracking Index	100	100	98	97	99
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	99	100
Roughness Condition Index (RCI)	100	100	100	100	100



NATR: NATCHEZ TRACE PARKWAY

ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles
NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82


SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82								
Section Number	256.49	257.49	258.49	259.49	260.49			
Section Length (mi)	1.00	1.00	1.00	1.00	1.00			
Cross Section Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	31	31	31	31	31			
Lane Width (ft)	11	11	11	11	11			
Roadway Condition Information								
SCR (Surface Condition Rating)	89	94	100	94	79			
PCR (Pavement Condition Rating)	93	96	100	96	87			
Distress Index Values								
Structural Crack Index	89	94	100	96	79			
Transverse Cracking Index	93	98	100	94	91			
Patching Index	100	97	100	98	100			
Rutting Index	100	100	100	99	100			
Roughness Condition Index (RCI)	100	100	100	100	100			



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles


SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82 Section Number 261.49 262.49 263.49 264.49 265.49 Section Length (mi) 1.00 1.00 1.00 1.00 1.00 **Cross Section Information** 2 Number of Lanes 2 2 31 31 31 30 31 Paved Width (ft) Lane Width (ft) 11 11 11 11 11 Roadway Condition Information 93 91 94 87 95 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 96 95 96 92 97 Distress Index Values 96 Structural Crack Index 93 91 94 87 93 99 98 98 95 Transverse Cracking Index 100 100 100 100 100 Patching Index 100 100 100 **Rutting Index** 100 100 100 100 100 100 100 Roughness Condition Index (RCI)



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles


SOUTHEAST REGION NO	TE: Rout	e 0001F beg	gins at MP 24	1.49 and end	ls at MP 299.82
Section Number	266.49	267.49	268.49	269.49	270.49
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	31	31
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	95	97	23	0	0
PCR (Pavement Condition Rating)	97	98	54	40	40
Distress Index Values					
Structural Crack Index	95	97	23	0	0
Transverse Cracking Index	97	97	92	94	98
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	99
Roughness Condition Index (RCI)	100	100	100	100	100



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles


SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82 $27\overline{1.49}$ Section Number 272.49 273.49 274.49 275.49 Section Length (mi) 1.00 1.00 1.00 1.00 1.00 **Cross Section Information** 2 Number of Lanes 2 2 31 31 31 31 31 Paved Width (ft) Lane Width (ft) 11 11 11 11 11 Roadway Condition Information 0 23 47 29 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 40 40 54 57 68 Distress Index Values Structural Crack Index 0 23 47 29 98 96 97 95 98 Transverse Cracking Index 100 100 100 100 100 Patching Index 100 100 100 100 **Rutting Index** 100 100 100 100 100 100 Roughness Condition Index (RCI)



NATR: NATCHEZ TRACE PARKWAY


ARKWAY COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles
NOTE: Route 0001F begins at MP 241 49 and ends at MP 299 82

SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82								
Section Number	276.49	277.49	278.49	279.49	280.49			
Section Length (mi)	1.00	1.00	1.00	1.00	1.00			
Cross Section Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	31	31	31	31	31			
Lane Width (ft)	11	11	11	11	11			
Roadway Condition Information								
SCR (Surface Condition Rating)	86	66	83	43	33			
PCR (Pavement Condition Rating)	92	80	90	66	60			
Distress Index Values								
Structural Crack Index	86	66	83	43	33			
Transverse Cracking Index	98	95	96	89	90			
Patching Index	100	100	100	100	100			
Rutting Index	100	100	100	100	100			
Roughness Condition Index (RCI)	100	100	100	100	100			



KWAY COLLECTED: 2/11/2012 TOTAL LENGTH: 58.33 Miles

SOUTHEAST REGION NO	SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82								
Section Number	281.49	282.49	283.49	284.49	285.49				
Section Length (mi)	1.00	1.00	1.00	1.00	1.00				
Cross Section Information									
Number of Lanes	2	2	2	2	2				
Paved Width (ft)	31	31	31	31	31				
Lane Width (ft)	11	11	11	11	11				
Roadway Condition Information									
SCR (Surface Condition Rating)	0	68	83	20	34				
PCR (Pavement Condition Rating)	40	81	90	52	60				
Distress Index Values									
Structural Crack Index	0	68	83	20	34				
Transverse Cracking Index	99	98	99	99	96				
Patching Index	100	100	100	100	100				
Rutting Index	100	100	100	99	100				
Roughness Condition Index (RCI)	100	100	100	100	100				




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles

SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82


Section Number	286.49	287.49	288.49	289.49	290.49
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	31	31	30	31
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	58	30	44	65	29
PCR (Pavement Condition Rating)	75	58	66	79	57
Distress Index Values					
Structural Crack Index	58	30	44	65	29
Transverse Cracking Index	97	99	98	99	99
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/11/2012
TOTAL LENGTH: 58.33 Miles


SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.							
Section Number	291.49	292.49	293.49	294.49	295.49		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	31	31	31	31	31		
Lane Width (ft)	11	11	11	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	57	47	29	49	55		
PCR (Pavement Condition Rating)	74	68	57	69	73		
Distress Index Values							
Structural Crack Index	57	47	29	49	55		
Transverse Cracking Index	99	98	98	98	96		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		



NATR: NATCHEZ TRACE PARKWAY


TOTAL LENGTH: 58.33 Miles

SOUTHEAST REGION NOTE: Route 0001F begins at MP 241.49 and ends at MP 299.82						
Section Number	296.49	297.49	298.49	299.49		
Section Length (mi)	1.00	1.00	1.00	0.33		
Cross Section Information						
Number of Lanes	2	2	2	2		
Paved Width (ft)	31	31	31	31		
Lane Width (ft)	11	11	11	11		
Roadway Condition Information						
SCR (Surface Condition Rating)	75	94	99	96		
PCR (Pavement Condition Rating)	85	96	99	98		
Distress Index Values						
Structural Crack Index	75	94	99	96		
Transverse Cracking Index	99	99	99	98		
Patching Index	100	100	100	100		
Rutting Index	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100		




VAY COLLECTED: 2/15/2012 TOTAL LENGTH: 58.91 Miles

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	299.82	300.82	301.82	302.82	303.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	26	24	24	26	25		
Lane Width (ft)	11	10	10	10	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	53	59	54	74	78		
PCR (Pavement Condition Rating)	72	75	72	84	87		
Distress Index Values							
Structural Crack Index	53	59	54	74	78		
Transverse Cracking Index	98	99	98	97	96		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	304.82	305.82	306.82	307.82	308.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	27	25	25	24	23		
Lane Width (ft)	11	11	11	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	60	64	74	71	87		
PCR (Pavement Condition Rating)	76	78	84	83	92		
Distress Index Values							
Structural Crack Index	60	64	74	71	87		
Transverse Cracking Index	95	99	100	99	99		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299 82 and ends at MP 358 73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	309.82	310.82	311.82	312.82	313.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	24	27	24	25		
Lane Width (ft)	10	11	11	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	33	0	64	49	33		
PCR (Pavement Condition Rating)	60	40	78	69	60		
Distress Index Values							
Structural Crack Index	33	0	64	49	33		
Transverse Cracking Index	99	97	96	93	96		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73

SOUTHEAST REGION NO	TE: Rout	te 0001G beg	gins at MP 29	9.82 and end	ls at MP 358.73
Section Number	314.82	315.82	316.82	317.82	318.82
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	25	24	24	24
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	67	56	52	42	71
PCR (Pavement Condition Rating)	80	74	71	65	83
Distress Index Values					
Structural Crack Index	67	56	52	42	71
Transverse Cracking Index	93	94	96	97	99
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




TWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 58.91 Miles

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	319.82	320.82	321.82	322.82	323.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	24	24	26	24		
Lane Width (ft)	11	11	11	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	64	64	64	84	96		
PCR (Pavement Condition Rating)	78	78	78	90	98		
Distress Index Values							
Structural Crack Index	64	64	64	84	96		
Transverse Cracking Index	98	96	94	94	99		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	324.82	325.82	326.82	327.82	328.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	23	24	24	24		
Lane Width (ft)	11	11	10	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	96	68	85	92	92		
PCR (Pavement Condition Rating)	98	79	89	95	95		
Distress Index Values							
Structural Crack Index	96	68	85	92	92		
Transverse Cracking Index	99	99	99	100	99		
Patching Index	100	98	100	100	100		
Rutting Index	99	99	100	100	100		
Roughness Condition Index (RCI)	100	95	95	100	100		




WAY COLLECTED: 2/15/2012 TOTAL LENGTH: 58.91 Miles

SOUTHEAST REGION NO	TE: Rout	e 0001G beg	gins at MP 29	9.82 and end	ls at MP 358.73
Section Number	329.82	330.82	331.82	332.82	333.82
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	31	30	25	24	23
Lane Width (ft)	11	10	10	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	97	100	97	99	99
PCR (Pavement Condition Rating)	98	96	98	99	99
Distress Index Values					
Structural Crack Index	97	100	97	100	99
Transverse Cracking Index	100	100	99	99	99
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	91	100	100	100




COLLECTED: 2/15/2012 TOTAL LENGTH: 58.91 Miles

SOUTHEAST REGION NO	TE: Rout	te 0001G beg	gins at MP 29	99.82 and end	ls at MP 358.73
Section Number	334.82	335.82	336.82	337.82	338.82
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	23	24	24	23
Lane Width (ft)	10	10	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	93	98	96	90	95
PCR (Pavement Condition Rating)	96	99	98	94	97
Distress Index Values					
Structural Crack Index	93	98	96	90	95
Transverse Cracking Index	99	100	99	97	97
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




COLLECTED: 2/15/2012 TOTAL LENGTH: 58.91 Miles

SOUTHEAST REGION NO	TE: Route	0001G begir	ıs at MP 299.	82 and ends a	at MP 358.73
Section Number	339.82	340.82	341.82	342.82	343.82
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	24	24	23	23
Lane Width (ft)	10	10	11	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	96	94	74	98	98
PCR (Pavement Condition Rating)	98	96	84	99	99
Distress Index Values					
Structural Crack Index	99	98	99	99	100
Transverse Cracking Index	96	97	99	98	98
Patching Index	100	94	74	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	344.82	345.82	346.82	347.82	348.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	24	25	24	23		
Lane Width (ft)	10	11	11	11	11		
Roadway Condition Information							
SCR (Surface Condition Rating)	97	85	88	87	90		
PCR (Pavement Condition Rating)	98	91	93	92	94		
Distress Index Values							
Structural Crack Index	99	97	93	97	99		
Transverse Cracking Index	97	85	88	87	90		
Patching Index	100	100	100	100	100		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299 82 and ends at MP 358 73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73							
Section Number	349.82	350.82	351.82	352.82	353.82		
Section Length (mi)	1.00	1.00	1.00	1.00	1.00		
Cross Section Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	24	23	24	23	24		
Lane Width (ft)	11	11	11	10	10		
Roadway Condition Information							
SCR (Surface Condition Rating)	92	92	91	90	89		
PCR (Pavement Condition Rating)	95	95	95	94	93		
Distress Index Values							
Structural Crack Index	100	98	99	96	100		
Transverse Cracking Index	92	92	91	90	96		
Patching Index	100	100	100	100	89		
Rutting Index	100	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100	100		




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 58.91 Miles
NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73

SOUTHEAST REGION NOTE: Route 0001G begins at MP 299.82 and ends at MP 358.73						
Section Number	354.82	355.82	356.82	357.82		
Section Length (mi)	1.00	1.00	1.00	0.91		
Cross Section Information						
Number of Lanes	2	2	2	2		
Paved Width (ft)	23	25	25	23		
Lane Width (ft)	11	11	10	11		
Roadway Condition Information						
SCR (Surface Condition Rating)	95	94	94	90		
PCR (Pavement Condition Rating)	97	96	96	94		
Distress Index Values						
Structural Crack Index	99	100	98	100		
Transverse Cracking Index	95	94	94	90		
Patching Index	97	97	100	100		
Rutting Index	100	100	100	100		
Roughness Condition Index (RCI)	100	100	100	100		




RKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 50.27 Miles
NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rout	e 0001H begi	ns at MP 358	.73 and ends	at MP 409.0
Section Number	358.73	359.73	360.73	361.73	362.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	91	94	93	91	94
PCR (Pavement Condition Rating)	95	96	96	95	96
Distress Index Values					
Structural Crack Index	100	100	100	99	100
Transverse Cracking Index	91	94	93	91	94
Patching Index	100	100	100	100	100
Rutting Index	100	100	99	100	99
Roughness Condition Index (RCI)	100	100	100	100	100




ARKWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	ite 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	363.73	364.73	365.73	366.73	367.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	97	93	94	93	93
PCR (Pavement Condition Rating)	98	96	96	96	96
Distress Index Values					
Structural Crack Index	100	99	100	100	99
Transverse Cracking Index	97	93	94	93	93
Patching Index	100	100	100	100	100
Rutting Index	99	97	99	99	96
Roughness Condition Index (RCI)	100	100	100	100	100




ARKWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	te 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	368.73	369.73	370.73	371.73	372.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	92	94	93	92	94
PCR (Pavement Condition Rating)	95	96	96	95	96
Distress Index Values					
Structural Crack Index	100	100	99	98	96
Transverse Cracking Index	92	94	93	92	94
Patching Index	100	100	100	100	100
Rutting Index	99	99	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




ARKWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	ite 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	373.73	374.73	375.73	376.73	377.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	95	95	97	94	97
PCR (Pavement Condition Rating)	97	97	98	96	98
Distress Index Values					
Structural Crack Index	100	100	100	99	100
Transverse Cracking Index	95	95	97	94	97
Patching Index	100	100	100	100	100
Rutting Index	98	98	98	99	100
Roughness Condition Index (RCI)	100	100	100	100	100




RKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 50.27 Miles
NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Route	e 0001H begi	ns at MP 358	.73 and ends	at MP 409.0
Section Number	378.73	379.73	380.73	381.73	382.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	97	97	97	95	91
PCR (Pavement Condition Rating)	98	98	98	97	95
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	97	97	97	95	91
Patching Index	100	100	100	100	100
Rutting Index	100	100	98	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




RKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 50.27 Miles
NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	ite 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	383.73	384.73	385.73	386.73	387.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	90	96	95	95	96
PCR (Pavement Condition Rating)	94	98	97	97	98
Distress Index Values					
Structural Crack Index	99	100	100	100	100
Transverse Cracking Index	90	96	95	95	96
Patching Index	100	100	100	100	100
Rutting Index	98	99	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




ARKWAY COLLECTED: 2/15/2012
TOTAL LENGTH: 50.27 Miles
NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	ite 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	388.73	389.73	390.73	391.73	392.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	30	30	30
Lane Width (ft)	10	10	10	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	97	97	96	95	94
PCR (Pavement Condition Rating)	98	98	98	97	96
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	97	97	96	95	94
Patching Index	100	100	100	100	100
Rutting Index	98	99	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



ARKWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0

SOUTHEAST REGION NO	OTE: Rou	ite 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	393.73	394.73	395.73	396.73	397.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	30	30	25	23	24
Lane Width (ft)	10	10	11	10	11
Roadway Condition Information					
SCR (Surface Condition Rating)	97	97	100	100	100
PCR (Pavement Condition Rating)	98	98	100	100	100
Distress Index Values					
Structural Crack Index	100	97	100	100	100
Transverse Cracking Index	97	97	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0001H ML MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

ARKWAY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles NOTE: Route 0001H begins at MP 358.73 and ends at MP 409.0


SOUTHEAST REGION NO	OTE: Rou	te 0001H be	egins at MP 3	58.73 and en	ds at MP 409.0
Section Number	398.73	399.73	400.73	401.73	402.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	23	23	24	24	24
Lane Width (ft)	10	11	11	10	11
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	100	100
PCR (Pavement Condition Rating)	100	100	100	100	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



ROUTE: 0001H ML MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles


SOUTHEAST REGION NO	OTE: Route	0001H begin	ns at MP 358	.73 and ends	at MP 409.0
Section Number	403.73	404.73	405.73	406.73	407.73
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	25	25	25	24
Lane Width (ft)	11	11	11	10	10
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	100	100
PCR (Pavement Condition Rating)	100	100	100	100	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



ROUTE: 0001H ML MOTOR ROAD NATR: NATCHEZ TRACE PARKWAY

AY COLLECTED: 2/15/2012 TOTAL LENGTH: 50.27 Miles


SOUTHEAST REGION NO	OTE: Route	0001H	begin	s at MP	358.73	and ends	at MP 409.0
Section Number	408.73						
Section Length (mi)	0.27						
Cross Section Information							
Number of Lanes	2						
Paved Width (ft)	25						
Lane Width (ft)	11						
Roadway Condition Information							
SCR (Surface Condition Rating)	96						
PCR (Pavement Condition Rating)	98						
Distress Index Values							
Structural Crack Index	96						
Transverse Cracking Index	99						
Patching Index	100						
Rutting Index	100						
Roughness Condition Index (RCI)	100						



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012
TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION N	OTE: Rou	te 0001I	begins at MP 4	109.0 and en	ds at MP 447.11
Section Number	409	410	411	412	413
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	24	27	25	24
Lane Width (ft)	11	10	10	11	10
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	100	100
PCR (Pavement Condition Rating)	100	100	100	100	100
Distress Index Values					
Structural Crack Index	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012

TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION NOTE: Route 0001I begins at MP 409.0 and ends at MP 447.11 Section Number 1.00 1.00 1.00 1.00 1.00 Section Length (mi) **Cross Section Information** Number of Lanes Paved Width (ft) Lane Width (ft) Roadway Condition Information SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 100 Distress Index Values Structural Crack Index


NOTES:

Transverse Cracking Index

Roughness Condition Index (RCI)

Patching Index

Rutting Index




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012

TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION NOTE: Route 0001I begins at MP 409.0 and ends at MP 447.11 Section Number 1.00 1.00 1.00 1.00 1.00 Section Length (mi) **Cross Section Information** Number of Lanes Paved Width (ft) Lane Width (ft) Roadway Condition Information SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 100 Distress Index Values Structural Crack Index Transverse Cracking Index Patching Index **Rutting Index** Roughness Condition Index (RCI)




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012

TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION N	OTE: Route	e 0001I begi	ns at MP 409	.0 and ends a	t MP 447.11
Section Number	424	425	426	427	428
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	24	24	25	25	26
Lane Width (ft)	10	11	12	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	100	100	100	100	89
PCR (Pavement Condition Rating)	100	100	100	100	93
Distress Index Values					
Structural Crack Index	100	100	100	100	89
Transverse Cracking Index	100	100	100	100	98
Patching Index	100	100	100	100	100
Rutting Index	100	100	100	100	99
Roughness Condition Index (RCI)	100	100	100	100	100




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012
TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION N	OTE: Rout	e 0001I begi	ns at MP 409	.0 and ends a	at MP 447.11
Section Number	429	430	431	432	433
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	25	28	25	29
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	84	92	93	92	83
PCR (Pavement Condition Rating)	90	95	93	95	89
Distress Index Values					
Structural Crack Index	84	92	96	98	83
Transverse Cracking Index	98	99	98	99	96
Patching Index	100	100	99	100	100
Rutting Index	98	93	93	92	97
Roughness Condition Index (RCI)	100	100	92	100	97

2/17/2012




ROUTE: 00011 LF MOTOR ROAD

NATR: NATCHEZ TRACE PARKWAY COLLECTED:

TOTAL LENGTH: 38.11 Miles SOUTHEAST REGION NOTE: Route 00011 begins at MP 409.0 and ends at MP 447.11

SOUTHEAST REGION IN	OIE. Kout	c oooii begi	13 at 1411 407	.o and chus a	11 1711 77/.11
Section Number	434	435	436	437	438
Section Length (mi)	1.00	1.00	1.00	1.00	1.00
Cross Section Information					
Number of Lanes	2	2	2	2	2
Paved Width (ft)	25	27	24	26	25
Lane Width (ft)	11	11	11	11	11
Roadway Condition Information					
SCR (Surface Condition Rating)	91	89	94	90	95
PCR (Pavement Condition Rating)	95	93	96	94	97
Distress Index Values					
Structural Crack Index	91	89	94	90	95
Transverse Cracking Index	96	97	97	94	97
Patching Index	100	100	100	100	100
Rutting Index	99	99	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100




NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012

TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION NOTE: Route 0001I begins at MP 409.0 and ends at MP 447.11 Section Number 1.00 1.00 1.00 1.00 1.00 Section Length (mi) **Cross Section Information** Number of Lanes Paved Width (ft) Lane Width (ft) Roadway Condition Information SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 98 Distress Index Values Structural Crack Index Transverse Cracking Index Patching Index **Rutting Index** Roughness Condition Index (RCI)



NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/17/2012

TOTAL LENGTH: 38.11 Miles

SOUTHEAST REGION NOTE: Route 0001I begins at MP 409.0 and ends at MP 447.11 Section Number 444 445 446 447 1.00 1.00 1.00 0.11 Section Length (mi) **Cross Section Information** 2 Number of Lanes 2 25 32 30 Paved Width (ft) 24 Lane Width (ft) 11 11 12 12 Roadway Condition Information 98 95 99 95 SCR (Surface Condition Rating) 99 PCR (Pavement Condition Rating) 99 97 91 Distress Index Values 99 95 Structural Crack Index 95 99 98 99 99 98 Transverse Cracking Index 100 Patching Index 100 100 100 99 98 99 99 **Rutting Index**

100


100

86

NOTES:

100

Roughness Condition Index (RCI)




ROUTE: 0100 NA MOTOR ROAD WESTBOUND EXIT ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.20 Miles

Section Number	0		
Section Length (mi)	0.20		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	16		
Lane Width (ft)	16		
Roadway Condition Information			
SCR (Surface Condition Rating)	95		
PCR (Pavement Condition Rating)	95		
Distress Index Values			
Structural Crack Index	95		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/13/2012

ROUTE: 0101 CH CAVE SPRING ACCESS ROAD


NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.17 Miles
Section Number	0			
Section Length (mi)	0.17			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	16			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	96			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			

NOTES:

Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.




2/13/2012

ROUTE: 0102 CH BEAR CREEK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.40 Miles
Section Number	0			
Section Length (mi)	0.40			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	78			
PCR (Pavement Condition Rating)	78			
Distress Index Values				
Structural Crack Index	78			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0103 CH COLBERT FERRY VC ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.14 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.17 Miles
Section Number	0			
Section Length (mi)	0.14			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	21			
Lane Width (ft)	10			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	96			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	96			
Roughness Condition Index (RCI)	NC			

2/13/2012



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0104 CH LAUDERDALE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: TOTAL LENGTH:

SOUTHEAST REGION		TOTAL	LENGTH:	0.19 Miles
Section Number	0			
Section Length (mi)	0.19			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	11			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	95			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	94			
Roughness Condition Index (RCI)	NC			




ROUTE: 0105 CH ROCK SPRINGS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.18 Miles

BOUTHERST REGION			BEITOIII	0110 1:11105
Section Number	0			
Section Length (mi)	0.18			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	18			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	94			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0106 CH MCGLAMERY STAND ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.15 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		IOIAL	LENGIII.	0.15 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	19			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:


2/13/2012

ROUTE: 0107 ML NAPIER MINE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION


SOUTHEAST REGION		TOTAL LENGT	H: 0.15 Miles
Section Number	0		
Section Length (mi)	0.15		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	17		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	93		
PCR (Pavement Condition Rating)	93		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	93		
Patching Index	100		
Rutting Index	97		
Roughness Condition Index (RCI)	NC		



2/8/2012

ROUTE: 0108A NA SR 61 ACCESS SOUTH A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.23 Miles
Section Number	0			
Section Length (mi)	0.23			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	18			
Lane Width (ft)	18			
Roadway Condition Information				
SCR (Surface Condition Rating)	98			
PCR (Pavement Condition Rating)	98			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



PCR Poor Fair Good Excellent No Data (0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

** If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and

ROUTE: 0108B NA SR 61 ACCESS SOUTH B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.15 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.15 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	17			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




2/8/2012

ROUTE: 0108C NA SR 61 ACCESS SOUTH C NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.16 Miles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	17			
Roadway Condition Information				
SCR (Surface Condition Rating)	100			
PCR (Pavement Condition Rating)	100			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0108D NA SR 61 ACCESS SOUTH D NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.16 Miles


SOCIALIST REGION		101111	LENGIII.	0.10 1111103
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	18			
Lane Width (ft)	18			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	99			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0108E NA SR 61 ACCESS SOUTH E NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.33 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.33 Miles
Section Number	0			
Section Length (mi)	0.33			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	17			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	96			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



(0-60) (61-84) (85-94) (95-100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


ROUTE: 0110 NA RESIDENCE ROAD (MCGEHEE ROAD)

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.12 Miles

SOCTILE IST REGION			 0.11
Section Number	0		
Section Length (mi)	0.12		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	16		
Lane Width (ft)	8		
Roadway Condition Information			
SCR (Surface Condition Rating)	94		
PCR (Pavement Condition Rating)	94		
Distress Index Values			
Structural Crack Index	94		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	97		
Roughness Condition Index (RCI)	NC		






* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas. ROUTE: 0111 NA MOUNT LOCUST HISTORICAL SITE ENTRANCE

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/8/2012 SOUTHEAST REGION TOTAL LENGTH: 0.15 Miles

SOUTHEAST REGION		IOIAL	LENGIH.	0.15 Milles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	18			
Lane Width (ft)	9			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	96			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




(0 - 60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0112 NA SR 553 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.16 Miles


SOCTILE IST REGION		10111	EE. (GIII.	OII O IVIII CO
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	84			
PCR (Pavement Condition Rating)	84			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	84			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			



2/8/2012

ROUTE: 0113 NA WALTON ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY


SOUTHEAST REGION		TOTAL	LENGTH:	0.10 Miles
Section Number	0			
Section Length (mi)	0.10			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	0			
PCR (Pavement Condition Rating)	0			
Distress Index Values				
Structural Crack Index	0			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	93			
Roughness Condition Index (RCI)	NC			



2/8/2012

ROUTE: 0114A NA SR 552 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.22 Miles
Section Number	0		
Section Length (mi)	0.22		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	26		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	92		
PCR (Pavement Condition Rating)	92		
Distress Index Values			
Structural Crack Index	92		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	97		
Roughness Condition Index (RCI)	NC		




2/8/2012

ROUTE: 0114B NA SR 552 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

COLUMN A CE DECLON

SOUTHEAST REGION		TOTAL	LENGTH:	0.21 Miles
Section Number	0			
Section Length (mi)	0.21			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	75			
PCR (Pavement Condition Rating)	75			
Distress Index Values				
Structural Crack Index	75			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	95			
Roughness Condition Index (RCI)	NC			




ROUTE: 0116 NA SR 61 ACCESS ROAD NORTH

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.18 Miles

SOCTHERS! REGION		101111	LENGIII.	0.10 Miles
Section Number	0			
Section Length (mi)	0.18			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	26			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	30			
PCR (Pavement Condition Rating)	30			
Distress Index Values				
Structural Crack Index	30			
Transverse Cracking Index	95			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/8/2012

ROUTE: 0118 PG SR 18 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION 7

SOUTHEAST REGION		TOTAL	LENGTH:	0.23 Miles
Section Number	0			
Section Length (mi)	0.23			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	99			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



(0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0120 PG MANGUM MOUND ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.54 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.54 Miles
Section Number	0			
Section Length (mi)	0.54			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	17			
Lane Width (ft)	10			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	86			




ROUTE: 0121 PG GRINDSTONE FORD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.62 Miles

		101712	LLI (GIII)	0.02 Miles
0				
0.62				
2				
18				
11				
100				
100				
100				
100				
100				
100				
100				
	0.62 2 18 11 100 100 100 100 100 100	0.62 2 18 11 100 100 100 100 100 100 100	0 0.62 2 18 11 100 100 100 100 100 100	0.62 2 18 11 100 100 100 100 100 100 100




ROUTE: 0122 PG OLD TRACE PARKWAY (WHITAKER ROAD)

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012
TOTAL LENGTH: 0.10 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		IOIAL	LENGIH.	0.10 Milles
Section Number	0			
Section Length (mi)	0.10			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	10			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	99			
Rutting Index	96			
Roughness Condition Index (RCI)	NC			




ROUTE: 0123 PG ROCKY SPRINGS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

	COLLECTED:		
SOUTHEAST REGION	TOTAL LENGTH:	1.25 Miles	

Section Number	0	1		
Section Length (mi)	1.00	0.25		
Cross Section Information				
Number of Lanes	2	1		
Paved Width (ft)	17	15		
Lane Width (ft)	11	15		
Roadway Condition Information				
SCR (Surface Condition Rating)	97	99		
PCR (Pavement Condition Rating)	94	99		
Distress Index Values				
Structural Crack Index	100	99		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	97	99		
Roughness Condition Index (RCI)	90	100		




ROUTE: 0124 PG UTICA / REGANTOWN ROAD

NATR: NATCHEZ TRACE PARKWAY

	COLLECTED:	2/9/2012
SOUTHEAST REGION	TOTAL LENGTH:	0.27 Miles

SOUTHERST REGION		 101	EEI TOTIL	0.27 1.11105
Section Number	0			
Section Length (mi)	0.27			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	98			
PCR (Pavement Condition Rating)	98			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




ROUTE: 0125 PG SR 27 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.17 Miles

Section Number	0		
Section Length (mi)	0.17		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	23		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	98		
PCR (Pavement Condition Rating)	98		
Distress Index Values			
Structural Crack Index	98		
Transverse Cracking Index	98		
Patching Index	100		
Rutting Index	98		
Roughness Condition Index (RCI)	NC		


2/9/2012



ROUTE: 0126 PG DEANS STAND ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED:

SOUTHEAST REGION		TOTAL	LENGTH:	0.26 Miles
Section Number	0			
Section Length (mi)	0.26			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	14			
Lane Width (ft)	10			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	99			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




ROUTE: 0127 PG SR 467 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.24 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION			 0.2
Section Number	0		
Section Length (mi)	0.24		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	24		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	95		
PCR (Pavement Condition Rating)	95		
Distress Index Values			
Structural Crack Index	99		
Transverse Cracking Index	95		
Patching Index	100		
Rutting Index	98		
Roughness Condition Index (RCI)	NC		




ROUTE: 0128 PG AIRPORT ROAD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.11 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		IOIAL	LENGIII.	U.II WINES
Section Number	0			
Section Length (mi)	0.11			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	99			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0129A PG I-20 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012
TOTAL LENGTH: 0.39 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		TOTAL	LENGTH:	0.39 Miles
Section Number	0			
Section Length (mi)	0.39			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	16			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	83			
PCR (Pavement Condition Rating)	83			
Distress Index Values				
Structural Crack Index	83			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0129B PG I-20 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012 SOUTHFAST REGION TOTAL LENGTH: 0.27 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


SOUTHEAST REGION		TOTAL	LENGTH:	0.27 Miles
Section Number	0			
Section Length (mi)	0.27			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	16			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	79			
PCR (Pavement Condition Rating)	79			
Distress Index Values				
Structural Crack Index	79			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



2/9/2012

ROUTE: 0129C PG I-20 ACCESS ROAD C NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION	TOTAL	LENGTH:	0.20 Miles	
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	15			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	90			
PCR (Pavement Condition Rating)	90			
Distress Index Values				
Structural Crack Index	90			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




(0 - 60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0129D PG I-20 ACCESS ROAD D NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.30 Miles

SOCTILE IST REGION		10111	LLI (GIII)	OLO O TITLLES
Section Number	0			
Section Length (mi)	0.30			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	14			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	92			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0130 RI I-55 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012

TOTAL LENGTH: 0.35 Miles

SOCTHERS! REGION		101111	LENGIII.	0.55 111105
Section Number	0			
Section Length (mi)	0.35			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	19			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	64			
PCR (Pavement Condition Rating)	64			
Distress Index Values				
Structural Crack Index	64			
Transverse Cracking Index	91			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0130A RI I-55 ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY


		CO	LLECTED:	2/9/2012
SOUTHEAST REGION		TOTAL	LENGTH:	0.35 Miles
Section Number	0			
Section Length (mi)	0.35			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	28			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	66			
PCR (Pavement Condition Rating)	66			
Distress Index Values				
Structural Crack Index	66			
Transverse Cracking Index	88			
Patching Index	100			
Rutting Index	98			
Roughness Condition Index (RCI)	NC			



ROUTE: 0130B RI I-55 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.60 Miles

Section Number	0		
Section Length (mi)	0.60		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	20		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	85		
PCR (Pavement Condition Rating)	85		
Distress Index Values			
Structural Crack Index	85		
Transverse Cracking Index	93		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/7/2012

ROUTE: 0130C RI I-55 ACCESS ROAD C

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.21 Miles
Section Number	0		
Section Length (mi)	0.21		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	17		
Lane Width (ft)	15		
Roadway Condition Information			
SCR (Surface Condition Rating)	94		
PCR (Pavement Condition Rating)	94		
Distress Index Values			
Structural Crack Index	94		
Transverse Cracking Index	94		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


ROUTE: 0130E RI I-55 ACCESS ROAD E NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.42 Miles

SOCTILE IST REGION		101111	EL. GIII	00.12 1.11165
Section Number	0			
Section Length (mi)	0.42			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	23			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	84			
PCR (Pavement Condition Rating)	84			
Distress Index Values				
Structural Crack Index	84			
Transverse Cracking Index	93			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			

2/9/2012

COLLECTED:




(0-60) (61-84) (85-94) (95-100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0130F RI I-55 ACCESS ROAD F NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION TOTAL LENGTH: 0.38 Miles Section Number Section Length (mi) 0.38 **Cross Section Information** Number of Lanes Paved Width (ft) 18 Lane Width (ft) 14 Roadway Condition Information 93 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 93 Distress Index Values 94 Structural Crack Index 93 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** Roughness Condition Index (RCI) NC

2/7/2012




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0131 RI U.S. 51 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

COLLECTED: SOUTHEAST REGION TOTAL LENGTH

SOUTHEAST REGION		IOIAL	LENGIH:	0.25 Milles
Section Number	0			
Section Length (mi)	0.25			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	90			
PCR (Pavement Condition Rating)	90			
Distress Index Values				
Structural Crack Index	90			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0132A RI OLD CANTON / AIRPORT ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.26 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

DOCTILIZADI REGION			EE, OIII	0120111100
Section Number	0			
Section Length (mi)	0.26			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	32			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	0			
PCR (Pavement Condition Rating)	0			
Distress Index Values				
Structural Crack Index	0			
Transverse Cracking Index	98			
Patching Index	95			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			




ROUTE: 0132B RI SR 123 AIRPORT ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.30 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		IOIAL	LENGIII.	0.50 Miles
Section Number	0			
Section Length (mi)	0.30			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	21			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	24			
PCR (Pavement Condition Rating)	24			
Distress Index Values				
Structural Crack Index	24			
Transverse Cracking Index	83			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




2/7/2012

ROUTE: 0133A RI SR 43 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

COLUMNE A CT DECLON


SOUTHEAST REGION		TOTAL	LENGTH:	0.21 Miles
Section Number	0			
Section Length (mi)	0.21			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	71			
PCR (Pavement Condition Rating)	71			
Distress Index Values				
Structural Crack Index	71			
Transverse Cracking Index	81			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0133B RI SR 43 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.26 Miles


200111211211211			
Section Number	0		
Section Length (mi)	0.26		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	24		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	0		
PCR (Pavement Condition Rating)	0		
Distress Index Values			
Structural Crack Index	0		
Transverse Cracking Index	85		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		



2/7/2012

ROUTE: 0134A RI SR 16 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION **TOTAL LENGTH: 0.11 Miles** Section Number Section Length (mi) 0.11 **Cross Section Information** Number of Lanes Paved Width (ft) 23 Lane Width (ft) 11 Roadway Condition Information 97 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 97 Distress Index Values Structural Crack Index 100 97 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** NC Roughness Condition Index (RCI)



2/7/2012

ROUTE: 0134B KO SR 16 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.15 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	95			
PCR (Pavement Condition Rating)	95			
Distress Index Values				
Structural Crack Index	95			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			






2/10/2012

ROUTE: 0136A KO SR 35 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.14 Miles
Section Number	0			
Section Length (mi)	0.14			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	98			
Roughness Condition Index (RCI)	NC			




2/10/2012

ROUTE: 0136B KO SR 35 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST DECION

SOUTHEAST REGION		TOTAL	LENGTH:	0.12 Miles
Section Number	0			
Section Length (mi)	0.12			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	97			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



2/10/2012

ROUTE: 0137A KO SR 12 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST DECION

SOUTHEAST REGION		TOTAL	LENGTH:	0.16 Miles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	95			
PCR (Pavement Condition Rating)	95			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	95			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC	 		




2/10/2012

ROUTE: 0137B KO SR 12 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

COLUMNIE A CT DE CLON

SOUTHEAST REGION	TOTAL LENGTH			LENGTH:	0.12 Miles
Section Number	0				
Section Length (mi)	0.12				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	25				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	94				
PCR (Pavement Condition Rating)	94				
Distress Index Values					
Structural Crack Index	97				
Transverse Cracking Index	94				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




2/10/2012

ROUTE: 0138 KO ETHYL CROSSING ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.20 Miles
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	20			
Lane Width (ft)	10			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	92			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	96			
Roughness Condition Index (RCI)	NC			




ROUTE: 0139 DA LITTLE MOUNTAIN SUMMIT ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/10/2012 TOTAL LENGTH: 0.90 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION		101111	EL. GIII	0.00 1.11100
Section Number	0			
Section Length (mi)	0.90			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	19			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	93			
PCR (Pavement Condition Rating)	93			
Distress Index Values				
Structural Crack Index	93			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			






2/10/2012

ROUTE: 0140 DA SR 9 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

COLUMN ACT DECLON

SOUTHEAST REGION		TOTAL	LENGTH:	0.10 Miles
Section Number	0			
Section Length (mi)	0.10			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	79			
PCR (Pavement Condition Rating)	79			
Distress Index Values				
Structural Crack Index	91			
Transverse Cracking Index	79			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0141A DA U.S. 82 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/10/2012 SOUTHEAST REGION TOTAL LENGTH: 0.29 Miles

SOUTHEAST REGION		IOIAL	LENGIH:	0.29 Milles
Section Number	0			
Section Length (mi)	0.29			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	76			
PCR (Pavement Condition Rating)	76			
Distress Index Values				
Structural Crack Index	89			
Transverse Cracking Index	76			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0141B DA U.S. 82 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/10/2012 SOUTHEAST REGION TOTAL LENGTH: 0.19 Miles

SOCIIIE/ISI REGION		10111	LLI (GIII)	OII) HILLES
Section Number	0			
Section Length (mi)	0.19			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	31			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	22			
PCR (Pavement Condition Rating)	22			
Distress Index Values				
Structural Crack Index	22			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	96			
Roughness Condition Index (RCI)	NC			



(0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0142 DA DANCY DISTRICT/HWY 15 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/10/2012 TOTAL LENGTH: 0.12 Miles

SOUTHERST REGION		TOTAL ELITOTIA			
Section Number	0				
Section Length (mi)	0.12				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	11				
Roadway Condition Information					
SCR (Surface Condition Rating)	0				
PCR (Pavement Condition Rating)	0				
Distress Index Values					
Structural Crack Index	0				
Transverse Cracking Index	85				
Patching Index	100				
Rutting Index	99				
Roughness Condition Index (RCI)	NC				



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/10/2012

ROUTE: 0143 DA SR 46 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.17 Miles
Section Number	0		
Section Length (mi)	0.17		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	25		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	81		
PCR (Pavement Condition Rating)	81		
Distress Index Values			
Structural Crack Index	81		
Transverse Cracking Index	82		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




2/10/2012

ROUTE: 0144 DA SR 389 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

COLUMN ACT DECION

SOUTHEAST REGION		TOTAL	LENGTH:	0.10 Miles
Section Number	0			
Section Length (mi)	0.10			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	26			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	70			
PCR (Pavement Condition Rating)	70			
Distress Index Values				
Structural Crack Index	70			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			





2/10/2012

ROUTE: 0145 DA SR 8 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.16 Miles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	86			
PCR (Pavement Condition Rating)	86			
Distress Index Values				
Structural Crack Index	86			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			






2/10/2012

ROUTE: 0146 DA SR 32 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

NAIR: NAICHEZ IRACE FARRWA

SOUTHEAST REGION TOTAL LENGTH: **0.09 Miles** Section Number 0.09 Section Length (mi) **Cross Section Information** Number of Lanes Paved Width (ft) 24 Lane Width (ft) 11 Roadway Condition Information 98 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 98 Distress Index Values Structural Crack Index 100 98 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** NC Roughness Condition Index (RCI)




ROUTE: 0147 TU DAVIS LAKE / OWL CREEK MOUND ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/10/2012 TOTAL LENGTH: 0.10 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		101711	LENGIII.	0.10 Miles
Section Number	0			
Section Length (mi)	0.10			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	23			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	87			
PCR (Pavement Condition Rating)	87			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	87			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




COLLECTED:

2/10/2012

ROUTE: 0148 TU SR 41 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.11 Miles
Section Number	0			
Section Length (mi)	0.11			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	90			
PCR (Pavement Condition Rating)	90			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	90			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			

2/10/2012




ROUTE: 0149 TU PONTOCOLA ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: TOTAL LENGTH:

SOUTHEAST REGION		TOTAL	LENGTH:	0.16 Miles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	29			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	69			
PCR (Pavement Condition Rating)	69			
Distress Index Values				
Structural Crack Index	94			
Transverse Cracking Index	69			
Patching Index	98			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0150A TU CLIFF GOOKIN BLVD ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.15 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCIIIE/ISI REGION		101111	ELI (GIII)	OTTO TITLES
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0150B TU CLIFF GOOKIN BLVD ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.15 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION		- 0 - 1 - 2	 0.11
Section Number	0		
Section Length (mi)	0.15		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	26		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	93		
PCR (Pavement Condition Rating)	93		
Distress Index Values			
Structural Crack Index	94		
Transverse Cracking Index	93		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




PCR (85 - 94)(0 - 60)(61 - 84)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/11/2012

ROUTE: 0151A TU U.S. 278 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.28 Miles	
Section Number	0				
Section Length (mi)	0.28				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	25				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	84				
PCR (Pavement Condition Rating)	84				
Distress Index Values					
Structural Crack Index	84				
Transverse Cracking Index	95				
Patching Index	100				
Rutting Index	98				
Roughness Condition Index (RCI)	NC				




COLLECTED:

2/11/2012

ROUTE: 0151B TU U.S. 278 ACCESS ROAD B **NATR: NATCHEZ TRACE PARKWAY**

SOUTHEAST REGION		TOTAL LI	ENGTH:	0.22 Miles
Section Number	0			
Section Length (mi)	0.22			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	83			
PCR (Pavement Condition Rating)	83			
Distress Index Values				
Structural Crack Index	83			
Transverse Cracking Index	89			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



ROUTE: 0152A TU MCCULLOUGH BOULEVARD ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.22 Miles


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		TOTAL LEMOTH.	U.ZZ IVIIICS
Section Number	0		
Section Length (mi)	0.22		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	23		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	92		
PCR (Pavement Condition Rating)	92		
Distress Index Values			
Structural Crack Index	99		
Transverse Cracking Index	92		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		

NOTES:

 $Structural\ Crack\ Index\ is\ a\ combination\ of\ the\ Longitudinal\ Cracking\ Index\ and\ Alligator\ Cracking\ Index.$ See Section 10 for explanation of SCR, PCR, & all Distress Index Values.





ROUTE: 0152B TU MCCULLOUGH BOULEVARD ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.19 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


SOUTHEAST REGION		10	TAL LENGTH.	0.17 Miles
Section Number	0			
Section Length (mi)	0.19			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	90			
PCR (Pavement Condition Rating)	90			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	90			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0153A TU U.S. 78 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.40 Miles


SOCTHERS! REGION		101111	LENGIII.	0.40 Miles
Section Number	0			
Section Length (mi)	0.40			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	18			
Lane Width (ft)	15			
Roadway Condition Information				
SCR (Surface Condition Rating)	90			
PCR (Pavement Condition Rating)	90			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	90			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0153B TU U.S. 78 ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

				LLECTED:	2/11/2012
SOUTHEAST REGION		T	<u>OTAI</u>	LENGTH:	0.26 Miles
Section Number	0				
Section Length (mi)	0.26				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	20				
Lane Width (ft)	16				
Roadway Condition Information					
SCR (Surface Condition Rating)	96				
PCR (Pavement Condition Rating)	96				
Distress Index Values					
Structural Crack Index	100				
Transverse Cracking Index	96				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




COLLECTED:

2/11/2012

ROUTE: 0153C TU U.S. 78 ACCESS ROAD C **NATR: NATCHEZ TRACE PARKWAY**

SOUTHEAST REGION		TOTAL	LENGTH:	0.41 Miles
Section Number	0			
Section Length (mi)	0.41			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	20			
Lane Width (ft)	15			
Roadway Condition Information				
SCR (Surface Condition Rating)	95			
PCR (Pavement Condition Rating)	95			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	95			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




2/11/2012

ROUTE: 0153D TU U.S. 78 ACCESS ROAD D NATR: NATCHEZ TRACE PARKWAY

COLUMN ACT DE CLON

SOUTHEAST REGION **TOTAL LENGTH: 0.42 Miles** Section Number Section Length (mi) 0.42 **Cross Section Information** Number of Lanes 18 Paved Width (ft) Lane Width (ft) 16 Roadway Condition Information 95 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 95 Distress Index Values Structural Crack Index 97 95 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** Roughness Condition Index (RCI) NC




COLLECTED:

2/11/2012

ROUTE: 0154A TU SR 145 ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY


SOUTHEAST REGION		TOTAL LENGTH:	0.46 Miles	
Section Number	0			
Section Length (mi)	0.46			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	96			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



2/11/2012

ROUTE: 0154B TU SR 145 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION TOTAL LENGTH: **0.40 Miles** Section Number Section Length (mi) 0.40 **Cross Section Information** Number of Lanes 25 Paved Width (ft) Lane Width (ft) 14 Roadway Condition Information 0 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 0 Distress Index Values Structural Crack Index 0 96 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** Roughness Condition Index (RCI) NC




2/11/2012

ROUTE: 0155A TU SR 363 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.15 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	51			
PCR (Pavement Condition Rating)	51			
Distress Index Values				
Structural Crack Index	51			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			

2/11/2012






ROUTE: 0155B TU SR 363 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: TOTAL LENGTH:

SOUTHEAST REGION		TOTAL	LENGTH:	0.16 Miles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	28			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	43			
PCR (Pavement Condition Rating)	43			
Distress Index Values				
Structural Crack Index	43			
Transverse Cracking Index	90			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0156 TU FRIENDSHIP ROAD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.13 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Section Number	0		
Section Length (mi)	0.13		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	25		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	68		
PCR (Pavement Condition Rating)	68		
Distress Index Values			
Structural Crack Index	68		
Transverse Cracking Index	93		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		




2/11/2012

ROUTE: 0157A TU SR 371 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

CONTENE A CT. DE CAON

SOUTHEAST REGION		TOTAL	LENGTH:	0.17 Miles
Section Number	0			
Section Length (mi)	0.17			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	28			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	67			
PCR (Pavement Condition Rating)	67			
Distress Index Values				
Structural Crack Index	67			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




COLLECTED:

2/11/2012

ROUTE: 0157B TU SR 371 ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION	TOTAL LENGTH:			TH:	0.12 Miles
Section Number	0				
Section Length (mi)	0.12				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	24				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	5				
PCR (Pavement Condition Rating)	5				
Distress Index Values					
Structural Crack Index	5				
Transverse Cracking Index	93				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




ROUTE: 0158A TU SILOAM ROAD ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.16 Miles

Section Number	0		
Section Length (mi)	0.16		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	24		
Lane Width (ft)	13		
Roadway Condition Information			
SCR (Surface Condition Rating)	98		
PCR (Pavement Condition Rating)	98		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	98		
Roughness Condition Index (RCI)	NC		




2/11/2012

ROUTE: 0158B TU SILOAM ROAD ACCESS ROAD B

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.13 Miles
Section Number	0			
Section Length (mi)	0.13			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	29			
Lane Width (ft)	17			
Roadway Condition Information				
SCR (Surface Condition Rating)	65			
PCR (Pavement Condition Rating)	65			
Distress Index Values				
Structural Crack Index	65			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0159 TU BAY SPRINGS LAKE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.10 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION			 0.10 1.11100
Section Number	0		
Section Length (mi)	0.10		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	26		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	92		
PCR (Pavement Condition Rating)	92		
Distress Index Values			
Structural Crack Index	92		
Transverse Cracking Index	92		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		



(0-60) (61-84) (85-94) (95-100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/11/2012

ROUTE: 0160 CH SR 4 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

NAIR: NAICHEZ IRACE FARRWAI

SOUTHEAST REGION TOTAL LENGTH: **0.16 Miles** Section Number Section Length (mi) 0.16 **Cross Section Information** Number of Lanes Paved Width (ft) 26 Lane Width (ft) 12 Roadway Condition Information 0 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 0 Distress Index Values Structural Crack Index 95 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** Roughness Condition Index (RCI) NC




COLLECTED:

2/13/2012

ROUTE: 0161A CH SR 25 ACCESS ROAD A **NATR: NATCHEZ TRACE PARKWAY**

SOUTHEAST REGION		TOTAL	TOTAL LENGTH:		
Section Number	0				
Section Length (mi)	0.17				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	25				
Lane Width (ft)	11				
Roadway Condition Information					
SCR (Surface Condition Rating)	95				
PCR (Pavement Condition Rating)	95				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	95				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




2/13/2012

ROUTE: 0161B CH SR 25 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.20 Miles
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



ROUTE: 0162 CH TISHOMINGO STATE PARK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012
TOTAL LENGTH: 0.52 Miles


SOUTHEAST REGION		IOIAL	LENGIH.	0.32 Willes
Section Number	0			
Section Length (mi)	0.52			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	21			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	89			
PCR (Pavement Condition Rating)	68			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	99			
Rutting Index	89			
Roughness Condition Index (RCI)	36			



2/13/2012

ROUTE: 0163 CH SR 30 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION TOTAL LENGTH: **0.26 Miles** Section Number Section Length (mi) 0.26 **Cross Section Information** Number of Lanes Paved Width (ft) 24 Lane Width (ft) 12 Roadway Condition Information 88 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 88 Distress Index Values Structural Crack Index 88 99 Transverse Cracking Index 100 Patching Index 100 **Rutting Index** Roughness Condition Index (RCI) NC



(0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0164 CH COLBERT CR 1 ACCESS ROAD (MAUD ROAD)

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.14 Miles


SOUTHEAST REGION		IOIALL	EINGIII.	U.I T IVIIICS
Section Number	0			
Section Length (mi)	0.14			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	98			
PCR (Pavement Condition Rating)	98			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



2/13/2012

ROUTE: 0165 CH U.S. 72 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.79 Miles
Section Number	0			
Section Length (mi)	0.79			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	96			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	97			




ROUTE: 0166 CH NORTH PIKE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.08 Miles

See The AST REGION		101712	LENGIII.	0.00 Miles
Section Number	0			
Section Length (mi)	0.08			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	81			
PCR (Pavement Condition Rating)	81			
Distress Index Values				
Structural Crack Index	81			
Transverse Cracking Index	89			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




ROUTE: 0167 CH COLBERT FERRY VC ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.06 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.00 Miles
Section Number	0			
Section Length (mi)	0.06			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	26			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	56			
PCR (Pavement Condition Rating)	56			
Distress Index Values				
Structural Crack Index	56			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0168 CH LAUDERDALE COUNTY 2 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012
TOTAL LENGTH: 0.16 Miles

SOUTHEAST REGION		IUIAL	LENGIH:	0.10 Milles
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	98			
Transverse Cracking Index	96			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



2/13/2012

ROUTE: 0169 CH CR 14 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.20 Miles
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	80			
PCR (Pavement Condition Rating)	80			
Distress Index Values				
Structural Crack Index	80			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




2/13/2012

ROUTE: 0170 CH SR 20 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

NAIR: NAICHEZ IRACE FARRWAI

SOUTHEAST REGION		TOTAL LENGTH:	0.27 Miles
Section Number	0		
Section Length (mi)	0.27		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	24		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	92		
PCR (Pavement Condition Rating)	92		
Distress Index Values			
Structural Crack Index	92		
Transverse Cracking Index	94		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




COLLECTED:

2/13/2012

ROUTE: 0171 CH SR 13 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

NAIR: NAICHEZ IRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.12 Miles
Section Number	0			
Section Length (mi)	0.12			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	95			
PCR (Pavement Condition Rating)	95			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	95			
Roughness Condition Index (RCI)	NC			




ROUTE: 0172 ML COLLINWOOD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.13 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION			 0110 1.11100
Section Number	0		
Section Length (mi)	0.13		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	22		
Lane Width (ft)	10		
Roadway Condition Information			
SCR (Surface Condition Rating)	91		
PCR (Pavement Condition Rating)	91		
Distress Index Values			
Structural Crack Index	91		
Transverse Cracking Index	92		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		





2/13/2012

ROUTE: 0173A ML U.S. 64 ACCESS ROAD A **NATR: NATCHEZ TRACE PARKWAY**

SOUTHEAST REGION			TOTAL LENGTH:	0.15 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	2	1		
Paved Width (ft)	26	1		
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	93	1		
PCR (Pavement Condition Rating)	93			
Distress Index Values				
Structural Crack Index	98	1		
Transverse Cracking Index	93	1		
Patching Index	100	1		
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/13/2012

ROUTE: 0173B ML U.S. 64 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:		LENGTH:	0.18 Miles
Section Number	0				
Section Length (mi)	0.18				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	29				
Lane Width (ft)	14				
Roadway Condition Information					
SCR (Surface Condition Rating)	98				
PCR (Pavement Condition Rating)	98				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	98				
Patching Index	100				
Rutting Index	99				
Roughness Condition Index (RCI)	NC				




2/13/2012

ROUTE: 0174 ML NAPIER ROAD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION	7		TOTAL	TOTAL LENGTH:	
Section Number	0				
Section Length (mi)	0.13				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	11				
Roadway Condition Information					
SCR (Surface Condition Rating)	99				
PCR (Pavement Condition Rating)	99				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	99				
Patching Index	100				
Rutting Index	99				
Roughness Condition Index (RCI)	NC				




2/13/2012

ROUTE: 0175 ML MERIWETHER LEWIS SPUR ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION			TOTAL	LENGTH:	0.22 Miles
Section Number	0				
Section Length (mi)	0.22				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	24				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	93				
PCR (Pavement Condition Rating)	93				
Distress Index Values					
Structural Crack Index	98				
Transverse Cracking Index	93				
Patching Index	100				
Rutting Index	99				
Roughness Condition Index (RCI)	NC				




ROUTE: 0176 ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012
TOTAL LENGTH: 0.59 Miles

SOCTILE IST REGION		10111	EE. (GIII.	0.00
Section Number	0			
Section Length (mi)	0.59			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	21			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	98			
PCR (Pavement Condition Rating)	98			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	98			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



TOTAL LENGTH:

2/13/2012

0.22 Miles

ROUTE: 0177 ML SR 412 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION


Section Number	0
Section Length (mi)	0.22
Cross Section Information	
Number of Lanes	2
Paved Width (ft)	24
Lane Width (ft)	11
Roadway Condition Information	
SCR (Surface Condition Rating)	86
PCR (Pavement Condition Rating)	86
Distress Index Values	
Structural Crack Index	86
Transverse Cracking Index	88
Patching Index	100

NOTES:

Rutting Index

97 NC

Roughness Condition Index (RCI)



(0 - 60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0178 ML DEVILS BACKBONE STATE PARK ENTRANCE

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.08 Miles


SOUTHEAST REGION		TOTAL LENGTH.	0.00 Miles
Section Number	0		
Section Length (mi)	0.08		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	24		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	85		
PCR (Pavement Condition Rating)	85		
Distress Index Values			
Structural Crack Index	98		
Transverse Cracking Index	97		
Patching Index	85		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		



ROUTE: 0179 LF SR 50 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.13 Miles

Section Number	0		
Section Length (mi)	0.13		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	28		
Lane Width (ft)	13		
Roadway Condition Information			
SCR (Surface Condition Rating)	100		
PCR (Pavement Condition Rating)	100		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	100		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




(0 - 60) (61 - 84) (85 - 94) (95 - 100)

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0180 LF SR 7 ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012
TOTAL LENGTH: 0.18 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.16 Miles
Section Number	0			
Section Length (mi)	0.18			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	100			
PCR (Pavement Condition Rating)	100			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0181 LF PINEWOOD ROAD / SR 46 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.22 Miles

SOCTILE IST REGION		10111	EE. (GIII.	0.22 1.11165
Section Number	0			
Section Length (mi)	0.22			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	27			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			




2/13/2012

ROUTE: 0182 LF SR 96 ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTI		LENGTH:	0.59 Miles
Section Number	0				
Section Length (mi)	0.59				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	25				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	89				
PCR (Pavement Condition Rating)	93				
Distress Index Values					
Structural Crack Index	89				
Transverse Cracking Index	97				
Patching Index	100				
Rutting Index	99				
Roughness Condition Index (RCI)	100				




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0183A LF SR 100 ACCESS ROAD A

NATR: NATCHEZ TRACE PARKWAY

		CO	LLECTED:	2/13/2012
SOUTHEAST REGION		TOTAL	LENGTH:	0.40 Miles
Section Number	0			
Section Length (mi)	0.40			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	96			
PCR (Pavement Condition Rating)	96			
Distress Index Values				
Structural Crack Index	96			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			






2/13/2012

ROUTE: 0183B LF SR 100 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION		TOTAL	LENGTH:	0.23 Miles
Section Number	0			
Section Length (mi)	0.23			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	14			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	93			
PCR (Pavement Condition Rating)	93			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	99			
Patching Index	93			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			



ROUTE: 0183C LF I-40 ACCESS ROAD VIA MCCRORY LANE

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012
TOTAL LENGTH: 0.16 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOCTILE IST REGION			 0110 111100
Section Number	0		
Section Length (mi)	0.16		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	17		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	98		
PCR (Pavement Condition Rating)	98		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	98		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		



Excellent | No Data Fair [Good | **PCR** Poor | (0 - 60)(61 - 84)(85 - 94)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/11/2012

ROUTE: 0184 TU PALMETTO ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION			TOTAL	0.18 Miles	
Section Number	0				
Section Length (mi)	0.18				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	27				
Lane Width (ft)	14				
Roadway Condition Information					
SCR (Surface Condition Rating)	99				
PCR (Pavement Condition Rating)	99				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	99				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




ROUTE: 0185 PG SUNKEN TRACE PARKING ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012
TOTAL LENGTH: 0.16 Miles

SOUTHERST REGION		101111	EE TOTTI.	0110 1111105
Section Number	0			
Section Length (mi)	0.16			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	99			
PCR (Pavement Condition Rating)	99			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




ROUTE: 0186 NA SOUTH FORK COLES CREEK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

	COLLECTED.	2/0/2012
SOUTHEAST REGION	TOTAL LENGTH:	0.27 Miles

Section Number	0		
Section Length (mi)	0.27		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	20		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	22		
PCR (Pavement Condition Rating)	22		
Distress Index Values			
Structural Crack Index	63		
Transverse Cracking Index	22		
Patching Index	100		
Rutting Index	97		
Roughness Condition Index (RCI)	NC		




For Foor (0-60) (61-84) (85-94) (95-100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0187 NA ELIZABETH FEMALE ACADEMY ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/8/2012 TOTAL LENGTH: 0.17 Miles

		101111	LEI (GIII)	U.I / IVIIICS
0				
0.17				
1				
19				
14				
100				
100				
100				
100				
100				
100				
NC				
	0.17 1 19 14 100 100 100 100 100 100 100	0.17 1 19 14 100 100 100 100 100 100 100 100	0 0.17 1 19 14 100 100 100 100 100 100	0.17 1 19 14 100 100 100 100 100 100 100



ROUTE: 0188 RI PINEHAVEN ACCESS ROAD (CLINTON)

NATR: NATCHEZ TRACE PARKWAY


SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.12 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		TOTAL LENGTH.	U.12 IVIIICS
Section Number	0		
Section Length (mi)	0.12		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	27		
Lane Width (ft)	11		
Roadway Condition Information			
SCR (Surface Condition Rating)	92		
PCR (Pavement Condition Rating)	92		
Distress Index Values			
Structural Crack Index	92		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		

2/9/2012

COLLECTED:




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0189A RI U.S. 49 ACCESS ROAD A NATR: NATCHEZ TRACE PARKWAY

COLUMN

SOUTHEAST REGION		TOTAL	LENGTH:	0.33 Miles
Section Number	0			
Section Length (mi)	0.33			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	15			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	92			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	98			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/9/2012

ROUTE: 0189B RI U.S. 49 ACCESS ROAD B NATR: NATCHEZ TRACE PARKWAY


SOUTHEAST REGION		TOTAL	LENGTH:	0.31 Miles
Section Number	0			
Section Length (mi)	0.31			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	95			
Transverse Cracking Index	100			
Patching Index	94			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			



ROUTE: 0189C RI U.S. 49 SPUR ROAD C NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.14 Miles

		_	
Section Number	0		
Section Length (mi)	0.14		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	18		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	100		
PCR (Pavement Condition Rating)	100		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	100		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




2/9/2012

ROUTE: 0189D RI U.S. 49 ACCESS ROAD D **NATR: NATCHEZ TRACE PARKWAY**

SOUTHEAST REGION		T	OTAL LENGTH:	0.27 Miles
Section Number	0			
Section Length (mi)	0.27			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	19			
Lane Width (ft)	15			
Roadway Condition Information				
SCR (Surface Condition Rating)	93			
PCR (Pavement Condition Rating)	93			
Distress Index Values				
Structural Crack Index	94			
Transverse Cracking Index	100			
Patching Index	93			
Rutting Index	98			
Roughness Condition Index (RCI)	NC			

NOTES:


Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.



2/9/2012

ROUTE: 0189E RI U.S. 49 ACCESS ROAD E **NATR: NATCHEZ TRACE PARKWAY**


SOUTHEAST REGION TOTAL LENGTH: **0.27 Miles** Section Number Section Length (mi) 0.27 **Cross Section Information** Number of Lanes Paved Width (ft) 17 Lane Width (ft) 14 Roadway Condition Information 90 SCR (Surface Condition Rating) PCR (Pavement Condition Rating) 90 Distress Index Values Structural Crack Index 90 99 Transverse Cracking Index 100 Patching Index 99 **Rutting Index** NC Roughness Condition Index (RCI)



ROUTE: 0189F RI U.S. 49 SPUR ROAD F NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/9/2012 TOTAL LENGTH: 0.14 Miles

Section Number	0		
Section Length (mi)	0.14		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	17		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	96		
PCR (Pavement Condition Rating)	96		
Distress Index Values			
Structural Crack Index	96		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




(0 - 60)(61 - 84)(85 - 94)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0190 RI CHOCTAW AGENCY ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/9/2012 **SOUTHEAST REGION TOTAL LENGTH: 0.21 Miles**

	IOIALI	ZEINGIII.	0.21 1111103
0			
0.21			
1			
20			
14			
94			
94			
98			
94			
100			
99			
NC			
	0.21 1 20 14 94 94 94 94 90 90 90	0 0.21 1 20 14 94 94 94 100 99	0.21 1 20 14 94 94 94 100 99



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


ROUTE: 0191 RI BRASHEARS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION Section Number Section Length (mi) Cross Section Information COLLECTED: 2/7/2012 TOTAL LENGTH: 0.14 Miles 0.14 Miles

Section Length (mi)	0.14		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	15		
Lane Width (ft)	12		
Roadway Condition Information			
SCR (Surface Condition Rating)	91		
PCR (Pavement Condition Rating)	91		
Distress Index Values			
Structural Crack Index	97		
Transverse Cracking Index	91		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		






Fair [Good Excellent | No Data I **PCR** Poor (85 - 94)(0 - 60)(61 - 84)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0192 RI RESERVOIR OVERLOOK / LAKEVIEW ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/7/2012 SOUTHEAST REGION TOTAL LENGTH: 0.24 Miles

SOUTHEAST REGION		IOTAL	LENGIH:	0.24 Milles
Section Number	0			
Section Length (mi)	0.24			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	17			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	68			
PCR (Pavement Condition Rating)	68			
Distress Index Values				
Structural Crack Index	68			
Transverse Cracking Index	88			
Patching Index	100			
Rutting Index	99			
Roughness Condition Index (RCI)	NC			




ROUTE: 0193 RI BOYD MOUNDS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.18 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.16 Miles
Section Number	0			
Section Length (mi)	0.18			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	15			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	0			
PCR (Pavement Condition Rating)	0			
Distress Index Values				
Structural Crack Index	0			
Transverse Cracking Index	95			
Patching Index	98			
Rutting Index	93			
Roughness Condition Index (RCI)	NC			




ROUTE: 0194 RI WEST FLORIDA BOUNDARY ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012
TOTAL LENGTH: 0.26 Miles

SOCIIIE/ISI REGION			EE. (GIII.	0.20 1.11165
Section Number	0			
Section Length (mi)	0.26			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	16			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	43			
PCR (Pavement Condition Rating)	43			
Distress Index Values				
Structural Crack Index	43			
Transverse Cracking Index	90			
Patching Index	100			
Rutting Index	95			
Roughness Condition Index (RCI)	NC			



2/10/2012


ROUTE: 0195 DA BYNUM MOUNDS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.20 Miles
Section Number	0		
Section Length (mi)	0.20		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	18		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	66		
PCR (Pavement Condition Rating)	66		
Distress Index Values			
Structural Crack Index	66		
Transverse Cracking Index	90		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		

NOTES:

Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.




ROUTE: 0196 DA WITCH DANCE PICNIC AREA ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/10/2012 TOTAL LENGTH: 0.29 Miles

SOUTHEAST REGION		IOIME	LENGIII.	0.27 WITES
Section Number	0			
Section Length (mi)	0.29			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	17			
Lane Width (ft)	11			
Roadway Condition Information				
SCR (Surface Condition Rating)	67			
PCR (Pavement Condition Rating)	67			
Distress Index Values				
Structural Crack Index	67			
Transverse Cracking Index	96			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			



(0 - 60)(61 - 84)(85 - 94)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/13/2012

ROUTE: 0197 LF OLD TRACE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL I	LENGTH:	0.26 Miles	
Section Number	0				
Section Length (mi)	0.26				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	16				
Lane Width (ft)	14				
Roadway Condition Information					
SCR (Surface Condition Rating)	97				
PCR (Pavement Condition Rating)	97				
Distress Index Values					
Structural Crack Index	97				
Transverse Cracking Index	99				
Patching Index	100				
Rutting Index	97				
Roughness Condition Index (RCI)	NC				




ROUTE: 0198 LF GORDON HOUSE AND FERRY SITE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/13/2012 **SOUTHEAST REGION TOTAL LENGTH: 0.20 Miles**

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHEAST REGION		TOTAL LENG		0.20 Willes
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	24			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	100			
PCR (Pavement Condition Rating)	100			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0199 ML SWAN VIEW OVERLOOK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.15 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.13 Miles
Section Number	0			
Section Length (mi)	0.15			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	21			
Lane Width (ft)	16			
Roadway Condition Information				
SCR (Surface Condition Rating)	100			
PCR (Pavement Condition Rating)	100			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	100			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0202A RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA A NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012 TOTAL LENGTH: 0.20 Miles


SOCIIIE/ISI REGION		10111	LLI.	0.20 1,11165
Section Number	0			
Section Length (mi)	0.20			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	25			
Lane Width (ft)	12			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	96			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			



ROUTE: 0202B RI RIVER BEND PEARL RIVER ACCESS ROAD / RECREATION AREA B NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/7/2012
TOTAL LENGTH: 0.14 Miles

SOUTHEAST REGION			TOTAL	0.14 Miles	
Section Number	0				
Section Length (mi)	0.14				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	19				
Lane Width (ft)	10				
Roadway Condition Information					
SCR (Surface Condition Rating)	84				
PCR (Pavement Condition Rating)	84				
Distress Index Values					
Structural Crack Index	84				
Transverse Cracking Index	95				
Patching Index	100				
Rutting Index	93				
Roughness Condition Index (RCI)	NC				



ROUTE: 0205 TU CHICKASAW VILLAGE ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.29 Miles

SOUTHEAST REGION		IOIAL	LENGIII.	0.29 Miles
Section Number	0			
Section Length (mi)	0.29			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	18			
Lane Width (ft)	9			
Roadway Condition Information				
SCR (Surface Condition Rating)	94			
PCR (Pavement Condition Rating)	94			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	94			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			

2/11/2012




(85 - 94)(0 - 60)(61 - 84)(95 - 100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0206 TU OLD TOWN OVERLOOK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: COLUMNIE A CE DECION

SOUTHEAST REGION		TOTAL	LENGTH:	0.23 Miles
Section Number	0			
Section Length (mi)	0.23			
Cross Section Information				
Number of Lanes	1			
Paved Width (ft)	19			
Lane Width (ft)	14			
Roadway Condition Information				
SCR (Surface Condition Rating)	92			
PCR (Pavement Condition Rating)	92			
Distress Index Values				
Structural Crack Index	99			
Transverse Cracking Index	92			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




(0-60) (61-84) (85-94) (95-100)* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:

2/11/2012

ROUTE: 0207 TU N.E.E.D. CENTER ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.32 Miles
Section Number	0		
Section Length (mi)	0.32		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	20		
Lane Width (ft)	10		
Roadway Condition Information			
SCR (Surface Condition Rating)	30		
PCR (Pavement Condition Rating)	30		
Distress Index Values			
Structural Crack Index	30		
Transverse Cracking Index	98		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.


COLLECTED:

2/11/2012

ROUTE: 0208 TU HQ ACCESS ROAD NATR: NATCHEZ TRACE PARKWAY

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL	LENGTH:	0.31 Miles
Section Number	0			
Section Length (mi)	0.31			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	33			
Lane Width (ft)	16			
Roadway Condition Information				
SCR (Surface Condition Rating)	95			
PCR (Pavement Condition Rating)	95			
Distress Index Values				
Structural Crack Index	97			
Transverse Cracking Index	95			
Patching Index	100			
Rutting Index	100			
Roughness Condition Index (RCI)	NC			




ROUTE: 0209 TU TENN-TOM WATERWAY ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/11/2012 TOTAL LENGTH: 0.28 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Section Number	0		
Section Length (mi)	0.28		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	22		
Lane Width (ft)	16		
Roadway Condition Information			
SCR (Surface Condition Rating)	96		
PCR (Pavement Condition Rating)	96		
Distress Index Values			
Structural Crack Index	96		
Transverse Cracking Index	98		
Patching Index	100		
Rutting Index	99		
Roughness Condition Index (RCI)	NC		




ROUTE: 0210 CH COLBERT PARK MARINA ROAD

NATR: NATCHEZ TRACE PARKWAY

COLLECTED: 2/13/2012 SOUTHEAST REGION TOTAL LENGTH: 1.68 Miles

SOCTILE IST REGION			TO THE EDITO	,	100 miles
Section Number	0	1			
Section Length (mi)	1.00	0.68			
Cross Section Information					
Number of Lanes	2	2			
Paved Width (ft)	20	18			
Lane Width (ft)	10	12			
Roadway Condition Information					
SCR (Surface Condition Rating)	45	92			
PCR (Pavement Condition Rating)	45	92			
Distress Index Values					
Structural Crack Index	45	92			
Transverse Cracking Index	82	92			
Patching Index	100	100			
Rutting Index	94	97			
Roughness Condition Index (RCI)	NC	NC			




ROUTE: 0211 CH COLBERT FERRY OVERLOOK ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.56 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

Section Number	0		
Section Length (mi)	0.56		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	18		
Lane Width (ft)	10		
Roadway Condition Information			
SCR (Surface Condition Rating)	91		
PCR (Pavement Condition Rating)	91		
Distress Index Values			
Structural Crack Index	91		
Transverse Cracking Index	92		
Patching Index	100		
Rutting Index	93		
Roughness Condition Index (RCI)	NC		



2/13/2012

ROUTE: 0212 ML OLD TRACE DRIVE (SOUTH)


NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST DECION

SOUTHEAST REGION			TOTA	L LENGTH:	2.49 Miles
Section Number	0	1	2		
Section Length (mi)	1.00	1.00	0.49		
Cross Section Information					
Number of Lanes	1	1	2		
Paved Width (ft)	13	11	14		
Lane Width (ft)	13	11	9		
Roadway Condition Information					
SCR (Surface Condition Rating)	59	53	62		
PCR (Pavement Condition Rating)	59	53	62		
Distress Index Values					
Structural Crack Index	100	100	94		
Transverse Cracking Index	100	100	97		
Patching Index	100	100	100		
Rutting Index	59	53	62		
Roughness Condition Index (RCI)	NC	NC	NC		

NOTES:

Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.




ROUTE: 0213 ML METAL FORD ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.55 Miles

			 0.000
Section Number	0		
Section Length (mi)	0.55		
Cross Section Information			
Number of Lanes	2		
Paved Width (ft)	19		
Lane Width (ft)	10		
Roadway Condition Information			
SCR (Surface Condition Rating)	94		
PCR (Pavement Condition Rating)	94		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	94		
Roughness Condition Index (RCI)	NC		




2/13/2012

ROUTE: 0214 ML LITTLE SWAN ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION	TOTAL LENG				2.01 Miles
Section Number	0	1	2		
Section Length (mi)	1.00	1.00	0.01		
Cross Section Information					
Number of Lanes	2	2	1		
Paved Width (ft)	20	19	15		
Lane Width (ft)	10	10	15		
Roadway Condition Information					
SCR (Surface Condition Rating)	94	92	100		
PCR (Pavement Condition Rating)	94	92	100		
Distress Index Values					
Structural Crack Index	100	100	100		
Transverse Cracking Index	100	99	100		
Patching Index	100	100	100		
Rutting Index	94	92	100		
Roughness Condition Index (RCI)	NC	NC	NC		

NOTES:


Structural Crack Index is a combination of the Longitudinal Cracking Index and Alligator Cracking Index. See Section 10 for explanation of SCR, PCR, & all Distress Index Values.



2/13/2012

ROUTE: 0215 ML PICNIC AREA ROAD NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION	TOTAL	LENGTH:	0.41 Miles	
Section Number	0			
Section Length (mi)	0.41			
Cross Section Information				
Number of Lanes	2			
Paved Width (ft)	19			
Lane Width (ft)	13			
Roadway Condition Information				
SCR (Surface Condition Rating)	97			
PCR (Pavement Condition Rating)	97			
Distress Index Values				
Structural Crack Index	100			
Transverse Cracking Index	99			
Patching Index	100			
Rutting Index	97			
Roughness Condition Index (RCI)	NC			




2/16/2012

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0219 LF JACKSON FALLS ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION		TOTAL LENGTH:	0.29 Miles
Section Number	0		
Section Length (mi)	0.29		
Cross Section Information			
Number of Lanes	1		
Paved Width (ft)	20		
Lane Width (ft)	14		
Roadway Condition Information			
SCR (Surface Condition Rating)	99		
PCR (Pavement Condition Rating)	99		
Distress Index Values			
Structural Crack Index	100		
Transverse Cracking Index	99		
Patching Index	100		
Rutting Index	100		
Roughness Condition Index (RCI)	NC		




ROUTE: 0220 LF WATERVALLEY OVERLOOK ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/16/2012
TOTAL LENGTH: 0.50 Miles

SOUTHEAST REGION			TOTAL	LENGTH:	0.50 Miles
Section Number	0				
Section Length (mi)	0.50				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	19				
Lane Width (ft)	13				
Roadway Condition Information					
SCR (Surface Condition Rating)	100				
PCR (Pavement Condition Rating)	100				
Distress Index Values					
Structural Crack Index	100				
Transverse Cracking Index	100				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




ROUTE: 0223 LF BACKBONE OVERLOOK ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/16/2012 TOTAL LENGTH: 0.76 Miles

TOTAL ELIVORNIC WINDS					0070 1.11100
Section Number	0				
Section Length (mi)	0.76				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	23				
Lane Width (ft)	13				
Roadway Condition Information					
SCR (Surface Condition Rating)	97				
PCR (Pavement Condition Rating)	97				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	97				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				



* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

COLLECTED:


2/10/2012

ROUTE: 0224 DA JEFF BUSBY ENTRANCE ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION

SOUTHEAST REGION	ON TO			LENGTH:	0.13 Miles
Section Number	0				
Section Length (mi)	0.13				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Roadway Condition Information					
SCR (Surface Condition Rating)	24				
PCR (Pavement Condition Rating)	24				
Distress Index Values					
Structural Crack Index	24				
Transverse Cracking Index	73				
Patching Index	98				
Rutting Index	96				
Roughness Condition Index (RCI)	NC				



(0 - 60) (61 - 84) (85 - 94) (95 - 100)


* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

ROUTE: 0225 CH BUZZARD ROOST ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.15 Miles

SOUTHERST REGION WIS					OTTO TITLES
Section Number	0				
Section Length (mi)	0.15				
Cross Section Information					
Number of Lanes	1				
Paved Width (ft)	14				
Lane Width (ft)	12				
Roadway Condition Information					
SCR (Surface Condition Rating)	98				
PCR (Pavement Condition Rating)	98				
Distress Index Values					
Structural Crack Index	99				
Transverse Cracking Index	98				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				




ROUTE: 0411 DA JEFF BUSBY ADMINISTRATION ACCESS ROAD

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/10/2012 TOTAL LENGTH: 0.13 Miles

* If the PCR rating is not available for a section, the SCR rating will be displayed. See appendix for definitions and formulas.

SOUTHERST REGION					OTTO TITLES
Section Number	0				
Section Length (mi)	0.13				
Cross Section Information					
Number of Lanes	2				
Paved Width (ft)	22				
Lane Width (ft)	11				
Roadway Condition Information					
SCR (Surface Condition Rating)	100				
PCR (Pavement Condition Rating)	100				
Distress Index Values					
Structural Crack Index	100				
Transverse Cracking Index	100				
Patching Index	100				
Rutting Index	100				
Roughness Condition Index (RCI)	NC				



ROUTE: 0431 LF WILLIAMSON COUNTY ACCESS RAMP

NATR: NATCHEZ TRACE PARKWAY

SOUTHEAST REGION COLLECTED: 2/13/2012 TOTAL LENGTH: 0.19 Miles

SOUTHEAST REGION				0.17 Miles
0				
0.19				
2				
21				
10				
89				
89				
100				
100				
100				
89				
NC				
	0.19 2 21 10 89 89 100 100 100 89	0.19 2 21 10 89 89 100 100 100 89	0 0.19 2 21 10 89 89 89	0.19 2 21 10 89 89 100 100 100 89

Section 6 Manually Rated Paved Route Condition Rating Sheets



Natchez Trace Parkway



NATCHEZ TRACE PARKWAY

Route 0408

RI RIDGELAND RESIDENTIAL AREA

FROM ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.13 ON LEFT TO DEAD END

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0408	PUBLIC	12/14/2011	998	0.02	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
0	0	0	GUTTER	NO CURB	FAIR/73

^{*} Lane miles are based on 11' lane widths





Rte 1051CZ

Rte 0408

R_{te} 0405



Rte 1051BZ

Rte 1051AZ

KO KOSCIUSKO DISTRICT HEAD QUARTERS ACCESS ROAD FROM ROUTE 0001D (KO MOTOR ROAD) AT MP 161.40 ON LEFT TO ATTALA ROAD 5993

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0409	PUBLIC	12/14/2011	35,864	0.62	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
1	1	3	GUTTER	CURB	POOR/45

^{*} Lane miles are based on 11' lane widths






Rte 0136B



500

250



500

Feet

KO KOSCIUSKO RESIDENCE AREA

FROM ROUTE 0409 (KO KOSCIUSKO DISTRICT HEAD QUARTERS ACCESS ROAD) TO END

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0410	PUBLIC	12/14/2011	16,168	0.28	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	POOR/45

^{*} Lane miles are based on 11' lane widths







Rte 01368

Rte 0939

Rte 0410

Rte 0409

Rte 0001D

Rte 0136A





DA JEFF BUSBY MAINTENANCE ACCESS ROAD FROM ROUTE 0411 (DA JEFF BUSBY ADMINISTRATION ACCESS ROAD) AT MP 0.11 TO JEFF BUSBY MAINTENANCE OFFICE


Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0413	PUBLIC	12/14/2011	13,792	0.24	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
1	0	1	GUTTER	NO CURB	POOR/45

^{*} Lane miles are based on 11' lane widths





Section 7 Parking Area Condition Rating Sheets



Natchez Trace Parkway



CH BEAR CREEK MOUND PARKING

FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 311.80 ON LEFT TO ROUTE 0001G (CH MOTOR ROAD) AT MP 311.87 ON LEFT

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0985	PUBLIC	12/14/2011	12,778	0.22	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	1	0	GUTTER	CURB	GOOD/90

^{*} Lane miles are based on 11' lane widths







Rte 0985

NATCHEZ TRACE PARKWAY Route 1003ZZ

CH MCGLAMERY STAND PARKING AREAS

ADJACENT TO ROUTE 0001G (CH MOTOR ROAD) AT MP 356.85

ON LEFT AND ROUTE 0106 (CH ROCK SPRINGS ACCESS ROAD) AT MP 0.12 ON RIGHT


Summary Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1003ZZ	PUBLIC	12/14/2011	3,672	0.06	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
	- 1	94668	C 41 10 CC C 4100C1	0 111 0	
	T _F		NO CURB AND	CONCRETE	2 222

^{*} Lane miles are based on 11' lane widths

300

150





300 Feet

NATCHEZ TRACE PARKWAY Route 1003AZ

CH MCGLAMERY STAND PARKING A

FROM ROUTE 0001G (CH MOTOR ROAD) AT MP 356.80 ON LEFT TO ROUTE 0106 (CH ROCK SPRINGS ACCESS ROAD) AT MP 0.01 ON RIGHT


Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1003AZ	PUBLIC	12/14/2011	2,732	0.05	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
				NO CURB	GOOD/90

^{*} Lane miles are based on 11' lane widths







75

150

NATCHEZ TRACE PARKWAY Route 1003BZ

CH MCGLAMERY STAND PARKING B

ADJACENT TO ROUTE 0106 (CH MCGLAMERY STAND ACCESS ROAD) AT MP 0.12 ON RIGHT


Subcomponent Record


Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1003BZ	PUBLIC	12/14/2011	940	0.02	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	GOOD/90

^{*} Lane miles are based on 11' lane widths









100


NATCHEZ TRACE PARKWAY Route 1013ZZ

ML MERIWETHER LEWIS MAINTENANCE PARKING AREAS

FROM ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD) AT MP 0.16 ON LEFT TO ROUTE 0428 (ML MERIWETHER LEWIS PIKE ROAD) AT MP 0.05 ON LEFT Summary Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1013ZZ	NONPUBLIC	12/15/2011	41,099	0.71	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
N/A	N/A	N/A	N/A	N/A	SUMMARY/N/A

^{*} Lane miles are based on 11' lane widths



NATCHEZ TRACE PARKWAY Route 1013BZ

ML MERIWETHER LEWIS MAINTENANCE PARKING B

ADJACENT TO ROUTE 0427 (ML MERIWETHER LEWIS MAINTENANCE SHOP ACCESS ROAD)

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1013BZ	NONPUBLIC	12/15/2011	2,323	0.04	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
0	0	0	GUTTER	NO CURB	EXCELLENT/97

^{*} Lane miles are based on 11' lane widths



Rte 1013AZ

Rte 1013BZ

" OYS.








NATCHEZ TRACE PARKWAY Route 1020ZZ

ML LITTLE SWAN PICNIC PARKING AREAS ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) ON LEFT AND RIGHT

Summary Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1020ZZ	PUBLIC	12/14/2011	9,318	0.16	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	2	0	GUTTER	CURB	SUMMARY/97

^{*} Lane miles are based on 11' lane widths



NATCHEZ TRACE PARKWAY Route 1020AZ

ML LITTLE SWAN PICNIC PARKING A ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.92 ON RIGHT

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1020AZ	PUBLIC	12/14/2011	4,290	0.07	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	1	0	GUTTER	CURB	EXCELLENT/97

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY Route 1020BZ

ML LITTLE SWAN PICNIC PARKING B

ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.91 ON LEFT

Subcomponent Record


Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1020BZ	PUBLIC	12/14/2011	4,124	0.07	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	1	0	GUTTER	CURB	EXCELLENT/97

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY Route 1020CZ

ML LITTLE SWAN PICNIC PARKING C

ADJACENT TO ROUTE 0214 (ML LITTLE SWAN ROAD) AT MP 1.86 ON RIGHT

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1020CZ	PUBLIC	12/14/2011	904	0.02	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
0	0	0	GUTTER	NO CURB	EXCELLENT/97

^{*} Lane miles are based on 11' lane widths







Rte 1020AZ

Rte 0214

Rte 1020CZ



NATCHEZ TRACE PARKWAY


Route 1029

ML TOBACCO BARN PARKING

FROM ROUTE 0001H (ML MOTOR ROAD) AT MP 405.84 ON RIGHT TO ROUTE 0217 (ML OLD TRACE DRIVE)

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1029	PUBLIC	12/14/2011	19,110	0.33	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	1	0	GUTTER	CURB	GOOD/90

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY Route 1051ZZ

RI RIDGELAND MAINTENANCE OFFICE PARKING AREAS

ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) ON LEFT AND RIGHT


Summary Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1051ZZ	NONPUBLIC	12/14/2011	13,322	0.23	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	SUMMARY/45

^{*} Lane miles are based on 11' lane widths

200

100



0

200 Feet

NATCHEZ TRACE PARKWAY Route 1051AZ


RI RIDGELAND MAINTENANCE OFFICE PARKING A

ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.09 ON LEFT

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1051AZ	NONPUBLIC	12/14/2011	5,571	0.10	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	POOR/45

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY

Route 1051BZ


RI RIDGELAND MAINTENANCE OFFICE PARKING B

ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.09 ON RIGHT

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1051BZ	NONPUBLIC	12/14/2011	6,497	0.11	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	POOR/45

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY Route 1051CZ

RI RIDGELAND MAINTENANCE OFFICE PARKING C

ADJACENT TO ROUTE 0407 (RI RIDGELAND MAINTENANCE OFFICE ACCESS ROAD) AT MP 0.13 ON RIGHT

Subcomponent Record

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1051CZ	NONPUBLIC	12/14/2011	1,254	0.02	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	POOR/45

^{*} Lane miles are based on 11' lane widths









Rte 0408

Pic OAO>

NATCHEZ TRACE PARKWAY Route 1063

ML DEVILS BACKBONE TRAILHEAD PARKING

ADJACENT TO ROUTE 0178Z (ML DEVILS BACKBONE STATE PARK ENTRANCE) AT MP 0.00 ON LEFT


Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1063	PUBLIC	12/15/2011	2,016	0.04	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
0	0	0	GUTTER	CURB	FAIR/73

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY

Route 1065

TU HORSE TRAIL PARKING FROM WEST JACKSON STREET TO WEST JACKSON STREET

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1065	PUBLIC	12/14/2011	14,543	0.25	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND		
2	0	0	GUTTER	WOOD CURB	GOOD/90

^{*} Lane miles are based on 11' lane widths









NATCHEZ TRACE PARKWAY

Route 1066


ML EDUCATIONAL CENTER PARKING

FROM ROUTE 0176 (ML MERIWETHER LEWIS HWY 20 ENTRANCE ROAD) TO PARKING

Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
1066	PUBLIC	12/14/2011	31,694	0.55	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE	
2	0	0	GUTTER	CURB	EXCELLENT/97

^{*} Lane miles are based on 11' lane widths









Section 8 Route Maintenance Features Summaries



Natchez Trace Parkway



NATR: DCV ROUTE MAINTENANCE FEATURES SUMMARY

Notice: Culverts and drop inlets were NOT marked by NPS in Cycle 5 along new or re-aligned DCV driven routes.

FEATURE	ROUTE 0114B NA SR 552 ACCESS ROAD B	ROUTE 0122 PG OLD TRACE PARKWAY (WHITAKER ROAD)	ROUTE 0431 LF WILLIAMSON COUNTY ACCESS RAMP	UNIT
BRIDGE	0	0	0	EACH
CATTLE GUARD	0	0	0	EACH
CULVERT	0	0	0	EACH
CURB	380	196	0	LINEAR FEET
DROP INLET	0	0	0	EACH
GATE	0	0	1	EACH
GUARD/GUIDE RAIL	0	0	0	LINEAR FEET
CABLE	0	0	0	LINEAR FEET
NON-CABLE	0	0	0	LINEAR FEET
GUARD/GUIDE WALL	0	0	0	LINEAR FEET
BOLLARD	0	0	0	LINEAR FEET
TEMPORARY BARRIER	0	0	0	LINEAR FEET
NON TEMP/BOLLARD	0	0	0	LINEAR FEET
INTERSECTION	5	7	3	EACH
LOW WATER CROSSING	0	0	0	EACH
LOW WATER CROSSING	0	0	0	LINEAR FEET
MILE MARKER	0	0	0	EACH
OVERPASS	0	0	0	EACH
PARK BOUNDARY	0	2	0	EACH
PAVED DITCH	42	0	0	LINEAR FEET
PULLOUT	0	0	0	EACH
PULLOUT	0	0	0	LINEAR FEET
RAILROAD CROSSING	0	0	0	EACH
RETAINING WALL	0	0	0	EACH
RETAINING WALL	0	0	0	LINEAR FEET
SIGN	14	5	4	EACH
STATE BOUNDARY	0	0	0	EACH
TRAFFIC LIGHT	0	0	0	EACH
TUNNEL	0	0	0	EACH
TUNNEL	0	0	0	LINEAR FEET

STRUCTURE LIST

This park is classified as a large park. Therefore, in Cycle 5, BIP-Structures were inventoried only if they were located along routes that were modified or previously uncollected by RIP, so this report does not provide an all-inclusive listing of all BIP-Structures in the park.

Data Collected 02/2012

Section 9 Route Maintenance Features Road Logs



Natchez Trace Parkway



NATR: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0114B: NA SR 552 ACCESS ROAD B

Notice: Culverts and drop inlets were NOT marked by NPS nor inventoried by RIP in Cycle 5 on any new or re-aligned DCV driven routes. Therefore no culverts or drop inlets are reported in Section 9, unless a culvert has a BIP structure number attached to it.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000	ROUTE BEGIN	N/A	FROM ROUTE 0001A (NA MOTOR ROAD) AT MP 31.00 ON LEFT
0.000	0.000	INTERSECTION	RIGHT	ROUTE 0001A (NA MOTOR ROAD)
0.000	0.000	SIGN	N/A	GUIDE, JACKSON 67 NATCHEZ 33
0.000	0.051	CURB-AND-GUTTER	RIGHT	N/A
0.000	0.000	INTERSECTION	LEFT	ROUTE 0001A (NA MOTOR ROAD)
0.005	0.005	SIGN	LEFT	REGULATORY, STOP
0.007	0.015	PAVED DITCH	LEFT	N/A
0.112	0.112	SIGN	RIGHT	WARNING, STOP AHEAD
0.119	0.119	SIGN	LEFT	WARNING, STOP AHEAD
0.174	0.174	INTERSECTION	LEFT	PAVED SPUR
0.178	0.178	SIGN	RIGHT	GUIDE, LORMAN ALCORN
0.189	0.210	CURB-AND-GUTTER	LEFT	N/A
0.196	0.196	SIGN	LEFT	REGULATORY, ERCIAL VEHICLES PROHIBITED
0.208	0.208	SIGN	RIGHT	REGULATORY, STOP
0.210	0.210	INTERSECTION	RIGHT	PAVED ROUTE (MS STATE ROUTE 552 / NON NPS)
0.210	0.210	SIGN	N/A	GUIDE, ALCORN 5 WINDSOR RUINS 11 ROSSWOOD PLANTATION 4 LORMAN 2
0.210	0.210	SIGN	N/A	REGULATORY, 552
0.210	0.210	SIGN	N/A	REGULATORY, 61
0.210	0.210	SIGN	N/A	REGULATORY, GRAPHIC SIGN NO TEXT
0.210	0.210	SIGN	N/A	REGULATORY, GRAPHIC SIGN NO TEXT
0.210	0.210	SIGN	N/A	REGULATORY, TO
0.210	0.210	SIGN	N/A	REGULATORY, WEST
0.210	0.210	INTERSECTION	LEFT	PAVED ROUTE (MS STATE ROUTE 552 / NON NPS)
0.210	0.210	ROUTE END	N/A	TO STATE ROUTE 552 (LOWER MISSISSIPPI GREAT RIVER ROAD)

Data Collected 02/2012 9-1

NATR: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0122: PG OLD TRACE PARKWAY (WHITAKER ROAD)

<u>Notice:</u> Culverts and drop inlets were NOT marked by NPS nor inventoried by RIP in Cycle 5 on any new or re-aligned DCV driven routes. Therefore no culverts or drop inlets are reported in Section 9, unless a culvert has a BIP structure number attached to it.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000	ROUTE BEGIN	N/A	FROM EAST PARK BOUNDARY
0.000	0.000	PARK BOUNDARY	N/A	N/A
0.000	0.000	INTERSECTION	LEFT	ROUTE 0001B (PG MOTOR ROAD)
0.000	0.000	INTERSECTION	RIGHT	ROUTE 0001B (PG MOTOR ROAD)
0.000	0.000	INTERSECTION	N/A	PAVED ROUTE (WHITAKER ROAD)
0.005	0.015	CURB	LEFT	N/A
0.005	0.015	CURB	RIGHT	N/A
0.016	0.016	SIGN	RIGHT	REGULATORY, STOP
0.025	0.025	INTERSECTION	LEFT	ROUTE 0001B (PG MOTOR ROAD)
0.025	0.025	INTERSECTION	RIGHT	ROUTE 0001B (PG MOTOR ROAD)
0.025	0.025	SIGN	LEFT	REGULATORY, STOP
0.025	0.033	CURB	RIGHT	N/A
0.026	0.035	CURB	LEFT	N/A
0.085	0.085	SIGN	LEFT	WARNING, GRAPHIC SIGN NO TEXT
0.101	0.101	INTERSECTION	RIGHT	PAVED ROUTE (MISSISSIPPI STATE ROUTE 462 / NON NPS)
0.101	0.101	SIGN	RIGHT	REGULATORY, STOP
0.101	0.101	SIGN	N/A	WARNING, GRAPHIC SIGN NO TEXT
0.101	0.101	PARK BOUNDARY	N/A	N/A
0.101	0.101	INTERSECTION	LEFT	PAVED ROUTE (MISSISSIPPI STATE ROUTE 462 / NON NPS)
0.101	0.101	ROUTE END	N/A	TO BIG SAND CAMPGROUND ROAD CROSSING ROUTE 0001B AT MP 52.95

Data Collected 02/2012 9-2

NATR: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0431: LF WILLIAMSON COUNTY ACCESS RAMP

<u>Notice:</u> Culverts and drop inlets were NOT marked by NPS nor inventoried by RIP in Cycle 5 on any new or re-aligned DCV driven routes. Therefore no culverts or drop inlets are reported in Section 9, unless a culvert has a BIP structure number attached to it.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.000	0.000	ROUTE BEGIN	N/A	FROM ROUTE 0001I (LF MOTOR ROAD) AT MP 437.16 ON THE LEFT
0.000	0.000	INTERSECTION	LEFT	ROUTE 0001I (LF MOTOR ROAD)
0.000	0.000	INTERSECTION	RIGHT	ROUTE 0001I (LF MOTOR ROAD)
0.005	0.005	SIGN	LEFT	REGULATORY, STOP
0.013	0.013	GATE	N/A	N/A
0.015	0.015	SIGN	RIGHT	REGULATORY, ROAD CLOSED
0.045	0.045	SIGN	RIGHT	REGULATORY, SPEED LIMIT 20
0.152	0.152	SIGN	LEFT	REGULATORY, SPEED LIMIT 20
0.192	0.192	INTERSECTION	N/A	ROUTE 0431 (LF WILLIAMSON COUNTY ACCESS RAMP) UNPAVED SECTION
0.192	0.192	ROUTE END	N/A	TO DEAD END AT PROPOSED WILLIAMSON COUNTY PARK AT MP 0.26

Data Collected 02/2012 9-3

Section 10 Appendix



Natchez Trace Parkway



Explanation of Changes to the RIP Index Equations and Determination of PCR

In 2005, the FHWA began implementing the use of a Pavement Management System to assist the National Park Service in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Region, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA as well.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions vis a vis the distresses and indexes that comprise the Pavement Condition Rating (PCR), an extensive study was completed throughout 2010 that has resulted in changes to the Road Inventory Program condition reporting method and specifically, the calculation of PCR. It was determined that a better representation of PCR could be achieved by modifying the relative impact certain distresses would have on the overall rating.

Through the use of HPMA data, it was noted that false failure indicators existed with the existing PCR model, and that it would be necessary to reduce their impact. The distresses affected in this way were Rutting and Roughness. Conversely, experience showed that roadways with extensive cracking present were often shown to have a high PCR. Therefore, the crack index models were adjusted to be more sensitive to changes in crack severity or quantity. It was also determined that these issues were not due to a problem with data acquisition (i.e. the RIP "van"), but with the way the collected data was processed. The final change was to provide guidance on when to use the Roughness Condition Index (RCI) in the PCR calculation. Roughness data is of little value to determining overall condition on routes that, due to their length or geometrics, have lower vehicle operating speeds. Therefore, in Cycle 5, only routes that have lengths of one half mile or greater and posted speed limits of 25 mph or greater will have RCI reported and included in the PCR calculations.

The changes that were implemented were endorsed by management at both the FHWA and NPS. In order to show the effectiveness of these changes, several sites were ground truth tested to ensure that an improvement was achieved between the relationship of PCR and the actual Maintenance and Rehabilitation needs that were represented. The changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection.


Explanation of the Excellent, Good, Fair and Poor Condition Descriptions

In addition to the RIP Index changes that will be implemented in Cycle 5, we will also aim to provide greater assistance in translating good/fair/poor categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the types of treatments that should be considered now and into the future.

- Excellent/New: PCR of 95-100. Pavements in this range will require only spot repairs
- Good: PCR of 85-94. Pavements in this range will likely be candidates for Preventive Maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84. Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include single-lift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 60 or below. Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R). Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.

At this time, specific Maintenance and Rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions the year in which the data was collected. For further information or to obtain additional Pavement Management System's data from our Highway Pavement Management Application (HPMA) please contact the Eastern Federal Lands pavement team.

Condition Categories and Treatments



DESCRIPTION OF RATING SYSTEM

The Federal Highway Administration (FHWA), Road Inventory Program (RIP) for the National Park Service (NPS), collects roadway condition data on paved surfaces (asphalt, concrete, brick, and cobblestone) on roads, parkways, and parking areas in national parks nationwide. The road surface condition data is collected using an automated Data Collection Vehicle (DCV). Roads having brick or cobblestone surfacing are not normally surveyed with the DCV, but are manually rated for condition rating.

The FHWA RIP is implemented based on the premise that an accurate pavement surface condition assessment can be accomplished using automated crack detection technology as applied to digital images. Various methods of pavement condition assessment have been developed over the years with varying degrees of accuracy and acceptance. The use of digital photography to record pavement images and subsequent crack detection and classification has undergone continuous improvements over the past decade. Digital cameras with increasingly superior resolution and high definition have become more affordable, and the proprietary programming code and algorithms have been improved in crack detection software.

With the use of quality digital photography and automated crack detection software, FHWA RIP is tasked with executing a pavement condition assessment on about 5000 miles of National Park Service roads and parkways. Foremost in setting up the basis of pavement distress identification is employing the distress identification protocols used by FHWA. There is no single distress identification system that is universal among entities conducting a program of distress identification. For the purpose of the NPS RIP, FHWA employs distress identification protocols that are specific to this program.

FHWA has referenced the "Distress Identification Manual for the Long-Term Pavement Performance Program", Publication No. FHWA-RD 03-031, June 2003, as the point-of-reference for distress types on NPS pavement. In truth, the FHWA RIP distress types are similar to those described in the LTPP manual with some modifications. This document, "Distress Identification Manual for the NPS Road Inventory Program, Cycle 5, 2010-2013" was developed using the "Distress Identification Manual for the Long-Term Pavement Performance Program" as a guideline. Definitions of severity levels based on crack width contained in this document adhere to the LTPP Distress ID Manual. Modifications have been made to the definition of Alligator and Longitudinal Cracking and determination of Alligator Cracking severity. This manual also addresses Rutting and Roughness and its application to RIP.

In 2010, FHWA RIP began the fifth cycle of data collection in national parks. For Cycle 5, data will be collected in approximately 81 large parks (10 or more paved route miles) on Functional Class 1, 2, and 7 routes plus any new routes or parking areas previously not collected, totaling an estimated 4,459 paved route miles. Additionally, 168 small parks will be collected comprising approximately 529 paved route miles and associated paved parking areas. The data is used to support the National Park Service road maintenance program and Pavement Management System (PMS) developed and maintained by FHWA.

This "Distress Identification Manual for the NPS Road Inventory Program, Cycle 5, 2010-2013" will be used as a reference resource in crack detection and classification, determination of distress severity and extent, and in the calculation of distress index values for the FHWA RIP Cycle 5.

SURFACE DISTRESSES

Surface Condition Rating - SCR

Surface distresses are measured in the primary lane only. In the classification and measurement of all paved surface condition data, results will be reported in the database in record intervals of 0.02 miles (105.6 feet) (smallest granularity) along the route.

Surface distresses determined from digital images

- Transverse Cracks
- Longitudinal Cracks
- Alligator Cracks
- Patching/Potholes

Surface distress measured by DCV (Data Collection Vehicle) LRMS (Laser Rut Measuring System)

Rutting

Each of the five surface distresses is assigned a computed surface distress index

- Transverse Crack Index
- Longitudinal Crack Index
- Alligator Crack Index
- Patching/Pothole Index
- Rutting Index

Surface distress data are classified as listed above, measured for severity, and quantified for extent. Classification, severity, and extent of these five surface distresses comprise the three main elements for calculation of SCR (Surface Condition Rating).

In addition to the five surface distresses, a **Structural Crack Index** is computed, which is a combination of the Longitudinal Crack Index and the Alligator Crack Index. The Structural Crack Index is then used in lieu of the LC and AC indices to compute SCR.

Roughness Condition Index - RCI

Additional condition data measured by DCV (lasers and accelerometers)

• Roughness (IRI)

Roughness is measured by FHWA's DCV and reported as International Roughness Index (IRI) in inches/mile. Using IRI, the Roughness Condition Index (RCI) is computed.

Pavement Condition Rating - PCR

Using the SCR (computed from the five surface distresses) and the RCI, an overall Pavement Condition Rating (PCR) is computed. The formula for PCR is:

Asphalt PCR = (0.60 * SCR) + (0.40 * RCI)Concrete PCR = RCI

A detailed description of each distress index formula, roughness index formula, SCR and PCR is provided in this document beginning on page 23.

Each classified surface distress will fall into one or more severity...LOW, MEDIUM, or HIGH based on criteria listed. For each severity, an extent is established based on the measured quantity of the distress within that severity. Within each severity individual distresses are assigned a Maximum Allowable Extent (MAE). For example, LOW severity transverse cracking may be allowed up to 21.1 cracks within a 0.02 interval before it reaches MAE and fails.

The index formulas are based on a scale of 0-100. A PCR index value of 100 would indicate a "new" road with no measurable distresses or rough ride. A PCR value of 60 is determined to be *terminable serviceability* and the road is considered failed. The range of index values with condition descriptors is:

Index values are generally computed based on cumulative deducts of the measured severities. As shown in the index formulas below, as any single severity reaches or exceeds MAE, the index computes to a value of 60 or less, and the road fails for that 0.02 interval.

Note: As a result of a unique combination of measured surface distresses and IRI, index values occasionally compute to less than 0 or greater than 100. In this instance, an index value < 0 defaults to 0. Index values > 100 default to 100. For all indices, a higher value indicates a better road condition, and a lower value indicates a poorer road condition.

On the following page, Table 1 summarizes the different types of distresses measured.

TABLE 1: Distress Summary

ASPHALT-SURFACED PAVEMENT DISTRESS TYPES with RUTTING and ROUGHNESS				
DISTRESS TYPE	UNIT OF MEASURE	CONVERTED TO	DEFINED SEVERITY LEVELS?	MEASURED BY
Alligator Cracking	Square Feet	Percent of Lane Per 0.02 Mile	Yes	Digital Image Crack Detection Software
Transverse Cracking	Linear Feet	Number of Cracks Per 0.02 Mile	Yes	Digital Image Crack Detection Software
Longitudinal Cracking	Linear feet	Percent of Lane Length Per 0.02 Mile	Yes	Digital Image Crack Detection Software
Patching/Potholes	Square Feet	Percent of Lane Per 0.02 Mile	No	Digital Image Crack Detection Software
Rutting	Inches	Rut Depth Per 0.02 Mile	Yes	DCV – Laser Rut Measuring System (LRMS)
Roughness	IRI	*RCI Per 0.02 Mile	No	DCV – Lasers /Accelerometers

*Note: Roughness is measured on concrete roadways, but surface distresses and rutting are not measured. For concrete, PCR = RCI

ALLIGATOR CRACKING

Description

Alligator cracking is considered a combination of fatigue and block cracking. It is a series of interconnected cracks in various stages of development. Alligator cracking develops into a many-sided pattern that resembles chicken wire or alligator skin. It can occur anywhere in the road lane. Alligator cracking must have a quantifiable area.

Severity Levels

LOW

An area of cracks with no or very few interconnecting cracks and the cracks are not spalled. Cracks are <= 0.25 in (6mm) in mean width. Cracks in the pattern are no further apart than 1 foot (0.328 m). May be sealed cracks with sealant in good condition and a crack width that cannot be determined.

MEDIUM

An area of interconnected cracks that form a complete pattern. Cracks may be slightly spalled. Cracks are >0.25 in. (6 mm) and <=0.75 in. (19 mm) or any crack with a mean width <=19 mm and adjacent low severity cracking. Cracks in the pattern are no further apart than 6 in. (150 mm).

HIGH

An area of interconnected cracks forming a complete pattern. Cracks are moderately or severely spalled. Cracks are >0.75 in (19mm) or any crack with a mean width <= 0.75 in (19mm) and adjacent medium to high severity random cracking.

A combination of observed crack width and crack pattern is used to determine overall severity of alligator cracking. Based on above description of each severity, the highest level of crack width and crack pattern determines overall severity. Table 2 illustrates this.

TABLE 2: Alligator Crack Severity Levels

ALLIGATOR CRACKING SEVERITY LEVELS		Crack Pattern		
		LOW	MED	HIGH
	LOW	L	M	Н
ack	MED	M	M	Н
Č.	HI	Н	Н	Н

LONGITUDINAL CRACKING

Description

Longitudinal cracking occurs predominantly parallel to the pavement centerline. It can occur anywhere within the lane. Longitudinal cracks occurring in the wheelpath may be noteworthy.

Severity Levels

LOW

Cracks with a mean width of < 0.25 in. (6 mm). Sealed cracks with sealant in good condition and a width that cannot be determined.

MED

Cracks with a mean width > 0.25 in. (6 mm) and <= 0.75 in. (19 mm). Also, any crack with a mean width < 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width > 0.75 in. (19 mm). Also, any crack with a mean width < 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

TRANSVERSE CRACKING

Description

Transverse cracking occurs predominantly perpendicular to the pavement centerline. It can occur anywhere within the lane.

Severity Levels

LOW

Cracks with a mean width of < 0.25 in. (6 mm). Sealed cracks with sealant in good condition and a width that cannot be determined.

MED

Cracks with a mean width > 0.25 in. (6 mm) and <= 0.75 in. (19 mm). Also, any crack with a mean width < 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width > 0.75 in. (19 mm). Also, any crack with a mean width < 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

PATCHING AND POTHOLES

Description

Patching is an area of pavement surface that has been removed and replaced with patching material or an area of pavement surface that has had additional patching material applied. Patching may encompass partial lane or full lane width On full lane width patching; the total, contiguous length of patch may not exceed 0.30 mi. (0.48 km). (Any full-lane patch exceeding 0.30 mi. in length is considered a pavement change). Patching must have a quantifiable area.

Potholes are bowl-shaped holes of various sizes occurring in the pavement surface.

Severity Levels

There are no stratified severities for Patching/Potholes. They either are present or they are not.

RUTTING

Description

Rutting is a longitudinal surface depression in the wheelpath.

Severity Levels

LOW

Ruts with a measured depth ≥ 0.20 " and ≤ 0.49 "

MED

Ruts with a measured depth ≥ 0.50 " and ≤ 0.99 "

HIGH

Ruts with a measured depth ≥ 1.00 "

Ruts < 0.20" are not included in the distress calculations.

ROUGHNESS

Description

Roughness is the measurement of the unevenness of the pavement in the direction of travel. It is measured in units of IRI (International Roughness Index), inches per mile, and is indicative of ride comfort.

Severity Levels

There are no stratified severity levels for roughness. The roughness (or smoothness) of a road surface can be defined by IRI in the following table.

TABLE 3: IRI

IRI Descriptions	
Type of Road	Typical IRI (in/mile)
New Road, no noticeable roughness	<90
Small level of roughness	90 – 126
Road of average roughness	126 – 190
Road with above average roughness	190 – 253
Road with severe roughness	253 – 380
Nearly impassable	>380

INDEX FORMULAS

Note: All index formulas listed below contain MAE applicable to 0.02 mile (105.6 feet) interval.

Alligator Crack Index

$$AC_{INDEX} = 100 - 40 * [(\%LOW / 35) + (\%MED / 15) + (\%HI / 5)]$$

Where:

The values %LOW, %MED and %HI report the percentage of the observed pavement (0.02 mile, primary lane) that contains alligator cracking within the respective severities. These values range from 0 to 100.

%LOW = Percent of total area (primary lane, 0.02 in length), low severity %MED = Percent of total area (primary lane, 0.02 in length), medium severity %HI = Percent of total area (primary lane, 0.02 in length), high severity

Percent of total area is computed as:

square foot area of alligator crack severity
0.02 mile * lane width

In AC_INDEX, the denominators 35, 15, and 5 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 35% of low severity alligator cracking for a 0.02 interval before failure, 15% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Longitudinal Crack Index

LC INDEX =
$$100 - 40 * [(\%LOW / 175) + (\%MED / 75) + (\%HI / 25)]$$

Where:

The values %LOW, %MED, and %HI report the length of longitudinal cracking within each severity as a percent of the section length (0.02 mile, primary lane). These values are ≥ 0 and can exceed 100.

%LOW = Percent of interval length (primary lane, 0.02 in length), low severity %MED = Percent of interval length (primary lane, 0.02 in length), medium severity %HI = Percent of interval length (primary lane, 0.02 in length), high severity

Percent of interval length is computed as:

length of respective longitudinal cracking 0.02 mile (105.6 feet)

In LC_INDEX, the denominators 175, 75, and 25 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 175% of low severity alligator cracking for a 0.02 interval before failure, 75% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Structural Crack Index

SC INDEX =
$$[100 - ((100 - AC \text{ INDEX}) + (100 - LC \text{ INDEX}))]$$

Structural Crack Index is a combination of Alligator Cracking and Longitudinal Cracking, and is used in the SCR formula in lieu of AC and LC separately.

Transverse Crack Index

$$TC_INDEX = 100 - 40 * [(LOW / 21.1) + (MED / 4.4) + (HI / 2.6)]$$

Where:

The values LOW, MED and HI report a count of the total number of transverse cracks (reported to three decimals) within each severity level, where one transverse crack is equal to the lane width. These values are ≥ 0 .

LOW = Number of cracks in interval (primary lane, 0.02 in length), low severity MED = Number of cracks in interval (primary lane, 0.02 in length), medium severity HI = Number of cracks in interval (primary lane, 0.02 in length), high severity

Number of cracks is computed as:

Total length of transverse cracks

Lane width

In TC_INDEX, the denominators 21.1, 4.4, and 2.6 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 21.1 low severity transverse cracks for a 0.02 interval before failure, 4.4 cracks for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Patching Index

PATCH INDEX =
$$100 - 40 * (\%PATCHING / 80)$$

Where:

The value %PATCHING reports the percentage of the observed pavement (0.02 mile, primary lane) that contains patching/potholes. This value ranges from 0 to 100.

%PATCHING = Percent of total area (primary lane, 0.02 in length)

Percent of total area is computed as:

square foot area of patching/potholes
0.02 mile * lane width

There are no severity levels for patching. It either exists or does not.

In PATCH_INDEX, the denominator 80 is the Maximum Allowable Extent (MAE) for each severity. In other words, we will allow up to 80% patching for a 0.02 interval before failure. As you can see, if patching/potholes reaches MAE the resulting index value is 60, or failure.

Rutting Index

RUT_INDEX =
$$100 - 40 * [(\%LOW / 535) + (\%MED / 205) + (\%HI / 40)]$$

Where:

20 rut depth measurements are taken per 0.02 interval for each of 2 wheel paths (left and right), resulting in a total of 40 measurements taken for both wheel paths. *Each wheelpath is analyzed independently for rut severities*. The values %LOW, %MED and %HI are a *total percentage* of left wheelpath percentage and right wheelpath percentage added together for the respective severity. These values range from 0 to 200.

%LOW = Percent of LOW ruts in left wheelpath based on 20 ruts, plus percent of LOW ruts in right wheelpath based on 20 ruts.

%MED = Percent of MED ruts in left wheelpath based on 20 ruts, plus percent of MED ruts in right wheelpath based on 20 ruts.

%HI = Percent of HI ruts in left wheelpath based on 20 ruts, plus percent of HI ruts in right wheelpath based on 20 ruts.

Percent of rut measurements within each severity can also be computed as:

total number of ruts within each severity in both wheelpaths 20 * 100

In RUT_INDEX, the denominators 535, 205, and 40 are the Maximum Allowable Extents for each severity. In other words, the formula allows up to 535% low severity

ruts for a 0.02 interval before. However, since 200 is the highest measurable percentage allowed, 535% is unattainable and therefore, no amount of LOW severity rutting will cause the RUT_INDEX to fail a road. Similarly, since the MAE for MED severity rutting is 205, no amount of MED severity rutting will cause the RUT_INDEX to reach 60 and fail the road. As you can see, LOW severity rutting reaches MAE the resulting index value is 60, or failure. This formula was intentionally designed to minimize the impact of LOW and MED severity rutting on RUT INDEX.

Roughness Condition Index (Asphalt)

$$RCI = 32 * [5 * (2.718282 \land (-0.0041 * AVG IRI))]$$

Where:

The value AVG IRI reports the average value of the Left IRI and Right IRI measurements for the interval (0.02 mile, primary lane). This value can range from approximately 40 to 999.0.

Average IRI is computed as:

$$\frac{Left\ wheelpath\ IRI+Right\ wheelpath\ IRI}{2}$$

There is no applicable threshold for failure for this index.

Roughness Condition Index (Concrete)

$$\mathbf{RCI} = -0.0012(\mathbf{IRI}^2) + 0.0499(\mathbf{IRI}) + 99.542$$

For concrete, PCR = RCI

Surface Condition Rating Index

SCR = Lowest Index Value Of: [SC_INDEX, TC_INDEX, PATCH_INDEX, RUT INDEX]

Note: The modified SCR equation above combines AC_INDEX and LC_INDEX, and considers that a single AC/LC index value of the Structural Crack Index (SC_INDEX). The lowest of the four computed index values (SC_INDEX, TC_INDEX, PATCH_INDEX, or RUT_INDEX) becomes the SCR.

Where:

See above for determinations of SC_INDEX, TC_INDEX, PATCH_INDEX and RUT INDEX.

The threshold for failure for this index is SCR = 60.

Data Collection Vehicle Subsystems

Data on paved roads in Cycle 5 is collected by FHWA using a Pathway Services Inc. Data Collection Vehicle (DCV), called PathRunner. The DCV is driven in the primary-direction lane at posted speed limits and less.

CAMERAS

Forward-facing and rear-facing video is collected as .jpg digital imagery at a frequency of 26.4 feet.

Two forward-facing cameras are mounted above the vehicle cab, one pointed straight ahead and the other to the right shoulder providing seamless 120 degree viewing.

CAMERA SPECIFICATIONS		
Two Forward/ One Rear Facing		
Camera lens/type	FUJINON CCTV LENS H16x10B-Y41	
Focal length	10 mm – 160 mm	
Image size	8.8 mm x 6.6mm	
Image format	*.jpg	
Image resolution	HD 2000 X 1200	
Image pixel size	depends on distance	
Zoom ratio	16x	
Max Relative Aperture	1:2.5	
Iris range	F25-T800 (Equivalent to F800)	

Pavement images are created using a Laser Scan Imaging System. This system is composed of a single high resolution line-scan camera and two lasers configured to image an approximate 11-foot wide lane with 1 mm resolution.

CAMERA SPECIFICATIONS		
Pavement Line Scan		
Image size	4280 pixels/line	
Image width	4 meters (3950 mm nominal)	
Laser class	3B	
Power	250W	
Vehicle speed limitations	62 mph	
Environment	Dry pavement, day or night	
Sensor size (approx)	300 mm(H) x 375 mm(L) x 200 mm(D)	
Image frame length	26.4 feet	

DMI (Distance Measuring Instrument)

The DMI (Distance Measuring Instrument) obtains road length measurements that are accurate to 0.1% for speeds up to 60 mph. The DMI is connected to the hub of the rear wheel on the driver's side, and is calibrated to the revolutions of the rear vehicle axle on a regular basis.

ROUGHNESS (IRI)

The collection system includes a South Dakota type laser profiler manufactured based on active Class 1 ASTM E950 standards. The dynamic profile of the pavement surface is collected from which the IRI roughness data is computed. The sensors include one accelerometer on each wheelpath, one height sensor (laser) on each wheelpath, and a distance transducer.

IRI SPECIFICATIONS	
Reported IRI units	Inches/mile
Vehicle speed limitations	12-62 mph
IRI equipment certification	Texas Transportation Institute (TTI)
Wavelengths accommodated	6 in. – 300 feet
IRI computed & reported	World Bank Technical Paper Number 46
Environment	Dry pavement, day or night, above 32 degrees F
Adherence to specifications	ASTM E950-98 (2004), ASTM E 1926-08,
	AASHTO MP 11-08, AASHTO PP 49-08

RUTTING

Rutting depths are measured using an INO Laser Rut Measurement System (LRMS). This system is a transverse profiling device that detects and characterizes pavement rutting. The LRMS can acquire full 4 meter width profiles of a pavement lane at normal traffic speeds and uses two laser profilers that digitize transverse sections of the pavement.

RUTTING SPECIFICATIONS	
Reported rut depth units	Inches
Vehicle speed limitations	Up to 62 mph
Sampling rate	30-150 profiles/second
Transverse resolution	1280 points/profile
Transverse field-of-view	4 m
Depth accuracy (nominal)	+/- 1 mm
Environment	Dry pavement, day or night, above 32 degrees F
Adherence to specifications	ASTM E1703M-95 (reapproved 2005)

GPS & INERTIAL SYSTEMS

GPS is collected by an onboard system employing Omnistar real time correction and a gyroscope Inertial Measuring Unit (IMU) to provide accurate positioning data in instances of satellite obstruction. All GPS coordinates are tied to image and linear distance measurements.

GPS SPECIFICATIONS	
Static accuracy	Sub-meter
Dynamic accuracy	2-3 meters
Receiver	12 satellite tracking
Coordinate system	Lat Lon WGS 84
Environment	Day or night
Cross-slope	+- 0.1 degrees
Grade	+- 0.1 degrees

GPS on Manually Rated Roads (MRR)

Parking areas, some roads, and other paved areas that are not fully drivable with the DCV are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS backpack units.

Geodatabase - Background and Metadata

In addition to this park report, a *geodatabase* containing both tabular and spatial data specific to this park has been provided. All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer. Consolidating the RIP data into one database creates a seamless relationship of tables and geographic data. It will allow RIP to facilitate easier updates and enhancements in the future.

A geodatabase can be thought of as simply a database containing spatial data. Many different tables are contained with the park's geodatabase. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the *metadata*. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog.

GLOSSARY OF TERMS AND ABBREVIATIONS

TERM OR

<u>ABBREVIATION</u> <u>DESCRIPTION OR DEFINITION</u>

AC Alligator Cracking

CRS Condition Rating Sheets (Section 5)

DCV Data Collection Vehicle

Excellent rating with an index value of 95 to 100

Fair rating with an index value from 61 to 84

FUNCT_CLASS Functional Classification (see Route ID, Section 2)

Good Good rating with an index value from 85 to 94

IRI International Roughness Index

Lane Width Width from road centerline to fogline, or from centerline to edge-

of-pavement when no fogline exists

LC Longitudinal Cracking

MRR Manually Rated Route

MRL Manually Rated Line

MRP Manually Rated Polygon

N/A Not Applicable

NC Not Collected

PATCH Patching and Potholes

Paved Width Width from edge-of-pavement to edge-of-pavement

PCR Pavement Condition Rating

PKG Parking Area

Poor Poor rating with an index value of 0 to 60

RCI Roughness Condition Index

SC Structural Cracking

SCR Surface Condition Rating

TC Transverse Cracking