

Road Inventory and Condition Assessment



Salt River Bay National Historical Park and Ecological Preserve SARI

Cycle 5 Report

Prepared By: Federal Highway Administration Road Inventory Program (RIP) Data Collected: 05/2013 Report Date: 08/2013

Salt River Bay National Historical Park and Ecological Preserve in United States Virgin Islands






TABLE OF CONTENTS

| | SECTION | PAGE |
|-----|--|----------------------------|
| 1. | INTRODUCTION | 1 - 1 |
| 2. | PARK ROUTE INVENTORY Route IDs, Subcomponents & Changes Report (As Applicable) | 2 – 1 |
| 3. | PARK SUMMARY INFORMATION | 3 – 1 |
| 4. | PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map | 4 - 1 4 - 2 |
| 5. | PAVED ROUTE CONDITION RATING SHEETS | 5 – 1 |
| 6. | MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS MRR Pages | 6 – 1 |
| 7. | PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages | 7 – 1 |
| 8. | PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARIES | 8 – 1 |
| 9. | ROUTE MAINTENANCE FEATURES ROAD LOGS | 9 – 1 |
| 10. | APPENDIX Glossary of Terms and Abbreviations GPS on Manually Rated Routes Geodatabase Background and Metadata | 10 - 1 10 - 2 10 - 3 |

Section 1 Introduction





INTRODUCTION

The Federal Highway Administration, (FHWA), in the mid 1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on National Park Service (NPS) roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into an MOA (Memorandum Of Agreement) which established the RIP (Road Inventory Program). This MOA was terminated and revised in 1980 to establish a new MOA aiming to update RIP data and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a maintenance management program.

The FHWA completed this initial phase of the RIP in the early 1980s. As a result of this effort, each NPS site included in the study received a RIP Report known as the "Brown Book" which included the information collected during this first RIP phase.

In the 1990s, the effort was again renewed to update and maintain the RIP data. By this time the computer age was upon us and a process was employed that relied heavily on electronic data collection and computer technology. A cyclical program was developed and the RIP completed two cycles of data collection from 1994 to 2001. Cycle 1, starting in 1994, was conducted in 44 "large parks" (parks containing 10 or more paved route miles). Cycle 2 began in 1997 and comprised 79 large parks and 5 small parks totaling 4,874 paved route miles. Each of these parks received a RIP Report known as the "Blue Book". Cycle 3, from 2001 to 2004, was conducted in all parks, large and small, that contained any paved routes, including parking areas and, again, each park received a RIP Report and associated electronic files.

Cycle 4 was initiated in the spring of 2006 covering 86 large parks and several associated small parks consisting of 5,553 paved route miles and 6,232 paved parking areas. Data collection has been completed for Cycle 4 and all data has been delivered to the NPS.

In 2005, the FHWA began implementing the use of a Pavement Management System (PMS) to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions, an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method, specifically the distresses and indexes that comprise the Pavement Condition Rating (PCR). It was determined that a better representation of PCR could

be achieved by modifying the relative impact certain distresses would have on the overall rating. The changes that were implemented were endorsed by management at both the FHWA and NPS in October 2010. These changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection. Because of these changes, the PCR Condition ratings reported in Cycle 5 do not directly relate to the condition ratings reported in previous cycle RIP Reports. For more detailed information about the changes, see Section 3 and Section 10 in this RIP Report.

Cycle 5 has launched in the summer of 2010 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 5, the decision was made to collect condition data in large parks on Functional Class 1, 2, and 7 paved routes only, as well as any new routes that were previously not collected. In small parks, all paved routes and parking areas will be collected. As a result, this will include 81 large parks with 4,459 paved route miles and 231 small parks with 529 paved route miles and associated paved parking areas.

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with FLH is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6371 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3556

Section 2 Park Route Inventory





| Shadin | g Colo | r Key: Wh | nite = P | Paved Routes, DCV Driven | Yellow = Unpaved R | outes, DCV not Driven Blue | e = All Paved Parki | ng Areas | | Green = All | Unpaved | Parking Area | S | |
|-------------|--------------------|-------------|------------------|---|---|--|---------------------|----------------|-----------------------|--------------------------|----------------|--------------------------|---------------|------------|
| Red te | xt deno | tes | | aved Routes, DCV not Driv | ' | or Private non-NPS Routes | = Concess | J | | | 0 | | <u> </u> | |
| | | *Ur | • | l route data was obtained f Data Collection Vehicle | rom NPS and was not invento NC - Not Collected | oried by the Road Inventory Pro | ogram (RIP). | | C | | | | | |
| SA | | s, | | RIVER BAY NATION | AL HISTORICAL PAR | K & ECOLOGICAL PRE | SERVE | | | | | | | |
| Rte. No. | Cycle Collected | FMSS No. | Concess Route | Route Name | Route De From | escription To | Maint. District | Paved Miles | Un- Paved Miles | Total Route Length | Func. Class | Manual Rated SQ/FT | Surf. Type | Are Map |
| 0010ZZ | NC | 77344 | | SALT RIVER VISITOR STATION ACCESS ROAD AND HOMEOWNERS GATED ACCESS - WEST | FROM ROUTE 5000 (SALT RIVER BALL COURT WEST) | TO ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) AT PARK BOUNDARY AND DEAD END | N/A | 0.00 | 0.40 | 0.40 | 1 | | GR | 1 |
| 0011 | 5 | 114025 | | SALT RIVER VISITOR STATION DRIVEWAY | FROM END OF ROUTE 0010ZZ (SALT RIVER VISITOR STATION ACCESS ROAD AND HOMEOWNERS GATED ACCESS - WEST) | TO ROUTE 0900 (SALT RIVER VISITOR CONTACT STATION PARKING LOT) | N/A | 0.10 | 0.00 | 0.10 | 1 | 6,402 | со | 1 |
| 0200 | 5 | 242796 | | GRAPETREE ROAD | FROM INTERSECTION OF ROUTE 0400 (SALT RIVER PARK ACCESS ROAD - EAST) AND HAMILTON ROAD | TO BEGINNING OF ROUTE 0401 (SALT RIVER OUTPOST ROAD) | N/A | 0.13 | 0.00 | 0.13 | 4 | 6,653 | AS | 2 |
| 0201 | NC | 242386 | | SHORELINE ROAD | FROM ROUTE 5000 (SALT RIVER BALL COURT WEST) | TO END OF LOOP | N/A | 0.00 | 0.08 | 0.08 | 4 | | GR | 1 |
| 0400 | 5 | 242388 | | SALT RIVER PARK ACCESS ROAD - EAST | FROM END OF ROUTE 0200 (GRAPETREE ROAD) | TO STATE ROUTE 79 (CLAUDE A BENJAMIN MEMORIAL DRIVE) | N/A | 0.00 | 0.90 | 0.90 | 6 | 42,720 | NV | 2 |
| 0401 | NC | 104648 | | SALT RIVER OUTPOST ROAD | FROM END OF ROUTE 0200 (GRAPETREE ROAD) | TO END AT FORMER HOTEL | N/A | 0.00 | 0.32 | 0.32 | 6 | | GR | 2 |
| 0900 | 5 | 242387 | | SALT RIVER VISITOR CONTACT STATION PARKING LOT | FROM END OF ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) | TO PARKING | N/A | 0.00 | 0.00 | 0.00 | | 3,795 | GR | 1 |
| 0901 | 5 | 242794 | | SALT RIVER VISITOR CONTACT STATION PARKING OVERFLOW | FROM ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) | TO PARKING | N/A | 0.00 | 0.00 | 0.00 | | 5,678 | NV | 1 |
| 0902 | 5 | 242795 | | SALT RIVER OUT POST PARKING | FROM NEAR THE END OF ROUTE 0401 (SALT RIVER OUTPOST ROAD) | TO PARKING | N/A | 0.00 | 0.00 | 0.00 | | 6,706 | со | 2 |
| 5000 | 5 | | | SALT RIVER BALL COURT WEST | FROM ROUTE 80 (NORTH SHORE ROAD) | TO END OF LOOP | N/A | 0.45 | 0.00 | 0.45 | | 58,083 | AS | 1 |

| Road Inventory Pro | ogram 08/25/2013 | - | P Route ID Report | | Page 2 of 3 |
|----------------------------------|---|--|---|-----------------------------------|-------------|
| Shading Color Key: | White = Paved Routes, DCV Driven | ellow = Unpaved Routes, DC | V not Driven Blue = All Paved Parking Areas | Green = All Unpaved Parking Areas | |
| Red text denotes approx. mileage | Grey = Paved Routes, DCV not Driven B | ack = State, Local or Private | non-NPS Routes = Concession Route Flag ON | | |
| | *Unpaved route data was obtained from NPS a ** DCV - Data Collection Vehicle NC - No | and was not inventoried by the ot Collected | e Road Inventory Program (RIP). | | |
| CYCLE 5 | SUMMARY TOTALS FOR SA | LT RIVER BAY | NATIONAL HISTORICAL PARK 8 | & ECOLOGICAL PRES | ERVE |
| | CYCLE 5 ROUTE TOTALS | | CYCLE 5 CONCES | SION TOTALS | |
| | DCV Driven Route Mile | es 0.00 | Concess | sion Paved Route Miles | 0.00 |
| | Manually Rated Route Mile | es 0.22 | Concessio | n Unpaved Route Miles | 0.00 |
| TOTAL PAR | K ROUTE MILES COLLECTED IN CYCLE | 5 0.22 | TOTAL CONC | CESSION ROUTE MILES | 0.00 |
| | Manually Rated Routes (SQF | 0.00 | Concession Pav | ved Parking Area SQFT | 0 |
| | TOTAL UNPAVED PARK ROUTE MILE | S 2.10 | Concession Unpar | ved Parking Area SQFT | 0 |
| | | | TOTAL CONCESSION | N PARKING AREA SQFT | 0 |
| | | | Concession Manua | ally Rated Routes SQFT | 0 |
| * <u>C</u> | YCLE 5 PARKING AREA TO | TALS | CYCLE 5 WEIGHTED AVE | RAGE PARK VALUES | |
| | Paved Parking (SQF | 7,027 | | DCV Driven PCR | N/A |
| | Unpaved Parking (SQF1 |) 9,152 | **Manu | ally Rated Routes PCR | 45 |
| | TOTAL PARKING (SQF1 |) 16,179 | | **Parking PCR | 45 |
| | | | ***Total | l Equivalent Lane Miles | 0.35 |
| | | | | | |

* - The Parking Area Totals SQFT value represents all parking areas collected in Cycle 5, both park and concessionaire.

** - Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

*** - Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

| • | olor Key: | White = Paved Routes, DCV Driven | Yellow = Unpaved Routes, DCV not Driven | Blue = All Paved Parking Areas | Green = All Unpaved Parking Areas |
|-----------------------|---------------|---|---|---|---|
| ed text o oprox. m | | Grey = Paved Routes, DCV not Driven | Black = State, Local or Private non-NPS Rout | es = Concession Rout | e Flag ON |
| | | | NPS and was not inventoried by the Road Invento IC - Not Collected | pry Program (RIP). | |
| | | General Park | Road Functional Classification T | able | Surface Type Abbreviations |
| lass 1 | | | ch constitute the main access route, circulatory tour, or th Trace) are numbered 1 - 9. State Routes Inventoried for I | | AS - Asphaltic Concrete Pavement |
| ass 2 | | ark Road (Public Roads) - Roads which provide ac Is, etc. Route Numbers 100-199. | cess within a park to areas of scenic, scientific, recreation | al or cultural interest, such as overlooks | S, BR - Brick or Pavers Road Bed |
| <u>ass 3</u> | | | vide circulation within public areas, such as campgrounds, speed traffic and are often designed for one-way circulation | | CB - Cobble Stone Road Bed GR - Gravel Road Bed |
| <u>ass 4</u> | roads freque | ently have no minimum design standards and the | rculation through remote areas and/or access to primitive ir use may be limited to specially equipped vehicles. Rout ers because, historically, they were numbered similarly. | | These SA - Sand Road Bed NV - Native or Dirt Material Road Bed |
| <u>ass 5</u> | | ve Access Road (Administrative Roads) - All publ utility areas. Route Numbers 400-499. | ic roads intended for access to administrative developmen | ts or structures such as park offices, en | nployee OT - Other Materials Road Bed |
| <u>ass 6</u> | Note: Funct | tional Classes 5 and 6 have the same route num | closed to the public, including patrol roads, truck trails, and bers because historically they were numbered similarly an ee housing are often closed to the public, this restriction w | d often there is little distinction between | n |
| <u>ass 7</u> | an urban are | | cilities serve high volumes of park and non-park related trans the major parkways which serve as gateways to our nation umbers 1-9. | | |
| lass 8 | | | are usually extensions of the adjoining street system that form with accepted local engineering practice and local con | | onal Park |
| | | | a park or other unit of the NPS which are administered by rk road is not based on traffic volumes or design speed, bu | | |
| tionwide | which are des | signated by the 300 and 500 series. The number | eries for interpretive roads, and a 500 series for one-way r s for these roads will be maintained for reporting consisten 00 and 500 series will be discontinued for future use. | | |
| | | ers are assigned to Non-NPS Routes that are State Video Log only. | e, County or City owned which border, traverse, or provide | access to Park Facilities or Locations. | 5000 Routes |

| | | | NPS/R | IP Subcompor | nent Details for | - 5 | SAR | RI | | | |
|---------------------|--|--------------------|--|---|--|------------------|---------------------|----------------|-----------------------|--------------------------|--------------------------|
| Road Inv | entory P | rogra | am 08/25/2013 | (Numerical By | Subcomponent #) | | | | | F | age 1 of 1 |
| - | Color Key: | W | hite = Paved Routes, DCV Driven | Yellow = Unpaved Routes, DCV not D | riven Blue = All Paved Parking Areas | | G | reen = All Un | paved Park | ing Areas | |
| Red text approx. | t denotes mileage | Gi | rey = Paved Routes, DCV not Driven | Black = State, Local or Private non-NF | PS Routes = Concession Route | e Flag | ON | | | | |
| | | *U | Inpaved route data was obtained from NP | S and was not inventoried by the Road | Inventory Program (RIP). | | | | | | |
| S | SARI SALT RIVER BAY NATIONAL HISTORICAL PARK & ECOLOGICAL PRESERVE | | | | | | | | | | |
| Rte. No. | FMSS No. | Cycle Collected | Route Name | Route Description From To | | | | Paved Miles | Un- Paved Miles | Total Route Length | Manual Rated SQ/FT |
| 0010ZZ | 77344 | NC | SALT RIVER VISITOR STATION ACCESS ROAD AND HOMEOWNERS | FROM ROUTE 5000 (SALT RIVER BALL COURT WEST) | TO ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) AT PARK | | L Func. Class | 0.00 | 0.40 | 0.40 | |
| | | | GATED ACCESS - WEST | | BOUNDARY AND DEAD END | | | | | | |
| Rte. | FMSS | cle llected | ubcomponent Breakd | Route D | BOUNDARY AND DEAD END | oncess | inc. ass | Paved | Un- Paved | Total Route | Manual Rated |
| Rte. No. | FMSS No. | Cycle Collected | ubcomponent Breakd | Route D From | BOUNDARY AND DEAD END escription To | Concess Route | Func. Class | Miles | Paved Miles | Route Length | |
| Rte. | FMSS | Cycle Collected | ubcomponent Breakd | Route D | BOUNDARY AND DEAD END | Concess Route | Func. Class | | Paved | Route | Rated |

Section 3 Park Summary Information






Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 4</u> Park Route Location Maps





Salt River Bay National Historical Park and Ecological Preserve Route Location Map Key Map



4-1


Miles

Salt River Bay National Historical Park and Ecological Preserve Route Location Map Area 1





Salt River Bay National Historical Park and Ecological Preserve Route Location Map Area 2



4-3

Miles

<u>Section 5</u> Paved Route Condition Rating Sheets





Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 6</u> Manually Rated Paved Route Condition Rating Sheets





SALT RIVER VISITOR STATION DRIVEWAY

FROM END OF ROUTE 0010ZZ

(SALT RIVER VISITOR STATION ACCESS ROAD AND HOMEOWNERS GATED ACCESS - WEST) TO ROUTE 0900 (SALT RIVER VISITOR CONTACT STATION PARKING LOT)

| Route | Public / | | | Lane | Paved Length | Paved Width |
|----------|--------------------|---------------------|---------------|---------|---------------|---------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Miles * | (mi) | (ft) |
| 0011 | PUBLIC | 5/20/2013 | 6,402 | 0.11 | 0.10 | 12.5 |
| | | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR | Surface Type |
| | | | NO CURB AND | | | |
| 1 | 0 | 1 | GUTTER | NO CURB | POOR/45 | CO |


* Lane miles are based on 11' lane widths







240




Feet

GRAPETREE ROAD

FROM INTERSECTION OF ROUTE 0400 (SALT RIVER PARK ACCESS ROAD - EAST) AND HAMILTON ROAD TO BEGINNING OF ROUTE 0401 (SALT RIVER OUTPOST ROAD)

| Route Number | Public / NonPublic | Date Visited | Area (sq ft) | Lane Miles * | Paved Length (mi) | Paved Width (ft) |
|-----------------|-----------------------|--------------|---------------|-----------------|----------------------|------------------|
| 0200 | PUBLIC | 5/19/2013 | 6,653 | 0.12 | 0.13 | 10 |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR | Surface Type |
| | | | NO CURB AND | | | |
| 0 | 0 | 0 | GUTTER | NO CURB | POOR/45 | AS |

* Lane miles are based on 11' lane widths







400


6-2 Feet

SALT RIVER PARK ACCESS ROAD - EAST FROM END OF ROUTE 0200 (GRAPETREE ROAD) TO STATE ROUTE 79 (CLAUDE A BENJAMIN MEMORIAL DRIVE)

| Route | Public / | | | Lane | Paved Length | Paved Width |
|----------|--------------------|---------------------|---------------|---------|--------------|--------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Miles * | (mi) | (ft) |
| 0400 | NONPUBLIC | 5/19/2013 | 42,720 | 0.00 | 0.00 | 9 |
| | | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR | Surface Type |
| | | | NO CURB AND | | | |
| 0 | 0 | 2 | GUTTER | NO CURB | N/A | NV |

* Lane miles are based on 11' lane widths

NOTE: Route 0400 is a 0.90 mile long unpaved route.




SALT RIVER BALL COURT WEST FROM ROUTE 80 (NORTH SHORE ROAD)

TO END OF LOOP

| Route | Public / | | | Lane | Paved Length | Paved Width |
|----------|--------------------|---------------------|---------------|---------|--------------|--------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Miles * | (mi) | (ft) |
| 5000 | PUBLIC | 5/19/2013 | 58,083 | 1.00 | 0.45 | 24.5 |
| | | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR | Surface Type |
| | | | | | | |
| N/A | N/A | N/A | N/A | N/A | N/A | AS |

* Lane miles are based on 11' lane widths

NOTE: Because route 5000 is not owned by NPS, features and condition data were not collected.











<u>Section 7</u> Parking Area Condition Rating Sheets






SALT RIVER VISITOR CONTACT STATION PARKING LOT FROM END OF ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) TO PARKING

| Route | Public / | | | | |
|----------|--------------------|--------------|---------------|--------------|--------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Lane Miles * | Surface Type |
| 0900 | PUBLIC | 5/19/2013 | 3,795 | 0.07 | GR |
| | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR |
| | | | NO CURB AND | CONCRETE | |
| 0 | 0 | 0 | GUTTER | CURB | POOR/45 |

* Lane miles are based on 11' lane widths

NOTE: Route 0900 is predominately gravel (3,474 SQFT), but it also has a small amount of gravel covered concrete (321 SQFT), so it has been classified as unpaved gravel, while recognizing that concrete is present.






SALT RIVER VISITOR CONTACT STATION PARKING OVERFLOW FROM ROUTE 0011 (SALT RIVER VISITOR STATION DRIVEWAY) TO PARKING

| Route | Public / | | | | |
|----------|--------------------|---------------------|---------------|--------------|--------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Lane Miles * | Surface Type |
| 0901 | PUBLIC | 5/20/2013 | 5,678 | 0.10 | NV |
| | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR |
| | | | NO CURB AND | | |
| 0 | 0 | 0 | GUTTER | NO CURB | NC/NC |

* Lane miles are based on 11' lane widths

NOTE: Route 0901 is an unpaved native grass parking area.




7-2

SALT RIVER OUT POST PARKING FROM NEAR THE END OF ROUTE 0401 (SALT RIVER OUTPOST ROAD)

TO PARKING

| Route | Public / | | | | |
|----------|--------------------|---------------------|---------------|--------------|--------------|
| Number | NonPublic | Date Visited | Area (sq ft) | Lane Miles * | Surface Type |
| 0902 | NONPUBLIC | 5/20/2013 | 6,706 | 0.12 | СО |
| | | | | | |
| Culverts | Drop Inlets | Gates | Curb & Gutter | Curb | PCR |
| | | | NO CURB AND | | |
| 0 | 0 | 0 | GUTTER | NO CURB | POOR/45 |

* Lane miles are based on 11' lane widths











<u>Section 8</u> Parkwide/Route Maintenance Features Summaries





SARI: PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY

Note: There are no Data Collection Vehicle routes in this park. However, counts were made of the features listed in the table below.

| Route | | | | | |
|--------|----------|-------------|-------|---------------|--------------------|
| Number | Culverts | Drop Inlets | Gates | Curb | Curb & Gutter |
| 0011 | 1 | 0 | 1 | NO CURB | NO CURB AND GUTTER |
| 0200 | 0 | 0 | 0 | NO CURB | NO CURB AND GUTTER |
| 0400 | 0 | 0 | 2 | NO CURB | NO CURB AND GUTTER |
| 0900 | 0 | 0 | 0 | CONCRETE CURB | NO CURB AND GUTTER |
| 0901 | 0 | 0 | 0 | NO CURB | NO CURB AND GUTTER |
| 0902 | 0 | 0 | 0 | NO CURB | NO CURB AND GUTTER |
| Totals | 1 | 0 | 3 | | |

NC = Not Collected

NO = This feature does not exist

Section 9 Route Maintenance Features Road Logs





SARI: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0011: SALT RIVER VISITOR STATION DRIVEWAY

Notice: Culverts and drop inlets were marked by NPS and inventoried by RIP in Cycle 5 on all paved routes.

| FROM MILEPOST | TO MILEPOST | FEATURE | SIDE | COMMENT |
|------------------|----------------|------------------|-------|--|
| 0.000 | 0.000 | ROUTE BEGIN | N/A | FROM END OF ROUTE 0010ZZ (SALT RIVER VISITOR STATION ACCESS ROAD AND HOMEOWNERS GATED ACCESS - WEST) |
| 0.000 | 0.000 | SIGN | N/A | GUIDE, SALT RIVER BAY NATIONAL HISTORICAL PARK AND ECOLOGICAL PRESERVE |
| 0.000 | 0.000 | INTERSECTION | N/A | ROUTE 0010ZZ (SALT RIVER HOMEOWNERS ASSOCATION ROADS) |
| 0.004 | 0.004 | CULVERT | N/A | N/A |
| 0.004 | 0.009 | GUARD/GUIDE WALL | LEFT | N/A |
| 0.004 | 0.009 | GUARD/GUIDE WALL | RIGHT | N/A |
| 0.009 | 0.009 | GATE | N/A | N/A |
| 0.083 | 0.083 | INTERSECTION | RIGHT | ROUTE 0901 (SALT RIVER VISITOR CONTACT STATION PARKING OVERFLOW) |
| 0.088 | 0.097 | GUARD/GUIDE WALL | LEFT | N/A |
| 0.088 | 0.097 | GUARD/GUIDE WALL | RIGHT | N/A |
| 0.097 | 0.097 | INTERSECTION | N/A | ROUTE 0900 (SALT RIVER VISITOR CONTACT STATION PARKING LOT) |
| 0.097 | 0.097 | ROUTE END | N/A | TO ROUTE 0900 (SALT RIVER VISITOR CONTACT STATION PARKING LOT) |

SARI: ROUTE MAINTENANCE FEATURES ROAD LOG

ROUTE 0200: GRAPETREE ROAD

Notice: Culverts and drop inlets were marked by NPS and inventoried by RIP in Cycle 5 on all paved routes.

| FROM MILEPOST | TO MILEPOST | FEATURE | SIDE | COMMENT |
|------------------|----------------|------------------|-------|---|
| 0.000 | 0.000 | ROUTE BEGIN | N/A | FROM INTERSECTION OF ROUTE 0400 (SALT RIVER PARK ACCESS ROAD - EAST) AND HAMILTON ROAD |
| 0.000 | 0.000 | INTERSECTION | RIGHT | PAVED ROUTE (GRAPETREE ROAD (NON NPS SECTION)) |
| 0.000 | 0.108 | GUARD/GUIDE WALL | LEFT | N/A |
| 0.000 | 0.000 | INTERSECTION | LEFT | ROUTE 0400 (SALT RIVER PARK ACCESS ROAD - EAST) |
| 0.006 | 0.006 | SIGN | LEFT | GUIDE, GRAPETREE ROAD |
| 0.006 | 0.006 | SIGN | LEFT | GUIDE, WARNING NEIGHBORHOOD WATCH |
| 0.120 | 0.120 | SIGN | RIGHT | GUIDE, GRAPE TREE RD. |
| 0.120 | 0.120 | SIGN | RIGHT | GUIDE, Z |
| 0.120 | 0.120 | SIGN | RIGHT | GUIDE, WARNING NEIGHBORHOOD WATCH |
| 0.122 | 0.122 | INTERSECTION | RIGHT | PAVED ROUTE (GRAPETREE ROAD (NON NPS SECTION) |
| 0.126 | 0.126 | INTERSECTION | N/A | ROUTE 0401 (SALT RIVER OUTPOST ROAD) |
| 0.126 | 0.126 | ROUTE END | N/A | TO BEGINNING OF ROUTE 0401 (SALT RIVER OUTPOST ROAD) |

Section 10 Appendix





GLOSSARY OF TERMS AND ABBREVIATIONS

TERM ORABBREVIATIONDESCRIPTION OR DEFINITION

| DCV | Data Collection Vehicle |
|-------------|---|
| Excellent | Excellent rating with an index value of 97 |
| Fair | Fair rating with an index value from 73 |
| Func. Class | Functional Classification (see Route ID, Section 2) |
| Good | Good rating with an index value of 90 |
| MRR | Manually Rated Route |
| MRL | Manually Rated Line |
| MRP | Manually Rated Polygon |
| N/A | Not Applicable |
| NC | Not Collected |
| PCR | Pavement Condition Rating |
| PKG | Parking Area |
| Poor | Poor rating with an index value of 45 |
| RIP | Road Inventory Program |

GPS on Manually Rated Roads (MRR)

Parking areas, some roads, and other paved areas that are not fully drivable with the Data Collection Vehicle are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS backpack units. Paved campground pads and driveways are not typically included in the inventory or GPS.

Geodatabase - Background and Metadata

In addition to this park report, a *geodatabase* containing both tabular and spatial data specific to this park has been provided. All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer. Consolidating the RIP data into one database creates a seamless relationship of tabular and geographic data. It will allow RIP to facilitate easier updates and enhancements in the future.

A geodatabase can be thought of as simply a database containing spatial data. Many different tables are contained within the park's geodatabase. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the *metadata*. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog. The metadata portion of the geodatabase also includes data dictionary report functionality that formats the metadata into an easy to read report.