


Federal Lands Highway Road Inventory Program

Road Inventory and Condition Assessment



Timucuan Ecological & Historic Preserve TIMU

Cycle 5 Report

Prepared By: Federal Highway Administration Road Inventory Program (RIP) Data Collected: 12/2012 Report Date: 03/2013

Timucuan Ecological & Historic Preserve in Florida





TABLE OF CONTENTS

	SECTION	PAGE
1.	INTRODUCTION	1 - 1
2.	PARK ROUTE INVENTORY Route IDs, Subcomponents & Changes Report (As Applicable)	2 – 1
3.	PARK SUMMARY INFORMATION	3 – 1
4.	PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map	$4 - 1 \\ 4 - 2$
5.	PAVED ROUTE CONDITION RATING SHEETS	5 – 1
6.	MANUALLY RATED PAVED ROUTE CONDITION RATING SHEETS MRR Pages	6 – 1
7.	PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	7 – 1
8.	PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARIES	8 – 1
9.	ROUTE MAINTENANCE FEATURES ROAD LOGS	9 – 1
10.	APPENDIX Glossary of Terms and Abbreviations GPS on Manually Rated Routes Geodatabase Background and Metadata	10 - 1 10 - 2 10 - 3

Section 1 Introduction





INTRODUCTION

The Federal Highway Administration, (FHWA), in the mid 1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on National Park Service (NPS) roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into an MOA (Memorandum Of Agreement) which established the RIP (Road Inventory Program). This MOA was terminated and revised in 1980 to establish a new MOA aiming to update RIP data and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a maintenance management program.

The FHWA completed this initial phase of the RIP in the early 1980s. As a result of this effort, each NPS site included in the study received a RIP Report known as the "Brown Book" which included the information collected during this first RIP phase.

In the 1990s, the effort was again renewed to update and maintain the RIP data. By this time the computer age was upon us and a process was employed that relied heavily on electronic data collection and computer technology. A cyclical program was developed and the RIP completed two cycles of data collection from 1994 to 2001. Cycle 1, starting in 1994, was conducted in 44 "large parks" (parks containing 10 or more paved route miles). Cycle 2 began in 1997 and comprised 79 large parks and 5 small parks totaling 4,874 paved route miles. Each of these parks received a RIP Report known as the "Blue Book". Cycle 3, from 2001 to 2004, was conducted in all parks, large and small, that contained any paved routes, including parking areas and, again, each park received a RIP Report and associated electronic files.

Cycle 4 was initiated in the spring of 2006 covering 86 large parks and several associated small parks consisting of 5,553 paved route miles and 6,232 paved parking areas. Data collection has been completed for Cycle 4 and all data has been delivered to the NPS.

In 2005, the FHWA began implementing the use of a Pavement Management System (PMS) to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) and this software has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions, an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method, specifically the distresses and indexes that comprise the Pavement Condition Rating (PCR). It was determined that a better representation of PCR could

be achieved by modifying the relative impact certain distresses would have on the overall rating. The changes that were implemented were endorsed by management at both the FHWA and NPS in October 2010. These changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection. Because of these changes, the PCR Condition ratings reported in Cycle 5 do not directly relate to the condition ratings reported in previous cycle RIP Reports. For more detailed information about the changes, see Section 3 and Section 10 in this RIP Report.

Cycle 5 has launched in the summer of 2010 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 5, the decision was made to collect condition data in large parks on Functional Class 1, 2, and 7 paved routes only, as well as any new routes that were previously not collected. In small parks, all paved routes and parking areas will be collected. As a result, this will include 81 large parks with 4,459 paved route miles and 231 small parks with 529 paved route miles and associated paved parking areas.

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with FLH is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (703) 404-6371 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3556

Section 2 Park Route Inventory





		ry Program				(Numerical By Route #)								e 1 of
	ig Coloi xt deno	ites		Paved Routes, DCV Driven			e = All Paved Parking	Areas	C	Breen = All	Unpaved	Parking Area	S	
	. milea	ye *Unp ** D(aved	aved Routes, DCV not Driv I route data was obtained f Data Collection Vehicle		or Private non-NPS Routes oried by the Road Inventory Pr	ogram (RIP).	n Route F	lag ON					
<u> </u>	ML	J TIN	IUC	UAN ECOLOGICAL	& HISTORIC PRESER	?VE								
Rte. No.	Cycle Collected	FMSS No.	Concess Route	Route Name	Route De From	escription To	Maint. District	Paved Miles	Un- Paved Miles	Total Route Length	Func. Class	Manual Rated SQ/FT	Surf. Type	Are Ma
0100	NC	13251		THEODORE ROOSEVELT AREA ACCESS ROAD	FROM MOUNT PLEASANT ROAD	TO ROUTE 0901 (THEODORE ROOSEVELT AREA TRAILHEAD PARKING LOT)	THEODORE ROOSEVELT AREA	0.00	0.50	0.50	2		GR	
0300	NC	11916		KINGSLEY PLANTATION ENTRANCE ROAD	FROM PALMETTO ROAD	TO ROUTE 0900 (KINGSLEY PLANTATION PARKING LOT)	KINGSLEY PLANTATION	0.00	0.50	0.50	4		GR	
0301	NC	12939		CEDAR POINT BOAT ACCESS ROAD	FROM CEDAR POINT ROAD	TO END	KINGSLEY PLANTATION	0.00	0.30	0.30	4		GR	
0400	5	11902		HEADQUARTERS ENTRANCE ROAD	FROM MOUNT PLEASANT ROAD	TO MOUNT PLEASANT ROAD	THEODORE ROOSEVELT AREA	0.00	0.00	0.00	5	22,249	AS	1
0401	NC	12826		THOMAS CREEK ROADS	FROM PARK BOUNDARY	TO END	KINGSLEY PLANTATION	0.00	8.00	8.00	5		GR	
)402	NC	25756		SOHN PROPERTY ROADS	FROM BLACK HEMMICK ROAD	TO END	KINGSLEY PLANTATION	0.00	2.00	2.00	5		GR	
0900	NC	12819		KINGSLEY PLANTATION PARKING LOT	FROM ROUTE 0300 (KINGSLEY PLANTATION ENTRANCE ROAD)	TO ROUTE 0902 (KINGSLEY PLANTATION OVERFLOW PARKING)	KINGSLEY PLANTATION	0.00	0.00	0.00		9,842	GR	
0901	NC	89120		THEODORE ROOSEVELT AREA TRAILHEAD PARKING LOT	FROM ROUTE 0100 (THEODORE ROOSEVELT AREA ACCESS ROAD)	TO PARKING	THEODORE ROOSEVELT AREA	0.00	0.00	0.00		870	GR	
0902	NC	25709		KINGSLEY PLANTATION OVERFLOW PARKING	FROM ROUTE 0900 (KINGSLEY PLANTATION PARKING LOT)	TO PARKING	KINGSLEY PLANTATION	0.00	0.00	0.00		62,000	NV	

Road Inventory Pro	ogram 03/13/2013	5 NPS		Rou al By Route		Report		Page 2 of 3
Shading Color Key:	White = Paved Routes, DCV Driven	ellow = Unpaved Ro	outes, DCV n	not Driven	Blue = All Paved	Parking Areas	Green = All Unpaved Parking	Areas
Red text denotes approx. mileage	Grey = Paved Routes, DCV not Driven	Black = State, Local o	or Private no	n-NPS Route	es 📃 = Co	ncession Route Flag ON	-	
	*Unpaved route data was obtained from NPS ** DCV - Data Collection Vehicle NC - N	and was not invento ot Collected	ried by the R	Road Inventor	ry Program (RIP).			
	CYCLE 5 SUMMARY TOTALS FOR TIMUCUAN ECOLOGICAL & HISTORIC PRESERVE							
	CYCLE 5 ROUTE TOTALS	<u>}</u>			<u>CY(</u>	CLE 5 CONCES	SSION TOTALS	
	DCV Driven Route Mil	es	0.00			Conces	sion Paved Route Miles	0.00
Manually Rated Route Miles 0.00				Concession Unpaved Route Miles		0.00		
TOTAL PAR	K ROUTE MILES COLLECTED IN CYCLE	5	0.00			TOTAL CON	CESSION ROUTE MILES	0.00
Manually Rated Routes (SQFT) 22,249						Concession Pa	aved Parking Area SQFT	0
	TOTAL UNPAVED PARK ROUTE MIL	ES	11.30			Concession Unpa	ved Parking Area SQFT	0
						TOTAL CONCESSIO	N PARKING AREA SQFT	0
						Concession Man	ually Rated Rotes SQFT	0
* <u>CYCLE 5 PARKING AREA TOTALS</u> <u>CYCLE 5 WEIGHTED AVERAGE PARK</u>							ERAGE PARK VAL	UES
Paved Parking (SQFT) 0							DCV Driven PCR	N/A
Unpaved Parking (SQFT) 72,712						**Man	ually Rated Routes PCR	90
TOTAL PARKING (SQFT) 72,712							**Parking PCR	N/A
						***Tota	I Equivalent Lane Miles	0.38

* - The Parking Area Totals SQFT value represents **all** parking areas collected in Cycle 5, both park and concessionaire.

** - Parking and Manually Rated Routes are assigned the following PCR values based on their observed condition: Construction=-1, Excellent=97, Good=90, Fair=73, and Poor=45.

*** - Equivalent Lane Miles are calculated by route using the following equations : DCV and Manually Rated Lines Routes=(PAVE_WIDTHxPAVED_MI)/11 foot lane. Parking Areas=SQ_FEET/5280/11. Manually Rated Polygons=SQ_FEET/5280/11.

	ory Pro	gram 03/13/2013	(Numerical By Rou	te #)	Page 3 d				
Shading Col		White = Paved Routes, DCV Driven	Yellow = Unpaved Routes, DCV not Driven	Blue = All Paved Parking Areas	Green = All Unpaved Parking Areas				
Red text denotes approx. mileage		Grey = Paved Routes, DCV not Driven	Black = State, Local or Private non-NPS Rou	tes = Concession Route Flag	ON				
	0	*Unpaved route data was obtained from ** DCV - Data Collection Vehicle N							
		General Park F	Road Functional Classification	<u>Table</u>	Surface Type Abbreviations				
			ch constitute the main access route, circulatory tour, or the Trace) are numbered 1 - 9. State Routes Inventoried for		AS - Asphaltic Concrete Pavement				
		rk Road (Public Roads) - Roads which provide acts, etc. Route Numbers 100-199.	cess within a park to areas of scenic, scientific, recreation	al or cultural interest, such as overlooks,	CO - Portland Cement Concrete Pavement BR - Brick or Pavers Road Bed				
			ide circulation within public areas, such as campgrounds, speed traffic and are often designed for one-way circulat		CB - Cobble Stone Road Bed GR - Gravel Road Bed				
ro	ads frequer	k Roads (Public Roads) - Roads which provide cir ntly have no minimum design standards and thei onal Classes 3 and 4 have the same route numbe	SA - Sand Road Bed NV - Native or Dirt Material Road Bed						
		e Access Road (Administrative Roads) - All publi utility areas. Route Numbers 400-499.	OT - Other Materials Road Bed						
No th	Restricted Road (Administrative Roads) - All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Route Numbers 400-499. Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.								
ar	Urban Parkway (Urban Parkways and City Streets) - These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category. Route Numbers 1-9.								
	City Streets (Urban Parkways and City Streets) - City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions. Route Numbers 600-699.								
		n contains those roads within or giving access to a	a park or other unit of the NPS which are administered by k road is not based on traffic volumes or design speed, b						
nationwide wh	hich are des	signated by the 300 and 500 series. The numbers	ries for interpretive roads, and a 500 series for one-way s for these roads will be maintained for reporting consiste 0 and 500 series will be discontinued for future use.						
		rs are assigned to Non-NPS Routes that are State ideo Log only.	, County or City owned which border, traverse, or provid-	e access to Park Facilities or Locations. 5000 Ro	putes				

OTHER CHANGES FROM PREVIOUS INVENTORY:							
Route #	Route Name	Type of Change	Comments				
0400	HEADQUARTERS ENTRANCE ROAD	COLLECTION METHOD CHANGE	ROUTE 0400 WAS A DATA COLLECTION VEHICLE (DCV) ROUTE IN CYCLE 3. IT WAS CHANGED TO A MANUALLY RATED ROUTE IN CYCLE 5 TO CAPTURE THE SQUARE FOOTAGE OF THE THREE PULLOUT PARKING AREAS THAT ARE ADJACENT TO THE ROADWAY. THE PARK MANAGES THE PARKING AREAS AND ROADWAY TOGETHER AS ONE LOCATION IN FMSS.				

Section 3 Park Summary Information






Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 4</u> Park Route Location Maps






Timucuan Ecological & Historic Preserve Route Location Map Key Map





Timucuan Ecological & Historic Preserve Route Location Map Area 1



Unique colors used to differentiate routes



<u>Section 5</u> Paved Route Condition Rating Sheets





Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

<u>Section 6</u> Manually Rated Paved Route Condition Rating Sheets






TIMUCUAN ECOLOGICAL & HISTORIC PRESERVE Route 0400

HEADQUARTERS ENTRANCE ROAD FROM MOUNT PLEASANT ROAD TO MOUNT PLEASANT ROAD


Route	Public /				
Number	NonPublic	Date Visited	Area (sq ft)	Lane Miles *	Surface Type
0400	PUBLIC	12/6/2012	22,249	0.38	AS
Culverts	Drop Inlets	Gates	Curb & Gutter	Curb	PCR
			NO CURB AND	CONCRETE &	
0	1	2	GUTTER	WOOD CURB	GOOD/90

* Lane miles are based on 11' lane widths











<u>Section 7</u> Parking Area Condition Rating Sheets





PARKING AREA CONDITION RATING SHEETS

No data available for this section.

<u>Section 8</u> Parkwide/Route Maintenance Features Summaries





TIMU: PARKWIDE / ROUTE MAINTENANCE FEATURES SUMMARY

Note: There are no Data Collection Vehicle routes in this park. However, counts were made of the features listed in the table below.

Route		Drop			
Number	Culverts	Inlets	Gates	Curb	Curb & Gutter
0400	0	1	2	CONCRETE & WOOD CURB	NO CURB AND GUTTER
Totals	0	1	2		

NC = Not Collected

NO = This feature does not exist

Section 9 Route Maintenance Features Road Logs





Note: This park is classified as a Small Park. No Data Collection Vehicle routes existed in this park at the time of data collection. Therefore, there is no data to report for this section.

Section 10 Appendix





GLOSSARY OF TERMS AND ABBREVIATIONS

TERM ORABBREVIATIONDESCRIPTION OR DEFINITION

Excellent	Excellent rating with an index value of 97
Fair	Fair rating with an index value of 73
Func. Class	Functional Classification (see Route ID, Section 2)
Good	Good rating with an index value of 90
MRR	Manually Rated Route
MRL	Manually Rated Line
MRP	Manually Rated Polygon
N/A	Not Applicable
NC	Not Collected
PKG	Parking Area
Poor	Poor rating with an index value of 45

GPS on Manually Rated Roads (MRR)

Parking areas, some roads, and other paved areas that are not fully drivable with the RIP Data Collection Vehicle are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS backpack units.

Geodatabase - Background and Metadata

In addition to this park report, a *geodatabase* containing both tabular and spatial data specific to this park has been provided. All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer. Consolidating the RIP data into one database creates a seamless relationship of tables and geographic data. It will allow RIP to facilitate easier updates and enhancements in the future.

A geodatabase can be thought of as simply a database containing spatial data. Many different tables are contained with the park's geodatabase. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the *metadata*. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog.