

ACAD Cycle 6

Final Report

Road Inventory and Condition Assessment of Paved Routes Acadia National Park




**Federal Lands Highway
Road Inventory Program**

Prepared By:

**Federal Highway Administration
Eastern Federal Lands Highway Division
Road Inventory Program (RIP)**

Report Date: December 2021

Acadia National Park in Maine



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors



Table of Contents

SECTION	PAGE NO.
1. INTRODUCTION	1 - 1
2. PARK ROUTE INVENTORY Route ID Report, Subcomponent Report, and Changes Report (As Applicable)	2 - 1
3. PARK SUMMARY INFORMATION Parkwide Paved Route Condition Summary	3 - 1
Explanation of Condition Descriptions	3 - 2
Route-Level Condition Summary Reports for Data Collection Vehicle, Manually Rated, and Parking Area Routes (As Applicable)	3 - 3
4. PARK ROUTE LOCATION MAPS Route Location Key Map	4 - 1
Route Location Area Map(s)	4 - 2
Route Condition Key Map – PCR Mile by Mile	4 - 20
Route Condition Area Map(s) – PCR Mile by Mile	4 - 21
5. PAVED ROAD CONDITION RATING SHEETS Paved Road Pages	5 - 1
6. PAVED PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	6 - 1
7. ROAD MILEPOST INFORMATION Road Milepost Information and Logs	7 - 1
8. APPENDIX Improvements to the RIP Index Equations and Determination of PCR	8 - 1
Description of the Rating System	8 - 2
Explanation of the Condition Descriptions	8 - 3
Description of Pavement Treatment Types	8 - 4
Appendix A: Methodology for Determining Condition Ratings with the Data Collection Vehicle (DCV)	8 - 5
Appendix B: Methodology for Determining Condition Ratings Using Manual Rating Procedures	8 - 20
Appendix C: Description of Cycle 6 Deliverables	8 - 29
Appendix D: Glossary of Terms and Abbreviations	8 - 32

Section 1 Introduction



Acadia National Park



Federal Lands Highway
Road Inventory Program

Introduction

The Federal Highway Administration’s (FHWA), Road Inventory Program (RIP) inventories all roads and parking areas in the National Park System, and performs condition inspections on all paved roads and parking areas for the National Park Service (NPS). This report contains the results of the Cycle 6 condition assessment of paved roads and parking lots for this park unit. This assessment was done using an automated, state-of-the-art pavement inspection vehicle as well as manual ratings. This information represents the condition of the paved assets at the time of the inspection. The pavement management system utilized by FHWA and the NPS uses these assessments to estimate future conditions and help prioritize pavement maintenance and rehabilitation projects. Further information about RIP data and its role in managing paved roads and bridges can be obtained by contacting the NPS Regional Transportation Program Manager.

A History of the Road Inventory Program:

The FHWA, in the mid-1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on NPS roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into a Memorandum of Agreement (MOA) which established the RIP. This MOA was revised in 1980 to update RIP data collection standards and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a pavement management program.

The FHWA completed the initial phase of inventory in the early 1980s. As a result of this effort, each NPS unit included in the collection received a RIP Report known as the “Brown Book” which contained information that was inventoried during this first RIP phase. In the 1990s, a cyclical program was developed, and since then five cycles of collection have been completed. Cycle 6 is currently in progress. A summary of the RIP collection cycles is shown in the table below.

Cycle	Years	Parks Collected
Cycle 1	1994 - 1997	◦ 44 Large Parks
Cycle 2	1997 - 2001	◦ 79 Large Parks ◦ 5 Small Parks
Cycle 3	2001 - 2004	◦ All Large Parks ◦ All Small Parks
Cycle 4	2006 - 2010	◦ 86 Large Parks ◦ Several Small Parks
Cycle 5	2010 - 2014	◦ All Large Parks (Only functional class 1, 2, 7, and new/modified routes collected) ◦ All Small Parks (all roads and parking areas collected)
Cycle 6	2014 – 2020 (±)	◦ All roads and parking areas collected at all Parks ◦ Additional partial collections of functional class 1, 2, and 7 roads at Large Parks ◦ Cycle 6 is expected to last 6 years

Note: Large Parks have ≥ 10 Paved Miles; Small Parks have < 10 Paved Miles

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with Federal Lands Highway (FLH) is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

In 2012, the Moving Ahead for Progress in the 21st Century Act (MAP-21) amended Title 23 U.S.C., and under Section 203(c)(1-2) stated that the National Park Service in cooperation with the DOT/FHWA, shall maintain a comprehensive national inventory of their transportation facilities, with the goal of quantifying transportation infrastructure needs within the National Park System.

A History of the Pavement Management System:

In 2005, the FHWA began implementing the use of a pavement management system to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The system used by FHWA is the Highway Pavement Management Application (HPMA), which has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. Regional prioritized lists and optimizations have been produced for most regions, and the Service's overall roadway Deferred Maintenance is calculated via the HPMA.

Overview of Cycle 6:

Cycle 6 launched in the spring of 2014 and will again comprise all NPS park units that are served by paved roads and/or parking areas. For Cycle 6, all paved roads (approximately 5,700 miles) and parking areas will be collected in all parks at least once, while the primary routes (functional class 1, 2, and 7 roads) at Large Parks will have additional collections. These multiple collections will provide updated condition data on a majority of the NPS's primary road network and help build a better pavement management system, allowing for more accurate pavement performance prediction models.

FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Ashburn, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands
22001 Loudoun County Parkway
Building E-2, Suite 200
Ashburn, VA 20147
(571) 434-1574

FHWA/Central Federal Lands
12300 West Dakota Ave
Lakewood, CO 80228
(720) 963-3556

Section 2 Park Route Inventory



Acadia National Park



Federal Lands Highway
Road Inventory Program

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0010ZZ	6	2	61718		PARADISE HILL ROADS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO INTERSECTION OF ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	3.55	0.04	3.58	1		AS	5A,5B
0011	6	2	61720		HULLS COVE ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)		YES	0.21	0.00	0.21	2		AS	5A
0012	6	2	61723		PARK LOOP ROAD - LOWER MOUNTAIN ROAD	FROM INTERSECTION OF ROUTE 0014 (STANLEY BROOK ROAD) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)	TO INTERSECTION OF ROUTE 0010ZZ (PARADISE HILL ROADS) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	5.16	0.00	5.16	1		AS	5B,5C,8
0013	6	2	61725		CADILLAC SUMMITT ROAD	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AT MP 0.50 ON LEFT	TO ROUTE 0912 (CADILLAC MOUNTAIN PARKING)		YES	3.35	0.00	3.35	1		AS	5B,5C
0014	6	2	61726		STANLEY BROOK ROAD	FROM INTERSECTION OF ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)		YES	1.26	0.00	1.26	1		AS	8
0015	6	2	61805		SEAL COVE ROAD	FROM MAINE STATE HIGHWAY 102 (BASS HARBOR ROAD)	TO PARK BOUNDARY		YES	0.00	2.52	2.52	2		GR	2
0016	6	2	102924		SIEUR DE MONTS ROAD	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 2.78 ON RIGHT	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)		YES	0.20	0.00	0.20	2		AS	6
0100	6	2	60117		WEST STREET EXTENSION	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 1.87 ON LEFT	TO PARK-BOUNDARY		YES	0.32	0.00	0.32	2		AS	5B
0101ZZ	6	2	60118		CADILLAC ENTRANCE ROADS	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 2.58 ON LEFT	TO ROUTE 5233 (MAINE STATE HIGHWAY 233)		YES	0.17	0.00	0.17	2		AS	5B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0102ZZ	6	2	60119		DUCK BROOK ROAD	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO ROUTE 0100 (WEST STREET EXTENSION) AT MP 0.16 ON LEFT		YES	1.84	0.00	1.84	2		AS	5B
0103	6	2	60120		KEBO STEET	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 1.86 ON LEFT	TO PARK-BOUNDARY		YES	0.19	0.00	0.19	2		AS	6
0104	6	2	60121		GREAT MEADOW DRIVE	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 2.22 ON LEFT	TO PARK-BOUNDARY		YES	0.33	0.00	0.33	2		AS	6
0105	6	2	60122		OTTER CLIFF ROAD	FROM END OF ROUTE 5002 (OTTER CLIFF ROAD NON NPS) AT PARK-BOUNDARY	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	0.61	0.00	0.61	2		AS	7
0106	6	2	245555		FARVIEW DRIVE - SCHOODIC WOODS	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO END OF LOOP		YES	0.62	0.00	0.62	2		AS	9A
0202	6	2	61730		SCHOONER HEAD ROAD	FROM END OF ROUTE 5001 (SCHOONER HEAD ROAD NON NPS) AT PARK-BOUNDARY	TO END AT GATE		YES	0.79	0.79	1.58	2		AS	7
0208	6	2	60124		SWEETWATER CIRCLE	FROM ROUTE 0016 (SIEUR DE MONTS ROAD) AT MP 0.08 ON RIGHT	TO END OF LOOP		YES	0.32	0.00	0.32	3		AS	6
0211ZZ	6	2	60125		BLACKWOODS DRIVE ROADS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS)		YES	1.04	0.07	1.12	2		AS	7A
0212ZZ	6	2	60127		BLACKWOODS CAMPGROUND LOOP B ROADS	FROM ROUTE 0211ZZ (BLACKWOODS DRIVE ROADS)	THROUGH CAMPGROUND		YES	1.92	0.00	1.92	3		AS	7A
0213ZZ	6	2	60126		BLACKWOODS CAMPGROUND LOOP A ROADS	FROM ROUTE 0211ZZ (BLACKWOODS DRIVE ROADS)	THROUGH CAMPGROUND		YES	2.74	0.00	2.74	3		AS	7A

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0214	6	2	60128		FISH HOUSE ROAD	FROM ROUTE 0105 (OTTER CLIFF ROAD)	TO END OF PAVEMENT AT OTTER COVE		YES	0.16	0.00	0.16	3		AS	7
0216ZZ	6	2	60129		BEAR BROOK PICNIC AREA ROADS	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.28 ON LEFT	TO END OF LOOP		YES	0.29	0.00	0.29	3		AS	6
0217	6	2	61742		LAKE WOOD ROAD	FROM THE CROOKED ROAD	TO END OF LOOP		YES	0.00	0.45	0.45	3		GR	5
0222	6	2	60130		OVERLOOK ROAD - SCHOONER HEAD	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 5.40 ON LEFT	TO END OF LOOP		YES	0.41	0.00	0.41	2		AS	7
0227	6	2	61785		ECHO LAKE BEACH ROAD	FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)	TO ROUTE 0937 (ECHO LAKE BEACH PARKING)		YES	0.47	0.00	0.47	3		AS	2
0230	6	2	61807		PRETTY MARSH PICNIC AREA ROAD	FROM PRETTY MARSH ROAD	TO END OF LOOP		YES	0.46	0.00	0.46	3		AS	2
0231ZZ	6	2	61786		SEAWALL PICNIC AREA AND VISTA	FROM INTERSECTION OF ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	THROUGH PICNIC AREA		YES	0.36	0.00	0.36	3		AS	3A
0232ZZ	6	2	61787		COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS	FROM INTERSECTION OF ROUTE 0231ZZ (SEAWALL PICNIC AREA AND VISTA) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO ROUTE 0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)		YES	0.51	0.00	0.51	2		AS	3A
0233	6	2	61790		SEAWALL CAMPGROUND LOOP A	FROM ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) ON LEFT	TO END OF LOOP		YES	0.36	0.00	0.36	3		AS	3A
0234	6	2	61791		SEAWALL CAMPGROUND LOOP B	FROM ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) ON RIGHT	TO END OF LOOP		YES	0.29	0.00	0.29	3		AS	3A

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0235ZZ	6	2	61792		SEAWALL CAMPGROUND LOOP C ROADS	FROM END OF ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS)	THROUGH SEAWALL CAMPGROUND LOOP C ROADS		YES	0.86	0.00	0.86	3		AS	3A
0236	6	2	61793		SEAWALL CAMPGROUND LOOP D	FROM ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) ON LEFT	TO END OF LOOP		YES	0.30	0.00	0.30	3		AS	3A
0237	6	2	61788		BEECH HILL ROAD	FROM PARK-BOUNDARY	TO ROUTE 0942 (BEECH MOUNTAIN PARKING)		YES	0.42	0.00	0.42	2		AS	2
0240	6	2	61797		LURVEY SPRING ROAD	FROM ROUTE 5000 (LONG POND ROAD)	TO ROUTE 0227 (ECHO LAKE BEACH ROAD)		YES	0.00	1.32	1.32	3		GR	2
0241	6	2	78870		ISLE AU HAUT LOOP ROAD	FROM PARK BOUNDARY (MOORE HARBOR) AT END OF ROUTE 5007 (MAIN ROAD)	TO PARK BOUNDARY (MERCHANTS COVE) AT BEGINNING OF ROUTE 5007 (MAIN ROAD)		YES	0.00	4.69	4.69	3		GR	KEY
0242ZZ	6	2	61798		RESERVOIR ROAD AND MILL FIELD ROAD	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD)	THROUGH RESERVOIR ROAD AND MILL FIELD ROAD		YES	0.00	0.42	0.42	3		GR	2
0244	6	2	61799		LONG POND FIRE ROAD	FROM PRETTY MARSH ROAD (THE NORTH END)	TO PARK BOUNDARY AT HODGDON ROAD		YES	0.00	4.22	4.22	3		GR	2
0245	6	2	61789		LIGHTHOUSE ROAD - BASS HARBOR	FROM END OF ROUTE 5006 (LIGHTHOUSE ROAD (NON-NPS)) AT PARK-BOUNDARY	TO ROUTE 0941 (BASS HARBOR LIGHTHOUSE PARKING)		YES	0.25	0.00	0.25	2		AS	3
0246	6	2	61800		WESTERN MOUNTAIN ROAD	FROM ROUTE 0015 (SEAL COVE ROAD)	TO ROUTE 0978 (GILLEY FIELD PARKING)		YES	0.00	2.89	2.89	3		GR	2
0247	6	2	61801		SEAL COVE POND ROAD	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD)	TO SEAL COVE POND		YES	0.00	0.68	0.68	3		GR	2
0248	6	2	62765		MOUNTAIN ROAD	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO END OF LOOP AT SCHOODIC HEAD		YES	0.00	1.14	1.14	3		GR	9

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0249ZZ	6	2	62763		AREY COVE ROADS	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO ROUTE 0944 (SCHOODIC POINT PARKING)		YES	0.55	0.00	0.55	1		AS	9B
0251	6	2	61802		PINE HILL ROAD	FROM ROUTE 0244 (LONG POND FIRE ROAD)	TO END OF LOOP		YES	0.00	0.27	0.27	3		GR	2
0252	6	2	61806		OAK HILL ROAD	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD)	TO END OF LOOP		YES	0.00	0.17	0.17	3		GR	2
0253	6	2	61745		MAINTENANCE STORAGE ROAD	FROM ROUTE 0015 (SEAL COVE ROAD)	TO STORAGE AREA		NO	0.00	0.10	0.10	5		GR	2
0256	6	2	61803		RANGER CAMP ROAD	FROM ROUTE 0240 (LURVEY SPRING ROAD)	TO END OF LOOP		YES	0.00	0.58	0.58	3		GR	2
0258	6	2	61804		HEATH BROOK ROAD	FROM ROUTE 0015 (SEAL COVE ROAD)	TO ROUTE 0246 (WESTERN MOUNTAIN ROAD)		YES	0.00	0.41	0.41	3		GR	2
0261	6	2	61794		SEAWALL CAMPGROUND GROUP AREA ROAD	FROM ROUTE 0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)	TO END OF GROUP CAMPING AREA LOOP		YES	0.23	0.00	0.23	3		AS	3A
0262	6	2	103146		ACADIA DRIVE	FROM ROUTE 0249ZZ (AREY COVE ROADS)	TO END OF LOOP		YES	0.34	0.00	0.34	3		AS	9B
0263	6	2	103147		JACOBSON DRIVE	FROM ROUTE 0262 (ACADIA DRIVE)	TO END OF LOOP		YES	0.33	0.00	0.33	3		AS	9B
0264	6	2	103150		MUSETTI DRIVE	FROM ROUTE 0262 (ACADIA DRIVE)	TO ROUTE 0950ZZ (SERVICES SOUTH AND WATER TOWER PARKING)		YES	0.15	0.00	0.15	3		AS	9B
0265	6	2	103143		MYRICK DRIVE	FROM ROUTE 0263 (JACOBSON DRIVE)	TO END		YES	0.10	0.00	0.10	3		AS	9B
0270	6	2	103145		ATTERBURY CIRCLE	FROM ROUTE 0262 (ACADIA DRIVE)	TO END OF LOOP		YES	0.08	0.00	0.08	3		AS	9B
0271	6	2	115937		FABBRI DRIVE	FROM ROUTE 0262 (ACADIA DRIVE)	TO ROUTE 0959ZZ (ROCKEFELLER BUILDING PARKING AREAS)		YES	0.05	0.00	0.05	3		AS	9B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0272ZZ	6	2	103152		ALVEY DRIVE	FROM ROUTE 0263 (JACOBSON DRIVE)	TO END		YES	0.15	0.11	0.26	3		AS	9B
0273	6	2	102918		CARROLL FARM ENTRY ROAD	FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)	TO ROUTE 0979 (CARROLL FARM PARKING)		NO	0.00	0.24	0.24	3		GR	2
0274	6	2	243904		JORDAN POND HOUSE BUS LOOP	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AT MP 4.53 ON RIGHT	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AT MP 4.59 ON RIGHT		YES	0.10	0.00	0.10	3		AS	8
0275	6	2	243470		EAGLE LAKE BUS TURNAROUND	FROM ROUTE 0904 (EAGLE LAKE BOAT LAUNCH PARKING)	TO ROUTE 0904 (EAGLE LAKE BOAT LAUNCH PARKING)		NO	0.00	0.04	0.04	3		GR	5B
0276ZZ	6	2	245557		SCHOODIC WOODS LOOP A ACCESS ROADS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)		YES	0.81	0.00	0.81	3		AS	9A
0277ZZ	6	2	245558		SCHOODIC WOODS LOOP B ACCESS ROADS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)		YES	1.16	0.00	1.16	3		AS	9A
0278	6	2	245556		SERVICE ROAD - SCHOODIC WOODS	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)		YES	0.06	0.00	0.06	3		AS	9A
0300	6	2	61716		PARK LOOP ROAD - ONE-WAY	FROM INTERSECTION OF ROUTE 0010ZZ (PARADISE HILL ROADS) AND ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO INTERSECTION OF ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AND ROUTE 0014 (STANLEY BROOK ROAD)		YES	13.41	0.00	13.41	1		AS	5B,6,7,7 A,8
0301	6	2	62764		SCHOODIC LOOP ROAD	FROM MAINE STATE HIGHWAY 186	TO PARK-BOUNDARY AT PAVEMENT CHANGE		YES	7.20	0.00	7.20	1		AS	9,9A,9B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0302	6	2	62259		CR-21-20 AROUND MOUNTAIN - AMPHITHEATER	FROM ROUTE 0304 (CR-14-21 AROUND MOUNTAIN - CLIFFSIDE)	TO INTERSECTION WITH ROUTE 0303 (CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN) AND ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)		NO	0.00	1.20	1.20	4		GR	4B
0303	6	2	62260		CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN	FROM INTERSECTION WITH ROUTE 0302 (CR-21-20 AROUND MOUNTAIN - AMPHITHEATER) AND ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)	TO INTERSECTION WITH ROUTE 0311ZZ (CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST)		NO	0.00	0.90	0.90	4		GR	4B
0304	6	2	62261		CR-14-21 AROUND MOUNTAIN - CLIFFSIDE	FROM INTERSECTION WITH ROUTE 0305 (CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD)	TO ROUTE 0302 (CR-21-20 AROUND MOUNTAIN - AMPHITHEATER)		NO	0.00	1.01	1.01	4		GR	4B,8
0305	6	2	62262		CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD	FROM ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION)	TO ROUTE 0326 (CR-15-14 JORDAN POND ROAD)		NO	0.00	2.07	2.07	4		GR	4A,5C,8
0306ZZ	6	2	62263		CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN	FROM INTERSECTION WITH ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)		NO	0.00	3.64	3.64	4		GR	4A,4B
0307	6	2	62264		CR-19-12 AROUND MOUNTAIN - WATERFALL	FROM ROUTE 0303 (CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN)	TO ROUTE 0306ZZ (CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN)		NO	0.00	1.82	1.82	4		GR	4B
0308ZZ	6	2	62265		CR-11-13 AUNT BETTYS POND - GIANT SLIDE	FROM INTERSECTION WITH ROUTE 0309 (CR-9-11 AUNT BETTYS POND ROAD) AND ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)	TO ROUTE 0323 (CR-13-18 HADLOCK BRIDLE PATH)		NO	0.00	3.33	3.33	4		GR	4A,4B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0309	6	2	62266		CR-9-11 AUNT BETTYS POND ROAD	FROM ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO INTERSECTION WITH ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE) AND ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)		NO	0.00	2.54	2.54	4		GR	4A,5B
0310	6	2	62267		CR-30-38 BARR HILL - DAY MOUNTAIN	FROM INTERSECTION WITH ROUTE 0313 (CR-36-38 DAY MOUNTAIN - LOOP) AND ROUTE 0315 (CR-38-37 DAY MOUNTAIN - LOOP)	TO WEST OF ROUTE 0014 (STANLEY BROOK ROAD) OVERPASS		NO	0.00	0.64	0.64	4		GR	8
0311ZZ	6	2	62268		CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST	FROM INTERSECTION OF ROUTE 0303 (CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN) AND ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)		NO	0.00	0.41	0.41	4		GR	4B
0312ZZ	6	2	62269		CR-17-7 BUBBLE POND ROAD	FROM ROUTE 0989 (DANE FARM PARKING)	TO INTERSECTION WITH ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)		NO	0.00	3.25	3.25	4		GR	5C,8
0313	6	2	62270		CR-36-38 DAY MOUNTAIN - LOOP	FROM ROUTE 0314 (CR-17-36 DAY MOUNTAIN - LOOP)	TO INTERSECTION WITH ROUTE 0310 (CR-30-38 BARR HILL - DAY MOUNTAIN) AND ROUTE 0315 (CR-38-37 DAY MOUNTAIN - LOOP)		NO	0.00	0.61	0.61	4		GR	8
0314	6	2	62271		CR-17-36 DAY MOUNTAIN - LOOP	FROM ROUTE 0312ZZ (CR-17-7 BUBBLE POND ROAD)	TO ROUTE 0316 (CR-36-39 DAY MOUNTAIN - SUMMIT)		NO	0.00	1.55	1.55	4		GR	8

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0315	6	2	62272		CR-38-37 DAY MOUNTAIN - LOOP	FROM INTERSECTION WITH ROUTE 0310 (CR-30-38 BARR HILL - DAY MOUNTAIN) AND ROUTE 0313 (CR-36-38 DAY MOUNTAIN - LOOP)	TO ROUTE 0314 (CR-17-36 DAY MOUNTAIN - LOOP)		NO	0.00	0.57	0.57	4		GR	8
0316	6	2	62273		CR-36-39 DAY MOUNTAIN - SUMMIT	FROM ROUTE 0314 (CR-17-36 DAY MOUNTAIN - LOOP)	TO END OF LOOP AT SUMMIT		NO	0.00	1.48	1.48	4		GR	8
0317	6	2	62274		CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION	FROM INTERSECTION WITH ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)	TO ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)		NO	0.00	0.16	0.16	4		GR	4A
0318ZZ	6	2	62275		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD	FROM ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO INTERSECTION WITH ROUTE 0339 (CR-4-5 WITCH HOLE ROAD - SOUTH) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)		NO	0.00	1.26	1.26	4		GR	5B
0319	6	2	62276		CR-6-7 EAGLE LAKE ROAD - EAST	FROM INTERSECTION WITH ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO INTERSECTION WITH ROUTE 0312ZZ (CR-17-7 BUBBLE POND ROAD) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)		NO	0.00	2.10	2.10	4		GR	5B,5C
0320	6	2	62277		CR-6-9-8 EAGLE LAKE ROAD - WEST	FROM INTERSECTION WITH ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)	TO INTERSECTION WITH ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD) AND ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST)		NO	0.00	1.98	1.98	4		GR	4A,5B,5C

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0321	6	2	62278		CR-7-8 EAGLE LAKE ROAD - SOUTH	FROM INTERSECTION WITH ROUTE 0312ZZ (CR-17-7 BUBBLE POND ROAD) AND ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST)	TO INTERSECTION WITH ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)		NO	0.00	1.74	1.74	4		GR	4A,5C
0322	6	2	62280		CR-13-12 GIANT SLIDE CONNECTOR	FROM ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE)	TO ROUTE 0306ZZ (CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN)		NO	0.00	0.30	0.30	4		GR	4B
0323	6	2	62281		CR-13-18 HADLOCK BRIDLE PATH	FROM ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE)	TO ROUTE 0311ZZ (CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST)		NO	0.00	1.50	1.50	4		GR	4B
0324	6	2	62282		CR-16-17 JORDAN - BUBBLE POND ROAD	FROM INTERSECTION OF ROUTE 0327ZZ (CR-16-15 JORDAN POND ROAD) AND ROUTE 0329 (CR-25-16 JORDAN POND ROAD)	TO ROUTE 0312ZZ (CR-17-7 BUBBLE POND ROAD)		NO	0.00	1.25	1.25	4		GR	8
0325	6	2	62283		CR-23-24 JORDAN POND - MITCHELL HILL	FROM INTERSECTION WITH ROUTE 0328 (CR-23-25 JORDAN POND ROAD) AND ROUTE 0330 (CR-15-23 JORDAN STREAM BRIDLE PATH)	TO END		NO	0.00	0.12	0.12	4		GR	8
0326	6	2	62284		CR-15-14 JORDAN POND ROAD	FROM ROUTE 0305 (CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD)	TO ROUTE 0327ZZ (CR-16-15 JORDAN POND ROAD)		NO	0.00	0.23	0.23	4		GR	8
0327ZZ	6	2	62285		CR-16-15 JORDAN POND ROAD	FROM ROUTE 0326 (CR-15-14 JORDAN POND ROAD)	TO ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD)		NO	0.00	0.18	0.18	4		GR	8

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0328	6	2	62286		CR-23-25 JORDAN POND ROAD	FROM INTERSECTION WITH ROUTE 0325 (CR-23-24 JORDAN POND - MITCHELL HILL) AND ROUTE 0330 (CR-15-23 JORDAN STREAM BRIDLE PATH)	TO ROUTE 0329 (CR-25-16 JORDAN POND ROAD)		NO	0.00	0.18	0.18	4		GR	8
0329	6	2	62287		CR-25-16 JORDAN POND ROAD	FROM ROUTE 0328 (CR-23-25 JORDAN POND ROAD)	TO INTERSECTION OF ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD) AND ROUTE 0327ZZ (CR-16-15 JORDAN POND ROAD)		NO	0.00	0.31	0.31	4		GR	8
0330	6	2	62288		CR-15-23 JORDAN STREAM BRIDLE PATH	FROM ROUTE 0327ZZ (CR-16-15 JORDAN POND ROAD)	TO INTERSECTION OF ROUTE 0325 (CR-23-24 JORDAN POND - MITCHELL HILL) AND ROUTE 0328 (CR-23-25 JORDAN POND ROAD)		NO	0.00	0.59	0.59	4		GR	8
0331ZZ	6	2	62289		CR-21-22 LITTLE HARBOR BROOK LOOP	FROM ROUTE 0304 (CR-14-21 AROUND MOUNTAIN - CLIFFSIDE)	TO ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)		NO	0.00	0.40	0.40	4		GR	4B
0332	6	2	62290		CR-20-22 LITTLE HARBOR BROOK ROAD	FROM INTERSECTION WITH ROUTE 0302 (CR-21-20 AROUND MOUNTAIN - AMPHITHEATER) AND ROUTE 0303 (CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN)	TO ROUTE 0331ZZ (CR-21-22 LITTLE HARBOR BROOK LOOP)		NO	0.00	1.22	1.22	4		GR	4B
0333	6	2	62291		CR-2-3 PARADISE HILL ROAD	FROM INTERSECTION WITH ROUTE 0336ZZ (CR-1-2 WITCH HOLE ROAD - NORTH) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	TO ROUTE 0335 (CR-5-3 WITCH HOLE ROAD - EAST)		NO	0.00	0.25	0.25	4		GR	5A

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0334ZZ	6	2	62292		CR-10-11 SEVEN SISTERS ROAD	FROM INTERSECTION OF ROUTE 0305 (CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD) AND ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION)	TO INTERSECTION WITH ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE) AND 0309 (CR-9-11 AUNT BETTYS POND ROAD)		NO	0.00	1.22	1.22	4		GR	4A
0335	6	2	62293		CR-5-3 WITCH HOLE ROAD - EAST	FROM ROUTE 0339 (CR-4-5 WITCH HOLE ROAD - SOUTH)	TO ROUTE 0337 (CR-3-1 WITCH HOLE ROAD - NORTH)		NO	0.00	1.01	1.01	4		GR	5A,5B
0336ZZ	6	2	62294		CR-1-2 WITCH HOLE ROAD - NORTH	FROM INTERSECTION WITH ROUTE 0337 (CR-3-1 WITCH HOLE ROAD - NORTH) AND ROUTE 0338 (CR-3-2 WITCH HOLE ROAD - VISITOR CENTER TO INT 1)	TO INTERSECTION WITH ROUTE 0333 (CR-2-3 PARADISE HILL ROAD) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)		NO	0.00	0.23	0.23	4		GR	5A
0337	6	2	62295		CR-3-1 WITCH HOLE ROAD - NORTH	FROM ROUTE 0333 (CR-2-3 PARADISE HILL ROAD) AND ROUTE 0335 (CR-5-3 WITCH HOLE ROAD - EAST)	TO INTERSECTION WITH ROUTE 0336ZZ (CR-1-2 WITCH HOLE ROAD - NORTH) AND ROUTE 0338 (CR-3-2 WITCH HOLE ROAD - VISITOR CENTER TO INT 1)		NO	0.00	0.89	0.89	4		GR	5A
0338	6	2	62296		CR-3-2 WITCH HOLE ROAD - VISITOR CENTER TO INT 1	FROM INTERSECTION WITH ROUTE 0336ZZ (CR-1-2 WITCH HOLE ROAD - NORTH) AND ROUTE 0337 (CR-3-1 WITCH HOLE ROAD - NORTH)	TO ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)		NO	0.00	0.50	0.50	4		GR	5A
0339	6	2	62297		CR-4-5 WITCH HOLE ROAD - SOUTH	FROM INTERSECTION WITH ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	TO ROUTE 0335 (CR-5-3 WITCH HOLE ROAD - EAST)		NO	0.00	1.02	1.02	4		GR	5B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)

Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
MRL = Manually Rated Line
MRP = Manually Rated Polygon
PKG = Parking Areas
NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0340	6	2	62298		CR-2-4 WITCH HOLE ROAD - WEST	FROM INTERSECTION WITH ROUTE 0333 (CR-2-3 PARADISE HILL ROAD) AND ROUTE 0336ZZ (CR-1-2 WITCH HOLE ROAD - NORTH)	TO INTERSECTION WITH ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD) AND ROUTE 0339 (CR-4-5 WITCH HOLE ROAD - SOUTH)		NO	0.00	1.07	1.07	4		GR	5A,5B
0400	6	2	61733		HULLS COVE STORAGE AREA ROAD	FROM ROUTE 0011 (HULLS COVE ROAD)	TO STORAGE AREA		NO	0.13	0.00	0.13	6		AS	5A
0402ZZ	6	2	79229		STABLE LANE AND WILDWOOD HORSE CAMPING ACCESS	FROM ROUTE 0989 (DANE FARM PARKING)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	0.00	0.74	0.74	2		GR	8
0404	6	2	103248		MCFARLAND HILL DRIVE	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO ROUTE 5233 (MAINE STATE HIGHWAY 233)		YES	0.33	0.00	0.33	5		AS	5B
0405ZZ	6	2	103252		VOLUNTEER WAY - LEACH FIELD ACCESS ROADS	FROM ROUTE 0404 (MCFARLAND HILL DRIVE)	THROUGH HOUSING AREA		YES	0.12	0.00	0.12	5		AS	5B
0407	6	2	80992		RANGER CABIN ROAD - SCHOODIC	FROM ROUTE 0248 (MOUNTAIN ROAD)	TO OLD RANGER RESIDENCE		NO	0.00	0.37	0.37	5		GR	9
0409	6	2	103254		HULLS COVE PARK RESIDENCE ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO END OF LOOP AT PARK RESIDENCE		NO	0.06	0.00	0.06	5		AS	5A
0410	6	2	79259		BLACKWOODS CAMPGROUND FIRE EXIT ROAD	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)	TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS)		NO	0.00	0.10	0.10	5		GR	7A
0413	6	2	79254		LISCOMB PIT ROAD	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO END		NO	0.00	0.34	0.34	5		GR	5B
0414	NC		79239		BLACKWOODS CAMPGROUND PUMP HOUSE ROAD	FROM ROUTE 0211ZZ (BLACKWOODS DRIVE ROADS)	TO PUMP HOUSE		NO	0.00	0.25	0.25	6		GR	7A
0415	NC		79232		OWER ROAD - CADILLAC ANTENNAE	FROM ROUTE 0013 (CADILLAC SUMMITT ROAD)	TO TRANSMITTER		NO	0.00	0.07	0.07	6		GR	5C

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
0416	6	2	103260		OLD FARM ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO PAVEMENT CHANGE		YES	0.29	0.00	0.29	8		AS	6
0417	NC		79270		MARSHALL BROOK FIRE ROAD	FROM SEAL COVE ROAD NON-NPS	TO SWAMP		NO	0.00	1.30	1.30	6		GR	2
0418	NC		81012		HIO FIRE ROAD	FROM MAINE STATE HIGHWAY 102 (BASS HARBOR ROAD)	TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD)		NO	0.00	2.00	2.00	6		GR	3,3A
0419	NC		80994		SCHOODIC POWERLINE ROAD	FROM NEAR ROUTE 0301 (SCHOODIC LOOP ROAD)	TO END		NO	0.00	1.04	1.04	6		GR	9
0421	6	2	80991		DUCK HARBOR ROAD	FROM ROUTE 0241 (ISLE AU HAUT LOOP ROAD)	TO MAINTENANCE ACCESS TRAIL TO CAMPGROUND		YES	0.00	1.51	1.51	3		GR	KEY
0423	6	2	243467		ABBE MUSEUM SERVICE ROAD	FROM ROUTE 0208 (SWEETWATER CIRCLE)	TO ABBE MUSEUM		NO	0.00	0.11	0.11	4		GR	6
0424	NC		243468		MARS ROAD	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO END		NO	0.00	0.15	0.15	6		GR	4A,5B
0425	NC		243469		CADILLAC SEWAGE SERVICE ROAD	FROM ROUTE 0912 (CADILLAC MOUNTAIN PARKING)	TO END AT DRAINAGE FIELD		NO	0.00	0.05	0.05	6		GR	5C
0426	NC		116096		BOYD ROAD - FIRING RANGE ACCESS ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO END AT SHOOTING RANGE		NO	0.00	0.48	0.48	6		GR	8
0427	6	2	243471		WELL ROAD - SCHOODIC	FROM ROUTE 0248 (MOUNTAIN ROAD)	TO END		NO	0.00	0.04	0.04	5		GR	9

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

NON-NPS ROADS INVENTORY

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)	Surf. Type	Area Map
						From	To									
5000	4	1	61808		LONG POND ROAD	FROM PARK BOUNDARY	TO LONG POND PARKING (NON-NPS)		NO	0.41	0.00	0.41			AS	2
5001	5	1			SCHOONER HEAD ROAD NON NPS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO BEGIN ROUTE 0202 (SCHOONER HEAD ROAD) AT PARK-BOUNDARY		NO	2.30	0.00	2.30			AS	6,7
5002	5	1			OTTER CLIFF ROAD NON NPS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO BEGIN ROUTE 0105 (OTTER CLIFF ROAD)		NO	1.24	0.00	1.24			AS	7
5003	5	1			MAINE STATE HIGHWAY 3	FROM NEIGHBORHOOD ROAD	TO BEGIN ROUTE 5233 (MAINE STATE HIGHWAY 233)		NO	19.05	0.00	19.05			AS	4A,4B,5A,5B,6,7,7A,8
5004	5	1			JORDAN POND ROAD NON NPS	FROM ROUTE 0014 (STANLEY BROOK ROAD)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)		NO	0.82	0.00	0.82			AS	8
5005	5	1			SARGAENT DRIVE	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO MILLBROOK ROAD		NO	3.25	0.00	3.25			AS	4,4A,4B
5006	5	1			LIGHTHOUSE ROAD (NON-NPS)	FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A) AT END	TO BEGIN ROUTE 0245 (LIGHTHOUSE ROAD - BASS HARBOR) AT PARK-BOUNDARY		NO	0.28	0.00	0.28			AS	3
5007	NC				MAIN ROAD	FROM END OF ROUTE 0241 (ISLE AU HAUT LOOP ROAD)	TO BEGIN ROUTE 0241 (ISLE AU HAUT LOOP ROAD)		NO	0.00	7.93	7.93			GR	KEY
5102	5	1			MAINE STATE HIGHWAY 102	FROM HALL QUARRY ROAD	TO CARROLLS HILL ROAD		NO	1.83	0.00	1.83			AS	2
5102A	5	1			MAINE STATE HIGHWAY 102A	FROM SEASCAPE WAY	TO BEGIN 5006 (LIGHTHOUSE ROAD (NON-NPS))		NO	3.31	0.00	3.31			AS	3,3A
5233	5	1			MAINE STATE HIGHWAY 233	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3) AT END	TO ARATA DRIVE		NO	5.03	0.00	5.03			AS	4,4A,5B, KEY

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map	
					From	To							
0900	6	2	103207		VISITOR CENTER PARKING - HULLS COVE	FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 0.06 ON RIGHT	TO ROUTE 0011 (HULLS COVE ROAD)		YES	PUBLIC	130,335	AS	5A
0901	6	2	102927		VISITOR CENTER ACCESSIBLE PARKING	FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 0.07 ON RIGHT	TO PARKING		YES	PUBLIC	13,080	AS	5A
0902	6	2	103290		DUCK BROOK NORTH PARKING	FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 1.16 ON LEFT	TO ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 1.20 ON LEFT		YES	PUBLIC	4,783	AS	5A
0903	6	2	103293		1947 FIRE OVERLOOK PARKING	FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 2.37 ON LEFT	TO ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 2.42 ON LEFT		YES	PUBLIC	5,504	AS	5B
0904	6	2	61735		EAGLE LAKE BOAT LAUNCH PARKING	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST)		YES	PUBLIC	9,161	AS	5B
0905	6	2	103295		EAGLE LAKE CARRIAGE ROAD PARKING	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD)		YES	PUBLIC	9,142	AS	5B
0907CZZ	6	2	61737		JORDAN POND HOUSE SERVICE AND BUS PARKING	FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)	TO PARKING		NO	PUBLIC	32,803	AS	8
0908ZZ	6	2	61766		JORDAN POND NORTH PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO PARKING		YES	PUBLIC	75,470	AS	8
0909ZZ	6	2	103297		BUBBLE ROCK PARKING AREAS	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	15,765	AS	5C,8
0910	6	2	61738		BUBBLE POND PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO PARKING		YES	PUBLIC	11,820	AS	5C
0911	6	2	61767		BLUE HILL OVERLOOK PARKING	FROM ROUTE 0013 (CADILLAC SUMMITT ROAD)	TO PARKING		YES	PUBLIC	22,195	AS	5C
0912	6	2	61768		CADILLAC MOUNTAIN PARKING	FROM END OF ROUTE 0013 (CADILLAC SUMMITT ROAD)	TO PARKING		YES	PUBLIC	58,025	AS	5C
0913	6	2	61769		TARN PARKING	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO PARKING		YES	PUBLIC	7,360	AS	6
0914	6	2	103299		EGG ROCK OVERLOOK PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.88 ON LEFT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.91 ON LEFT		YES	PUBLIC	3,956	AS	6

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map
						From	To						
0915	6	2	61770		PRECIPICE PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 4.62 ON RIGHT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 4.68 ON RIGHT		YES	PUBLIC	12,558	AS	6
0916	6	2	103300		GREAT HEAD PARKING	FROM ROUTE 0202 (SCHOONER HEAD ROAD)	TO ROUTE 0202 (SCHOONER HEAD ROAD)		YES	PUBLIC	7,787	AS	7
0917	6	2	61771		SCHOONER HEAD OVERLOOK PARKING	ADJACENT TO ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)			YES	PUBLIC	9,593	AS	7
0918	6	2	61772		LOWER SAND BEACH PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 5.98 ON LEFT	TO PARKING		YES	PUBLIC	60,087	AS	7
0919	6	2	61773		UPPER SAND BEACH PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.00 ON LEFT	TO PARKING		YES	PUBLIC	13,515	AS	7
0920	6	2	61774		THUNDER HOLE AND SAND BEACH PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.35 ON RIGHT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.39 ON RIGHT		YES	PUBLIC	13,533	AS	7
0921	6	2	103301		KEYHOLE PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.55 ON RIGHT	TO PARKING		YES	PUBLIC	7,674	AS	7
0922	6	2	61775		THUNDER HOLE PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.69 ON RIGHT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.78 ON RIGHT		YES	PUBLIC	23,142	AS	7
0923	6	2	61776		GORHAM MOUNTAIN PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.05 ON RIGHT	TO PARKING		YES	PUBLIC	8,794	AS	7
0924	6	2	103302		ROUTE 0300 MP 7.1 PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.14 ON RIGHT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.17 ON RIGHT		YES	PUBLIC	8,879	AS	7
0925	6	2	61777		OTTER CLIFFS PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.52 ON RIGHT	TO PARKING		YES	PUBLIC	7,055	AS	7
0926	6	2	61778		OTTER POINT PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.83 ON RIGHT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.96 ON RIGHT		YES	PUBLIC	17,034	AS	7
0927	6	2	61779		FABBRI MEMORIAL PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.40 ON LEFT	TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.47 ON LEFT		YES	PUBLIC	13,599	AS	7
0928	6	2	61780		FABBRI PICNIC AREA PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.43 ON RIGHT	TO ROUTE 0105 (OTTER CLIFF ROAD) AT MP 0.47 ON RIGHT		YES	PUBLIC	14,786	AS	7

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map
					From	To						
0930ZZ	6	2	103279		BLACKWOODS CAMPGROUND AMPHITHEATER PARKING	ADJACENT TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS) ON RIGHT		YES	PUBLIC	8,303	AS	7A
0931	6	2	61781		BROWN MOUNTAIN PARKING	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)	YES	PUBLIC	8,868	AS	4B
0932	6	2	61782		NORUMBEGA PARKING	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)	YES	PUBLIC	6,340	AS	4B
0933	6	2	61783		PARKMAN MOUNTAIN PARKING	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE)	YES	PUBLIC	11,192	AS	4B
0934	6	2	61809		IKES POINT PARKING	FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)	TO ECHO LAKE	YES	PUBLIC	13,402	AS	2
0935	6	2	61810		ACADIA MOUNTAIN PARKING	ADJACENT TO ROUTE 5102 (MAINE STATE HIGHWAY 102)		YES	PUBLIC	7,136	AS	2
0936	6	2	61812		ST SAUVEUR MOUNTAIN PARKING	FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)	TO PARKING	YES	PUBLIC	4,507	AS	2
0937	6	2	61813		ECHO LAKE BEACH PARKING	FROM END OF ROUTE 0227 (ECHO LAKE BEACH ROAD)	TO PARKING	YES	PUBLIC	39,654	AS	2
0938ZZ	6	2	103266		SEAWALL CAMPGROUND AMPHITHEATER PARKING	FROM ROUTES 0232 (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND 0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)	TO PARKING	YES	PUBLIC	11,183	AS	3A
0939	6	2	103263		WONDERLAND PARKING	ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)		YES	PUBLIC	2,281	AS	3
0940	6	2	103280		SHIP HARBOR PARKING	ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)		YES	PUBLIC	5,062	AS	3
0941	6	2	61814		BASS HARBOR LIGHTHOUSE PARKING	FROM END OF ROUTE 0245 (LIGHTHOUSE ROAD - BASS HARBOR)	TO PARKING	YES	PUBLIC	10,895	AS	3

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map	
					Route Name	From							To
0942	6	2	61815		BEECH MOUNTAIN PARKING	FROM END OF ROUTE 0237 (BEECH HILL ROAD)	TO PARKING		YES	PUBLIC	10,968	AS	2
0943	6	2	61765		THOMPSON ISLAND INFORMATION CENTER PARKING	FROM MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)	TO MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)		YES	PUBLIC	17,461	AS	1
0944	6	2	62766		SCHOODIC POINT PARKING	FROM END OF ROUTE 0249ZZ (AREY COVE ROADS)	TO PARKING		YES	PUBLIC	39,742	AS	9B
0945	6	2	62767		BLUEBERRY HILL PARKING	FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.74 ON RIGHT	TO PARKING		YES	PUBLIC	9,391	AS	9
0946	6	2	103271		ROLLING ISLAND OVERLOOK PARKING	FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.97 ON RIGHT	TO ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.99 ON RIGHT		YES	PUBLIC	3,468	AS	9
0947	6	2	103269		FRENCHMAN BAY OVERLOOK PARKING	ADJACENT TO ROUTE 0010ZZ (PARADISE HILL ROADS) ON LEFT			YES	PUBLIC	3,923	AS	5A
0948	6	2	103268		HARDEN FARM PARKING	FROM KEBO ROAD	TO PARKING		YES	PUBLIC	13,010	AS	6
0949ZZ	6	2	103155		MOORE AUDITORIUM - ADMINISTRATION SERVICES PUBLIC PARKING	FROM ROUTE 0262 (ACADIA DRIVE)	TO PARKING		YES	PUBLIC	32,761	AS	9B
0950ZZ	6	2	103156		SERVICES SOUTH AND WATER TOWER PARKING	FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0264 (MUSSETTI DRIVE)	TO PARKING		YES	PUBLIC	51,247	AS	9B
0951ZZ	6	2	103164		CABIN PARKING	FROM ROUTE 0263 (JACOBSON DRIVE) ON LEFT AND RIGHT	TO PARKING		YES	PUBLIC	4,390	AS	9B
0952	6	2	103186		SCHOONER COMMONS PARKING	FROM ROUTE 0263 (JACOBSON DRIVE)	TO ROUTE 0263 (JACOBSON DRIVE)		YES	PUBLIC	6,485	AS	9B
0953	6	2	103159		SUITES PARKING	FROM ROUTE 0263 (JACOBSON DRIVE) ON RIGHT	TO PARKING		YES	PUBLIC	4,146	AS	9B
0955ZZ	6	2	103169		BALL FIELD PARKING	ADJACENT TO ROUTE 0272ZZ (ALVEY DRIVE) ON RIGHT AND LEFT			YES	PUBLIC	13,195	AS	9B
0957ZZ	6	2	103188		SCHOODIC SHORES PARKING	FROM ROUTE 0265 (MYRICK DRIVE) ON LEFT AND RIGHT	TO PARKING		YES	PUBLIC	12,022	AS	9B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map
					From	To						
0958ZZ	6	2	103180		GEORGE M. WRIGHT HALL PARKING AREAS	FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0263 (JACOBSON DRIVE)		YES	PUBLIC	6,824	AS	9B
0959ZZ	6	2	103192		ROCKEFELLER BUILDING PARKING AREAS	FROM ROUTE 0270 (ATTERBURY CIRCLE) AND ROUTE 0271 (FABBRI DRIVE)		YES	PUBLIC	18,436	AS	9B
0961ZZ	6	2	103185		ENTRANCE BUILDING AND WASTEWATER SERVICES PARKING	FROM ROUTE 0262 (ACADIA DRIVE) ON LEFT		YES	PUBLIC	6,759	AS	9B
0963ZZ	6	2	243255		WILD GARDENS OF ACADIA PARKING	ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON RIGHT AND LEFT		YES	PUBLIC	13,297	AS	6
0965	6	2	103247		BROWN MOUNTAIN GATEHOUSE PARKING	FROM GATEHOUSE ROAD		YES	PUBLIC	4,091	AS	4B
0966	6	2	103253		JORDAN POND GATEHOUSE PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	4,618	AS	8
0968ZZ	6	2	103257		SEAWALL RANGER RESIDENCE PARKING	FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A)		YES	PUBLIC	3,132	AS	3A
0970	6	2	61740		THOMPSON ISLAND PICNIC AREA PARKING	FROM MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)		YES	PUBLIC	35,812	AS	1
0971	6	2	62762		FRAZER POINT PICNIC AREA PARKING	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)		YES	PUBLIC	26,634	AS	9
0972ZZ	6	2	243472		MCFARLAND HILL HEADQUARTERS PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT AND RIGHT		YES	PUBLIC	42,989	AS	5B
0973ZZ	6	2	243473		MCFARLAND HILL HEADQUARTERS UNPAVED PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT AND RIGHT		NO	PUBLIC	68,642	GR	5B
0974	6	2	243474		VISITOR CENTER EMPLOYEE PARKING	FROM ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)		NO	NONPUBLIC	12,232	AS	5A

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map	
					From	To							
0976	6	2	103183		ADMINISTRATION SERVICES PARKING	FROM ROUTE 0949ZZ (MOORE AUDITORIUM - ADMINISTRATION SERVICES PUBLIC PARKING)	TO ROUTE 0950ZZ (SERVICES SOUTH AND WATER TOWER PARKING)		NO	NONPUBLIC	16,811	AS	9B
0977	6	2	243248		SERVICES NORTH PARKING	FROM ROUTE 0263 (JACOBSON DRIVE)	TO PARKING		NO	NONPUBLIC	38,956	AS	9B
0978	6	2	243475		GILLEY FIELD PARKING	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD) AT BEGIN	TO PARKING		YES	PUBLIC	6,839	GR	2
0979	6	2	231825		CARROLL FARM PARKING	FROM END OF ROUTE 0273 (CARROLL FARM ENTRY ROAD)	TO PARKING		YES	PUBLIC	1,934	GR	2
0980	6	2	245559		SCHOODIC WOODS RANGER STATION PARKING	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO PARKING		YES	PUBLIC	67,642	AS	9A
0981ZZ	6	2	245560		SCHOODIC WOODS MAINTENANCE AREA	FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AND ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)	TO PARKING		YES	PUBLIC	18,785	AS	9A
0982	6	2	245561		WONSQUEAK BIKE PATH PARKING	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO PARKING		YES	PUBLIC	8,740	GR	9
0983	6	2	245562		BUNKERS HARBOR BIKE PATH PARKINGS	FROM EAST SCHOODIC DRIVE	TO PARKING		YES	PUBLIC	6,138	GR	9
0984ZZ	6	2			EAGLE LAKE OVERLOOK NORTH AND SOUTH	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)			YES	PUBLIC	2,553	AS	5C
0985ZZ	6	2			PARK LOOP PARKING AREAS	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON LEFT AND RIGHT			YES	PUBLIC	28,236	AS	5B,6,7,8
0986	6	2			VALLEY COVE PARKING	FROM FERNALD POINT ROAD	TO PARKING		YES	PUBLIC	3,748	GR	2
0987ZZ	6	2			SCHOODIC WOODS AMPHITHEATER PARKING AREAS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS) AND ROUTE 0276ZZ (SCHOODIC WOODS LOOP A ACCESS ROADS)	TO PARKING		YES	PUBLIC	15,543	AS	9A
0988	6	2			WAREHOUSE PARKING	FROM END OF ROUTE 0264 (MUSETTI DRIVE)	TO PARKING		YES	PUBLIC	9,925	GR	9B

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)

Route No.	Cycle Collected	Iteration Collected	FMSS Number	Concession	Route Name	Route Description		Maintenance District	FLTP	Access Level	Area (SQ FT)	Surf. Type	Area Map
						From	To						
0989	6	2	60123		DANE FARM PARKING	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 12.85 ON RIGHT	TO END OF LOOP		YES	PUBLIC	26,995	AS	8
0990	6	2	103256		SEASONAL WAY - SEAWALL CAMPGROUND MAINTENANCE PARKING	FROM ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) ON LEFT	TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)		YES	PUBLIC	10,901	AS	3A
0991	6	2	63259		JORDAN POND DORMITORY PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO PARKING		YES	PUBLIC	10,846	GR	8
0992ZZ	6	2			SEAWALL CAMPGROUND AT LOOP D PARKING AREAS	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT			YES	PUBLIC	29,570	GR	3A

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

Cycle 6 Summary Totals for Acadia National Park

Cycle 6 Route Totals			
	NPS Maintained	Concessionaire Maintained	Park Totals
Paved Roads, Data Collection Vehicle Rated (Miles)	54.55	0	54.55
Paved Roads, Manually Rated Length (Miles)	0.83	0	0.83
Paved Roads, Manually Rated Area (Sq. Ft.)	0	0	0
Unpaved Roads (Miles)	74.40	0	74.40
Paved Parking (Sq. Ft.)	1,369,713	0	1,369,713
Unpaved Parking (Sq. Ft.)	146,382	0	146,382

Cycle 6 Lane Miles and Overall Pavement Condition		
	Lanes Miles*	Pavement Condition Rating**
Data Collection Vehicle Routes	94.06	96
Manually Rated Roads	0.91	13
Parking Areas	23.59	80

* Equivalent Lane Miles are calculated by route using the following equations:
 - DCV and MRLs = (PAVE_WIDTH x PAVED_MI) / 11 foot lane
 - MRPs and PKGs = SQ_FEET / 5280 / 11 foot lane

**Parking and Manually Rated Routes are assigned the following PCR values based on the type of observed distresses:
 -Excellent = 97 -Good = 90 -Fair = 73
 -Poor = 53, 30, or 0 -Construction / Not Rated = -1

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Non-NPS Routes

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

General Park Road Functional Classification (FC) Table

FC	Type	User Access	Description	Route Numbers	Surface Types
1	Principal Park Road Rural Parkway	Public	Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Rural Parkways (e.g. Natchez Trace) are numbered 0001 - 0009.	0001 - 0009 0010 - 0099	AS - Asphaltic Concrete Pavement
2	Connector Park Road	Public	Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc.	0100 - 0199	BR - Brick or Pavers Road Bed CB - Cobble Stone Road Bed
3	Special Purpose Park Road	Public	Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation.	0200 - 0299	CO - Portland Cement Concrete Pavement GR - Gravel Road Bed
4	Primitive Park Road	Public	Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.	0200 - 0299	NV - Native or Dirt Material Road Bed
5	Administrative Park Road	Public	All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas.	0400 - 0499	OT - Other Materials Road Bed
6	Administrative Park Road (Restricted Access)	Nonpublic	All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.	0400 - 0499	
7	Urban Parkway	Public	These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category.	0001 - 0009	
8	City Street	Public	City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions.	0600 - 0699	
N/A	Non-NPS Roads	Public	State, County, or City owned roads which border, traverse, or provide access to Park Facilities or Locations. Non-NPS roads are not assigned functional classes and are driven for GPS and Video Log only.	5000 - 5999	

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

SUMMARY ROUTE INVENTORY FOR ROADS (1100 SERIES FMSS LOCATIONS)

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0010ZZ	61718	6	2		PARADISE HILL ROADS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO INTERSECTION OF ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)	YES	3.55	0.04	3.58	1	
0101ZZ	60118	6	2		CADILLAC ENTRANCE ROADS	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 2.58 ON LEFT	TO ROUTE 5233 (MAINE STATE HIGHWAY 233)	YES	0.17	0.00	0.17	2	
0102ZZ	60119	6	2		DUCK BROOK ROAD	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO ROUTE 0100 (WEST STREET EXTENSION) AT MP 0.16 ON LEFT	YES	1.84	0.00	1.84	2	
0211ZZ	60125	6	2		BLACKWOODS DRIVE ROADS	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS)	YES	1.04	0.07	1.12	2	
0212ZZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROADS	FROM ROUTE 0211ZZ (BLACKWOODS DRIVE ROADS)	THROUGH CAMPGROUND	YES	1.92	0.00	1.92	3	
0213ZZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROADS	FROM ROUTE 0211ZZ (BLACKWOODS DRIVE ROADS)	THROUGH CAMPGROUND	YES	2.74	0.00	2.74	3	
0216ZZ	60129	6	2		BEAR BROOK PICNIC AREA ROADS	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.28 ON LEFT	TO END OF LOOP	YES	0.29	0.00	0.29	3	
0231ZZ	61786	6	2		SEAWALL PICNIC AREA AND VISTA	FROM INTERSECTION OF ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	THROUGH PICNIC AREA	YES	0.36	0.00	0.36	3	
0232ZZ	61787	6	2		COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS	FROM INTERSECTION OF ROUTE 0231ZZ (SEAWALL PICNIC AREA AND VISTA) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO ROUTE 0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)	YES	0.51	0.00	0.51	2	
0235ZZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROADS	FROM END OF ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS)	THROUGH SEAWALL CAMPGROUND LOOP C ROADS	YES	0.86	0.00	0.86	3	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

SUMMARY ROUTE INVENTORY FOR ROADS (1100 SERIES FMSS LOCATIONS)

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0242ZZ	61798	6	2		RESERVOIR ROAD AND MILL FIELD ROAD	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD)	THROUGH RESERVOIR ROAD AND MILL FIELD ROAD	YES	0.00	0.42	0.42	3	
0249ZZ	62763	6	2		AREY COVE ROADS	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO ROUTE 0944 (SCHOODIC POINT PARKING)	YES	0.55	0.00	0.55	1	
0272ZZ	103152	6	2		ALVEY DRIVE	FROM ROUTE 0263 (JACOBSON DRIVE)	TO END	YES	0.15	0.11	0.26	3	
0276ZZ	245557	6	2		SCHOODIC WOODS LOOP A ACCESS ROADS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	YES	0.81	0.00	0.81	3	
0277ZZ	245558	6	2		SCHOODIC WOODS LOOP B ACCESS ROADS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	YES	1.16	0.00	1.16	3	
0306ZZ	62263	6	2		CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN	FROM INTERSECTION WITH ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)	NO	0.00	3.64	3.64	4	
0308ZZ	62265	6	2		CR-11-13 AUNT BETTYS POND - GIANT SLIDE	FROM INTERSECTION WITH ROUTE 0309 (CR-9-11 AUNT BETTYS POND ROAD) AND ROUTE 0334ZZ (CR-10-11 SEVEN SISTERS ROAD)	TO ROUTE 0323 (CR-13-18 HADLOCK BRIDLE PATH)	NO	0.00	3.33	3.33	4	
0311ZZ	62268	6	2		CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST	FROM INTERSECTION OF ROUTE 0303 (CR-20-19 AROUND MOUNTAIN - BROWN MOUNTAIN) AND ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)	NO	0.00	0.41	0.41	4	
0312ZZ	62269	6	2		CR-17-7 BUBBLE POND ROAD	FROM ROUTE 0989 (DANE FARM PARKING)	TO INTERSECTION WITH ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)	NO	0.00	3.25	3.25	4	
0318ZZ	62275	6	2		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD	FROM ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO INTERSECTION WITH ROUTE 0339 (CR-4-5 WITCH HOLE ROAD - SOUTH) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	NO	0.00	1.26	1.26	4	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

SUMMARY ROUTE INVENTORY FOR ROADS (1100 SERIES FMSS LOCATIONS)

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0327ZZ	62285	6	2		CR-16-15 JORDAN POND ROAD	FROM ROUTE 0326 (CR-15-14 JORDAN POND ROAD)	TO ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD)	NO	0.00	0.18	0.18	4	
0331ZZ	62289	6	2		CR-21-22 LITTLE HARBOR BROOK LOOP	FROM ROUTE 0304 (CR-14-21 AROUND MOUNTAIN - CLIFFSIDE)	TO ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)	NO	0.00	0.40	0.40	4	
0334ZZ	62292	6	2		CR-10-11 SEVEN SISTERS ROAD	FROM INTERSECTION OF ROUTE 0305 (CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD) AND ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION)	TO INTERSECTION WITH ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE) AND 0309 (CR-9-11 AUNT BETTYS POND ROAD)	NO	0.00	1.22	1.22	4	
0336ZZ	62294	6	2		CR-1-2 WITCH HOLE ROAD - NORTH	FROM INTERSECTION WITH ROUTE 0337 (CR-3-1 WITCH HOLE ROAD - NORTH) AND ROUTE 0338 (CR-3-2 WITCH HOLE ROAD - VISITOR CENTER TO INT 1)	TO INTERSECTION WITH ROUTE 0333 (CR-2-3 PARADISE HILL ROAD) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	NO	0.00	0.23	0.23	4	
0402ZZ	79229	6	2		STABLE LANE AND WILDWOOD HORSE CAMPING ACCESS	FROM ROUTE 0989 (DANE FARM PARKING)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	YES	0.00	0.74	0.74	2	
0405ZZ	103252	6	2		VOLUNTEER WAY - LEACH FIELD ACCESS ROADS	FROM ROUTE 0404 (MCFARLAND HILL DRIVE)	THROUGH HOUSING AREA	YES	0.12	0.00	0.12	5	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

SUMMARY ROUTE INVENTORY FOR PARKING AREAS (1300 SERIES FMSS LOCATIONS)

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0907CZZ	61737	6	2		JORDAN POND HOUSE SERVICE AND BUS PARKING	FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)	TO PARKING	NO	PUBLIC	32,803
0908ZZ	61766	6	2		JORDAN POND NORTH PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO PARKING	YES	PUBLIC	75,470
0909ZZ	103297	6	2		BUBBLE ROCK PARKING AREAS	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	YES	PUBLIC	15,765
0930ZZ	103279	6	2		BLACKWOODS CAMPGROUND AMPHITHEATER PARKING	ADJACENT TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS) ON RIGHT		YES	PUBLIC	8,303
0938ZZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING	FROM ROUTES 0232 (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND 0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)	TO PARKING	YES	PUBLIC	11,183
0949ZZ	103155	6	2		MOORE AUDITORIUM - ADMINISTRATION SERVICES PUBLIC PARKING	FROM ROUTE 0262 (ACADIA DRIVE)	TO PARKING	YES	PUBLIC	32,761
0950ZZ	103156	6	2		SERVICES SOUTH AND WATER TOWER PARKING	FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0264 (MUSETTI DRIVE)	TO PARKING	YES	PUBLIC	51,247
0951ZZ	103164	6	2		CABIN PARKING	FROM ROUTE 0263 (JACOBSON DRIVE) ON LEFT AND RIGHT	TO PARKING	YES	PUBLIC	4,390
0955ZZ	103169	6	2		BALL FIELD PARKING	ADJACENT TO ROUTE 0272ZZ (ALVEY DRIVE) ON RIGHT AND LEFT		YES	PUBLIC	13,195
0957ZZ	103188	6	2		SCHOODIC SHORES PARKING	FROM ROUTE 0265 (MYRICK DRIVE) ON LEFT AND RIGHT	TO PARKING	YES	PUBLIC	12,022
0958ZZ	103180	6	2		GEORGE M. WRIGHT HALL PARKING AREAS	FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0263 (JACOBSON DRIVE)	TO PARKING	YES	PUBLIC	6,824
0959ZZ	103192	6	2		ROCKEFELLER BUILDING PARKING AREAS	FROM ROUTE 0270 (ATTERBURY CIRCLE) AND ROUTE 0271 (FABBRI DRIVE)	TO PARKING	YES	PUBLIC	18,436
0961ZZ	103185	6	2		ENTRANCE BUILDING AND WASTEWATER SERVICES PARKING	FROM ROUTE 0262 (ACADIA DRIVE) ON LEFT	TO PARKING	YES	PUBLIC	6,759

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

SUMMARY ROUTE INVENTORY FOR PARKING AREAS (1300 SERIES FMSS LOCATIONS)

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0963ZZ	243255	6	2		WILD GARDENS OF ACADIA PARKING	ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON RIGHT AND LEFT		YES	PUBLIC	13,297
0968ZZ	103257	6	2		SEAWALL RANGER RESIDENCE PARKING	FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO RANGER RESIDENCE	YES	PUBLIC	3,132
0972ZZ	243472	6	2		MCFARLAND HILL HEADQUARTERS PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT AND RIGHT	TO PARKING	YES	PUBLIC	42,989
0973ZZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT AND RIGHT	TO PARKING	NO	PUBLIC	68,642
0981ZZ	245560	6	2		SCHOODIC WOODS MAINTENANCE AREA	FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AND ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)	TO PARKING	YES	PUBLIC	18,785
0984ZZ		6	2		EAGLE LAKE OVERLOOK NORTH AND SOUTH	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	2,553
0985ZZ		6	2		PARK LOOP PARKING AREAS	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON LEFT AND RIGHT		YES	PUBLIC	28,236
0987ZZ		6	2		SCHOODIC WOODS AMPHITHEATER PARKING AREAS	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS) AND ROUTE 0276ZZ (SCHOODIC WOODS LOOP A ACCESS ROADS)	TO PARKING	YES	PUBLIC	15,543
0992ZZ		6	2		SEAWALL CAMPGROUND AT LOOP D PARKING AREAS	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT		YES	PUBLIC	29,570

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0010ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0010AZ	61718	6	2		PARADISE HILL ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO INTERSECTION OF ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AND ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)	YES	3.09	0.00	3.09	1	
0010BZ	61718	6	2		PARADISE HILL ROAD NORTHBOUND	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 0.33 ON LEFT	TO ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 0.76 ON LEFT	YES	0.46	0.00	0.46	1	
0010CZ	61718	6	2		NORTH RIDGE TRAIL BUS STOP (WEST)	FROM ROUTE 0010AZ (PARADISE HILL ROAD) ON LEFT	TO ROUTE 0010AZ (PARADISE HILL ROAD) ON LEFT	YES	0.00	0.02	0.02	1	
0010DZ	61718	6	2		NORTH RIDGE TRAIL BUS STOP (EAST)	FROM ROUTE 0010AZ (PARADISE HILL ROAD) ON RIGHT	TO ROUTE 0010AZ (PARADISE HILL ROAD) ON RIGHT	YES	0.00	0.02	0.02	1	

ACAD-0101ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0101AZ	60118	6	2		CADILLAC ENTRANCE ROAD	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 2.53 ON LEFT	TO ROUTE 5233 (MAINE STATE HIGHWAY 233)	YES	0.13	0.00	0.13	2	
0101BZ	60118	6	2		CADILLAC ENTRANCE ROAD SPUR	FROM ROUTE 0010AZ (PARADISE HILL ROAD) AT MP 2.58 ON LEFT	TO ROUTE 0101AZ (CADILLAC ENTRANCE ROAD)	YES	0.04	0.00	0.04	2	

ACAD-0102ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0102AZ	60119	6	2		DUCK BROOK ROAD A	FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)	TO BEGINNING OF ROUTE 0102BZ (DUCK BROOK ROAD B)	YES	1.14	0.00	1.14	2	
0102BZ	60119	6	2		DUCK BROOK ROAD B	FROM END OF ROUTE 0102AZ (DUCK BROOK ROAD A)	TO ROUTE 0100 (WEST STREET EXTENSION) AT MP 0.16 ON LEFT	YES	0.70	0.00	0.70	2	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0211ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0211AZ	60125	6	2		BLACKWOODS DRIVE ENTRANCE ROAD	FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.81	0.00	0.81	2	
0211BZ	60125	6	2		BLACKWOODS DRIVE LOWER TURN AROUND	FROM ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)	TO ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)	YES	0.08	0.00	0.08	2	
0211CZ	60125	6	2		BLACKWOODS DRIVE MID TURN AROUND	FROM ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)	TO ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)	YES	0.06	0.00	0.06	2	
0211DZ	60125	6	2		BLACKWOODS DRIVE UPPER TURN AROUND	FROM ROUTE 0211CZ (BLACKWOODS DRIVE MID TURN AROUND)	TO ROUTE 0211CZ (BLACKWOODS DRIVE MID TURN AROUND)	YES	0.06	0.00	0.06	2	
0211EZ	60125	6	2		BLACKWOODS DRIVE UTILITIES	FROM ROUTE 0211CZ (BLACKWOODS DRIVE MID TURN AROUND)	TO END	YES	0.00	0.07	0.07	2	

ACAD-0212ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0212AZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD A	FROM ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)	TO END OF LOOP	YES	0.85	0.00	0.85	3	
0212BZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD B	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.11	0.00	0.11	3	
0212CZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD C	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.17	0.00	0.17	3	
0212DZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD D	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.20	0.00	0.20	3	
0212EZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD E	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)	TO ROUTE 0212FZ (BLACKWOODS CAMPGROUND LOOP B ROAD F)	YES	0.09	0.00	0.09	3	
0212FZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD F	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.21	0.00	0.21	3	
0212GZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD G	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.18	0.00	0.18	3	
0212HZ	60127	6	2		BLACKWOODS CAMPGROUND LOOP B ROAD H	FROM ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON RIGHT	TO ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) ON LEFT	YES	0.11	0.00	0.11	3	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0213ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0213AZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD A	FROM ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)	TO END OF LOOP	YES	0.84	0.00	0.84	3	
0213BZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD B	FROM ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A ROAD C)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.03	0.00	0.03	3	
0213CZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD C	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.13	0.00	0.13	3	
0213DZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD D	FROM ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A ROAD C)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.13	0.00	0.13	3	
0213EZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD E	FROM ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F) ON LEFT	TO ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F) ON LEFT	YES	0.15	0.00	0.15	3	
0213FZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD F	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.16	0.00	0.16	3	
0213GZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD G	FROM ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F) ON RIGHT	TO ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F) ON RIGHT	YES	0.16	0.00	0.16	3	
0213HZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD H	FROM ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I) ON LEFT	TO ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I) ON LEFT	YES	0.15	0.00	0.15	3	
0213IZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD I	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A) AND ROUTE 0930BZ (BLACKWOODS CAMPGROUND AMPHITHEATER PARKING B)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.17	0.00	0.17	3	
0213JZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD J	FROM ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I) ON RIGHT	TO ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I) ON RIGHT	YES	0.17	0.00	0.17	3	
0213KZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD K	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.17	0.00	0.17	3	
0213LZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD L	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.18	0.00	0.18	3	
0213MZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD M	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.17	0.00	0.17	3	
0213NZ	60126	6	2		BLACKWOODS CAMPGROUND LOOP A ROAD N	FROM ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)	YES	0.13	0.00	0.13	3	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0216ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0216AZ	60129	6	2		BEAR BROOK PICNIC AREA ROAD A	FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.28 ON LEFT	TO END OF LOOP	YES	0.16	0.00	0.16	3	
0216BZ	60129	6	2		BEAR BROOK PICNIC AREA ROAD B	FROM ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)	TO END OF LOOP	YES	0.12	0.00	0.12	3	

ACAD-0231ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0231AZ	61786	6	2		SEAWALL PICNIC AREA AND VISTA A	FROM INTERSECTION OF ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO END OF LOOP	YES	0.20	0.00	0.20	3	
0231BZ	61786	6	2		SEAWALL PICNIC AREA AND VISTA B	FROM ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)	TO END OF LOOP	YES	0.15	0.00	0.15	3	

ACAD-0232ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0232AZ	61787	6	2		COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD	FROM INTERSECTION OF ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A) AND ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	YES	0.47	0.00	0.47	2	
0232BZ	61787	6	2		COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND	FROM ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)	TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)	YES	0.04	0.00	0.04	2	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0235ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0235AZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROAD A	FROM END OF ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)	TO END OF LOOP	YES	0.36	0.00	0.36	3	
0235BZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROAD B	FROM ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	TO ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C) ON LEFT	YES	0.12	0.00	0.12	3	
0235CZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROAD C	FROM ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	TO ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	YES	0.13	0.00	0.13	3	
0235DZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROAD D	FROM ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C) ON RIGHT	TO ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	YES	0.11	0.00	0.11	3	
0235EZ	61792	6	2		SEAWALL CAMPGROUND LOOP C ROAD E	FROM ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	TO ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	YES	0.10	0.00	0.10	3	
0235FZ	61792	6	2		SEAWALL DUMP STATION	FROM ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	TO INTERSECTION OF ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)	YES	0.04	0.00	0.04	3	

ACAD-0242ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0242AZ	61798	6	2		RESERVOIR ROAD	FROM ROUTE 0242BZ (MILL FIELD ROAD)	TO END OF LOOP	YES	0.00	0.16	0.16	3	
0242BZ	61798	6	2		MILL FIELD ROAD	FROM ROUTE 0246 (WESTERN MOUNTAIN ROAD)	TO END OF LOOP	YES	0.00	0.26	0.26	3	

ACAD-0249ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0249AZ	62763	6	2		AREY COVE ROAD	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO ROUTE 0944 (SCHOODIC POINT PARKING)	YES	0.51	0.00	0.51	1	
0249BZ	62763	6	2		AREY COVE ROAD SPUR	FROM ROUTE 0249AZ (AREY COVE ROAD)	TO ROUTE 0301 (SCHOODIC LOOP ROAD)	YES	0.04	0.00	0.04	1	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0272ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0272AZ	103152	6	2		ALVEY DRIVE PAVED	FROM ROUTE 0263 (JACOBSON DRIVE)	TO END AT MP 0.25	YES	0.15	0.00	0.15	3	
0272BZ	103152	6	2		ALVEY DRIVE UNPAVED	FROM ROUTE 0272AZ (ALVEY DRIVE PAVED)	TO END	YES	0.00	0.11	0.11	3	

ACAD-0276ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0276AZ	245557	6	2		SCHOODIC WOODS LOOP A ACCESS ROAD	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	YES	0.49	0.00	0.49	3	
0276BZ	245557	6	2		SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD	FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	TO ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	YES	0.04	0.00	0.04	3	
0276CZ	245557	6	2		SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD	FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	TO ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	YES	0.06	0.00	0.06	3	
0276DZ	245557	6	2		SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS ROAD	FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	TO ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	YES	0.10	0.00	0.10	3	
0276EZ	245557	6	2		SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS ROAD	FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	TO ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	YES	0.13	0.00	0.13	3	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0277ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0277AZ	245558	6	2		SCHOODIC WOODS LOOP B ACCESS ROAD	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	YES	0.50	0.00	0.50	3	
0277BZ	245558	6	2		SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	YES	0.23	0.00	0.23	3	
0277CZ	245558	6	2		SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	YES	0.16	0.00	0.16	3	
0277DZ	245558	6	2		SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	YES	0.11	0.00	0.11	3	
0277EZ	245558	6	2		SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	YES	0.13	0.00	0.13	3	
0277FZ	245558	6	2		SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD	FROM ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	TO ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)	YES	0.02	0.00	0.02	3	

ACAD-0306ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0306AZ	62263	6	2		CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN MAIN	FROM WITH ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 0334AZ (CR-10-11 SEVEN SISTERS ROAD MAIN)	NO	0.00	3.63	3.63	4	
0306BZ	62263	6	2		CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN SPUR	FROM ROUTE 0334AZ (CR-10-11 SEVEN SISTERS ROAD MAIN)	TO ROUTE 0306AZ (CR-12-10 AROUND MOUNTAIN - SARGENT MOUNTAIN MAIN)	NO	0.00	0.01	0.01	4	

ACAD-0308ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0308AZ	62265	6	2		CR-11-13 AUNT BETTYS POND - GIANT SLIDE MAIN	FROM INTERSECTION WITH ROUTE 0309 (CR-9-11 AUNT BETTYS POND ROAD) AND ROUTE 0334AZ (CR-10-11 SEVEN SISTERS ROAD MAIN)	TO ROUTE 0323 (CR-13-18 HADLOCK BRIDLE PATH)	NO	0.00	3.30	3.30	4	
0308BZ	62265	6	2		CR-11-13 AUNT BETTYS POND - GIANT SLIDE SPUR	FROM ROUTE 0308AZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE MAIN)	TO ROUTE 0933 (PARKMAN MOUNTAIN PARKING)	NO	0.00	0.03	0.03	4	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0311ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0311AZ	62268	6	2		CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST MAIN	FROM ROUTE 0307 (CR-19-12 AROUND MOUNTAIN - WATERFALL)	TO ROUTE 5003 (MAINE STATE HIGHWAY 3)	NO	0.00	0.39	0.39	4	
0311BZ	62268	6	2		CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST SPUR	FROM ROUTE 0311AZ (CR-18-19 BROWN MOUNTAIN ENTRANCE TO POST MAIN)	TO ROUTE 0931 (BROWN MOUNTAIN PARKING) AND ROUTE 5003 (MAINE STATE HIGHWAY 3)	NO	0.00	0.03	0.03	4	

ACAD-0312ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0312AZ	62269	6	2		CR-17-7 BUBBLE POND ROAD MAIN	FROM ROUTE 0989 (DANE FARM PARKING)	TO INTERSECTION WITH ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0321 (CR-7-8 EAGLE LAKE ROAD - SOUTH)	NO	0.00	3.23	3.23	4	
0312BZ	62269	6	2		CR-17-7 BUBBLE POND ROAD SPUR	FROM ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST)	TO ROUTE 0312AZ (CR-17-7 BUBBLE POND ROAD MAIN)	NO	0.00	0.02	0.02	4	

ACAD-0318ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0318AZ	62275	6	2		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD MAIN	FROM ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO INTERSECTION WITH ROUTE 0339 (CR-4-5 WITCH HOLE ROAD - SOUTH) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	NO	0.00	1.18	1.18	4	
0318BZ	62275	6	2		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD SPUR ENTRANCE	FROM ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST) AND ROUTE 0320 (CR-6-9-8 EAGLE LAKE ROAD - WEST)	TO ROUTE 0318AZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD MAIN)	NO	0.00	0.02	0.02	4	
0318CZ	62275	6	2		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD SPUR EXIT	FROM ROUTE 0340 (ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	TO ROUTE 0318AZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD MAIN)	NO	0.00	0.02	0.02	4	
0318DZ	62275	6	2		CR-6-4 EAGLE LAKE - WITCH HOLE ROAD CONECTOR	FROM ROUTE 0318AZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD MAIN)	TO ROUTE 0905 (EAGLE LAKE CARRIAGE ROAD PARKING)	NO	0.00	0.04	0.04	4	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0327ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0327AZ	62285	6	2		CR-16-15 JORDAN POND ROAD MAIN	FROM ROUTE 0326 (CR-15-14 JORDAN POND ROAD)	TO ROUTE 0329 (CR-25-16 JORDAN POND ROAD)	NO	0.00	0.17	0.17	4	
0327BZ	62285	6	2		CR-16-15 JORDAN POND ROAD SPUR	FROM INTERSECTION OF ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD) AND ROUTE 0329	TO ROUTE 0327AZ (CR-16-15 JORDAN POND ROAD MAIN)	NO	0.00	0.01	0.01	4	

ACAD-0331ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0331AZ	62289	6	2		CR-21-22 LITTLE HARBOR BROOK LOOP MAIN	FROM ROUTE 0304 (CR-14-21 AROUND MOUNTAIN - CLIFFSIDE)	TO ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)	NO	0.00	0.39	0.39	4	
0331BZ	62289	6	2		CR-21-22 LITTLE HARBOR BROOK LOOP SPUR	FROM ROUTE 0332 (CR-20-22 LITTLE HARBOR BROOK ROAD)	TO ROUTE 0331AZ (CR-21-22 LITTLE HARBOR BROOK LOOP MAIN)	NO	0.00	0.02	0.02	4	

ACAD-0334ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0334AZ	62292	6	2		CR-10-11 SEVEN SISTERS ROAD MAIN	FROM INTERSECTION OF ROUTE 0305 (CR-10-14 AROUND MOUNTAIN - JORDAN POND ROAD) AND ROUTE 0317 (CR-8-10 EAGLE LAKE - ROUND MOUNTAIN CONNECTION)	TO INTERSECTION WITH ROUTE 0308AZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE MAIN) AND ROUTE 0309 (CR-9-11 AUNT BETTYS POND ROAD)	NO	0.00	1.20	1.20	4	
0334BZ	62292	6	2		CR-10-11 SEVEN SISTERS ROAD SPUR	FROM ROUTE 0309 (CR-9-11 AUNT BETTYS POND ROAD)	TO ROUTE 0334AZ (CR-10-11 SEVEN SISTERS ROAD MAIN)	NO	0.00	0.02	0.02	4	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0336ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0336AZ	62294	6	2		CR-1-2 WITCH HOLE ROAD - NORTH MAIN	FROM INTERSECTION WITH ROUTE 0337 (CR-3-1 WITCH HOLE ROAD - NORTH) AND ROUTE 0338 (CR-3-2 WITCH HOLE ROAD - VISITOR CENTER TO INT 1)	TO INTERSECTION WITH ROUTE 0333 (CR-2-3 PARADISE HILL ROAD) AND ROUTE 0340 (CR-2-4 WITCH HOLE ROAD - WEST)	NO	0.00	0.21	0.21	4	
0336BZ	62294	6	2		CR-1-2 WITCH HOLE ROAD - NORTH SPUR	FROM ROUTE 0333 (CR-2-3 PARADISE HILL ROAD)	TO ROUTE 0336AZ (CR-1-2 WITCH HOLE ROAD - NORTH MAIN)	NO	0.00	0.02	0.02	4	

ACAD-0402ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0402AZ	79229	6	2		STABLE LANE	FROM ROUTE 0402BZ (WILDWOOD HORSE CAMPING ACCESS)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	YES	0.00	0.61	0.61	2	
0402BZ	79229	6	2		WILDWOOD HORSE CAMPING ACCESS	FROM ROUTE 0989 (DANE FARM PARKING)	TO ROUTE 0312AZ (CR-17-7 BUBBLE POND ROAD MAIN)	YES	0.00	0.10	0.10	2	
0402CZ	79229	6	2		WILDWOOD HORSE CAMPING SPUR	FROM ROUTE 0402BZ (WILDWOOD HORSE CAMPING ACCESS)	TO ROUTE 0989 (DANE FARM PARKING)	YES	0.00	0.03	0.03	2	

ACAD-0405ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
						From	To						
0405AZ	103252	6	2		VOLUNTEER WAY - LEACH FIELD ACCESS ROAD	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT	TO END	YES	0.08	0.00	0.08	5	
0405BZ	103252	6	2		VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD	FROM ROUTE 0405AZ (VOLUNTEER WAY - LEACH FIELD ACCESS ROAD)	TO END	YES	0.04	0.00	0.04	5	

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0907CZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0907AZ	61737	6	2		JORDAN POND HOUSE RESTAURANT - SOUTH PARKING	FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)	TO ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)	YES	PUBLIC	26,575
0907BZ	61737	6	2		JORDAN POND HOUSE SERVICE PARKING	FROM ROUTE 0907CBZ (JORDAN POND BUS PARKING B)	TO PARKING	NO	PUBLIC	2,502
0907CAZ	61737	6	2		JORDAN POND BUS PARKING A	ADJACENT TO ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)		NO	PUBLIC	1,141
0907CBZ	61737	6	2		JORDAN POND BUS PARKING B	FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)	TO ROUTE 0907BZ (JORDAN POND HOUSE SERVICE PARKING)	NO	PUBLIC	2,585

ACAD-0908ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0908AZ	61766	6	2		JORDAN POND NORTH PARKING A	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO PARKING LOOP	YES	PUBLIC	39,208
0908BZ	61766	6	2		JORDAN POND NORTH PARKING B	FROM ROUTE 0908AZ (JORDAN POND NORTH PARKING A)	TO PARKING	YES	PUBLIC	36,262

ACAD-0909ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0909AZ	103297	6	2		BUBBLE ROCK PARKING	FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)	YES	PUBLIC	11,498
0909BZ	103297	6	2		BUBBLE ROCK OVERLOOK	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	2,280
0909CZ	103297	6	2		BUBBLE AND JORDAN POND PATH	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	1,987

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0930ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0930BZ	103279	6	2		BLACKWOODS CAMPGROUND AMPHITHEATER PARKING B	ADJACENT TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A) ON RIGHT		YES	PUBLIC	5,945
0930CZ	103279	6	2		BLACKWOODS CAMPGROUND AMPHITHEATER PARKING C	ADJACENT TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A) ON RIGHT		YES	PUBLIC	2,358

ACAD-0938ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0938AZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING A	ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON RIGHT		YES	PUBLIC	2,560
0938BZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING B	ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON LEFT		YES	PUBLIC	1,858
0938CZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING C	ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON RIGHT		YES	PUBLIC	2,763
0938DZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING D	ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON RIGHT		YES	PUBLIC	692
0938EZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING E	ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT		YES	PUBLIC	706
0938FZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING F	ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT		YES	PUBLIC	767
0938GZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING G	ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT		YES	PUBLIC	689
0938HZ	103266	6	2		SEAWALL CAMPGROUND AMPHITHEATER PARKING H	ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON RIGHT		YES	PUBLIC	1,148

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0949ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0949AZ	103155	6	2		ADMINISTRATION SERVICES PUBLIC PARKING	FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT	TO ROUTE 0976 (ADMINISTRATION SERVICES PARKING)	YES	PUBLIC	13,828
0949BZ	103155	6	2		MOORE AUDITORIUM PARKING 1	FROM ROUTE 0949AZ (ADMINISTRATION SERVICES PUBLIC PARKING)	TO PARKING	YES	PUBLIC	4,806
0949CZ	103155	6	2		MOORE AUDITORIUM PARKING 2	FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT	TO ROUTE 0262 (ACADIA DRIVE) ON RIGHT	YES	PUBLIC	14,127

ACAD-0950ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0950AZ	103156	6	2		SERVICES SOUTH BUS DROP-OFF PARKING	ADJACENT TO ROUTE 0264 (MUSETTI DRIVE)		YES	PUBLIC	600
0950BZ	103156	6	2		SERVICES SOUTH PARKING	FROM ROUTE 0262 (ACADIA DRIVE)	TO ROUTE 0264 (MUSETTI DRIVE)	YES	PUBLIC	48,723
0950CZ	103156	6	2		WATER TOWER PARKING	FROM ROUTE 0264 (MUSETTI DRIVE)	TO PARKING	YES	PUBLIC	1,002
0950DZ	103156	6	2		WAREHOUSE SERVICES PARKING	FROM END OF ROUTE 0264 (MUSETTI DRIVE)	TO PARKING	YES	PUBLIC	922

ACAD-0951ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0951AZ	103164	6	2		CABIN NORTH PARKING	FROM ROUTE 0263 (JACOBSON DRIVE)	TO PARKING	YES	PUBLIC	1,178
0951BZ	103164	6	2		CABIN SOUTH PARKING	FROM ROUTE 0263 (JACOBSON DRIVE)	TO PARKING	YES	PUBLIC	3,212

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0955ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0955AZ	103169	6	2		BALL FIELD PARKING A	ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON LEFT		YES	PUBLIC	7,164
0955BZ	103169	6	2		BALL FIELD PARKING B	ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON RIGHT		YES	PUBLIC	5,122
0955CZ	103169	6	2		BALL FIELD PARKING C	ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON LEFT		YES	PUBLIC	909

ACAD-0957ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0957AZ	103188	6	2		SCHOODIC SHORES A PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT		YES	PUBLIC	939
0957BZ	103188	6	2		SCHOODIC SHORES B PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT		YES	PUBLIC	682
0957CZ	103188	6	2		SCHOODIC SHORES C PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT		YES	PUBLIC	680
0957DZ	103188	6	2		SCHOODIC SHORES D PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT		YES	PUBLIC	422
0957EZ	103188	6	2		SCHOODIC SHORES E PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT		YES	PUBLIC	948
0957FZ	103188	6	2		SCHOODIC SHORES F PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT		YES	PUBLIC	905
0957GZ	103188	6	2		SCHOODIC SHORES G PARKING	FROM ROUTE 0265 (MYRICK DRIVE) ON LEFT	TO PARKING	YES	PUBLIC	2,825
0957HZ	103188	6	2		SCHOODIC SHORES H PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT		YES	PUBLIC	662
0957IZ	103188	6	2		SCHOODIC SHORES I PARKING	FROM ROUTE 0265 (MYRICK DRIVE) ON RIGHT	TO PARKING	YES	PUBLIC	2,828
0957JZ	103188	6	2		SCHOODIC SHORES J PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT		YES	PUBLIC	474
0957KZ	103188	6	2		SCHOODIC SHORES K PARKING	ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT		YES	PUBLIC	657

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0958ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0958AZ	103180	6	2		GEORGE M. WRIGHT HALL PARKING	FROM ROUTE 0263 (JACOBSON DRIVE) ON LEFT	TO PARKING	YES	PUBLIC	4,670
0958BZ	103180	6	2		GEORGE M. WRIGHT HALL SERVICES PARKING	FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT	TO PARKING	YES	PUBLIC	2,154

ACAD-0959ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0959Z	103192	6	2		ROCKEFELLER BUILDING PARKING	ADJACENT TO ROUTE 0270 (ATTERBURY CIRCLE)		YES	PUBLIC	1,867
0960AZ	103192	6	2		EMERGENCY SERVICES PARKING	FROM ROUTE 0271 (FABBRI DRIVE)	TO PARKING	YES	PUBLIC	10,177
0960BZ	103192	6	2		ROCKEFELLER PLAZA PARKING	FROM END OF ROUTE 0271 (FABBRI DRIVE)	TO PARKING	YES	PUBLIC	6,392

ACAD-0961ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0961AZ	103185	6	2		ENTRANCE BUILDING PARKING	FROM ROUTE 0262 (ACADIA DRIVE)	TO ROUTE 0262 (ACADIA DRIVE)	YES	PUBLIC	4,744
0961BZ	103185	6	2		WASTEWATER SERVICES PARKING	FROM ROUTE 0262 (ACADIA DRIVE) ON LEFT	TO PARKING	YES	PUBLIC	2,015

ACAD-0963ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0963AZ	243255	6	2		WILD GARDENS OF ACADIA PARKING A	ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON RIGHT		YES	PUBLIC	7,373
0963BZ	243255	6	2		WILD GARDENS OF ACADIA PARKING B	ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON LEFT		YES	PUBLIC	5,924

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0968ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0968AZ	103257	6	2		SEAWALL RANGER RESIDENCE PARKING A	FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A)	TO RANGER RESIDENCE	YES	PUBLIC	2,425
0968BZ	103257	6	2		SEAWALL RANGER RESIDENCE PARKING B	ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)		YES	PUBLIC	707

ACAD-0972ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0972AZ	243472	6	2		MCFARLAND HILL HEADQUARTERS A PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT	TO PARKING	YES	PUBLIC	7,777
0972BZ	243472	6	2		MCFARLAND HILL HEADQUARTERS B PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		YES	PUBLIC	3,143
0972CZ	243472	6	2		MCFARLAND HILL HEADQUARTERS C PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT		YES	PUBLIC	1,832
0972DZ	243472	6	2		MCFARLAND HILL HEADQUARTERS D PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		YES	PUBLIC	2,972
0972EZ	243472	6	2		MCFARLAND HILL HEADQUARTERS E PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		YES	PUBLIC	888
0972FZ	243472	6	2		MCFARLAND HILL HEADQUARTERS F PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT		YES	PUBLIC	3,075
0972GZ	243472	6	2		MCFARLAND HILL HEADQUARTERS G PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		YES	PUBLIC	4,667
0972HZ	243472	6	2		MCFARLAND HILL HEADQUARTERS H PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT		YES	PUBLIC	3,909
0972IZ	243472	6	2		MCFARLAND HILL HEADQUARTERS I PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		YES	PUBLIC	14,726

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0973ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0973AZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED A PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT	TO PARKING	NO	PUBLIC	3,843
0973BZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED B PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		NO	PUBLIC	4,376
0973CZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED C PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT	TO PARKING	NO	PUBLIC	30,639
0973DZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED D PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT	TO PARKING	NO	PUBLIC	7,698
0973EZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED E PARKING	FROM ROUTE 0972GZ (MCFARLAND HILL HEADQUARTERS G PARKING)	TO PARKING	NO	PUBLIC	1,778
0973FZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED F PARKING	ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT		NO	PUBLIC	1,819
0973GZ	243473	6	2		MCFARLAND HILL HEADQUARTERS UNPAVED G PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT	TO PARKING	NO	PUBLIC	2,428
0973HZ	243473	6	2		CURATORIAL PARKING	FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT	TO PARKING	NO	PUBLIC	3,479
0973IZ	243473	6	2		VIP PARKING	ADJACENT TO ROUTE 0405AZ (VOLUNTEER WAY - LEACH FIELD ACCESS ROAD)		NO	PUBLIC	12,582

ACAD-0981ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0981AZ	245560	6	2		SCHOODIC WOODS CAMPGROUND LAYDOWN AREA	FROM ROUTE 0301 (SCHOODIC LOOP ROAD)	TO PARKING	YES	PUBLIC	14,963
0981BZ	245560	6	2		SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF A	ADJACENT TO ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)		YES	PUBLIC	832
0981CZ	245560	6	2		SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF B	FROM ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)	TO PARKING	YES	PUBLIC	2,990

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0984ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0984AZ		6	2		EAGLE LAKE OVERLOOK NORTH	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	1,371
0984BZ		6	2		EAGLE LAKE OVERLOOK SOUTH	ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)		YES	PUBLIC	1,182

ACAD-0985ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0985AZ		6	2		TRIAD-DAY PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	672
0985BZ		6	2		HUNTERS BROOK TRAIL PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	877
0985CZ		6	2		SOUTHWEST OVERLOOK	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	6,852
0985DZ		6	2		LITTLE HUNTERS BEACH TRAIL PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	1,105
0985EZ		6	2		ATLANTIC OCEAN OVERLOOK	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	1,220
0985FZ		6	2		WESTERN POINT OVERLOOK #3	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	928
0985GZ		6	2		WESTERN POINT OVERLOOK #2	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	2,435
0985HZ		6	2		WESTERN POINT OVERLOOK #1	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	1,554
0985IZ		6	2		BEAR BROOK PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	2,037
0985JZ		6	2		GREAT MEADOW VISTA PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	683

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0985ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0985KZ		6	2		GREAT MEADOW PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	943
0985LZ		6	2		STRATHEDEN TRAIL PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON RIGHT		YES	PUBLIC	729
0985MZ		6	2		GORGE PATH PARKING	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON RIGHT		YES	PUBLIC	1,180
0985NZ		6	2		OLD NORTH RIDGE TRAIL PARKING	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	3,069
0985OZ		6	2		STRATHEDEN TRAIL UNPAVED PULLOUT	ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)		YES	PUBLIC	3,952

ACAD-0987ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0987AZ		6	2		SCHOODIC WOODS AMPHITHEATER PARKING	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO PARKING	YES	PUBLIC	7,264
0987BZ		6	2		SCHOODIC WOODS AMPHITHEATER OVERFLOW PARKING	FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)	TO PARKING	YES	PUBLIC	3,947
0987CZ		6	2		SCHOODIC WOODS WALK-IN SITE PARKING	FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)	TO PARKING	YES	PUBLIC	4,332

NPS / RIP Subcomponent Details for ACAD

(Numerical By Summary Route and Subcomponent #)



Shading Color Key

White = Paved Routes, DCV Driven

Grey = Paved Routes, DCV not Driven

Black = Paved Routes, Non-NPS

■ = Concession Route

Yellow = Unpaved Routes, DCV not Driven

Blue = Paved Parking Areas

Green = Unpaved Parking Areas

DCV = Data Collection Vehicle
 MRL = Manually Rated Line
 MRP = Manually Rated Polygon
 PKG = Parking Areas
 NC = Not Collected

ACAD Acadia National Park

ACAD-0992ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concession	Route Name	Route Description		FLTP	User Access	Area (SQ FT)
						From	To			
0992AZ		6	2		SEAWALL CAMPGROUND AT LOOP D PARKING A	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT		YES	PUBLIC	7,219
0992BZ		6	2		SEAWALL CAMPGROUND AT LOOP D PARKING B	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT		YES	PUBLIC	6,371
0992CZ		6	2		SEAWALL CAMPGROUND AT LOOP D PARKING C	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT		YES	PUBLIC	6,898
0992DZ		6	2		SEAWALL CAMPGROUND AT LOOP D PARKING D	ADJACENT TO ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) ON RIGHT		YES	PUBLIC	9,082

Route Identification Changes to Paved Routes from Previous Cycle Acadia National Park

ROUTES ADDED FROM PREVIOUS INVENTORY:			
Route No.	Route Name	Type of Change	Comments
0211ZZ	BLACKWOODS DRIVE ROADS	OTHER	ROUTE NAME CHANGED FROM 'BLACKWOODS CAMPGROUND ENTRANCE / DUMP STATION ROAD'. ROUTE 0211BZ SPLIT IN SECTIONS TO BE DRIVEN BY THE COLLECTION VEHICLE IN CYCLE 6.
0249ZZ	AREY COVE ROADS	OTHER	CYCLE 4 ROUTE ADDED BACK TO INVENTORY IN CYCLE 6 TO MATCH 911 EMERGENCY AND MANAGEMENT REQUEST.

ROUTES MODIFIED FROM PREVIOUS INVENTORY:			
Route No.	Route Name	Type of Change	Comments
0010ZZ	PARADISE HILL ROADS	LENGTH CHANGE	UNPAVED ROUTES (ACAD-0010CZ AND ACAD-0010DZ) ADDED IN CYCLE 6.
0012	PARK LOOP ROAD - LOWER MOUNTAIN ROAD	ROUTE NAME	ROUTE NAME CHANGED FROM "JORDAN POND ROAD".
0101ZZ	CADILLAC ENTRANCE ROADS	ROUTE NAME	ROUTE NAME CHANGED FROM "ACCESS ROAD AND SPUR TO STATE HIGHWAY 233" IN CYCLE 6.
0106	FARVIEW DRIVE - SCHOODIC WOODS	ROUTE NAME	ROUTE NAME CHANGED FROM "SCHOODIC WOODS FARVIEW DRIVE" IN CYCLE 6.
0208	SWEETWATER CIRCLE	ROUTE NAME	ROUTE NAME CHANGED FROM "SIEUR DE MONTS ROAD" IN CYCLE 6.
0222	OVERLOOK ROAD - SCHOONER HEAD	LENGTH CHANGE	EXTENDED ROUTE 0222 TO INCLUDE LOOP AROUND PARKING TO EAST, TO ALIGN WITH FMSS.
0230	PRETTY MARSH PICNIC AREA ROAD	ROUTE NAME	ROUTE NAME CHANGED FROM "PRETTY MARSH PARKING ROAD" IN CYCLE 6.
0235ZZ	SEAWALL CAMPGROUND LOOP C ROADS	ROUTE NUMBER	CYCLE 6 ROUTE 0938DZ CHANGED TO ROUTE 0235FZ IN CYCLE 6 BECAUSE IT IS A ROAD.
0251	PINE HILL ROAD	ROUTE NAME	ROUTE NAME CHANGED FROM "PINE HILL PICNIC AREA ROAD" IN CYCLE 6.
0252	OAK HILL ROAD	ROUTE NAME	ROUTE NAME CHANGED FROM "OAK HILL PICNIC AREA ROAD" IN CYCLE 6.
0265	MYRICK DRIVE	ROUTE NAME	ROUTE NAME CHANGED FROM "SCHOODIC SHORES DRIVE" IN CYCLE 6.
0404	MCFARLAND HILL DRIVE	ROUTE NAME	ROUTE NAME UPDATED FROM "MCFARLAND HILL HEADQUARTERS AREA ROAD 4" IN CYCLE 6.

Route Identification Changes to Paved Routes from Previous Cycle Acadia National Park

ROUTES MODIFIED FROM PREVIOUS INVENTORY:			
Route No.	Route Name	Type of Change	Comments
0405ZZ	VOLUNTEER WAY - LEACH FIELD ACCESS ROADS	OTHER	ROUTE 0405BZ CHANGED FROM MANUALLY RATED TO DATA COLLECTION VEHICLE RATED IN CYCLE 6. ROUTE NAME CHANGED FROM "MCFARLAND HILL DRIVE HOUSING AREA AND SPUR ROADS".
0414	BLACKWOODS CAMPGROUND PUMP HOUSE ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 5 TO 6 BECAUSE THE ROAD IS NONPUBLIC AND GATED.
0415	OWER ROAD - CADILLAC ANTENNAE	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 5 TO 6 BECAUSE THE ROAD IS GATED/NONPUBLIC. ROUTE NAME CHANGED FROM "TOWER ROAD".
0417	MARSHALL BROOK FIRE ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 3 TO 6 BECAUSE THE ROAD IS GATED/NONPUBLIC.
0418	HIO FIRE ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 3 TO 6 BECAUSE THE ROAD IS GATED/NONPUBLIC.
0419	SCHOODIC POWERLINE ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 5 TO 6 BECAUSE THE ROAD IS GATED/NONPUBLIC..
0423	ABBE MUSEUM SERVICE ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 6 TO 4 BECAUSE THE ROAD IS PUBLIC
0426	BOYD ROAD - FIRING RANGE ACCESS ROAD	ROUTE NAME	ROUTE NAME CHANGED FROM "BOYD ROAD" IN CYCLE 6.
0901	VISITOR CENTER ACCESSIBLE PARKING	SQ FEET CHANGE	MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0902	DUCK BROOK NORTH PARKING	OTHER	ROUTE NAME CHANGED FROM "BAR HARBOR OVERLOOK PARKING" IN CYCLE 6. MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0905	EAGLE LAKE CARRIAGE ROAD PARKING	SQ FEET CHANGE	MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0907CZZ	JORDAN POND HOUSE SERVICE AND BUS PARKING	ROUTES COMBINED	CYCLE 6 ROUTES 0907A AND 0907B COMBINED WITH OTHER PARKING AREAS (0907CAZ TO 0907CBZ) IN CYCLE 6. MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0908ZZ	JORDAN POND NORTH PARKING	SQ FEET CHANGE	MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0910	BUBBLE POND PARKING	SQ FEET CHANGE	IMPROVED GPS COLLECTED AND SQUARE FOOTAGE UPDATED.
0912	CADILLAC MOUNTAIN PARKING	SQ FEET CHANGE	IMPROVED GPS COLLECTED AND SQUARE FOOTAGE UPDATED.

Route Identification Changes to Paved Routes from Previous Cycle Acadia National Park

ROUTES MODIFIED FROM PREVIOUS INVENTORY:			
Route No.	Route Name	Type of Change	Comments
0917	SCHOONER HEAD OVERLOOK PARKING	SQ FEET CHANGE	PARKING AREA REDUCED, ROUTE 0222 EXTENDED TO INCLUDE LOOP AROUND PARKING TO EAST TO ALIGN WITH FMSS.
0930ZZ	BLACKWOODS CAMPGROUND AMPHITHEATER PARKING	OTHER	ROUTE NAME CHANGED FROM "BLACKWOODS CAMPGROUND PARKING" IN CYCLE 6. MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0933	PARKMAN MOUNTAIN PARKING	SQ FEET CHANGE	IMPROVED GPS COLLECTED AND SQUARE FOOTAGE UPDATED.
0937	ECHO LAKE BEACH PARKING	SQ FEET CHANGE	MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0938ZZ	SEAWALL CAMPGROUND AMPHITHEATER PARKING	OTHER	ROUTE 0938DZ CHANGED TO ROUTE 0235FZ IN CYCLE 6 BECAUSE IT IS A ROAD. NEW PARKING AREAS WERE ADDED (0938DZ TO 0938HZ).
0941	BASS HARBOR LIGHTHOUSE PARKING	ROUTE NAME	ROUTE NAME CHANGED FROM "BASS HARBOR" HEAD LIGHTHOUSE PARKING" IN CYCLE 6.
0948	HARDEN FARM PARKING	ROUTE NAME	ROUTE NAME CHANGED FROM "HARDEN FARM HOUSING AREA PARKING" IN CYCLE 6. MINOR UPDATES TO GPS AND SQUARE FOOTAGE.
0980	SCHOODIC WOODS RANGER STATION PARKING	SQ FEET CHANGE	IMPROVED GPS AND SQUARE FOOTAGE COLLECTED IN CYCLE 6.
5005	SARGAENT DRIVE	ROUTE NAME	ROUTE NAME CHANGED FROM "SARGENT DRIVE" IN CYCLE 6.
5006	LIGHTHOUSE ROAD (NON-NPS)	ROUTE NAME	ROUTE NAME CHANGED FROM "HARBOR ROAD" IN CYCLE 6. ROAD MAY BE TRANSFERRED TO NPS IN FUTURE
5007	MAIN ROAD	OTHER	ROUTE LENGTH CALCULATED FROM UNPAVED ROUTES SHAPEFILE PROVIDED BY THE PARK. THIS ROUTE WAS CHANGED TO A PAVED ROUTE AFTER THE COLLECTION TRIP AND NEEDS TO BE COLLECTED IN CYCLE 7. ROUTE MAY HAVE SOME UNPAVED SECTIONS.

Section 3 Park Summary Information



Acadia National Park



Federal Lands Highway
Road Inventory Program

Parkwide Paved Route Condition Summary

Acadia National Park

Table 1: Paved Route Miles and Parking Area Square Footages by Access Level and PCR

Breakdown of Pavement Condition Rating (PCR) Based on Access Level

	POOR (PCR of 0 - 60)	FAIR (PCR of 61 - 84)	GOOD (PCR of 85 - 94)	EXCELLENT (PCR of 95 -100)	
PAVED ROADS					
Functional Class	Length (miles)	Length (miles)	Length (miles)	Length (miles)	Total Mileage by FC
1	0.40	1.54	4.58	27.96	34.48
2	0.42	1.44	2.01	3.34	7.21
3	0.13	0.71	3.58	7.61	12.03
4					
5	0.14	0.18	0.14	0.05	0.51
6	0.08	0.03	0.02		0.13
7					
8		0.07	0.06	0.16	0.29
Total Mileage by PCR	1.17	3.97	10.39	39.12	54.65
PAVED PARKING					
Access Level	Area (sq. ft.)	Area (sq. ft.)	Area (sq. ft.)	Area (sq. ft.)	Total Area
PUBLIC	171,610	224,815	894,952	10,337	1,301,714
NONPUBLIC	29,043		38,956		67,999
Total Area by PCR	200,653	224,815	933,908	10,337	1,369,713

NOTES:

1. Data are reported in the table only for paved roads and parking lots that received a condition rating.
2. Non-linear roads (MRP collected routes) are measured by area and converted to equivalent route miles based on a 22-ft pavement width in order to be included in the mileage totals for paved roads shown above.
3. Quantities in the table above are derived from the route condition data within the PMS_20, PMS_MRL, PMS_MRP, and PMS_PKG tables in the Park geodatabase.

Parkwide Condition Percentages





Figure 1: Pavement Condition Rating Breakdown for Paved Roads and Parking Areas

Explanation of the Excellent, Good, Fair, and Poor Condition Descriptions

The Road Inventory Program aims to provide assistance in translating the excellent / good / fair / poor rating categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the type of treatments that should be considered now and into the future.

- Excellent / New: PCR of 95-100
 - Pavements in this range will require only spot repairs
- Good: PCR of 85-94
 - Pavements in this range will likely be candidates for Preventive Maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84
 - Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include singlelift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 0-60
 - Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R). Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.



At this time, specific Maintenance and Rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions at the time in which the data were collected. For further information or to obtain additional Pavement Management System's data from our Highway Pavement Management Application (HPMA) please contact the Eastern Federal Lands pavement team.



Cycle 6 - Road Inventory Program Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Acadia National Park

Notes:

- This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).
- Condition on roads that were manually rated and parking areas are shown in separate reports.
- Route-level scores shown on this page may not represent scores at smaller intervals (due to rollup calculations).
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Roads Rated with the Data Collection Vehicle (DCV)

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0010AZ	61718	PARADISE HILL ROAD	1	AS	3.09	100	100	100	100	100	100	100	100	100
ACAD-0010BZ	61718	PARADISE HILL ROAD NORTHBOUND	1	AS	0.46	100	NR	100	100	100	100	100	100	100
ACAD-0011	61720	HULLS COVE ROAD	2	AS	0.21	75	NR	75	79	100	79	93	100	75
ACAD-0012	61723	PARK LOOP ROAD - LOWER MOUNTAIN ROAD	1	AS	5.16	99	100	99	99	100	99	99	100	99
ACAD-0013	61725	CADILLAC SUMMITT ROAD	1	AS	3.35	95	96	94	100	100	100	99	100	94
ACAD-0014	61726	STANLEY BROOK ROAD	1	AS	1.26	99	100	99	100	100	100	99	100	100
ACAD-0016	102924	SIEUR DE MONTS ROAD	2	AS	0.20	95	NR	95	95	100	95	95	100	95
ACAD-0100	60117	WEST STREET EXTENSION	2	AS	0.32	96	NR	96	97	100	97	99	100	96
ACAD-0101AZ	60118	CADILLAC ENTRANCE ROAD	2	AS	0.13	100	NR	100	100	100	100	100	100	100
ACAD-0101BZ	60118	CADILLAC ENTRANCE ROAD SPUR	2	AS	0.04	99	NR	99	100	100	100	100	100	99
ACAD-0102AZ	60119	DUCK BROOK ROAD A	2	AS	1.14	75	56	87	87	100	87	98	100	96
ACAD-0103	60120	KEBO STEET	2	AS	0.19	94	NR	94	94	100	94	99	100	99
ACAD-0104	60121	GREAT MEADOW DRIVE	2	AS	0.33	96	NR	96	100	100	100	96	100	99
ACAD-0105	60122	OTTER CLIFF ROAD	2	AS	0.61	91	91	91	98	100	98	91	100	98
ACAD-0106	245555	FARVIEW DRIVE - SCHOODIC WOODS	2	AS	0.62	91	80	98	100	100	100	100	100	98
ACAD-0202	61730	SCHOONER HEAD ROAD	2	AS	0.79	97	98	97	100	100	100	99	100	97
ACAD-0208	60124	SWEETWATER CIRCLE	3	AS	0.32	95	NR	95	96	100	96	95	99	96
ACAD-0211AZ	60125	BLACKWOODS DRIVE ENTRANCE ROAD	2	AS	0.81	95	95	95	99	100	99	95	100	99
ACAD-0211BZ	60125	BLACKWOODS DRIVE LOWER TURN AROUND	2	AS	0.08	97	NR	97	99	100	99	99	100	97



Cycle 6 - Road Inventory Program Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Acadia National Park

Notes:

- This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).
- Condition on roads that were manually rated and parking areas are shown in separate reports.
- Route-level scores shown on this page may not represent scores at smaller intervals (due to rollup calculations).
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Roads Rated with the Data Collection Vehicle (DCV)

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0211CZ	60125	BLACKWOODS DRIVE MID TURN AROUND	2	AS	0.06	95	NR	95	100	100	100	99	99	95
ACAD-0211FZ	60125	BLACKWOODS DRIVE SPUR	2	AS	0.04	94	NR	94	100	100	100	100	99	94
ACAD-0212AZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD A	3	AS	0.85	93	NR	93	100	100	100	99	100	93
ACAD-0212BZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD B	3	AS	0.11	95	NR	95	100	100	100	99	100	95
ACAD-0212CZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD C	3	AS	0.17	89	NR	89	99	100	99	97	100	89
ACAD-0212DZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD D	3	AS	0.20	91	NR	91	100	100	100	99	100	91
ACAD-0212EZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD E	3	AS	0.09	97	NR	97	99	100	99	98	100	97
ACAD-0212FZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD F	3	AS	0.21	98	NR	98	100	100	100	99	100	98
ACAD-0212GZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD G	3	AS	0.18	95	NR	95	100	100	100	100	100	95
ACAD-0212HZ	60127	BLACKWOODS CAMPGROUND LOOP B ROAD H	3	AS	0.11	97	NR	97	100	100	100	99	100	97
ACAD-0213AZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD A	3	AS	0.84	96	NR	96	100	100	100	99	100	96
ACAD-0213CZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD C	3	AS	0.13	91	NR	91	99	100	99	100	100	91
ACAD-0213DZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD D	3	AS	0.13	79	NR	79	98	100	98	99	100	79
ACAD-0213EZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD E	3	AS	0.15	97	NR	97	99	100	99	100	100	97
ACAD-0213FZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD F	3	AS	0.16	96	NR	96	99	100	99	100	100	96
ACAD-0213GZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD G	3	AS	0.16	93	NR	93	98	100	98	99	100	93
ACAD-0213HZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD H	3	AS	0.15	95	NR	95	100	100	100	99	100	95
ACAD-0213IZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD I	3	AS	0.17	96	NR	96	99	100	99	99	100	96
ACAD-0213JZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD J	3	AS	0.17	95	NR	95	100	100	100	100	100	95



Cycle 6 - Road Inventory Program Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Acadia National Park

Notes:

- This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).
- Condition on roads that were manually rated and parking areas are shown in separate reports.
- Route-level scores shown on this page may not represent scores at smaller intervals (due to rollup calculations).
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Roads Rated with the Data Collection Vehicle (DCV)

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0213KZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD K	3	AS	0.17	98	NR	98	100	100	100	100	100	98
ACAD-0213LZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD L	3	AS	0.18	92	NR	92	100	100	100	100	100	92
ACAD-0213MZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD M	3	AS	0.17	94	NR	94	100	100	100	100	100	94
ACAD-0213NZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD N	3	AS	0.13	93	NR	93	98	100	98	99	100	93
ACAD-0214	60128	FISH HOUSE ROAD	3	AS	0.16	93	NR	93	100	100	100	99	100	93
ACAD-0216AZ	60129	BEAR BROOK PICNIC AREA ROAD A	3	AS	0.16	92	NR	92	100	100	100	99	100	92
ACAD-0216BZ	60129	BEAR BROOK PICNIC AREA ROAD B	3	AS	0.12	92	NR	92	100	100	100	100	100	92
ACAD-0222	60130	OVERLOOK ROAD - SCHOONER HEAD	2	AS	0.41	83	NR	83	98	100	98	83	100	99
ACAD-0227	61785	ECHO LAKE BEACH ROAD	3	AS	0.47	98	NR	98	98	100	98	100	100	99
ACAD-0230	61807	PRETTY MARSH PICNIC AREA ROAD	3	AS	0.46	97	NR	97	100	100	100	100	100	97
ACAD-0231AZ	61786	SEAWALL PICNIC AREA AND VISTA A	3	AS	0.20	90	NR	90	91	100	91	90	100	97
ACAD-0231BZ	61786	SEAWALL PICNIC AREA AND VISTA B	3	AS	0.15	96	NR	96	99	100	99	97	100	96
ACAD-0232AZ	61787	COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD	2	AS	0.47	93	NR	93	94	100	94	93	100	97
ACAD-0232BZ	61787	COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND	2	AS	0.04	90	NR	90	100	100	100	90	100	98
ACAD-0233	61790	SEAWALL CAMPGROUND LOOP A	3	AS	0.36	94	NR	94	96	100	96	94	100	94
ACAD-0234	61791	SEAWALL CAMPGROUND LOOP B	3	AS	0.29	96	NR	96	100	100	100	100	100	96
ACAD-0235AZ	61792	SEAWALL CAMPGROUND LOOP C ROAD A	3	AS	0.36	96	NR	96	100	100	100	100	100	96
ACAD-0235BZ	61792	SEAWALL CAMPGROUND LOOP C ROAD B	3	AS	0.12	95	NR	95	100	100	100	100	100	95
ACAD-0235CZ	61792	SEAWALL CAMPGROUND LOOP C ROAD C	3	AS	0.13	93	NR	93	100	100	100	100	100	93



Cycle 6 - Road Inventory Program Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Acadia National Park

Notes:

- This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).
- Condition on roads that were manually rated and parking areas are shown in separate reports.
- Route-level scores shown on this page may not represent scores at smaller intervals (due to rollup calculations).
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Roads Rated with the Data Collection Vehicle (DCV)

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0235DZ	61792	SEAWALL CAMPGROUND LOOP C ROAD D	3	AS	0.11	95	NR	95	99	100	99	98	100	95
ACAD-0235EZ	61792	SEAWALL CAMPGROUND LOOP C ROAD E	3	AS	0.10	97	NR	97	100	100	100	99	100	97
ACAD-0235FZ	61792	SEAWALL DUMP STATION	3	AS	0.04	93	NR	93	100	100	100	100	99	93
ACAD-0236	61793	SEAWALL CAMPGROUND LOOP D	3	AS	0.30	96	NR	96	100	100	100	96	100	96
ACAD-0237	61788	BEECH HILL ROAD	2	AS	0.42	94	NR	94	94	100	94	97	100	99
ACAD-0245	61789	LIGHTHOUSE ROAD - BASS HARBOR	2	AS	0.25	98	NR	98	99	100	99	98	100	98
ACAD-0249AZ	62763	AREY COVE ROAD	1	AS	0.51	97	100	95	95	100	95	97	100	100
ACAD-0249BZ	62763	AREY COVE ROAD SPUR	1	AS	0.04	96	NR	96	99	100	99	100	100	96
ACAD-0261	61794	SEAWALL CAMPGROUND GROUP AREA ROAD	3	AS	0.23	86	NR	86	99	100	99	86	100	88
ACAD-0262	103146	ACADIA DRIVE	3	AS	0.34	98	NR	98	100	100	100	100	100	98
ACAD-0263	103147	JACOBSON DRIVE	3	AS	0.33	98	NR	98	99	100	99	100	100	98
ACAD-0264	103150	MUSETTI DRIVE	3	AS	0.15	89	NR	89	89	90	99	99	100	93
ACAD-0265	103143	MYRICK DRIVE	3	AS	0.10	100	NR	100	100	100	100	100	100	100
ACAD-0270	103145	ATTERBURY CIRCLE	3	AS	0.08	96	NR	96	100	100	100	100	100	96
ACAD-0271	115937	FABBRI DRIVE	3	AS	0.05	94	NR	94	100	100	100	100	100	94
ACAD-0272AZ	103152	ALVEY DRIVE PAVED	3	AS	0.15	63	NR	63	91	100	91	63	100	94
ACAD-0274	243904	JORDAN POND HOUSE BUS LOOP	3	AS	0.10	98	NR	98	100	100	100	99	100	98
ACAD-0276AZ	245557	SCHOODIC WOODS LOOP A ACCESS ROAD	3	AS	0.49	98	NR	98	100	100	100	100	100	98
ACAD-0276BZ	245557	SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD	3	AS	0.04	98	NR	98	100	100	100	100	100	98



Cycle 6 - Road Inventory Program Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Acadia National Park

Notes:

- This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).
- Condition on roads that were manually rated and parking areas are shown in separate reports.
- Route-level scores shown on this page may not represent scores at smaller intervals (due to rollup calculations).
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Roads Rated with the Data Collection Vehicle (DCV)

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0276CZ	245557	SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD	3	AS	0.06	98	NR	98	100	100	100	100	100	98
ACAD-0276DZ	245557	SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS ROAD	3	AS	0.10	99	NR	99	100	100	100	100	100	99
ACAD-0276EZ	245557	SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS ROAD	3	AS	0.13	99	NR	99	100	100	100	100	100	99
ACAD-0277AZ	245558	SCHOODIC WOODS LOOP B ACCESS ROAD	3	AS	0.50	99	NR	99	100	100	100	100	100	99
ACAD-0277BZ	245558	SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD	3	AS	0.23	100	NR	100	100	100	100	100	100	100
ACAD-0277CZ	245558	SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD	3	AS	0.16	100	NR	100	100	100	100	100	100	100
ACAD-0277DZ	245558	SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD	3	AS	0.11	100	NR	100	100	100	100	100	100	100
ACAD-0277EZ	245558	SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD	3	AS	0.13	100	NR	100	100	100	100	100	100	100
ACAD-0277FZ	245558	SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD	3	AS	0.02	96	NR	96	99	100	99	100	100	96
ACAD-0278	245556	SERVICE ROAD - SCHOODIC WOODS	3	AS	0.06	97	NR	97	100	100	100	99	100	97
ACAD-0300	61716	PARK LOOP ROAD - ONE-WAY	1	AS	13.41	99	100	99	100	100	100	100	100	99
ACAD-0301	62764	SCHOODIC LOOP ROAD	1	AS	7.20	94	100	90	90	100	90	94	100	99
ACAD-0400	61733	HULLS COVE STORAGE AREA ROAD	6	AS	0.13	45	NR	45	45	100	45	82	100	89
ACAD-0404	103248	MCFARLAND HILL DRIVE	5	AS	0.33	85	NR	85	85	100	85	87	100	96
ACAD-0405AZ	103252	VOLUNTEER WAY - LEACH FIELD ACCESS ROAD	5	AS	0.08	77	NR	77	93	100	93	77	99	97
ACAD-0409	103254	HULLS COVE PARK RESIDENCE ROAD	5	AS	0.06	0	NR	0	0	66	22	11	99	82
ACAD-0416	103260	OLD FARM ROAD	8	AS	0.29	95	NR	95	95	100	95	97	100	98



Cycle 6 - Road Inventory Program Road Condition Summary Report for Manually Rated Roads

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

- This condition summary report contains only the roads that were manually rated.
 - MRL: Manually Rated Line (a linear road)
 - MRP: Manually Rated Polygon (a non-linear road)
- Condition on roads that were rated with the Data Collection Vehicle (DCV) are shown in a separate report.
- A road is manually rated when it is determined to be unsuitable for the DCV to drive.
- Additional details on individual road ratings at 0.10-mile and 1-mile intervals can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route-Level Condition for Manually Rated Line (MRL) Roads

Route No.	FMSS No.	Route Name	Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
ACAD-0102BZ	60119	DUCK BROOK ROAD B	2	AS	0.70	NR	NR	NR	NR	NR	NR	NR	NR	NR
ACAD-0211DZ	60125	BLACKWOODS DRIVE UPPER TURN AROUND	2	AS	0.06	0	NR	0	NR	NR	NR	NR	NR	NR
ACAD-0213BZ	60126	BLACKWOODS CAMPGROUND LOOP A ROAD B	3	AS	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR
ACAD-0405BZ	103252	VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD	5	AS	0.04	30	NR	30	NR	30	73	73	73	90



Cycle 6 - Road Inventory Program Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition Rating Details for Paved Parking Areas

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses					Concrete Surface Distresses						
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching	
ACAD-0900	103207	VISITOR CENTER PARKING - HULLS COVE	PUBLIC	AS	130,335	73	90	90	90	90	97	73						
ACAD-0901	102927	VISITOR CENTER ACCESSIBLE PARKING	PUBLIC	AS	13,080	90	97	90	97	97	90	90						
ACAD-0902	103290	DUCK BROOK NORTH PARKING	PUBLIC	AS	4,783	90	97	90	97	97	90	90						
ACAD-0903	103293	1947 FIRE OVERLOOK PARKING	PUBLIC	AS	5,504	90	97	97	97	97	97	90						
ACAD-0904	61735	EAGLE LAKE BOAT LAUNCH PARKING	PUBLIC	AS	9,161	73	90	90	90	97	97	73						
ACAD-0905	103295	EAGLE LAKE CARRIAGE ROAD PARKING	PUBLIC	AS	9,142	90	97	90	97	97	97	90						
ACAD-0907AZ	61737	JORDAN POND HOUSE RESTAURANT - SOUTH PARKING	PUBLIC	AS	26,575	90	90	90	97	97	97	90						
ACAD-0907BZ	61737	JORDAN POND HOUSE SERVICE PARKING	PUBLIC	AS	2,502	30	30	90	90	53	90	73						
ACAD-0907CAZ	61737	JORDAN POND BUS PARKING A	PUBLIC	BR	1,141	97												
ACAD-0907CBZ	61737	JORDAN POND BUS PARKING B	PUBLIC	BR	2,585	97												
ACAD-0908AZ	61766	JORDAN POND NORTH PARKING A	PUBLIC	AS	39,208	90	90	90	90	97	97	90						
ACAD-0908BZ	61766	JORDAN POND NORTH PARKING B	PUBLIC	AS	36,262	90	90	90	97	97	97	90						
ACAD-0909AZ	103297	BUBBLE ROCK PARKING	PUBLIC	AS	11,498	90	97	90	97	97	97	97						
ACAD-0909BZ	103297	BUBBLE ROCK OVERLOOK	PUBLIC	AS	2,280	90	97	97	97	97	97	90						
ACAD-0909CZ	103297	BUBBLE AND JORDAN POND PATH	PUBLIC	AS	1,987	90	97	90	97	97	97	90						
ACAD-0910	61738	BUBBLE POND PARKING	PUBLIC	AS	11,820	73	97	90	97	97	97	73						
ACAD-0911	61767	BLUE HILL OVERLOOK PARKING	PUBLIC	AS	22,195	90	90	90	90	97	97	90						
ACAD-0912	61768	CADILLAC MOUNTAIN PARKING	PUBLIC	AS	58,025	90	90	90	90	97	97	90						
ACAD-0913	61769	TARN PARKING	PUBLIC	AS	7,360	90	97	90	90	97	97	90						
ACAD-0914	103299	EGG ROCK OVERLOOK PARKING	PUBLIC	AS	3,956	90	90	97	97	97	97	90						
ACAD-0915	61770	PRECIPICE PARKING	PUBLIC	AS	12,558	90	97	90	97	97	97	90						
ACAD-0916	103300	GREAT HEAD PARKING	PUBLIC	AS	7,787	90	97	90	97	97	97	90						
ACAD-0917	61771	SCHOONER HEAD OVERLOOK PARKING	PUBLIC	AS	9,593	90	90	97	97	97	97	90						
ACAD-0918	61772	LOWER SAND BEACH PARKING	PUBLIC	AS	60,087	90	97	90	90	90	97	90						
ACAD-0919	61773	UPPER SAND BEACH PARKING	PUBLIC	AS	13,515	90	97	97	97	97	97	90						
ACAD-0920	61774	THUNDER HOLE AND SAND BEACH PARKING	PUBLIC	AS	13,533	90	97	97	97	97	97	90						



Cycle 6 - Road Inventory Program Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition Rating Details for Paved Parking Areas

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses					Concrete Surface Distresses						
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching	
ACAD-0921	103301	KEYHOLE PARKING	PUBLIC	AS	7,674	90	97	97	97	97	97	90						
ACAD-0922	61775	THUNDER HOLE PARKING	PUBLIC	AS	23,142	90	97	90	97	97	97	90						
ACAD-0923	61776	GORHAM MOUNTAIN PARKING	PUBLIC	AS	8,794	90	97	90	97	97	97	90						
ACAD-0924	103302	ROUTE 0300 MP 7.1 PARKING	PUBLIC	AS	8,879	90	97	97	97	97	97	90						
ACAD-0925	61777	OTTER CLIFFS PARKING	PUBLIC	AS	7,055	90	97	97	97	97	97	90						
ACAD-0926	61778	OTTER POINT PARKING	PUBLIC	AS	17,034	90	97	97	97	97	97	90						
ACAD-0927	61779	FABBRI MEMORIAL PARKING	PUBLIC	AS	13,599	90	97	90	90	97	97	90						
ACAD-0928	61780	FABBRI PICNIC AREA PARKING	PUBLIC	AS	14,786	90	97	90	90	97	97	90						
ACAD-0930BZ	103279	BLACKWOODS CAMPGROUND AMPHITHEATER PARKING B	PUBLIC	AS	5,945	90	97	90	97	97	97	90						
ACAD-0930CZ	103279	BLACKWOODS CAMPGROUND AMPHITHEATER PARKING C	PUBLIC	AS	2,358	90	97	90	90	97	97	90						
ACAD-0931	61781	BROWN MOUNTAIN PARKING	PUBLIC	AS	8,868	90	90	90	97	97	97	90						
ACAD-0932	61782	NORUMBEGA PARKING	PUBLIC	AS	6,340	90	90	90	97	97	97	90						
ACAD-0933	61783	PARKMAN MOUNTAIN PARKING	PUBLIC	AS	11,192	90	97	90	97	97	97	90						
ACAD-0934	61809	IKES POINT PARKING	PUBLIC	AS	13,402	90	97	90	90	97	97	90						
ACAD-0935	61810	ACADIA MOUNTAIN PARKING	PUBLIC	AS	7,136	90	97	90	97	97	90	90						
ACAD-0936	61812	ST SAUVEUR MOUNTAIN PARKING	PUBLIC	AS	4,507	90	90	90	90	97	97	90						
ACAD-0937	61813	ECHO LAKE BEACH PARKING	PUBLIC	AS	39,654	90	97	90	97	97	97	90						
ACAD-0938AZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING A	PUBLIC	AS	2,560	90	90	90	97	97	97	90						
ACAD-0938BZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING B	PUBLIC	AS	1,858	90	97	90	97	97	97	90						
ACAD-0938CZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING C	PUBLIC	AS	2,763	90	97	90	97	97	97	90						
ACAD-0938DZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING D	PUBLIC	AS	692	90	90	90	90	97	97	90						
ACAD-0938EZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING E	PUBLIC	AS	706	73	90	90	73	97	97	90						
ACAD-0938FZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING F	PUBLIC	AS	767	73	90	90	73	97	97	90						
ACAD-0938GZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING G	PUBLIC	AS	689	73	90	90	73	97	97	90						
ACAD-0938HZ	103266	SEAWALL CAMPGROUND AMPHITHEATER PARKING H	PUBLIC	AS	1,148	73	90	90	73	97	97	90						
ACAD-0939	103263	WONDERLAND PARKING	PUBLIC	AS	2,281	90	97	90	97	97	97	90						



Cycle 6 - Road Inventory Program

Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition Rating Details for Paved Parking Areas

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses					Concrete Surface Distresses							
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching		
ACAD-0940	103280	SHIP HARBOR PARKING	PUBLIC	AS	5,062	73	97	90	90	97	97	73							
ACAD-0941	61814	BASS HARBOR LIGHTHOUSE PARKING	PUBLIC	AS	10,895	90	97	97	90	97	97	90							
ACAD-0942	61815	BEECH MOUNTAIN PARKING	PUBLIC	AS	10,968	90	97	90	90	97	97	90							
ACAD-0943	61765	THOMPSON ISLAND INFORMATION CENTER PARKING	PUBLIC	AS	17,461	53	90	53	90	97	97	90							
ACAD-0944	62766	SCHOODIC POINT PARKING	PUBLIC	AS	39,742	53	97	53	90	90	97	90							
ACAD-0945	62767	BLUEBERRY HILL PARKING	PUBLIC	AS	9,391	90	97	90	90	97	97	90							
ACAD-0946	103271	ROLLING ISLAND OVERLOOK PARKING	PUBLIC	AS	3,468	90	97	90	97	97	97	90							
ACAD-0947	103269	FRENCHMAN BAY OVERLOOK PARKING	PUBLIC	AS	3,923	90	97	90	97	97	97	90							
ACAD-0948	103268	HARDEN FARM PARKING	PUBLIC	AS	13,010	53	73	53	90	90	97	97							
ACAD-0949AZ	103155	ADMINISTRATION SERVICES PUBLIC PARKING	PUBLIC	AS	13,828	53	90	53	90	97	97	90							
ACAD-0949BZ	103155	MOORE AUDITORIUM PARKING 1	PUBLIC	AS	4,806	90	90	90	97	97	97	90							
ACAD-0949CZ	103155	MOORE AUDITORIUM PARKING 2	PUBLIC	AS	14,127	90	97	90	97	97	97	90							
ACAD-0950AZ	103156	SERVICES SOUTH BUS DROP-OFF PARKING	PUBLIC	AS	600	90	97	97	97	97	97	90							
ACAD-0950BZ	103156	SERVICES SOUTH PARKING	PUBLIC	AS	48,723	90	97	90	90	97	97	90							
ACAD-0950CZ	103156	WATER TOWER PARKING	PUBLIC	AS	1,002	90	97	97	97	97	97	90							
ACAD-0950DZ	103156	WAREHOUSE SERVICES PARKING	PUBLIC	AS	922	30	30	53	53	30	97	73							
ACAD-0951AZ	103164	CABIN NORTH PARKING	PUBLIC	AS	1,178	90	90	90	97	97	97	90							
ACAD-0951BZ	103164	CABIN SOUTH PARKING	PUBLIC	AS	3,212	53	97	53	90	97	97	90							
ACAD-0952	103186	SCHOONER COMMONS PARKING	PUBLIC	AS	6,485	90	90	90	97	97	97	90							
ACAD-0953	103159	SUITES PARKING	PUBLIC	AS	4,146	53	90	53	90	97	90	90							
ACAD-0955AZ	103169	BALL FIELD PARKING A	PUBLIC	AS	7,164	53	90	53	90	90	97	90							
ACAD-0955BZ	103169	BALL FIELD PARKING B	PUBLIC	AS	5,122	53	90	53	90	97	97	90							
ACAD-0955CZ	103169	BALL FIELD PARKING C	PUBLIC	AS	909	53	90	53	90	97	97	90							
ACAD-0957AZ	103188	SCHOODIC SHORES A PARKING	PUBLIC	AS	939	90	97	97	90	97	97	90							
ACAD-0957BZ	103188	SCHOODIC SHORES B PARKING	PUBLIC	AS	682	90	97	97	97	97	97	90							
ACAD-0957CZ	103188	SCHOODIC SHORES C PARKING	PUBLIC	AS	680	90	97	97	90	97	97	90							



Cycle 6 - Road Inventory Program Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses						Concrete Surface Distresses					
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching	
ACAD-0957DZ	103188	SCHOODIC SHORES D PARKING	PUBLIC	AS	422	73	97	97	90	97	97	73						
ACAD-0957EZ	103188	SCHOODIC SHORES E PARKING	PUBLIC	AS	948	90	97	97	90	97	97	90						
ACAD-0957FZ	103188	SCHOODIC SHORES F PARKING	PUBLIC	AS	905	90	97	97	90	97	97	90						
ACAD-0957GZ	103188	SCHOODIC SHORES G PARKING	PUBLIC	AS	2,825	90	97	97	90	90	97	90						
ACAD-0957HZ	103188	SCHOODIC SHORES H PARKING	PUBLIC	AS	662	90	97	97	90	97	97	90						
ACAD-0957IZ	103188	SCHOODIC SHORES I PARKING	PUBLIC	AS	2,828	90	97	97	90	97	97	90						
ACAD-0957JZ	103188	SCHOODIC SHORES J PARKING	PUBLIC	AS	474	90	97	97	90	97	97	90						
ACAD-0957KZ	103188	SCHOODIC SHORES K PARKING	PUBLIC	AS	657	90	97	97	90	90	97	90						
ACAD-0958AZ	103180	GEORGE M. WRIGHT HALL PARKING	PUBLIC	AS	4,670	90	97	97	90	97	97	90						
ACAD-0958BZ	103180	GEORGE M. WRIGHT HALL SERVICES PARKING	PUBLIC	AS	2,154	90	97	97	90	97	97	90						
ACAD-0959Z	103192	ROCKEFELLER BUILDING PARKING	PUBLIC	BR	1,867	97												
ACAD-0960AZ	103192	EMERGENCY SERVICES PARKING	PUBLIC	AS	10,177	90	97	97	90	97	97	90						
ACAD-0960BZ	103192	ROCKEFELLER PLAZA PARKING	PUBLIC	AS	6,392	90	97	97	90	90	97	90						
ACAD-0961AZ	103185	ENTRANCE BUILDING PARKING	PUBLIC	AS	4,744	97	97	97	97	97	97	97						
ACAD-0961BZ	103185	WASTEWATER SERVICES PARKING	PUBLIC	AS	2,015	53	90	53	90	90	90	90						
ACAD-0963AZ	243255	WILD GARDENS OF ACADIA PARKING A	PUBLIC	AS	7,373	90	90	90	97	97	97	90						
ACAD-0963BZ	243255	WILD GARDENS OF ACADIA PARKING B	PUBLIC	AS	5,924	73	97	90	97	73	97	90						
ACAD-0965	103247	BROWN MOUNTAIN GATEHOUSE PARKING	PUBLIC	AS	4,091	30	30	53	90	90	97	73						
ACAD-0966	103253	JORDAN POND GATEHOUSE PARKING	PUBLIC	AS	4,618	53	73	90	73	53	97	73						
ACAD-0968AZ	103257	SEAWALL RANGER RESIDENCE PARKING A	PUBLIC	AS	2,425	53	90	53	90	53	97	73						
ACAD-0968BZ	103257	SEAWALL RANGER RESIDENCE PARKING B	PUBLIC	AS	707	73	90	90	90	97	97	73						
ACAD-0970	61740	THOMPSON ISLAND PICNIC AREA PARKING	PUBLIC	AS	35,812	90	90	90	90	97	97	97						
ACAD-0971	62762	FRAZER POINT PICNIC AREA PARKING	PUBLIC	AS	26,634	90	90	90	90	97	97	90						
ACAD-0972AZ	243472	MCFARLAND HILL HEADQUARTERS A PARKING	PUBLIC	AS	7,777	73	90	90	90	90	90	73						
ACAD-0972BZ	243472	MCFARLAND HILL HEADQUARTERS B PARKING	PUBLIC	AS	3,143	90	97	90	97	97	97	90						
ACAD-0972CZ	243472	MCFARLAND HILL HEADQUARTERS C PARKING	PUBLIC	AS	1,832	90	97	90	97	97	97	90						



Federal Lands Highway
Road Inventory Program

Cycle 6 - Road Inventory Program

Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses					Concrete Surface Distresses						
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching	
ACAD-0972DZ	243472	MCFARLAND HILL HEADQUARTERS D PARKING	PUBLIC	AS	2,972	90	97	90	97	97	97	90						
ACAD-0972EZ	243472	MCFARLAND HILL HEADQUARTERS E PARKING	PUBLIC	AS	888	90	97	90	97	97	97	90						
ACAD-0972FZ	243472	MCFARLAND HILL HEADQUARTERS F PARKING	PUBLIC	AS	3,075	90	90	90	90	97	97	90						
ACAD-0972GZ	243472	MCFARLAND HILL HEADQUARTERS G PARKING	PUBLIC	AS	4,667	73	97	90	73	97	97	90						
ACAD-0972HZ	243472	MCFARLAND HILL HEADQUARTERS H PARKING	PUBLIC	AS	3,909	73	90	90	90	73	97	90						
ACAD-0972IZ	243472	MCFARLAND HILL HEADQUARTERS I PARKING	PUBLIC	AS	14,726	73	90	90	90	73	97	90						
ACAD-0974	243474	VISITOR CENTER EMPLOYEE PARKING	NONPUBLIC	AS	12,232	53	90	53	90	90	97	90						
ACAD-0976	103183	ADMINISTRATION SERVICES PARKING	NONPUBLIC	AS	16,811	53	90	53	90	90	73	90						
ACAD-0977	243248	SERVICES NORTH PARKING	NONPUBLIC	AS	38,956	90	97	90	97	97	97	90						
ACAD-0980	245559	SCHOODIC WOODS RANGER STATION PARKING	PUBLIC	AS	67,642	90	90	90	97	90	97	90						
ACAD-0981AZ	245560	SCHOODIC WOODS CAMPGROUND LAYDOWN AREA	PUBLIC	AS	14,963	0												
ACAD-0981BZ	245560	SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF A	PUBLIC	AS	832	90	97	97	90	97	97	97						
ACAD-0981CZ	245560	SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF B	PUBLIC	AS	2,990	90	97	97	97	97	97	90						
ACAD-0984AZ		EAGLE LAKE OVERLOOK NORTH	PUBLIC	AS	1,371	90	97	97	97	97	97	90						
ACAD-0984BZ		EAGLE LAKE OVERLOOK SOUTH	PUBLIC	AS	1,182	90	97	97	97	97	97	90						
ACAD-0985AZ		TRIAD-DAY PULLOUT	PUBLIC	AS	672	0												
ACAD-0985BZ		HUNTERS BROOK TRAIL PULLOUT	PUBLIC	AS	877	0												
ACAD-0985CZ		SOUTHWEST OVERLOOK	PUBLIC	AS	6,852	90	97	90	97	97	97	90						
ACAD-0985DZ		LITTLE HUNTERS BEACH TRAIL PULLOUT	PUBLIC	AS	1,105	90	97	97	97	97	97	90						
ACAD-0985EZ		ATLANTIC OCEAN OVERLOOK	PUBLIC	AS	1,220	90	97	90	97	97	97							
ACAD-0985FZ		WESTERN POINT OVERLOOK #3	PUBLIC	AS	928	90	97	97	97	97	97	90						
ACAD-0985GZ		WESTERN POINT OVERLOOK #2	PUBLIC	AS	2,435	90	97	97	97	97	97	90						
ACAD-0985HZ		WESTERN POINT OVERLOOK #1	PUBLIC	AS	1,554	90	97	97	97	97	97	90						
ACAD-0985IZ		BEAR BROOK PULLOUT	PUBLIC	AS	2,037	90	97	90	97	97	97	90						
ACAD-0985JZ		GREAT MEADOW VISTA PULLOUT	PUBLIC	AS	683	0												
ACAD-0985KZ		GREAT MEADOW PULLOUT	PUBLIC	AS	943	0												



Cycle 6 - Road Inventory Program Parking Area Condition Summary Report

Acadia National Park

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

- Notes:
- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
 - Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
 - Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition Rating Details for Paved Parking Areas

Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Asphalt Surface Distresses						Concrete Surface Distresses					
							Alligator Cracking	Longitudinal / Transverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching	
ACAD-0985LZ		STRATHEDEN TRAIL PULLOUT	PUBLIC	AS	729	0												
ACAD-0985MZ		GORGE PATH PARKING	PUBLIC	AS	1,180	0												
ACAD-0985NZ		OLD NORTH RIDGE TRAIL PARKING	PUBLIC	AS	3,069	90	97	90	97	97	97	90						
ACAD-0985OZ		STRATHEDEN TRAIL UNPAVED PULLOUT	PUBLIC	AS	3,952	0												
ACAD-0987AZ		SCHOODIC WOODS AMPHITHEATER PARKING	PUBLIC	AS	7,264	0												
ACAD-0987BZ		SCHOODIC WOODS AMPHITHEATER OVERFLOW PARKING	PUBLIC	AS	3,947	0												
ACAD-0987CZ		SCHOODIC WOODS WALK-IN SITE PARKING	PUBLIC	AS	4,332	0												
ACAD-0989	60123	DANE FARM PARKING	PUBLIC	AS	26,995	73	97	90	90	90	90	73						
ACAD-0990	103256	SEASONAL WAY - SEAWALL CAMPGROUND MAINTENANCE PARKING	PUBLIC	AS	10,901	53	90	53	90	73	90	90						

Section 4 Park Route Location Maps



Acadia National Park




Federal Lands Highway
Road Inventory Program

Acadia National Park


ROUTE LOCATION MAP

Key Map



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

————— **NPS Collected Routes** ————— **Non-NPS Collected Routes**



Acadia National Park


ROUTE LOCATION MAP


Area Map 1



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 **Non-NPS Collected Routes**



Acadia National Park


ROUTE LOCATION MAP

Area Map 2




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads




Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 3



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 3A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 4



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 4A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

 **Non-NPS Collected Routes**



Acadia National Park


ROUTE LOCATION MAP


Area Map 4B



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 5



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

 Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 5A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

————— Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 5B



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 5C



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

————— Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 6



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

————— Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 7



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


————— Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 7A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


————— Non-NPS Collected Routes



Acadia National Park

ROUTE LOCATION MAP


Area Map 8



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 9



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 Non-NPS Collected Routes



Acadia National Park


ROUTE LOCATION MAP


Area Map 9A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads


 **Non-NPS Collected Routes**



Acadia National Park

ROUTE LOCATION MAP


Area Map 9B



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads

————— Non-NPS Collected Routes




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Key Map




Note: No Paved Roads on Maps 1 & 4

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)



Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 2




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed



Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 3




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

- | | | | | |
|----------------------|----------------------|-----------------------|-----------------------------|------------------|
| Poor (0 - 60) | Fair (61- 84) | Good (85 - 94) | Excellent (95 - 100) | Not Rated |
|----------------------|----------------------|-----------------------|-----------------------------|------------------|

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 3A




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 5




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
 Only Data Collection Vehicle and Manually Rated Roads are displayed



Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 5A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 5B




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
 Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 5C



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 6




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 7




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP


PCR - MILE BY MILE

Area Map 7A



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas				
Only Data Collection Vehicle and Manually Rated Roads are displayed				



Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 8




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed



Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 9




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed




Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 9A




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed



Acadia National Park

ROUTE CONDITION MAP

PCR - MILE BY MILE

Area Map 9B




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

Colors on map represent condition scores at 1-mile intervals. See Appendix for definitions and formulas
Only Data Collection Vehicle and Manually Rated Roads are displayed



Section 5 Paved Road Condition Rating Sheets



Acadia National Park



Federal Lands Highway
Road Inventory Program

Acadia National Park

ROUTE 0010ZZ: PARADISE HILL ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	3.55					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	100					
Lane & Width Information						
Number of Lanes	2					
Paved Width (ft)	26.3					
Lane Width (ft)	13.8					

Acadia National Park

ROUTE 0010AZ: PARADISE HILL ROAD

Subcomponent of Route ACAD-0010ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0	1	2	3	
Paved Length (Miles): 3.09	Section Length (MI)	1	1	1	0.09	
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100	99	100	100	
Surface Condition Rating (SCR)	100	100	99	100	100	
Roughness Condition Index (RCI)	100	100	100	100	100	
Distress Index Values						
Structural Crack Index	100	100	100	100	100	
Alligator Crack Index	100	100	100	100	100	
Longitudinal Crack Index	100	100	100	100	100	
Transverse Cracking Index	100	100	100	100	100	
Patching Index	100	100	100	100	100	
Rutting Index	100	100	99	100	100	
International Roughness Index (IRI)	71	67	77	69	73	
Lane & Width Information						
Number of Lanes	2	2	2	2	2	
Paved Width (ft)	26.8	32.3	26.3	22.3	22.6	
Lane Width (ft)	12.5	15.5	11.9	10.3	10	

Acadia National Park

ROUTE 0010BZ: PARADISE HILL ROAD NORTHBOUND

Subcomponent of Route ACAD-0010ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.46	Section Length (MI)	0.46				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)		100	100				
Surface Condition Rating (SCR)		100	100				
Roughness Condition Index (RCI)		N/A	N/A				
Distress Index Values							
Structural Crack Index		100	100				
Alligator Crack Index		100	100				
Longitudinal Crack Index		100	100				
Transverse Cracking Index		100	100				
Patching Index		100	100				
Rutting Index		100	100				
International Roughness Index (IRI)		N/A	N/A				
Lane & Width Information							
Number of Lanes		1	1				
Paved Width (ft)		22.9	22.9				
Lane Width (ft)		22.9	22.9				

Acadia National Park

ROUTE 0011: HULLS COVE ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.21	Section Length (MI)	0.21			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	75	75				
Surface Condition Rating (SCR)	75	75				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	79	79				
Alligator Crack Index	100	100				
Longitudinal Crack Index	79	79				
Transverse Cracking Index	93	93				
Patching Index	100	100				
Rutting Index	75	75				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	13	13				
Lane Width (ft)	12.6	12.6				

Acadia National Park

ROUTE 0012: PARK LOOP ROAD - LOWER MOUNTAIN ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0	1	2	3	4
Paved Length (Miles): 5.16	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	98	99	99	99	99
Surface Condition Rating (SCR)	99	96	99	99	99	98
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	99	99	99	99	99	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	99	99	99	99	99	100
Transverse Cracking Index	99	96	100	100	100	100
Patching Index	100	100	100	100	100	100
Rutting Index	99	100	100	100	100	98
International Roughness Index (IRI)	78	72	66	74	73	96
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	22.8	24.9	20.6	20.8	20.9	26.3
Lane Width (ft)	9.9	9.7	9.5	9.8	9.8	10.5

Acadia National Park

ROUTE 0012: PARK LOOP ROAD - LOWER MOUNTAIN ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	5				
Paved Length (Miles): 5.16	Section Length (MI)	0.16				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	95				
Surface Condition Rating (SCR)	99	97				
Roughness Condition Index (RCI)	100	91				
Distress Index Values						
Structural Crack Index	99	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	100				
Transverse Cracking Index	99	100				
Patching Index	100	100				
Rutting Index	99	97				
International Roughness Index (IRI)	78	138				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	22.8	28.1				
Lane Width (ft)	9.9	9.1				

Acadia National Park

ROUTE 0013: CADILLAC SUMMITT ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0	1	2	3	
Paved Length (Miles): 3.35	Section Length (MI)	1	1	1	0.35	
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	96	96	96	89	
Surface Condition Rating (SCR)	94	94	94	96	95	
Roughness Condition Index (RCI)	96	100	98	96	80	
Distress Index Values						
Structural Crack Index	100	100	100	100	100	
Alligator Crack Index	100	100	100	100	100	
Longitudinal Crack Index	100	100	100	100	100	
Transverse Cracking Index	99	100	99	99	97	
Patching Index	100	100	100	100	100	
Rutting Index	94	94	94	96	95	
International Roughness Index (IRI)	124	110	120	124	170	
Lane & Width Information						
Number of Lanes	2	2	2	2	2	
Paved Width (ft)	22.4	22.1	22.2	22.9	23.1	
Lane Width (ft)	10.2	10.2	10.1	10.6	9.5	

Acadia National Park

ROUTE 0014: STANLEY BROOK ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0	1		
Paved Length (Miles):	1.26	Section Length (MI)	1	0.26		
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	98			
Surface Condition Rating (SCR)	99	99	99			
Roughness Condition Index (RCI)	100	100	96			
Distress Index Values						
Structural Crack Index	100	100	99			
Alligator Crack Index	100	100	100			
Longitudinal Crack Index	100	100	99			
Transverse Cracking Index	99	99	100			
Patching Index	100	100	100			
Rutting Index	100	100	99			
International Roughness Index (IRI)	108	104	125			
Lane & Width Information						
Number of Lanes	2	2	2			
Paved Width (ft)	18.2	18.3	17.9			
Lane Width (ft)	8.6	8.7	8.2			

Acadia National Park

ROUTE 0016: SIEUR DE MONTS ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.2	Section Length (MI)	0.2				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	95	95				
Alligator Crack Index	100	100				
Longitudinal Crack Index	95	95				
Transverse Cracking Index	95	95				
Patching Index	100	100				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	25.9	25.9				
Lane Width (ft)	11.7	11.7				

Acadia National Park

ROUTE 0100: WEST STREET EXTENSION

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.32	Section Length (MI)	0.32				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	97	97				
Alligator Crack Index	100	100				
Longitudinal Crack Index	97	97				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	22	22				
Lane Width (ft)	10.4	10.4				

Acadia National Park

ROUTE 0101ZZ: CADILLAC ENTRANCE ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	0.17					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	100					
Lane & Width Information						
Number of Lanes	2					
Paved Width (ft)	24					
Lane Width (ft)	11.8					

Acadia National Park

ROUTE 0101AZ: CADILLAC ENTRANCE ROAD

Subcomponent of Route ACAD-0101ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100				
Surface Condition Rating (SCR)	100	100				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	23.2	23.2				
Lane Width (ft)	11.8	11.8				

Acadia National Park

ROUTE 0101BZ: CADILLAC ENTRANCE ROAD SPUR

Subcomponent of Route ACAD-0101ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)
						Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.04	Section Length (MI)	0.04			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99				
Surface Condition Rating (SCR)	99	99				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	27	27				
Lane Width (ft)	11.8	11.8				

Acadia National Park

ROUTE 0102ZZ: DUCK BROOK ROAD

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	1.84					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	75					
Lane & Width Information						
Number of Lanes	2					
Paved Width (ft)	14.8					
Lane Width (ft)	7.2					

Acadia National Park

ROUTE 0102AZ: DUCK BROOK ROAD A

Subcomponent of Route ACAD-0102ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0	1			
Paved Length (Miles): 1.14	Section Length (MI)	1	0.14			
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	75	75	73			
Surface Condition Rating (SCR)	87	86	93			
Roughness Condition Index (RCI)	56	58	43			
Distress Index Values						
Structural Crack Index	87	86	93			
Alligator Crack Index	100	100	100			
Longitudinal Crack Index	87	86	93			
Transverse Cracking Index	98	98	97			
Patching Index	100	100	100			
Rutting Index	96	96	96			
International Roughness Index (IRI)	254	248	319			
Lane & Width Information						
Number of Lanes	2	2	2			
Paved Width (ft)	16.5	16.6	16.4			
Lane Width (ft)	8	8	7.5			

Acadia National Park

ROUTE 0102BZ: DUCK BROOK ROAD B

Subcomponent of Route ACAD-0102ZZ
Manual Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/18/2019	Beginning Section MP	0.00				
Paved Length (Miles): 0.70	Section Length (MI)	0.70				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	N/A	N/A				
Surface Condition Rating (SCR)	N/A	N/A				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	N/A	N/A				
Alligator Crack Index	N/A	N/A				
Longitudinal Crack Index	N/A	N/A				
Transverse Cracking Index	N/A	N/A				
Patching Index	N/A	N/A				
Rutting Index	N/A	N/A				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	12	12				
Lane Width (ft)	6	6				

Not rated in Cycle 6 because the road was closed to vehicles.

Acadia National Park

ROUTE 0102BZ: DUCK BROOK ROAD B

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



ACAD_0102BZ_1.jpg



ACAD_0102BZ_2.jpg

Acadia National Park

ROUTE 0103: KEBO STEET

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)										
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)		Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.										
Inspection Date: 10/26/2020		Beginning Section MP		0						
Paved Length (Miles): 0.19		Section Length (MI)		0.19						
Surface Type: ASPHALT		Route Summary								
Roadway Condition Information										
Pavement Condition Rating (PCR)		94		94						
Surface Condition Rating (SCR)		94		94						
Roughness Condition Index (RCI)		N/A		N/A						
Distress Index Values										
Structural Crack Index		94		94						
Alligator Crack Index		100		100						
Longitudinal Crack Index		94		94						
Transverse Cracking Index		99		99						
Patching Index		100		100						
Rutting Index		99		99						
International Roughness Index (IRI)		N/A		N/A						
Lane & Width Information										
Number of Lanes		2		2						
Paved Width (ft)		18		18						
Lane Width (ft)		9.1		9.1						

Acadia National Park

ROUTE 0104: GREAT MEADOW DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.33	Section Length (MI)	0.33				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	96	96				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	19.9	19.9				
Lane Width (ft)	9.9	9.9				

Acadia National Park

ROUTE 0105: OTTER CLIFF ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.61	Section Length (MI)	0.61			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	91	91				
Surface Condition Rating (SCR)	91	91				
Roughness Condition Index (RCI)	91	91				
Distress Index Values						
Structural Crack Index	98	98				
Alligator Crack Index	100	100				
Longitudinal Crack Index	98	98				
Transverse Cracking Index	91	91				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	137	137				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.2	20.2				
Lane Width (ft)	9.3	9.3				

Acadia National Park

ROUTE 0106: FARVIEW DRIVE - SCHOODIC WOODS

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	0			
Paved Length (Miles):	0.62	Section Length (MI)	0.62			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	91	91				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	80	80				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	170	170				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	17.8	17.8				
Lane Width (ft)	8.9	8.9				

Acadia National Park

ROUTE 0202: SCHOONER HEAD ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.79	Section Length (MI)	0.79				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	98	98				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	119	119				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	18.9	18.9				
Lane Width (ft)	9	9				

Acadia National Park

ROUTE 0208: SWEETWATER CIRCLE

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.32	Section Length (MI)	0.32			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	96	96				
Alligator Crack Index	100	100				
Longitudinal Crack Index	96	96				
Transverse Cracking Index	95	95				
Patching Index	99	99				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	14.2	14.2				
Lane Width (ft)	13.5	13.5				

Acadia National Park

ROUTE 0211ZZ: BLACKWOODS DRIVE ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 10/28/2020						
Paved Length (Miles): 1.04						
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	92					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	18.3					
Lane Width (ft)	11.1					

Acadia National Park

ROUTE 0211AZ: BLACKWOODS DRIVE ENTRANCE ROAD

Subcomponent of Route ACAD-0211ZZ
 Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)										
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)		Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.										
Inspection Date:	10/28/2020	Beginning Section MP	0							
Paved Length (Miles):	0.81	Section Length (MI)	0.81							
Surface Type:	ASPHALT	Route Summary								
Roadway Condition Information										
Pavement Condition Rating (PCR)		95	95							
Surface Condition Rating (SCR)		95	95							
Roughness Condition Index (RCI)		95	95							
Distress Index Values										
Structural Crack Index		99	99							
Alligator Crack Index		100	100							
Longitudinal Crack Index		99	99							
Transverse Cracking Index		95	95							
Patching Index		100	100							
Rutting Index		99	99							
International Roughness Index (IRI)		127	127							
Lane & Width Information										
Number of Lanes		2	2							
Paved Width (ft)		19.5	19.5							
Lane Width (ft)		10.2	10.2							

Acadia National Park

ROUTE 0211BZ: BLACKWOODS DRIVE LOWER TURN AROUND

Subcomponent of Route ACAD-0211ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.08	Section Length (MI)	0.08				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	19.8	19.8				
Lane Width (ft)	19.8	19.8				

Acadia National Park

ROUTE 0211CZ: BLACKWOODS DRIVE MID TURN AROUND

Subcomponent of Route ACAD-0211ZZ
 Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)
Not Rated						
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/28/2020	Beginning Section MP	0			
Paved Length (Miles):	0.06	Section Length (MI)	0.06			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	99	99				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	8.8	8.8				
Lane Width (ft)	8.8	8.8				

Acadia National Park

ROUTE 0211DZ: BLACKWOODS DRIVE UPPER TURN AROUND

Subcomponent of Route ACAD-0211ZZ

Manual Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 10/28/2020	Beginning Section MP	0.00				
Paved Length (Miles): 0.06	Section Length (MI)	0.06				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	0	0				
Surface Condition Rating (SCR)	0	0				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	N/A	N/A				
Alligator Crack Index	N/A	N/A				
Longitudinal Crack Index	N/A	N/A				
Transverse Cracking Index	N/A	N/A				
Patching Index	N/A	N/A				
Rutting Index	N/A	N/A				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12	12				
Lane Width (ft)	12	12				

Note: Route was given a Pavement Condition Rating (PCR) of 0 because it is in very poor condition. Individual distress indices could not be determined because of the excessive distress quantity and missing sections of pavement.

Acadia National Park

ROUTE 0211DZ: BLACKWOODS DRIVE UPPER TURN AROUND

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



Acadia National Park

ROUTE 0211FZ: BLACKWOODS DRIVE SPUR

Subcomponent of Route ACAD-0211ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/28/2020	Beginning Section MP	0			
Paved Length (Miles):	0.04	Section Length (MI)	0.04			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	94				
Surface Condition Rating (SCR)	94	94				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	99	99				
Rutting Index	94	94				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	13.7	13.7				
Lane Width (ft)	13.7	13.7				

Acadia National Park

ROUTE 0212ZZ: BLACKWOODS CAMPGROUND LOOP B ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/28/2020					
Paved Length (Miles):	1.92					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	94					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	11					
Lane Width (ft)	10.9					

Acadia National Park

ROUTE 0212AZ: BLACKWOODS CAMPGROUND LOOP B ROAD A

Subcomponent of Route ACAD-0212ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.85	Section Length (MI)	0.85				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	93	93					
Surface Condition Rating (SCR)	93	93					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	12.1	12.1					
Lane Width (ft)	12	12					

Acadia National Park

ROUTE 0212BZ: BLACKWOODS CAMPGROUND LOOP B ROAD B

Subcomponent of Route ACAD-0212ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.11	Section Length (MI)	0.11				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.5	10.5				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0212CZ: BLACKWOODS CAMPGROUND LOOP B ROAD C

Subcomponent of Route ACAD-0212ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)
						Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/28/2020	Beginning Section MP	0			
Paved Length (Miles):	0.17	Section Length (MI)	0.17			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)		89	89			
Surface Condition Rating (SCR)		89	89			
Roughness Condition Index (RCI)		N/A	N/A			
Distress Index Values						
Structural Crack Index		99	99			
Alligator Crack Index		100	100			
Longitudinal Crack Index		99	99			
Transverse Cracking Index		97	97			
Patching Index		100	100			
Rutting Index		89	89			
International Roughness Index (IRI)		N/A	N/A			
Lane & Width Information						
Number of Lanes		1	1			
Paved Width (ft)		9.9	9.9			
Lane Width (ft)		9.9	9.9			

Acadia National Park

ROUTE 0212DZ: BLACKWOODS CAMPGROUND LOOP B ROAD D

Subcomponent of Route ACAD-0212ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.2	Section Length (MI)	0.2				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	91	91				
Surface Condition Rating (SCR)	91	91				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	91	91				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10	10				
Lane Width (ft)	10	10				

Acadia National Park

ROUTE 0212EZ: BLACKWOODS CAMPGROUND LOOP B ROAD E

Subcomponent of Route ACAD-0212ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.09	Section Length (MI)	0.09				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	98	98				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10	10				
Lane Width (ft)	10	10				

Acadia National Park

ROUTE 0212FZ: BLACKWOODS CAMPGROUND LOOP B ROAD F

Subcomponent of Route ACAD-0212ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.21	Section Length (MI)	0.21				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10	10				
Lane Width (ft)	10	10				

Acadia National Park

ROUTE 0212GZ: BLACKWOODS CAMPGROUND LOOP B ROAD G

Subcomponent of Route ACAD-0212ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.18	Section Length (MI)	0.18				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	95	95					
Surface Condition Rating (SCR)	95	95					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	95	95					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	10.2	10.2					
Lane Width (ft)	10.2	10.2					

Acadia National Park

ROUTE 0212HZ: BLACKWOODS CAMPGROUND LOOP B ROAD H

Subcomponent of Route ACAD-0212ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.11	Section Length (MI)	0.11				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.3	10.3				
Lane Width (ft)	10.3	10.3				

Acadia National Park

ROUTE 0213ZZ: BLACKWOODS CAMPGROUND LOOP A ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/28/2020					
Paved Length (Miles):	2.74					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	94					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	11.2					
Lane Width (ft)	11.2					

Acadia National Park

ROUTE 0213AZ: BLACKWOODS CAMPGROUND LOOP A ROAD A

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.84	Section Length (MI)	0.84				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	96	96					
Surface Condition Rating (SCR)	96	96					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	96	96					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	13.5	13.5					
Lane Width (ft)	13.5	13.5					

Acadia National Park

ROUTE 0213BZ: BLACKWOODS CAMPGROUND LOOP A ROAD B

Subcomponent of Route ACAD-0213ZZ

Manual Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/18/2019	Beginning Section MP	0.00				
Paved Length (Miles): 0.03	Section Length (MI)	0.03				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	N/A	N/A				
Surface Condition Rating (SCR)	N/A	N/A				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	N/A	N/A				
Alligator Crack Index	N/A	N/A				
Longitudinal Crack Index	N/A	N/A				
Transverse Cracking Index	N/A	N/A				
Patching Index	N/A	N/A				
Rutting Index	N/A	N/A				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12	12				
Lane Width (ft)	12	12				

Note: Not Rated in Cycle 6 because the road was closed.

Acadia National Park

ROUTE 0213CZ: BLACKWOODS CAMPGROUND LOOP A ROAD C

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	91	91				
Surface Condition Rating (SCR)	91	91				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	91	91				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11.2	11.2				
Lane Width (ft)	11.2	11.2				

Acadia National Park

ROUTE 0213DZ: BLACKWOODS CAMPGROUND LOOP A ROAD D

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	79	79				
Surface Condition Rating (SCR)	79	79				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	98	98				
Alligator Crack Index	100	100				
Longitudinal Crack Index	98	98				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	79	79				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.5	10.5				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0213EZ: BLACKWOODS CAMPGROUND LOOP A ROAD E

Subcomponent of Route ACAD-0213ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.15	Section Length (MI)	0.15				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.3	10.3				
Lane Width (ft)	10.3	10.3				

Acadia National Park

ROUTE 0213FZ: BLACKWOODS CAMPGROUND LOOP A ROAD F

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.16	Section Length (MI)	0.16				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.5	10.5				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0213GZ: BLACKWOODS CAMPGROUND LOOP A ROAD G

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.16	Section Length (MI)	0.16				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	93	93					
Surface Condition Rating (SCR)	93	93					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	98	98					
Alligator Crack Index	100	100					
Longitudinal Crack Index	98	98					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	10.3	10.3					
Lane Width (ft)	10.3	10.3					

Acadia National Park

ROUTE 0213HZ: BLACKWOODS CAMPGROUND LOOP A ROAD H

Subcomponent of Route ACAD-0213ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)
						Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/28/2020	Beginning Section MP	0			
Paved Length (Miles):	0.15	Section Length (MI)	0.15			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)		95	95			
Surface Condition Rating (SCR)		95	95			
Roughness Condition Index (RCI)		N/A	N/A			
Distress Index Values						
Structural Crack Index		100	100			
Alligator Crack Index		100	100			
Longitudinal Crack Index		100	100			
Transverse Cracking Index		99	99			
Patching Index		100	100			
Rutting Index		95	95			
International Roughness Index (IRI)		N/A	N/A			
Lane & Width Information						
Number of Lanes		1	1			
Paved Width (ft)		10.3	10.3			
Lane Width (ft)		10.3	10.3			

Acadia National Park

ROUTE 0213IZ: BLACKWOODS CAMPGROUND LOOP A ROAD I

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.17	Section Length (MI)	0.17				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.5	10.5				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0213JZ: BLACKWOODS CAMPGROUND LOOP A ROAD J

Subcomponent of Route ACAD-0213ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.17	Section Length (MI)	0.17				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	9.8	9.8				
Lane Width (ft)	9.8	9.8				

Acadia National Park

ROUTE 0213KZ: BLACKWOODS CAMPGROUND LOOP A ROAD K

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/28/2020	Beginning Section MP	0				
Paved Length (Miles): 0.17	Section Length (MI)	0.17				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.1	10.1				
Lane Width (ft)	10.1	10.1				

Acadia National Park

ROUTE 0213LZ: BLACKWOODS CAMPGROUND LOOP A ROAD L

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)	Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.							
Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.18	Section Length (MI)	0.18				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)		92	92				
Surface Condition Rating (SCR)		92	92				
Roughness Condition Index (RCI)		N/A	N/A				
Distress Index Values							
Structural Crack Index		100	100				
Alligator Crack Index		100	100				
Longitudinal Crack Index		100	100				
Transverse Cracking Index		100	100				
Patching Index		100	100				
Rutting Index		92	92				
International Roughness Index (IRI)		N/A	N/A				
Lane & Width Information							
Number of Lanes		1	1				
Paved Width (ft)		9.7	9.7				
Lane Width (ft)		9.7	9.7				

Acadia National Park

ROUTE 0213MZ: BLACKWOODS CAMPGROUND LOOP A ROAD M

Subcomponent of Route ACAD-0213ZZ

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.17	Section Length (MI)	0.17				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	94	94					
Surface Condition Rating (SCR)	94	94					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	94	94					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	9.8	9.8					
Lane Width (ft)	9.8	9.8					

Acadia National Park

ROUTE 0213NZ: BLACKWOODS CAMPGROUND LOOP A ROAD N

Subcomponent of Route ACAD-0213ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)	Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.							
Inspection Date:	10/28/2020	Beginning Section MP	0				
Paved Length (Miles):	0.13	Section Length (MI)	0.13				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	93	93					
Surface Condition Rating (SCR)	93	93					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	98	98					
Alligator Crack Index	100	100					
Longitudinal Crack Index	98	98					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	9.6	9.6					
Lane Width (ft)	9.6	9.6					

Acadia National Park

ROUTE 0214: FISH HOUSE ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.16	Section Length (MI)	0.16			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	93	93				
Surface Condition Rating (SCR)	93	93				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	93	93				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12	12				
Lane Width (ft)	12	12				

Acadia National Park

ROUTE 0216ZZ: BEAR BROOK PICNIC AREA ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	0.28					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	92					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	17.7					
Lane Width (ft)	13.7					

Acadia National Park

ROUTE 0216AZ: BEAR BROOK PICNIC AREA ROAD A

Subcomponent of Route ACAD-0216ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.16	Section Length (MI)	0.16				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	92	92				
Surface Condition Rating (SCR)	92	92				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	92	92				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	19	19				
Lane Width (ft)	11.9	11.9				

Acadia National Park

ROUTE 0216BZ: BEAR BROOK PICNIC AREA ROAD B

Subcomponent of Route ACAD-0216ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61 - 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.12	Section Length (MI)	0.12				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	92	92				
Surface Condition Rating (SCR)	92	92				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	92	92				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	16.1	16.1				
Lane Width (ft)	16.1	16.1				

Acadia National Park

ROUTE 0222: OVERLOOK ROAD - SCHOONER HEAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.41	Section Length (MI)	0.41			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	83	83				
Surface Condition Rating (SCR)	83	83				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	98	98				
Alligator Crack Index	100	100				
Longitudinal Crack Index	98	98				
Transverse Cracking Index	83	83				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.8	20.8				
Lane Width (ft)	9.2	9.2				

Acadia National Park

ROUTE 0227: ECHO LAKE BEACH ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.47	Section Length (MI)	0.47			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	98	98				
Alligator Crack Index	100	100				
Longitudinal Crack Index	98	98				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	19.3	19.3				
Lane Width (ft)	9.2	9.2				

Acadia National Park

ROUTE 0230: PRETTY MARSH PICNIC AREA ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.46	Section Length (MI)	0.46				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	15	15				
Lane Width (ft)	8	8				

Acadia National Park

ROUTE 0231ZZ: SEAWALL PICNIC AREA AND VISTA

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 10/26/2020						
Paved Length (Miles): 0.36						
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	92					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	19.1					
Lane Width (ft)	11.5					

Acadia National Park

ROUTE 0231AZ: SEAWALL PICNIC AREA AND VISTA A

Subcomponent of Route ACAD-0231ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.2	Section Length (MI)	0.2				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	90	90				
Surface Condition Rating (SCR)	90	90				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	91	91				
Alligator Crack Index	100	100				
Longitudinal Crack Index	91	91				
Transverse Cracking Index	90	90				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.2	20.2				
Lane Width (ft)	11.2	11.2				

Acadia National Park

ROUTE 0231BZ: SEAWALL PICNIC AREA AND VISTA B

Subcomponent of Route ACAD-0231ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.15	Section Length (MI)	0.15				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	97	97				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	17.7	17.7				
Lane Width (ft)	11.8	11.8				

Acadia National Park

ROUTE 0232ZZ: COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.


Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	0.51					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	93					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	22.2					
Lane Width (ft)	9.9					

Acadia National Park

ROUTE 0232AZ: COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD

Subcomponent of Route ACAD-0232ZZ

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61 - 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.47	Section Length (MI)	0.47				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	93	93					
Surface Condition Rating (SCR)	93	93					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	94	94					
Alligator Crack Index	100	100					
Longitudinal Crack Index	94	94					
Transverse Cracking Index	93	93					
Patching Index	100	100					
Rutting Index	97	97					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	22.6	22.6					
Lane Width (ft)	9.1	9.1					

Acadia National Park

ROUTE 0232BZ: COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND

Subcomponent of Route ACAD-0232ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61 - 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.04	Section Length (MI)	0.04				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	90	90					
Surface Condition Rating (SCR)	90	90					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	90	90					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	18.2	18.2					
Lane Width (ft)	18.2	18.2					

Acadia National Park

ROUTE 0233: SEAWALL CAMPGROUND LOOP A

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)	Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.							
Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.36	Section Length (MI)	0.36				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	94	94					
Surface Condition Rating (SCR)	94	94					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	96	96					
Alligator Crack Index	100	100					
Longitudinal Crack Index	96	96					
Transverse Cracking Index	94	94					
Patching Index	100	100					
Rutting Index	94	94					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	11.7	11.7					
Lane Width (ft)	11	11					

Acadia National Park

ROUTE 0234: SEAWALL CAMPGROUND LOOP B

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.29	Section Length (MI)	0.29			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.6	10.6				
Lane Width (ft)	9.8	9.8				

Acadia National Park

ROUTE 0235ZZ: SEAWALL CAMPGROUND LOOP C ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	0.85					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	95					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	11.1					
Lane Width (ft)	11.1					

Acadia National Park

ROUTE 0235AZ: SEAWALL CAMPGROUND LOOP C ROAD A

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.36	Section Length (MI)	0.36				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11.9	11.9				
Lane Width (ft)	11.9	11.9				

Acadia National Park

ROUTE 0235BZ: SEAWALL CAMPGROUND LOOP C ROAD B

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.12	Section Length (MI)	0.12				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.2	10.2				
Lane Width (ft)	10.2	10.2				

Acadia National Park

ROUTE 0235CZ: SEAWALL CAMPGROUND LOOP C ROAD C

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61 - 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	93	93				
Surface Condition Rating (SCR)	93	93				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	93	93				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11.3	11.3				
Lane Width (ft)	11.3	11.3				

Acadia National Park

ROUTE 0235DZ: SEAWALL CAMPGROUND LOOP C ROAD D

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.11	Section Length (MI)	0.11				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	95	95					
Surface Condition Rating (SCR)	95	95					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	99	99					
Alligator Crack Index	100	100					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	98	98					
Patching Index	100	100					
Rutting Index	95	95					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	10.1	10.1					
Lane Width (ft)	10.1	10.1					

Acadia National Park

ROUTE 0235EZ: SEAWALL CAMPGROUND LOOP C ROAD E

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.1	Section Length (MI)	0.1				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	97	97					
Surface Condition Rating (SCR)	97	97					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	97	97					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	10.2	10.2					
Lane Width (ft)	10.2	10.2					

Acadia National Park

ROUTE 0235FZ: SEAWALL DUMP STATION

Subcomponent of Route ACAD-0235ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.04	Section Length (MI)	0.04				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	93	93				
Surface Condition Rating (SCR)	93	93				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	99	99				
Rutting Index	93	93				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11.7	11.7				
Lane Width (ft)	11.7	11.7				

Acadia National Park

ROUTE 0236: SEAWALL CAMPGROUND LOOP D

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.3	Section Length (MI)	0.3				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	96	96				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.4	20.4				
Lane Width (ft)	10.2	10.2				

Acadia National Park

ROUTE 0237: BEECH HILL ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.42	Section Length (MI)	0.42				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	94				
Surface Condition Rating (SCR)	94	94				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	94	94				
Alligator Crack Index	100	100				
Longitudinal Crack Index	94	94				
Transverse Cracking Index	97	97				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	15.8	15.8				
Lane Width (ft)	7.5	7.5				

Acadia National Park

ROUTE 0245: LIGHTHOUSE ROAD - BASS HARBOR

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.25	Section Length (MI)	0.25			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	98	98				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	15.7	15.7				
Lane Width (ft)	7.3	7.3				

Acadia National Park

ROUTE 0249ZZ: AREY COVE ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/22/2020					
Paved Length (Miles):	0.55					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	97					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	20.5					
Lane Width (ft)	10.7					

Acadia National Park

ROUTE 0249AZ: AREY COVE ROAD

Subcomponent of Route ACAD-0249ZZ
 Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.51	Section Length (MI)	0.51				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	100	100				
Distress Index Values						
Structural Crack Index	95	95				
Alligator Crack Index	100	100				
Longitudinal Crack Index	95	95				
Transverse Cracking Index	97	97				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	81	81				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	21.1	21.1				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0249BZ: AREY COVE ROAD SPUR

Subcomponent of Route ACAD-0249ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	0			
Paved Length (Miles):	0.04	Section Length (MI)	0.04			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	13	13				
Lane Width (ft)	13	13				

Acadia National Park

ROUTE 0261: SEAWALL CAMPGROUND GROUP AREA ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)
						Not Rated
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.23	Section Length (MI)	0.23			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	86	86				
Surface Condition Rating (SCR)	86	86				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	86	86				
Patching Index	100	100				
Rutting Index	88	88				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11	11				
Lane Width (ft)	11	11				

Acadia National Park

ROUTE 0262: ACADIA DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.34	Section Length (MI)	0.34				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	98	98					
Surface Condition Rating (SCR)	98	98					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	22.3	22.3					
Lane Width (ft)	11.1	11.1					

Acadia National Park

ROUTE 0263: JACOBSON DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.33	Section Length (MI)	0.33				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	98	98					
Surface Condition Rating (SCR)	98	98					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	99	99					
Alligator Crack Index	100	100					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	18.1	18.1					
Lane Width (ft)	9	9					

Acadia National Park

ROUTE 0264: MUSETTI DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.15	Section Length (MI)	0.15				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	89					
Surface Condition Rating (SCR)	89	89					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	89	89					
Alligator Crack Index	90	90					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	21.6	21.6					
Lane Width (ft)	11.1	11.1					

Acadia National Park

ROUTE 0265: MYRICK DRIVE

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.1	Section Length (MI)	0.1				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100				
Surface Condition Rating (SCR)	100	100				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	33.8	33.8				
Lane Width (ft)	16.9	16.9				

Acadia National Park

ROUTE 0270: ATTERBURY CIRCLE

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	0			
Paved Length (Miles):	0.08	Section Length (MI)	0.08			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	96	96				
Surface Condition Rating (SCR)	96	96				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	17.3	17.3				
Lane Width (ft)	8.7	8.7				

Acadia National Park

ROUTE 0271: FABBRI DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.05	Section Length (MI)	0.05				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	94	94					
Surface Condition Rating (SCR)	94	94					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	94	94					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	22	22					
Lane Width (ft)	11	11					

Acadia National Park

ROUTE 0272ZZ: ALVEY DRIVE

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 10/22/2020						
Paved Length (Miles): 0.15						
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	63					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	15.9					
Lane Width (ft)	9					

Acadia National Park

ROUTE 0272AZ: ALVEY DRIVE PAVED

Subcomponent of Route ACAD-0272ZZ
Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	0			
Paved Length (Miles):	0.15	Section Length (MI)	0.15			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	63	63				
Surface Condition Rating (SCR)	63	63				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	91	91				
Alligator Crack Index	100	100				
Longitudinal Crack Index	91	91				
Transverse Cracking Index	63	63				
Patching Index	100	100				
Rutting Index	94	94				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	15.9	15.9				
Lane Width (ft)	9	9				

Acadia National Park

ROUTE 0274: JORDAN POND HOUSE BUS LOOP

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.1	Section Length (MI)	0.1				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12.9	12.9				
Lane Width (ft)	12.8	12.8				

Acadia National Park

ROUTE 0276ZZ: SCHOODIC WOODS LOOP A ACCESS ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/22/2020					
Paved Length (Miles):	0.81					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	98					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	11.3					
Lane Width (ft)	11.3					

Acadia National Park

ROUTE 0276AZ: SCHOODIC WOODS LOOP A ACCESS ROAD

Subcomponent of Route ACAD-0276ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.


Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.49	Section Length (MI)	0.49				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	98	98					
Surface Condition Rating (SCR)	98	98					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	11.5	11.5					
Lane Width (ft)	11.5	11.5					

Acadia National Park

ROUTE 0276BZ: SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD

Subcomponent of Route ACAD-0276ZZ

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.04	Section Length (MI)	0.04				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12.2	12.2				
Lane Width (ft)	12.2	12.2				

Acadia National Park

ROUTE 0276CZ: SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD

Subcomponent of Route ACAD-0276ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	0			
Paved Length (Miles):	0.06	Section Length (MI)	0.06			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	98	98				
Surface Condition Rating (SCR)	98	98				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	98	98				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.7	10.7				
Lane Width (ft)	10.7	10.7				

Acadia National Park

ROUTE 0276DZ: SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS ROAD

Subcomponent of Route ACAD-0276ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.1	Section Length (MI)	0.1				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99				
Surface Condition Rating (SCR)	99	99				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.8	10.8				
Lane Width (ft)	10.8	10.8				

Acadia National Park

ROUTE 0276EZ: SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS ROAD

Subcomponent of Route ACAD-0276ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.13	Section Length (MI)	0.13				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	99	99					
Surface Condition Rating (SCR)	99	99					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	99	99					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	10.8	10.8					
Lane Width (ft)	10.8	10.8					

Acadia National Park

ROUTE 0277ZZ: SCHOODIC WOODS LOOP B ACCESS ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/22/2020					
Paved Length (Miles):	1.16					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	99					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	10.9					
Lane Width (ft)	10					

Acadia National Park

ROUTE 0277AZ: SCHOODIC WOODS LOOP B ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ
 Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.5	Section Length (MI)	0.5				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	99	99					
Surface Condition Rating (SCR)	99	99					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	99	99					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	11.3	11.3					
Lane Width (ft)	9.7	9.7					

Acadia National Park

ROUTE 0277BZ: SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ
 Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.23	Section Length (MI)	0.23				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100				
Surface Condition Rating (SCR)	100	100				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.2	10.2				
Lane Width (ft)	10.2	10.2				

Acadia National Park

ROUTE 0277CZ: SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.16	Section Length (MI)	0.16				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)		100	100				
Surface Condition Rating (SCR)		100	100				
Roughness Condition Index (RCI)		N/A	N/A				
Distress Index Values							
Structural Crack Index		100	100				
Alligator Crack Index		100	100				
Longitudinal Crack Index		100	100				
Transverse Cracking Index		100	100				
Patching Index		100	100				
Rutting Index		100	100				
International Roughness Index (IRI)		N/A	N/A				
Lane & Width Information							
Number of Lanes		1	1				
Paved Width (ft)		9.3	9.3				
Lane Width (ft)		9.3	9.3				

Acadia National Park

ROUTE 0277DZ: SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.11	Section Length (MI)	0.11				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100				
Surface Condition Rating (SCR)	100	100				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11	11				
Lane Width (ft)	11	11				

Acadia National Park

ROUTE 0277EZ: SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ
 Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	100	100				
Surface Condition Rating (SCR)	100	100				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	100	100				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.5	10.5				
Lane Width (ft)	10.5	10.5				

Acadia National Park

ROUTE 0277FZ: SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD

Subcomponent of Route ACAD-0277ZZ

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/22/2020	Beginning Section MP	0				
Paved Length (Miles):	0.02	Section Length (MI)	0.02				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	96	96					
Surface Condition Rating (SCR)	96	96					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	99	99					
Alligator Crack Index	100	100					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	96	96					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	24	24					
Lane Width (ft)	12	12					

Acadia National Park

ROUTE 0278: SERVICE ROAD - SCHOODIC WOODS

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated


Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date: 10/22/2020	Beginning Section MP	0				
Paved Length (Miles): 0.06	Section Length (MI)	0.06				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	10.8	10.8				
Lane Width (ft)	10.8	10.8				

Acadia National Park

ROUTE 0300: PARK LOOP ROAD - ONE-WAY

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0	1	2	3	4
Paved Length (Miles): 13.41	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	100	100	98	99
Surface Condition Rating (SCR)	99	98	100	100	97	99
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	100	100	100	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	100	100	100	100	100	100
Transverse Cracking Index	100	100	100	100	100	99
Patching Index	100	98	100	100	100	100
Rutting Index	99	98	100	100	97	99
International Roughness Index (IRI)	90	88	71	82	86	91
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	21.3	21.8	21.8	20.3	20.5	21.3
Lane Width (ft)	10.2	10.5	10.6	10.3	10.4	10.1

Acadia National Park

ROUTE 0300: PARK LOOP ROAD - ONE-WAY

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	5	6	7	8	9
Paved Length (Miles): 13.41	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	99	100	100	100
Surface Condition Rating (SCR)	99	98	98	100	100	100
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	100	99	100	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	100	99	100	100	100	100
Transverse Cracking Index	100	98	98	100	100	100
Patching Index	100	100	100	100	100	100
Rutting Index	99	99	100	100	100	100
International Roughness Index (IRI)	90	74	84	104	104	93
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	21.3	22.1	21.8	20.9	22.8	21.5
Lane Width (ft)	10.2	10.8	10.1	10.2	10.4	9.5

Acadia National Park

ROUTE 0300: PARK LOOP ROAD - ONE-WAY

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	10	11	12	13	
Paved Length (Miles): 13.41	Section Length (MI)	1	1	1	0.41	
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	100	99	99	100	
Surface Condition Rating (SCR)	99	100	99	99	100	
Roughness Condition Index (RCI)	100	100	100	100	100	
Distress Index Values						
Structural Crack Index	100	100	100	99	100	
Alligator Crack Index	100	100	100	100	100	
Longitudinal Crack Index	100	100	100	99	100	
Transverse Cracking Index	100	100	100	100	100	
Patching Index	100	100	100	100	100	
Rutting Index	99	100	99	99	100	
International Roughness Index (IRI)	90	105	98	97	72	
Lane & Width Information						
Number of Lanes	2	2	2	2	2	
Paved Width (ft)	21.3	21	20.1	21.5	21.2	
Lane Width (ft)	10.2	9.7	9.7	10.2	10.1	

Acadia National Park

ROUTE 0301: SCHOODIC LOOP ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/22/2020	Beginning Section MP	0	1	2	3	4
Paved Length (Miles): 7.2	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	69	86	97	98	98
Surface Condition Rating (SCR)	90	58	77	95	96	96
Roughness Condition Index (RCI)	100	85	100	100	100	100
Distress Index Values						
Structural Crack Index	90	58	77	99	99	99
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	90	58	77	99	99	99
Transverse Cracking Index	94	84	91	95	96	96
Patching Index	100	100	100	100	100	100
Rutting Index	99	96	99	100	100	100
International Roughness Index (IRI)	88	154	116	67	74	76
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	16.6	17.8	16.8	16.4	16.4	16.1
Lane Width (ft)	8.6	9.1	8.5	8.6	8.5	8.5

Acadia National Park

ROUTE 0301: SCHOODIC LOOP ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/22/2020	Beginning Section MP	5	6	7	
Paved Length (Miles):	7.2	Section Length (MI)	1	1	0.2	
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	98	99	99		
Surface Condition Rating (SCR)	90	96	98	98		
Roughness Condition Index (RCI)	100	100	100	100		
Distress Index Values						
Structural Crack Index	90	99	99	99		
Alligator Crack Index	100	100	100	100		
Longitudinal Crack Index	90	99	99	99		
Transverse Cracking Index	94	96	98	98		
Patching Index	100	100	100	100		
Rutting Index	99	100	100	100		
International Roughness Index (IRI)	88	65	68	63		
Lane & Width Information						
Number of Lanes	2	2	2	2		
Paved Width (ft)	16.6	16.5	16.6	16.7		
Lane Width (ft)	8.6	8.5	8.3	8.2		

Acadia National Park

ROUTE 0400: HULLS COVE STORAGE AREA ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	45	45				
Surface Condition Rating (SCR)	45	45				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	45	45				
Alligator Crack Index	100	100				
Longitudinal Crack Index	45	45				
Transverse Cracking Index	82	82				
Patching Index	100	100				
Rutting Index	89	89				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12.7	12.7				
Lane Width (ft)	12.7	12.7				

Acadia National Park

ROUTE 0404: MCFARLAND HILL DRIVE

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date:	10/26/2020	Beginning Section MP	0			
Paved Length (Miles):	0.33	Section Length (MI)	0.33			
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	85	85				
Surface Condition Rating (SCR)	85	85				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	85	85				
Alligator Crack Index	100	100				
Longitudinal Crack Index	85	85				
Transverse Cracking Index	87	87				
Patching Index	100	100				
Rutting Index	96	96				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.2	20.2				
Lane Width (ft)	10.1	10.1				

Acadia National Park

ROUTE 0405ZZ: VOLUNTEER WAY - LEACH FIELD ACCESS ROADS

Summary Route



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date:	10/26/2020					
Paved Length (Miles):	0.12					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition Information						
Pavement Condition Rating (PCR)	65					
Lane & Width Information						
Number of Lanes	1					
Paved Width (ft)	16.3					
Lane Width (ft)	10.3					

Acadia National Park

ROUTE 0405AZ: VOLUNTEER WAY - LEACH FIELD ACCESS ROAD

Subcomponent of Route ACAD-0405ZZ
Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.


Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.08	Section Length (MI)	0.08				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	77	77				
Surface Condition Rating (SCR)	77	77				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	93	93				
Alligator Crack Index	100	100				
Longitudinal Crack Index	93	93				
Transverse Cracking Index	77	77				
Patching Index	99	99				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	18.8	18.8				
Lane Width (ft)	9.4	9.4				

Acadia National Park

ROUTE 0405BZ: VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD

Subcomponent of Route ACAD-0405ZZ

Manual Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)										
Poor (0 - 60)		Fair (61- 84)		Good (85 - 94)		Excellent (95 - 100)		Not Rated		
See Appendix for definitions and formulas										
Inspection Date:	9/17/2019	Beginning Section MP	0.00							
Paved Length (Miles):	0.04	Section Length (MI)	0.04							
Surface Type:	ASPHALT	Route Summary								
Roadway Condition Information										
Pavement Condition Rating (PCR)		30	30							
Surface Condition Rating (SCR)		30	30							
Roughness Condition Index (RCI)		N/A	N/A							
Distress Index Values										
Structural Crack Index		N/A	N/A							
Alligator Crack Index		30	30							
Longitudinal Crack Index		73	73							
Transverse Cracking Index		73	73							
Patching Index		73	73							
Rutting Index		90	90							
International Roughness Index (IRI)		N/A	N/A							
Lane & Width Information										
Number of Lanes		1	1							
Paved Width (ft)		12	12							
Lane Width (ft)		12	12							

Acadia National Park

ROUTE 0405BZ: VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



ACAD_0405BZ_1.jpg



ACAD_0405BZ_2.jpg



ACAD_0405BZ_3.jpg



ACAD_0405BZ_4.jpg



ACAD_0405BZ_5.jpg




ACAD_0405BZ_6.jpg

Acadia National Park

ROUTE 0409: HULLS COVE PARK RESIDENCE ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.						
Inspection Date: 10/26/2020	Beginning Section MP	0				
Paved Length (Miles): 0.06	Section Length (MI)	0.06				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	0	0				
Surface Condition Rating (SCR)	0	0				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	0	0				
Alligator Crack Index	66	66				
Longitudinal Crack Index	22	22				
Transverse Cracking Index	11	11				
Patching Index	99	99				
Rutting Index	82	82				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12.7	12.7				
Lane Width (ft)	12.7	12.7				

Acadia National Park

ROUTE 0416: OLD FARM ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

Colors on map represent condition scores at 0.10-mile intervals. See Appendix for definitions and formulas.

Inspection Date:	10/26/2020	Beginning Section MP	0				
Paved Length (Miles):	0.29	Section Length (MI)	0.29				
Surface Type:	ASPHALT	Route Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	95	95					
Surface Condition Rating (SCR)	95	95					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	95	95					
Alligator Crack Index	100	100					
Longitudinal Crack Index	95	95					
Transverse Cracking Index	97	97					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	14.4	14.4					
Lane Width (ft)	7.2	7.2					

Section 6 Paved Parking Area Condition Rating Sheets



Acadia National Park



Federal Lands Highway
Road Inventory Program

Acadia National Park

ROUTE 0900: VISITOR CENTER PARKING - HULLS COVE

Manual Rating

FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 0.06 ON RIGHT

TO ROUTE 0011 (HULLS COVE ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103207	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
130,335	2.244	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0901: VISITOR CENTER ACCESSIBLE PARKING

Manual Rating


FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 0.07 ON RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	102927	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,080	0.225	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0902: DUCK BROOK NORTH PARKING

Manual Rating

FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 1.16 ON LEFT



TO ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 1.20 ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103290	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,783	0.082	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0903: 1947 FIRE OVERLOOK PARKING

Manual Rating

FROM ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 2.37 ON LEFT



TO ROUTE 0010ZZ (PARADISE HILL ROADS) AT MP 2.42 ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	103293	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
5,504	0.095	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0904: EAGLE LAKE BOAT LAUNCH PARKING

Manual Rating

FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)



TO ROUTE 0319 (CR-6-7 EAGLE LAKE ROAD - EAST)

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	61735	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
9,161	0.158	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0905: EAGLE LAKE CARRIAGE ROAD PARKING

Manual Rating

FROM ROUTE 5233 (MAINE STATE HIGHWAY 233)

TO ROUTE 0318ZZ (CR-6-4 EAGLE LAKE - WITCH HOLE ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	103295	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
9,142	0.157	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0907CZZ: JORDAN POND HOUSE SERVICE AND BUS PARKING

Summary Route
Manual Rating


FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61737	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
32,803	0.566	SUMMARY / 86	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0907CZZ
(4 Subcomponent)



Acadia National Park

ROUTE 0907AZ: JORDAN POND HOUSE RESTAURANT - SOUTH PARKING

Subcomponent of Route ACAD-0907CZZ

Manual Rating

FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)

TO ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61737	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
26,575	0.458	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0907BZ: JORDAN POND HOUSE SERVICE PARKING

Subcomponent of Route ACAD-0907CZZ

Manual Rating

FROM ROUTE 0907CBZ (JORDAN POND BUS PARKING B)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61737	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,502	0.043	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 30	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0907CAZ: JORDAN POND BUS PARKING A

Subcomponent of Route ACAD-0907CZZ

Manual Rating



ADJACENT TO ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61737	PUBLIC	BRICK PAVERS
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,141	0.02	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
DO NOTHING		EXCELLENT / 97	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0907CBZ: JORDAN POND BUS PARKING B

Subcomponent of Route ACAD-0907CZZ

Manual Rating

FROM ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)


TO ROUTE 0907BZ (JORDAN POND HOUSE SERVICE PARKING)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61737	PUBLIC	BRICK PAVERS
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,585	0.045	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
DO NOTHING		EXCELLENT / 97	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0908ZZ: JORDAN POND NORTH PARKING

Summary Route
Manual Rating

FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61766	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
75,470	1.299	SUMMARY / 90	


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0908ZZ
(2 Subcomponent)



Acadia National Park

ROUTE 0908AZ: JORDAN POND NORTH PARKING A

Subcomponent of Route ACAD-0908ZZ

Manual Rating

FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)


TO PARKING LOOP

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61766	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
39,208	0.675	6	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0908BZ: JORDAN POND NORTH PARKING B

Subcomponent of Route ACAD-0908ZZ

Manual Rating

FROM ROUTE 0908AZ (JORDAN POND NORTH PARKING A)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61766	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
36,262	0.624	6	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0909ZZ: BUBBLE ROCK PARKING AREAS

Summary Route
Manual Rating

FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103297	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
15,765	0.271	SUMMARY / 90	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0909AZ
(3 Subcomponents)



Acadia National Park

ROUTE 0909AZ: BUBBLE ROCK PARKING

Subcomponent of Route ACAD-0909ZZ
Manual Rating

FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103297	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
11,498	0.198	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Note: Parking area consists of multiple surface types: 1 part Asphalt at 10,639 square feet; 1 part Concrete at 859 square feet.



Acadia National Park

ROUTE 0909BZ: BUBBLE ROCK OVERLOOK

Subcomponent of Route ACAD-0909ZZ
Manual Rating



ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103297	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,280	0.039	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0909CZ: BUBBLE AND JORDAN POND PATH

Subcomponent of Route ACAD-0909ZZ

Manual Rating

ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103297	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,987	0.034	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0910: BUBBLE POND PARKING

Manual Rating



FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61738	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
11,820	0.204	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0911: BLUE HILL OVERLOOK PARKING

Manual Rating

FROM ROUTE 0013 (CADILLAC SUMMITT ROAD)



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61767	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
22,195	0.382	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0912: CADILLAC MOUNTAIN PARKING

Manual Rating



FROM END OF ROUTE 0013 (CADILLAC SUMMITT ROAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61768	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
58,025	0.999	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0913: TARN PARKING

Manual Rating

FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61769	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,360	0.127	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0914: EGG ROCK OVERLOOK PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.88 ON LEFT



TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 3.91 ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	103299	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,956	0.068	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0915: PRECIPICE PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 4.62 ON RIGHT



TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 4.68 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61770	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
12,558	0.216	6	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE AND STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0916: GREAT HEAD PARKING

Manual Rating

FROM ROUTE 0202 (SCHOONER HEAD ROAD)



TO ROUTE 0202 (SCHOONER HEAD ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	103300	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,787	0.134	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0917: SCHOONER HEAD OVERLOOK PARKING

Manual Rating



FROM END OF ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61771	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
9,593	0.165	6	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0918: LOWER SAND BEACH PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 5.98 ON LEFT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61772	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
60,087	1.035	6	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0919: UPPER SAND BEACH PARKING

Manual Rating



FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.00 ON LEFT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61773	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,515	0.233	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0920: THUNDER HOLE AND SAND BEACH PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.35 ON RIGHT



TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.39 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61774	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,533	0.233	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0921: KEYHOLE PARKING

Manual Rating



FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.55 ON RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	103301	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,674	0.132	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0922: THUNDER HOLE PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.69 ON RIGHT



TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 6.78 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61775	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
23,142	0.398	6	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE AND STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0923: GORHAM MOUNTAIN PARKING

Manual Rating



FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.05 ON RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61776	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
8,794	0.151	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0924: ROUTE 0300 MP 7.1 PARKING

Manual Rating




FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.14 ON RIGHT
TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.17 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	103302	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
8,879	0.153	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0925: OTTER CLIFFS PARKING

Manual Rating



FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.52 ON RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61777	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,055	0.121	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0926: OTTER POINT PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.83 ON RIGHT


TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 7.96 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61778	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
17,034	0.293	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0927: FABBRI MEMORIAL PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.40 ON LEFT



TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.47 ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61779	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,599	0.234	6	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0928: FABBRI PICNIC AREA PARKING

Manual Rating

FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 8.43 ON RIGHT


TO ROUTE 0105 (OTTER CLIFF ROAD) AT MP 0.47 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	61780	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
14,786	0.255	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0930ZZ: BLACKWOODS CAMPGROUND AMPHITHEATER PARKING

Summary Route
Manual Rating


ADJACENT TO ROUTE 0213ZZ (BLACKWOODS CAMPGROUND LOOP A ROADS) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	103279	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
8,303	0.143	SUMMARY / 90	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0930ZZ
(2 Subcomponent)



Acadia National Park

ROUTE 0930BZ: BLACKWOODS CAMPGROUND AMPHITHEATER PARKING B

Subcomponent of Route ACAD-0930ZZ

Manual Rating


ADJACENT TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	103279	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
5,945	0.102	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0930CZ: BLACKWOODS CAMPGROUND AMPHITHEATER PARKING C

Subcomponent of Route ACAD-0930ZZ

Manual Rating


ADJACENT TO ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/18/2019	103279	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,358	0.041	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0931: BROWN MOUNTAIN PARKING

Manual Rating

FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)




TO ROUTE 5003 (MAINE STATE HIGHWAY 3)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61781	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
8,868	0.153	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0932: NORUMBEGA PARKING

Manual Rating

FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)



TO ROUTE 5003 (MAINE STATE HIGHWAY 3)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61782	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
6,340	0.109	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0933: PARKMAN MOUNTAIN PARKING

Manual Rating



FROM ROUTE 5003 (MAINE STATE HIGHWAY 3)
TO ROUTE 0308ZZ (CR-11-13 AUNT BETTYS POND - GIANT SLIDE)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	61783	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
11,192	0.193	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0934: IKES POINT PARKING

Manual Rating



FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)
TO ECHO LAKE

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61809	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,402	0.231	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0935: ACADIA MOUNTAIN PARKING

Manual Rating


ADJACENT TO ROUTE 5102 (MAINE STATE HIGHWAY 102)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61810	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,136	0.123	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0936: ST SAUVEUR MOUNTAIN PARKING

Manual Rating



FROM ROUTE 5102 (MAINE STATE HIGHWAY 102)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61812	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,507	0.078	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0937: ECHO LAKE BEACH PARKING

Manual Rating


FROM END OF ROUTE 0227 (ECHO LAKE BEACH ROAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61813	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
39,654	0.683	4	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE AND STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938ZZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING

Summary Route
Manual Rating

FROM ROUTES 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) AND
0235ZZ (SEAWALL CAMPGROUND LOOP C ROADS)


TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
11,183	0.193	SUMMARY / 85	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0938ZZ
(8 Subcomponent)



Acadia National Park

ROUTE 0938AZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING A

Subcomponent of Route ACAD-0938ZZ

Manual Rating




ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,560	0.044	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938BZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING B

Subcomponent of Route ACAD-0938ZZ

Manual Rating



ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,858	0.032	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938CZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING C

Subcomponent of Route ACAD-0938ZZ

Manual Rating



ADJACENT TO ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,763	0.048	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938DZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING D

Subcomponent of Route ACAD-0938ZZ

Manual Rating

ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON RIGHT

Inspection Date	FMISS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
692	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938EZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING E

Subcomponent of Route ACAD-0938ZZ

Manual Rating

ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT

Inspection Date	FMISS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
706	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938FZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING F

Subcomponent of Route ACAD-0938ZZ

Manual Rating

ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
767	0.013	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938GZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING G

Subcomponent of Route ACAD-0938ZZ

Manual Rating

ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON LEFT

Inspection Date	FMISS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
689	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0938HZ: SEAWALL CAMPGROUND AMPHITHEATER PARKING H

Subcomponent of Route ACAD-0938ZZ

Manual Rating



ADJACENT TO ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103266	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,148	0.02	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0939: WONDERLAND PARKING

Manual Rating




ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103263	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,281	0.039	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0940: SHIP HARBOR PARKING

Manual Rating



ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103280	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
5,062	0.087	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0941: BASS HARBOR LIGHTHOUSE PARKING

Manual Rating



FROM END OF ROUTE 0245 (LIGHTHOUSE ROAD - BASS HARBOR)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61814	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
10,895	0.188	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0942: BEECH MOUNTAIN PARKING

Manual Rating



FROM END OF ROUTE 0237 (BEECH HILL ROAD)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61815	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
10,968	0.189	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0943: THOMPSON ISLAND INFORMATION CENTER PARKING

Manual Rating

FROM MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)

TO MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61765	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
17,461	0.301	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0944: SCHOODIC POINT PARKING

Manual Rating



FROM END OF ROUTE 0249ZZ (AREY COVE ROADS)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	62766	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
39,742	0.684	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0945: BLUEBERRY HILL PARKING

Manual Rating



FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.74 ON RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	62767	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
9,391	0.162	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0946: ROLLING ISLAND OVERLOOK PARKING

Manual Rating

FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.97 ON RIGHT



TO ROUTE 0301 (SCHOODIC LOOP ROAD) AT MP 3.99 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103271	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,468	0.06	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0947: FRENCHMAN BAY OVERLOOK PARKING

Manual Rating


ADJACENT TO ROUTE 0010ZZ (PARADISE HILL ROADS) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103269	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,923	0.068	3	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0948: HARDEN FARM PARKING

Manual Rating

FROM KEBO ROAD



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	103268	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,010	0.224	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0949ZZ: MOORE AUDITORIUM - ADMINISTRATION SERVICES PUBLIC PARKING

Summary Route
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103155	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
32,761	0.564	SUMMARY /	74



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0949ZZ
(3 Subcomponents)



Acadia National Park

ROUTE 0949AZ: ADMINISTRATION SERVICES PUBLIC PARKING

Subcomponent of Route ACAD-0949ZZ

Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT



TO ROUTE 0976 (ADMINISTRATION SERVICES PARKING)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103155	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
13,828	0.238	5	MODERATE REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0949BZ: MOORE AUDITORIUM PARKING 1

Subcomponent of Route ACAD-0949ZZ

Manual Rating

FROM ROUTE 0949AZ (ADMINISTRATION SERVICES PUBLIC PARKING)

TO PARKING

Inspection Date	FMISS Number	User Access	Surface Type
9/15/2019	103155	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,806	0.083	5	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0949CZ: MOORE AUDITORIUM PARKING 2

Subcomponent of Route ACAD-0949ZZ

Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT



TO ROUTE 0262 (ACADIA DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103155	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
14,127	0.243	6	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0950ZZ: SERVICES SOUTH AND WATER TOWER PARKING


Summary Route
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0264 (MUSETTI DRIVE)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103156	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
51,247	0.882	SUMMARY / 89	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.



Acadia National Park

ROUTE 0950AZ: SERVICES SOUTH BUS DROP-OFF PARKING

Subcomponent of Route ACAD-0950ZZ

Manual Rating

ADJACENT TO ROUTE 0264 (MUSSETTI DRIVE)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103156	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
600	0.01	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0950BZ: SERVICES SOUTH PARKING

Subcomponent of Route ACAD-0950ZZ
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE)


TO ROUTE 0264 (MUSETTI DRIVE)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103156	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
48,723	0.839	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0950CZ: WATER TOWER PARKING

Subcomponent of Route ACAD-0950ZZ
Manual Rating



FROM ROUTE 0264 (MUSSETTI DRIVE)
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103156	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,002	0.017	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0950DZ: WAREHOUSE SERVICES PARKING

Subcomponent of Route ACAD-0950ZZ
Manual Rating



FROM END OF ROUTE 0264 (MUSETTI DRIVE)
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103156	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
922	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 30	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0951ZZ: CABIN PARKING



Summary Route
Manual Rating

FROM ROUTE 0263 (JACOBSON DRIVE) ON LEFT AND RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103164	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
4,390	0.075	SUMMARY / 63	
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)
<div style="background-color: black; color: white; padding: 2px; display: inline-block;">Not Rated</div>			
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0951ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0951AZ: CABIN NORTH PARKING

Subcomponent of Route ACAD-0951ZZ
Manual Rating



FROM ROUTE 0263 (JACOBSON DRIVE)
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103164	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,178	0.02	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0951BZ: CABIN SOUTH PARKING

Subcomponent of Route ACAD-0951ZZ
Manual Rating



FROM ROUTE 0263 (JACOBSON DRIVE)
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103164	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,212	0.055	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0952: SCHOONER COMMONS PARKING

Manual Rating

FROM ROUTE 0263 (JACOBSON DRIVE)



TO ROUTE 0263 (JACOBSON DRIVE)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103186	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
6,485	0.112	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0953: SUITES PARKING

Manual Rating

FROM ROUTE 0263 (JACOBSON DRIVE) ON RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103159	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,146	0.071	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0955ZZ: BALL FIELD PARKING

Summary Route
Manual Rating

ADJACENT TO ROUTE 0272ZZ (ALVEY DRIVE) ON RIGHT AND LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103169	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
13,195	0.227	SUMMARY / 53	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0955ZZ
(3 Subcomponents)



Acadia National Park

ROUTE 0955AZ: BALL FIELD PARKING A

Subcomponent of Route ACAD-0955ZZ
Manual Rating



ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103169	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,164	0.123	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0955BZ: BALL FIELD PARKING B

Subcomponent of Route ACAD-0955ZZ
Manual Rating



ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103169	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
5,122	0.088	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0955CZ: BALL FIELD PARKING C

Subcomponent of Route ACAD-0955ZZ
Manual Rating


ADJACENT TO ROUTE 0272AZ (ALVEY DRIVE PAVED) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103169	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
909	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957ZZ: SCHOODIC SHORES PARKING

Summary Route
Manual Rating

FROM ROUTE 0265 (MYRICK DRIVE) ON LEFT AND RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
12,022	0.207	SUMMARY /	89


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0957ZZ
(11 Subcomponents)



Acadia National Park

ROUTE 0957AZ: SCHOODIC SHORES A PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating


ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
939	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957BZ: SCHOODIC SHORES B PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating



ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
682	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957CZ: SCHOODIC SHORES C PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT

Inspection Date	FMS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
680	0.012	2	DO NOTHING
Curb Type		Curb & Gutter Type	
WOOD		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957DZ: SCHOODIC SHORES D PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT

Inspection Date	FMISS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
422	0.007	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957EZ: SCHOODIC SHORES E PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating



ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
948	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957FZ: SCHOODIC SHORES F PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT

Inspection Date	FMISS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
905	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)




Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957GZ: SCHOODIC SHORES G PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

FROM ROUTE 0265 (MYRICK DRIVE) ON LEFT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,825	0.049	4	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957HZ: SCHOODIC SHORES H PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating



ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
662	0.011	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 09571Z: SCHOODIC SHORES I PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

FROM ROUTE 0265 (MYRICK DRIVE) ON RIGHT



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,828	0.049	4	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957JZ: SCHOODIC SHORES J PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating

ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON LEFT

Inspection Date	FMISS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
474	0.008	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0957KZ: SCHOODIC SHORES K PARKING

Subcomponent of Route ACAD-0957ZZ

Manual Rating




ADJACENT TO ROUTE 0265 (MYRICK DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103188	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
657	0.011	2	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
CONCRETE AND STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0958ZZ: GEORGE M. WRIGHT HALL PARKING AREAS

Summary Route
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) AND ROUTE 0263 (JACOBSON DRIVE)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103180	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
6,824	0.117	SUMMARY /	90


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0958ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0958AZ: GEORGE M. WRIGHT HALL PARKING

Subcomponent of Route ACAD-0958ZZ
Manual Rating



FROM ROUTE 0263 (JACOBSON DRIVE) ON LEFT
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103180	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,670	0.08	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0958BZ: GEORGE M. WRIGHT HALL SERVICES PARKING

Subcomponent of Route ACAD-0958ZZ

Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) ON RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103180	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,154	0.037	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0959ZZ: ROCKEFELLER BUILDING PARKING AREAS

Summary Route
Manual Rating

FROM ROUTE 0270 (ATTERBURY CIRCLE) AND ROUTE 0271 (FABBRI DRIVE)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103192	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
18,436	0.317	SUMMARY / 91	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0959ZZ
(3 Subcomponents)



Acadia National Park

ROUTE 0959Z: ROCKEFELLER BUILDING PARKING

Subcomponent of Route ACAD-0959ZZ

Manual Rating

ADJACENT TO ROUTE 0270 (ATTERBURY CIRCLE)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103192	PUBLIC	BRICK PAVERS
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,867	0.032	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
DO NOTHING		EXCELLENT / 97	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0960AZ: EMERGENCY SERVICES PARKING

Subcomponent of Route ACAD-0959ZZ
Manual Rating


FROM ROUTE 0271 (FABBRI DRIVE)
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103192	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
10,177	0.175	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0960BZ: ROCKEFELLER PLAZA PARKING

Subcomponent of Route ACAD-0959ZZ

Manual Rating

FROM END OF ROUTE 0271 (FABBRI DRIVE)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103192	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
6,392	0.11	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0961ZZ: ENTRANCE BUILDING AND WASTEWATER SERVICES PARKING



Summary Route
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) ON LEFT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103185	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
6,759	0.117	SUMMARY / 84	
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)
Not Rated			
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0961ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0961AZ: ENTRANCE BUILDING PARKING

Subcomponent of Route ACAD-0961ZZ

Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE)

TO ROUTE 0262 (ACADIA DRIVE)

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103185	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,744	0.082	4	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
DO NOTHING		EXCELLENT / 97	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area consists of multiple surface types: 1 part Asphalt at 4,172 square feet; 1 part Concrete at 572 square feet. Parking area is in new condition.



Acadia National Park

ROUTE 0961BZ: WASTEWATER SERVICES PARKING

Subcomponent of Route ACAD-0961ZZ
Manual Rating

FROM ROUTE 0262 (ACADIA DRIVE) ON LEFT
 TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	103185	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,015	0.035	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area consists of multiple surface types: 1 part Asphalt at 1,308 square feet; 1 part Concrete at 707 square feet. Parking area is in new condition.



Acadia National Park

ROUTE 0963ZZ: WILD GARDENS OF ACADIA PARKING

Summary Route
Manual Rating

ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON RIGHT AND LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243255	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
13,297	0.229	SUMMARY / 82	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0963ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0963AZ: WILD GARDENS OF ACADIA PARKING A

Subcomponent of Route ACAD-0963ZZ

Manual Rating



ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243255	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,373	0.127	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0963BZ: WILD GARDENS OF ACADIA PARKING B

Subcomponent of Route ACAD-0963ZZ

Manual Rating



ADJACENT TO ROUTE 0208 (SWEETWATER CIRCLE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243255	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
5,924	0.102	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0965: BROWN MOUNTAIN GATEHOUSE PARKING

Manual Rating

FROM GATEHOUSE ROAD


TO GATEHOUSE ROAD

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103247	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,091	0.07	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 30	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0966: JORDAN POND GATEHOUSE PARKING

Manual Rating

FROM ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) AT MP 4.59 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	103253	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,618	0.08	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0968ZZ: SEAWALL RANGER RESIDENCE PARKING

Summary Route
Manual Rating

FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A)

TO RANGER RESIDENCE

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103257	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
3,132	0.054	SUMMARY / 58	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0968ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0968AZ: SEAWALL RANGER RESIDENCE PARKING A

Subcomponent of Route ACAD-0968ZZ

Manual Rating

FROM ROUTE 5102A (MAINE STATE HIGHWAY 102A)

TO RANGER RESIDENCE

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103257	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,425	0.042	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)




Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0968BZ: SEAWALL RANGER RESIDENCE PARKING B

Subcomponent of Route ACAD-0968ZZ

Manual Rating

ADJACENT TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103257	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
707	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0970: THOMPSON ISLAND PICNIC AREA PARKING

Manual Rating

FROM MAINE STATE HIGHWAY 3 (BAR HARBOR ROAD)



TO END OF PICNIC LOOP

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	61740	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
35,812	0.617	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0971: FRAZER POINT PICNIC AREA PARKING

Manual Rating

FROM ROUTE 0301 (SCHOODIC LOOP ROAD)



TO END OF PICNIC LOOP

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	62762	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
26,634	0.459	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972ZZ: MCFARLAND HILL HEADQUARTERS PARKING


Summary Route
Manual Rating

FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT AND RIGHT
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
42,989	0.74	SUMMARY / 78	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.



Acadia National Park

ROUTE 0972AZ: MCFARLAND HILL HEADQUARTERS A PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating

FROM ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,777	0.134	4	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)




Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972BZ: MCFARLAND HILL HEADQUARTERS B PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating



ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,143	0.054	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972CZ: MCFARLAND HILL HEADQUARTERS C PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating





ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,832	0.032	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972DZ: MCFARLAND HILL HEADQUARTERS D PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating


ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,972	0.051	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972EZ: MCFARLAND HILL HEADQUARTERS E PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating



ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
888	0.015	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972FZ: MCFARLAND HILL HEADQUARTERS F PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating





ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,075	0.053	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972GZ: MCFARLAND HILL HEADQUARTERS G PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating

ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT

Inspection Date	FMISS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,667	0.08	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)





Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972HZ: MCFARLAND HILL HEADQUARTERS H PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating

ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON LEFT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,909	0.067	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)


Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0972IZ: MCFARLAND HILL HEADQUARTERS I PARKING

Subcomponent of Route ACAD-0972ZZ

Manual Rating

ADJACENT TO ROUTE 0404 (MCFARLAND HILL DRIVE) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/13/2019	243472	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
14,726	0.254	6	DO NOTHING
Curb Type		Curb & Gutter Type	
ASPHALT		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area consists of multiple surface types: 2 parts Asphalt at 14,026 square feet; 2 parts Concrete at 700 square feet.



Acadia National Park

ROUTE 0974: VISITOR CENTER EMPLOYEE PARKING

Manual Rating

FROM ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	243474	NONPUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
12,232	0.211	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0976: ADMINISTRATION SERVICES PARKING

Manual Rating

FROM ROUTE 0949ZZ (MOORE AUDITORIUM - ADMINISTRATION SERVICES PUBLIC PARKING)

TO ROUTE 0950ZZ (SERVICES SOUTH AND WATER TOWER PARKING)

Inspection Date	FMSS Number	User Access	Surface Type
9/13/2019	103183	NONPUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
16,811	0.289	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Note: Parking area consists of multiple surface types: 2 parts Asphalt at 16,343 square feet; 2 parts Concrete at 468 square feet.



Acadia National Park

ROUTE 0977: SERVICES NORTH PARKING

Manual Rating

FROM ROUTE 0263 (JACOBSON DRIVE)



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/15/2019	243248	NONPUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
38,956	0.671	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0980: SCHOODIC WOODS RANGER STATION PARKING

Manual Rating

FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)



TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	245559	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
67,642	1.165	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0981ZZ: SCHOODIC WOODS MAINTENANCE AREA

Summary Route
Manual Rating

FROM ROUTE 0301 (SCHOODIC LOOP ROAD) AND ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)
TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	245560	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
18785	0.323	SUMMARY /	18


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0981ZZ
(3 Subcomponents)



Acadia National Park

ROUTE 0981AZ: SCHOODIC WOODS CAMPGROUND LAYDOWN AREA

Subcomponent of Route ACAD-0981ZZ

Manual Rating

FROM ROUTE 0301 (SCHOODIC LOOP ROAD)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	245560	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
14,963	0.258	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0981BZ: SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF A

Subcomponent of Route ACAD-0981ZZ

Manual Rating



ADJACENT TO ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	245560	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
832	0.014	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0981CZ: SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF B

Subcomponent of Route ACAD-0981ZZ

Manual Rating

FROM ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019	245560	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,990	0.051	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0984ZZ: EAGLE LAKE OVERLOOK NORTH AND SOUTH

Summary Route
Manual Rating

ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
2,553	0.044	SUMMARY /	90



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0984ZZ
(2 Subcomponents)



Acadia National Park

ROUTE 0984AZ: EAGLE LAKE OVERLOOK NORTH

Subcomponent of Route ACAD-0984ZZ

Manual Rating



ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,371	0.024	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0984BZ: EAGLE LAKE OVERLOOK SOUTH

Subcomponent of Route ACAD-0984ZZ
Manual Rating



ADJACENT TO ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,182	0.02	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985ZZ: PARK LOOP PARKING AREAS


Summary Route
Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON LEFT AND RIGHT

Inspection Date	FMS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
28,236	0.487	SUMMARY / 91	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.



Acadia National Park

ROUTE 0985AZ: TRIAD-DAY PULLOUT

Subcomponent of Route ACAD-0985ZZ
Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
672	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985BZ: HUNTERS BROOK TRAIL PULLOUT

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
877	0.015	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985CZ: SOUTHWEST OVERLOOK

Subcomponent of Route ACAD-0985ZZ
Manual Rating



ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
6,852	0.118	6	LIGHT REPAIR
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985DZ: LITTLE HUNTERS BEACH TRAIL PULLOUT

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,105	0.019	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985EZ: ATLANTIC OCEAN OVERLOOK

Subcomponent of Route ACAD-0985ZZ

Manual Rating



ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,220	0.021	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985FZ: WESTERN POINT OVERLOOK #3

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
928	0.016	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)



Fair (61- 84)

Good (85 - 94)

Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985GZ: WESTERN POINT OVERLOOK #2

Subcomponent of Route ACAD-0985ZZ

Manual Rating



ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,435	0.042	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985HZ: WESTERN POINT OVERLOOK #1

Subcomponent of Route ACAD-0985ZZ

Manual Rating




ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,554	0.027	6	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985IZ: BEAR BROOK PULLOUT

Subcomponent of Route ACAD-0985ZZ
Manual Rating



ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
2,037	0.035	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985JZ: GREAT MEADOW VISTA PULLOUT

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
683	0.012	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985KZ: GREAT MEADOW PULLOUT

Subcomponent of Route ACAD-0985ZZ
Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)



Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
943	0.016	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas

Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985LZ: STRATHEDEN TRAIL PULLOUT

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
729	0.013	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	


Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985MZ: GORGE PATH PARKING

Subcomponent of Route ACAD-0985ZZ
Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
1,180	0.02	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0985NZ: OLD NORTH RIDGE TRAIL PARKING

Subcomponent of Route ACAD-0985ZZ

Manual Rating



ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,069	0.053	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
PREVENTIVE MAINTENANCE		GOOD / 90	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0985OZ: STRATHEDEN TRAIL UNPAVED PULLOUT

Subcomponent of Route ACAD-0985ZZ

Manual Rating

ADJACENT TO ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,952	0.068	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	



Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)
Fair (61- 84)
Good (85 - 94)
Excellent (95 - 100)
Not Rated

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0987ZZ: SCHOODIC WOODS AMPHITHEATER PARKING AREAS

Summary Route
Manual Rating


FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS) AND ROUTE 0276ZZ (SCHOODIC WOODS LOOP A ACCESS ROADS)

TO PARKING

Inspection Date	FMS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
15,543	0.268	SUMMARY / 0	

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas				

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.



Acadia National Park

ROUTE 0987AZ: SCHOODIC WOODS AMPHITHEATER PARKING

Subcomponent of Route ACAD-0987ZZ

Manual Rating

FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
7,264	0.125	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0987BZ: SCHOODIC WOODS AMPHITHEATER OVERFLOW PARKING

Subcomponent of Route ACAD-0987ZZ

Manual Rating

FROM ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
3,947	0.068	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)


Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0987CZ: SCHOODIC WOODS WALK-IN SITE PARKING

Subcomponent of Route ACAD-0987ZZ

Manual Rating

FROM ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
9/16/2019		PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
4,332	0.075	NOT APPLICABLE	NOT APPLICABLE
Curb Type		Curb & Gutter Type	
NO CURB		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
RECONSTRUCTION		POOR / 0	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)

Fair (61- 84)

Good (85 - 94)



Excellent (95 - 100)

Not Rated

See Appendix for definitions and formulas



Note: Parking area was given a POOR Pavement Condition Rating (PCR = 0) because it is in very poor condition and appears to be unpaved.



Acadia National Park

ROUTE 0989: DANE FARM PARKING

Manual Rating



FROM ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) AT MP 12.85 ON RIGHT
TO END OF LOOP

Inspection Date	FMSS Number	User Access	Surface Type
9/17/2019	60123	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
26,995	0.465	6	DO NOTHING
Curb Type		Curb & Gutter Type	
CONCRETE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
LIGHT 3R TREATMENTS		FAIR / 73	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
----------------------	----------------------	-----------------------	-----------------------------	------------------

See Appendix for definitions and formulas



Acadia National Park

ROUTE 0990: SEASONAL WAY - SEAWALL CAMPGROUND MAINTENANCE PARKING

Manual Rating



FROM ROUTE 0232ZZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROADS) ON LEFT
TO ROUTE 5102A (MAINE STATE HIGHWAY 102A)

Inspection Date	FMSS Number	User Access	Surface Type
9/14/2019	103256	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
10,901	0.188	5	DO NOTHING
Curb Type		Curb & Gutter Type	
STONE		NO CURB AND GUTTER	
Pavement Recommendation		Condition Rating / PCR	
HEAVY 3R TREATMENTS		POOR / 53	

Route Condition Legend – Pavement Condition Rating (PCR)

Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
---------------	---------------	----------------	----------------------	-----------

See Appendix for definitions and formulas



Section 7

Road Milepost Information



Acadia National Park



Federal Lands Highway
Road Inventory Program

Road Milepost Information

This report section contains road milepost information for all paved roads in the park that were collected with the Data Collection Vehicle (DCV). The milepost data is obtained from the DCV by using a distance measuring instrument (DMI) that is calibrated to record mileage to the nearest thousandth of a mile. Park roads that were manually rated did not have milepost data collected, and thus are not included in this report section.

For Cycle 6, the information presented in this section differs from previous RIP cycles in that it does not contain the roadside features inventories for the paved park roads. Some examples of the features previously collected are signs, culverts/drop inlets, guardrails, curbing, pullouts, etc. If the park was collected in a previous RIP cycle, then the latest features data can be obtained by referencing the following:

Where to find the latest Features Inventories for NPS Parks:

- For Small Parks (parks with less than 10 miles of paved roads):
 - Refer to Cycle 5 data (collected 2010 - 2014)
 - Features were reported in Section 9 of the *Cycle 5* RIP report
 - Video of features can be viewed using the *PathViewVO* program and *Cycle 5* data
- For Large Parks (parks with more than 10 miles of paved roads):
 - Refer to Cycle 4 data (collected 2006 - 2009)
 - Features were reported in Section 9 of the *Cycle 4* RIP report
 - Video of features can be viewed using the *VisiData* program and *Cycle 4* data
 - Note: Features inventories were updated in Large Parks in *Cycle 5* only on a route by route basis if the route was new or modified in *Cycle 5*. If this is the case for a particular route, then features for the route can be obtained using the *PathViewVO* program and *Cycle 5* data (same as above for Small parks).

Milepost Events Verified in Cycle 6

In Cycle 6, the following events were collected and reported in Section 7 of this report:

- Intersections with roads and parking areas
- All bridges and culverts with BIP Numbers (bridge inspection program numbers)
- Mile Marker Signs
- One-Way travel directions
- Overpasses
- Tunnels
- Low Water Crossings (LWCR)
- Surface type changes
- Construction areas where no pavement condition data was obtained

GPS Mileage Matching

A consistent survey milepost and constant route length as recorded by the Data Collection Vehicle (DCV) is a challenge to maintain from one collection cycle to the next. The challenge is due to many factors such as driver characteristics, DMI calibration, tire pressure etc. After Cycle 4 (~2010), a decision was made to hold constant the length of roads so long as there was no physical change from reconstruction projects or realignments that would result in a change to the length of a road. Consequently, the “GPS Mileage Match” was implemented to specify which cycle the route length is being matched. Route mileages and GPS are matched to a previous collection whenever there is no physical change to a route alignment. The route mileage and GPS is not matched to previous cycles whenever it is determined that a road length and GPS needs to be updated. When this happens the GPS and length is updated to the cycle that displays the change, and that collection cycle is used as the matching cycle in subsequent collections of the road. Thus, the Cycle 6 GIS could be either the survey length collected in Cycle 4, Cycle 5, or Cycle 6 and therefore, may not match the survey milepost displayed in the latest Cycle 6 DCV video which is viewable in *PathView VO*.

The features inventories and road logs collected on NPS routes contain mileposts that are determined from the corresponding cycle that the GPS is matched to. Therefore, the mileposts contained in the Cycle 4 or 5 features inventories or the Cycle 6 road logs may not exactly match the survey milepost collected in the latest Cycle 6 video of the road.

Locating Mile Marker Signs

For routes that have mile marker signs along them, the milepost reported by RIP will most likely not line up exactly with the sign located in the field. This could be happening for many reasons, most likely due to either the error falling within the acceptable calibration range of the vehicle, or the level of accuracy that the mile marker signs were placed in the field.

Because mile marker signs are important features in many project plans and location descriptions, RIP is reporting locations of mile marker signs in three ways in Cycle 6:

1. Mileposts from Cycle 6 GIS: the official RIP milepost taken from the features inventories and the matching GPS/mileage cycle as described above. This is the milepost that should be used on project plans and when finding locations in the field
2. Mileposts from Cycle 6 Video: milepost shown to help locate the mile marker sign in the latest *PathView VO* video.
3. Latitude / Longitude: a constant way of locating a mile marker sign so long as the park has not moved the sign

The mileposts from Cycle 6 Video and GIS should be nearly the same, but on longer roads it has been observed that the Video milepost deviates more from the official GIS milepost that comes from the matching cycle.

ACAD: Route Milepost Log

ROUTE 0010AZ: PARADISE HILL ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.01	0.01	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3) SPUR
0.06	0.06	INTERSECTION	R	ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)
0.07	0.07	INTERSECTION	R	ROUTE 0901 (VISITOR CENTER ACCESSIBLE PARKING)
0.33	0.33	INTERSECTION	L	ROUTE 0010BZ (PARADISE HILL ROAD NORTHBOUND)
0.60	0.60	INTERSECTION	L	ROUTE 0947 (FRENCHMAN BAY OVERLOOK PARKING)
0.76	0.76	INTERSECTION	L	ROUTE 0010BZ (PARADISE HILL ROAD NORTHBOUND)
0.96	1.08	INTERSECTION	L	PULLOUT
1.09	1.15	BRIDGE	N/A	1700-001 (DUCK BROOK BRIDGE (VEHICULAR))
1.16	1.16	INTERSECTION	L	ROUTE 0902 (DUCK BROOK NORTH PARKING)
1.20	1.20	INTERSECTION	L	ROUTE 0902 (DUCK BROOK NORTH PARKING)
1.76	1.77	BRIDGE	N/A	1700-010 (PARADISE HILL BRIDGE)
1.87	1.87	INTERSECTION	L	ROUTE 0100 (WEST STREET EXTENSION) OPPOSITE LANE
1.88	1.88	INTERSECTION	L	ROUTE 0100 (WEST STREET EXTENSION) CUT-THRU
1.88	1.88	INTERSECTION	L	ROUTE 0100 (WEST STREET EXTENSION) CUT-THRU
1.89	1.89	INTERSECTION	L	ROUTE 0100 (WEST STREET EXTENSION) OPPOSITE LANE
1.99	2.05	INTERSECTION	L	PULLOUT
2.37	2.37	INTERSECTION	L	ROUTE 0903 (1947 FIRE OVERLOOK PARKING)
2.42	2.42	INTERSECTION	L	ROUTE 0903 (1947 FIRE OVERLOOK PARKING)
2.54	2.54	INTERSECTION	L	ROUTE 0101AZ (CADILLAC ENTRANCE ROAD)
2.59	2.59	INTERSECTION	L	ROUTE 0101BZ (CADILLAC ENTRANCE ROAD SPUR)
2.67	2.68	BRIDGE	N/A	1700-020 (MAINE ROUTE 233 BRIDGE)
2.76	2.76	INTERSECTION	L	ROUTE 0010DZ (NORTH RIDGE TRAIL BUS STOP (EAST))
2.76	2.76	INTERSECTION	R	ROUTE 0010CZ (NORTH RIDGE TRAIL BUS STOP (WEST))
2.77	2.77	INTERSECTION	L	ROUTE 0010DZ (NORTH RIDGE TRAIL BUS STOP (EAST))
2.78	2.78	INTERSECTION	R	ROUTE 0010CZ (NORTH RIDGE TRAIL BUS STOP (WEST))
3.07	3.07	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY) SPUR
3.09	3.09	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
3.09	3.09	INTERSECTION	N/A	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)

Data Collected on 10/2020

ACAD: Route Milepost Log

ROUTE 0010BZ: PARADISE HILL ROAD NORTHBOUND

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD) OPPOSITE LANE
0.00	0.00	INTERSECTION	N/A	ROUTE 0010AZ (PARADISE HILL ROAD)
0.09	0.17	INTERSECTION	R	PULLOUT
0.26	0.29	INTERSECTION	R	PULLOUT
0.46	0.46	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD) OPPOSITE LANE
0.46	0.46	INTERSECTION	N/A	ROUTE 0010AZ (PARADISE HILL ROAD)

ROUTE 0011: HULLS COVE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.13	0.13	ONE-WAY END	N/A	N/A
0.13	0.13	INTERSECTION	R	ROUTE 0400 (HULLS COVE STORAGE AREA ROAD)
0.21	0.21	INTERSECTION	N/A	ROUTE 0900 (VISITOR CENTER PARKING - HULLS COVE)

ACAD: Route Milepost Log

ROUTE 0012: PARK LOOP ROAD - LOWER MOUNTAIN ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	L	ROUTE 0014 (STANLEY BROOK ROAD)
0.01	0.01	INTERSECTION	L	ROUTE 0014 (STANLEY BROOK ROAD) SPUR
0.04	0.04	INTERSECTION	R	ROUTE 0402AZ (STABLE LANE)
0.45	0.45	INTERSECTION	L	ROUTE 0991 (JORDAN POND DORMITORY PARKING)
0.49	0.49	INTERSECTION	R	ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD)
0.49	0.49	INTERSECTION	L	ROUTE 0324 (CR-16-17 JORDAN - BUBBLE POND ROAD)
0.50	0.50	INTERSECTION	R	ROUTE 0966 (JORDAN POND GATEHOUSE PARKING)
0.52	0.52	INTERSECTION	R	ROUTE 0966 (JORDAN POND GATEHOUSE PARKING)
0.54	0.54	INTERSECTION	L	ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)
0.59	0.59	INTERSECTION	L	ROUTE 0274 (JORDAN POND HOUSE BUS LOOP)
0.59	0.59	INTERSECTION	L	ROUTE 0907CBZ (JORDAN POND BUS PARKING B)
0.69	0.69	INTERSECTION	L	ROUTE 0908AZ (JORDAN POND NORTH PARKING A)
0.98	0.98	INTERSECTION	L	ROUTE 0909CZ (BUBBLE AND JORDAN POND PATH)
2.02	2.02	INTERSECTION	L	ROUTE 0909BZ (BUBBLE ROCK OVERLOOK)
2.20	2.20	INTERSECTION	L	ROUTE 0909AZ (BUBBLE ROCK PARKING)
2.24	2.24	INTERSECTION	L	ROUTE 0909AZ (BUBBLE ROCK PARKING)
3.26	3.26	INTERSECTION	R	ROUTE 0910 (BUBBLE POND PARKING)
3.27	3.27	INTERSECTION	L	ROUTE 0312AZ (CR-17-7 BUBBLE POND ROAD MAIN)
3.28	3.28	INTERSECTION	R	ROUTE 0312AZ (CR-17-7 BUBBLE POND ROAD MAIN)
3.92	3.92	INTERSECTION	L	ROUTE 0984BZ (EAGLE LAKE OVERLOOK SOUTH)
4.34	4.34	INTERSECTION	L	ROUTE 0984AZ (EAGLE LAKE OVERLOOK NORTH)
4.64	4.64	INTERSECTION	R	ROUTE 0013 (CADILLAC SUMMITT ROAD)
4.65	4.65	INTERSECTION	R	ROUTE 0013 (CADILLAC SUMMITT ROAD)
5.16	5.16	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD)
5.16	5.16	INTERSECTION	N/A	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

ACAD: Route Milepost Log

ROUTE 0013: CADILLAC SUMMITT ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
0.14	0.15	INTERSECTION	L	PULLOUT
0.30	0.32	INTERSECTION	L	PULLOUT
0.66	0.68	INTERSECTION	L	PULLOUT
1.07	1.14	INTERSECTION	L	PULLOUT
1.34	1.37	INTERSECTION	R	PULLOUT
1.68	1.71	INTERSECTION	L	PULLOUT
1.80	1.83	INTERSECTION	L	PULLOUT
1.83	1.85	INTERSECTION	L	PULLOUT
1.90	2.02	INTERSECTION	L	PULLOUT
2.04	2.08	INTERSECTION	L	PULLOUT
2.98	2.99	INTERSECTION	R	PULLOUT
3.08	3.08	INTERSECTION	L	ROUTE 0911 (BLUE HILL OVERLOOK PARKING)
3.29	3.29	INTERSECTION	R	ROUTE 0415 (OWER ROAD - CADILLAC ANTENNAE)
3.35	3.35	INTERSECTION	N/A	ROUTE 0912 (CADILLAC MOUNTAIN PARKING)

ACAD: Route Milepost Log

ROUTE 0014: STANLEY BROOK ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.01	0.01	INTERSECTION	R	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD) SPUR
0.05	0.05	INTERSECTION	L	ROUTE 5004 (JORDAN POND ROAD NON NPS)
0.21	0.21	OVERPASS	N/A	1700-026 (STANLEY BROOK CARRIAGE ROAD BRIDGE)
0.59	0.61	BRIDGE	N/A	1700-028 (STANLEY BROOK BRIDGE #1)
0.63	0.64	BRIDGE	N/A	1700-029 (STANLEY BROOK BRIDGE #2)
1.26	1.26	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
1.26	1.26	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)

ROUTE 0016: SIEUR DE MONTS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.08	0.08	INTERSECTION	R	ROUTE 0208 (SWEETWATER CIRCLE)
0.20	0.20	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.20	0.20	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)

ACAD: Route Milepost Log

ROUTE 0100: WEST STREET EXTENSION

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0010AZ (PARADISE HILL ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD)
0.01	0.01	INTERSECTION	R	ROUTE 0010AZ (PARADISE HILL ROAD) SPUR
0.16	0.16	INTERSECTION	L	ROUTE 0102BZ (DUCK BROOK ROAD B)
0.32	0.32	INTERSECTION	N/A	PAVED ROUTE (WEST STREET EXTENSION)

ROUTE 0101AZ: CADILLAC ENTRANCE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0010AZ (PARADISE HILL ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0010AZ (PARADISE HILL ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 0101BZ (CADILLAC ENTRANCE ROAD SPUR)
0.13	0.13	INTERSECTION	N/A	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.13	0.13	INTERSECTION	R	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.13	0.13	INTERSECTION	L	ROUTE 5233 (MAINE STATE HIGHWAY 233)

ROUTE 0101BZ: CADILLAC ENTRANCE ROAD SPUR

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0010AZ (PARADISE HILL ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 0101AZ (CADILLAC ENTRANCE ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0101AZ (CADILLAC ENTRANCE ROAD)

ACAD: Route Milepost Log

ROUTE 0102AZ: DUCK BROOK ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.00	0.00	INTERSECTION	R	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.00	0.00	INTERSECTION	L	ROUTE 5233 (MAINE STATE HIGHWAY 233)
1.10	1.10	INTERSECTION	L	UNPAVED ROUTE (CARRIAGE ROAD)
1.14	1.14	INTERSECTION	N/A	ROUTE 0102BZ (DUCK BROOK ROAD B)

ROUTE 0103: KEBO STEET

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	N/A	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.04	0.04	INTERSECTION	R	UNPAVED ROUTE
0.19	0.19	INTERSECTION	N/A	PAVED ROUTE (KEBO STREET)
0.19	0.19	PARK BOUNDARY	N/A	N/A

ROUTE 0104: GREAT MEADOW DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.33	0.33	INTERSECTION	N/A	PAVED ROUTE (GREAT MEADOW DRIVE)

ACAD: Route Milepost Log

ROUTE 0105: OTTER CLIFF ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 5002 (OTTER CLIFF ROAD NON NPS)
0.35	0.35	INTERSECTION	R	ROUTE 0214 (FISH HOUSE ROAD)
0.47	0.47	INTERSECTION	R	ROUTE 0928 (FABBRI PICNIC AREA PARKING)
0.61	0.61	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.61	0.61	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)

ROUTE 0106: FARVIEW DRIVE - SCHOODIC WOODS

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.08	0.08	INTERSECTION	R	ROUTE 0980 (SCHOODIC WOODS RANGER STATION PARKING)
0.16	0.16	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.21	0.21	INTERSECTION	L	ROUTE 0987AZ (SCHOODIC WOODS AMPHITHEATER PARKING)
0.27	0.27	INTERSECTION	L	ROUTE 0987BZ (SCHOODIC WOODS AMPHITHEATER OVERFLOW PARKING)
0.29	0.29	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.33	0.33	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.35	0.35	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.53	0.53	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.53	0.53	ONE-WAY START	N/A	N/A
0.55	0.55	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS) CUT-THRU
0.62	0.62	INTERSECTION	N/A	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.62	0.62	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.62	0.62	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0202: SCHOONER HEAD ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 5001 (SCHOONER HEAD ROAD NON NPS)
0.20	0.20	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
0.20	0.20	INTERSECTION	R	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
0.59	0.59	INTERSECTION	L	ROUTE 0916 (GREAT HEAD PARKING)
0.62	0.62	INTERSECTION	L	ROUTE 0916 (GREAT HEAD PARKING)
0.79	0.79	INTERSECTION	N/A	UNPAVED ROUTE

ROUTE 0208: SWEETWATER CIRCLE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0016 (SIEUR DE MONTS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0016 (SIEUR DE MONTS ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0208 (SWEETWATER CIRCLE)
0.04	0.04	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	L	ROUTE 0208 (SWEETWATER CIRCLE) CUT-THRU
0.19	0.19	INTERSECTION	R	ROUTE 0963AZ (WILD GARDENS OF ACADIA PARKING A)
0.19	0.19	INTERSECTION	L	ROUTE 0963BZ (WILD GARDENS OF ACADIA PARKING B)
0.27	0.27	INTERSECTION	R	ROUTE 0423 (ABBE MUSEUM SERVICE ROAD)
0.31	0.31	INTERSECTION	L	ROUTE 0208 (SWEETWATER CIRCLE) CUT-THRU
0.32	0.32	INTERSECTION	N/A	ROUTE 0208 (SWEETWATER CIRCLE)
0.32	0.32	INTERSECTION	L	ROUTE 0208 (SWEETWATER CIRCLE)
0.32	0.32	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0211AZ: BLACKWOODS DRIVE ENTRANCE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	N/A	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.11	0.11	INTERSECTION	R	UNPAVED ROUTE (FIRE ROAD)
0.11	0.11	INTERSECTION	L	UNPAVED ROUTE (CEMETERY ROAD)
0.23	0.23	INTERSECTION	R	ROUTE 0414 (BLACKWOODS CAMPGROUND PUMP HOUSE ROAD)
0.71	0.71	INTERSECTION	R	ROUTE 0211FZ (BLACKWOODS DRIVE SPUR)
0.71	0.71	ONE-WAY START	N/A	N/A
0.72	0.72	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)
0.75	0.75	INTERSECTION	R	ROUTE 0211FZ (BLACKWOODS DRIVE SPUR)
0.75	0.75	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND) CUT-THRU
0.77	0.77	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.79	0.79	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)
0.81	0.81	ONE-WAY END	N/A	N/A
0.81	0.81	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.81	0.81	INTERSECTION	N/A	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)

ACAD: Route Milepost Log

ROUTE 0211BZ: BLACKWOODS DRIVE LOWER TURN AROUND

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.01	0.01	INTERSECTION	R	ROUTE 0211CZ (BLACKWOODS DRIVE MID TURN AROUND)
0.05	0.05	INTERSECTION	R	ROUTE 0212CZ (BLACKWOODS CAMPGROUND LOOP B ROAD C)
0.05	0.05	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND) CUT-THRU
0.08	0.08	INTERSECTION	L	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.08	0.08	INTERSECTION	N/A	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.08	0.08	ONE-WAY END	N/A	N/A

ROUTE 0211CZ: BLACKWOODS DRIVE MID TURN AROUND

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)
0.00	0.00	INTERSECTION	N/A	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)
0.02	0.02	INTERSECTION	R	ROUTE 0211DZ (BLACKWOODS DRIVE UPPER TURN AROUND)
0.05	0.05	INTERSECTION	R	ROUTE 0211DZ (BLACKWOODS DRIVE UPPER TURN AROUND)
0.06	0.06	INTERSECTION	R	ROUTE 0211EZ (BLACKWOODS DRIVE UTILITIES)
0.06	0.06	ONE-WAY END	N/A	N/A
0.06	0.06	INTERSECTION	N/A	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)
0.06	0.06	INTERSECTION	L	ROUTE 0211BZ (BLACKWOODS DRIVE LOWER TURN AROUND)

ACAD: Route Milepost Log

ROUTE 0211FZ: BLACKWOODS DRIVE SPUR

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.04	0.04	ONE-WAY END	N/A	N/A
0.04	0.04	INTERSECTION	L	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)

ACAD: Route Milepost Log

ROUTE 0212AZ: BLACKWOODS CAMPGROUND LOOP B ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.02	0.02	ONE-WAY START	N/A	N/A
0.02	0.02	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.04	0.04	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) CUT-THRU
0.10	0.10	INTERSECTION	L	ROUTE 0212BZ (BLACKWOODS CAMPGROUND LOOP B ROAD B)
0.14	0.14	INTERSECTION	L	ROUTE 0212CZ (BLACKWOODS CAMPGROUND LOOP B ROAD C)
0.17	0.17	INTERSECTION	L	ROUTE 0212DZ (BLACKWOODS CAMPGROUND LOOP B ROAD D)
0.30	0.30	INTERSECTION	L	ROUTE 0212EZ (BLACKWOODS CAMPGROUND LOOP B ROAD E)
0.35	0.35	INTERSECTION	L	ROUTE 0212FZ (BLACKWOODS CAMPGROUND LOOP B ROAD F)
0.40	0.40	INTERSECTION	L	ROUTE 0212GZ (BLACKWOODS CAMPGROUND LOOP B ROAD G)
0.44	0.44	INTERSECTION	L	ROUTE 0212HZ (BLACKWOODS CAMPGROUND LOOP B ROAD H)
0.56	0.56	INTERSECTION	L	ROUTE 0212HZ (BLACKWOODS CAMPGROUND LOOP B ROAD H)
0.60	0.60	INTERSECTION	L	ROUTE 0212GZ (BLACKWOODS CAMPGROUND LOOP B ROAD G)
0.66	0.66	INTERSECTION	L	ROUTE 0212FZ (BLACKWOODS CAMPGROUND LOOP B ROAD F)
0.70	0.70	INTERSECTION	L	ROUTE 0212DZ (BLACKWOODS CAMPGROUND LOOP B ROAD D)
0.77	0.77	INTERSECTION	L	ROUTE 0212CZ (BLACKWOODS CAMPGROUND LOOP B ROAD C)
0.81	0.81	INTERSECTION	L	ROUTE 0212BZ (BLACKWOODS CAMPGROUND LOOP B ROAD B)
0.83	0.83	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A) CUT-THRU
0.85	0.85	ONE-WAY END	N/A	N/A
0.85	0.85	INTERSECTION	N/A	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.85	0.85	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)

Data Collected on 10/2020

ACAD: Route Milepost Log

ROUTE 0212BZ: BLACKWOODS CAMPGROUND LOOP B ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.01	0.01	ONE-WAY START	N/A	N/A
0.11	0.11	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.11	0.11	ONE-WAY END	N/A	N/A
0.11	0.11	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)

ROUTE 0212CZ: BLACKWOODS CAMPGROUND LOOP B ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.17	0.17	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.17	0.17	ONE-WAY END	N/A	N/A
0.17	0.17	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)

ACAD: Route Milepost Log

ROUTE 0212DZ: BLACKWOODS CAMPGROUND LOOP B ROAD D

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.20	0.20	ONE-WAY END	N/A	N/A
0.20	0.20	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.20	0.20	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)

ROUTE 0212EZ: BLACKWOODS CAMPGROUND LOOP B ROAD E

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.09	0.09	ONE-WAY END	N/A	N/A
0.09	0.09	INTERSECTION	L	ROUTE 0212FZ (BLACKWOODS CAMPGROUND LOOP B ROAD F)
0.09	0.09	INTERSECTION	R	ROUTE 0212FZ (BLACKWOODS CAMPGROUND LOOP B ROAD F)

ACAD: Route Milepost Log

ROUTE 0212FZ: BLACKWOODS CAMPGROUND LOOP B ROAD F

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.09	0.09	INTERSECTION	L	ROUTE 0212EZ (BLACKWOODS CAMPGROUND LOOP B ROAD E)
0.21	0.21	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.21	0.21	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.21	0.21	ONE-WAY END	N/A	N/A

ROUTE 0212GZ: BLACKWOODS CAMPGROUND LOOP B ROAD G

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.18	0.18	ONE-WAY END	N/A	N/A
0.18	0.18	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.18	0.18	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)

ACAD: Route Milepost Log

ROUTE 0212HZ: BLACKWOODS CAMPGROUND LOOP B ROAD H

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.11	0.11	INTERSECTION	L	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.11	0.11	INTERSECTION	R	ROUTE 0212AZ (BLACKWOODS CAMPGROUND LOOP B ROAD A)
0.11	0.11	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0213AZ: BLACKWOODS CAMPGROUND LOOP A ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0211AZ (BLACKWOODS DRIVE ENTRANCE ROAD)
0.01	0.01	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A RD A)
0.01	0.01	ONE-WAY START	N/A	N/A
0.03	0.03	INTERSECTION	L	ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A RD C)
0.06	0.06	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A RD F)
0.08	0.08	INTERSECTION	R	ROUTE 0930BZ (BLACKWOODS CAMPGROUND AMPHITHEATER PARKING B)
0.11	0.11	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A RD I)
0.13	0.13	INTERSECTION	R	ROUTE 0930CZ (BLACKWOODS CAMPGROUND AMPHITHEATER PARKING C)
0.15	0.15	INTERSECTION	L	ROUTE 0213KZ (BLACKWOODS CAMPGROUND LOOP A RD K)
0.18	0.18	INTERSECTION	L	ROUTE 0213LZ (BLACKWOODS CAMPGROUND LOOP A RD L)
0.23	0.23	INTERSECTION	L	ROUTE 0213MZ (BLACKWOODS CAMPGROUND LOOP A RD M)
0.25	0.25	INTERSECTION	L	ROUTE 0213NZ (BLACKWOODS CAMPGROUND LOOP A RD N)
0.40	0.40	INTERSECTION	L	ROUTE 0213NZ (BLACKWOODS CAMPGROUND LOOP A RD N)
0.44	0.44	INTERSECTION	L	ROUTE 0213MZ (BLACKWOODS CAMPGROUND LOOP A RD M)
0.49	0.49	INTERSECTION	L	ROUTE 0213LZ (BLACKWOODS CAMPGROUND LOOP A RD L)
0.51	0.51	INTERSECTION	L	ROUTE 0213KZ (BLACKWOODS CAMPGROUND LOOP A RD K)
0.54	0.54	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A RD I)
0.57	0.57	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A RD F)
0.60	0.60	INTERSECTION	L	ROUTE 0213DZ (BLACKWOODS CAMPGROUND LOOP A RD D)
0.69	0.69	INTERSECTION	L	ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A RD C)
0.72	0.72	INTERSECTION	R	ROUTE 0410 (BLACKWOODS CAMPGROUND FIRE EXIT RD)
0.83	0.83	INTERSECTION	L	ROUTE 0213BZ (BLACKWOODS CAMPGROUND LOOP A RD B)
0.84	0.84	ONE-WAY END	N/A	N/A
0.84	0.84	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A RD A)
0.84	0.84	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A RD A)

ACAD: Route Milepost Log

ROUTE 0213CZ: BLACKWOODS CAMPGROUND LOOP A ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.02	0.02	INTERSECTION	R	ROUTE 0213DZ (BLACKWOODS CAMPGROUND LOOP A ROAD D)
0.02	0.02	INTERSECTION	L	ROUTE 0213BZ (BLACKWOODS CAMPGROUND LOOP A ROAD B)
0.13	0.13	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	ONE-WAY END	N/A	N/A

ROUTE 0213DZ: BLACKWOODS CAMPGROUND LOOP A ROAD D

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A ROAD C)
0.00	0.00	INTERSECTION	N/A	ROUTE 0213CZ (BLACKWOODS CAMPGROUND LOOP A ROAD C)
0.13	0.13	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0213EZ: BLACKWOODS CAMPGROUND LOOP A ROAD E

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.00	0.00	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.00	0.00	INTERSECTION	R	ROUTE 0213GZ (BLACKWOODS CAMPGROUND LOOP A ROAD G)
0.15	0.15	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.15	0.15	INTERSECTION	R	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.15	0.15	ONE-WAY END	N/A	N/A

ROUTE 0213FZ: BLACKWOODS CAMPGROUND LOOP A ROAD F

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.01	0.01	INTERSECTION	L	ROUTE 0213EZ (BLACKWOODS CAMPGROUND LOOP A ROAD E)
0.01	0.01	INTERSECTION	R	ROUTE 0213GZ (BLACKWOODS CAMPGROUND LOOP A ROAD G)
0.15	0.15	INTERSECTION	L	ROUTE 0213EZ (BLACKWOODS CAMPGROUND LOOP A ROAD E)
0.15	0.15	INTERSECTION	R	ROUTE 0213GZ (BLACKWOODS CAMPGROUND LOOP A ROAD G)
0.16	0.16	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.16	0.16	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.16	0.16	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0213GZ: BLACKWOODS CAMPGROUND LOOP A ROAD G

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.00	0.00	INTERSECTION	R	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.16	0.16	INTERSECTION	L	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.16	0.16	INTERSECTION	R	ROUTE 0213FZ (BLACKWOODS CAMPGROUND LOOP A ROAD F)
0.16	0.16	ONE-WAY END	N/A	N/A

ROUTE 0213HZ: BLACKWOODS CAMPGROUND LOOP A ROAD H

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.00	0.00	INTERSECTION	R	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.15	0.15	INTERSECTION	R	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.15	0.15	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.15	0.15	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0213IZ: BLACKWOODS CAMPGROUND LOOP A ROAD I

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.01	0.01	INTERSECTION	L	ROUTE 0213HZ (BLACKWOODS CAMPGROUND LOOP A ROAD H)
0.01	0.01	INTERSECTION	R	ROUTE 0213JZ (BLACKWOODS CAMPGROUND LOOP A ROAD J)
0.15	0.15	INTERSECTION	L	ROUTE 0213HZ (BLACKWOODS CAMPGROUND LOOP A ROAD H)
0.16	0.16	INTERSECTION	R	ROUTE 0213JZ (BLACKWOODS CAMPGROUND LOOP A ROAD J)
0.17	0.17	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	ONE-WAY END	N/A	N/A

ROUTE 0213JZ: BLACKWOODS CAMPGROUND LOOP A ROAD J

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.00	0.00	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.17	0.17	INTERSECTION	R	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.17	0.17	INTERSECTION	L	ROUTE 0213IZ (BLACKWOODS CAMPGROUND LOOP A ROAD I)
0.17	0.17	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0213KZ: BLACKWOODS CAMPGROUND LOOP A ROAD K

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	ONE-WAY END	N/A	N/A

ROUTE 0213LZ: BLACKWOODS CAMPGROUND LOOP A ROAD L

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.18	0.18	ONE-WAY END	N/A	N/A
0.18	0.18	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.18	0.18	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)

ACAD: Route Milepost Log

ROUTE 0213MZ: BLACKWOODS CAMPGROUND LOOP A ROAD M

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.17	0.17	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.17	0.17	ONE-WAY END	N/A	N/A

ROUTE 0213NZ: BLACKWOODS CAMPGROUND LOOP A ROAD N

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.13	0.13	INTERSECTION	R	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	INTERSECTION	L	ROUTE 0213AZ (BLACKWOODS CAMPGROUND LOOP A ROAD A)
0.13	0.13	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0214: FISH HOUSE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0105 (OTTER CLIFF ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0105 (OTTER CLIFF ROAD)
0.08	0.08	OVERPASS	N/A	1700-002 (FISH HOUSE BRIDGE)
0.16	0.16	INTERSECTION	N/A	DEAD END

ROUTE 0216AZ: BEAR BROOK PICNIC AREA ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.09	0.09	INTERSECTION	L	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B) SPUR
0.10	0.10	INTERSECTION	L	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B)
0.11	0.11	INTERSECTION	R	PAVED PARKING
0.11	0.11	INTERSECTION	L	PAVED PARKING
0.14	0.14	INTERSECTION	R	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)
0.16	0.16	INTERSECTION	L	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)
0.16	0.16	INTERSECTION	N/A	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)

ACAD: Route Milepost Log

ROUTE 0216BZ: BEAR BROOK PICNIC AREA ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)
0.01	0.01	INTERSECTION	L	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B) SPUR
0.08	0.08	INTERSECTION	R	PAVED PARKING
0.08	0.08	INTERSECTION	L	PAVED PARKING
0.09	0.09	INTERSECTION	R	PAVED PARKING
0.09	0.09	INTERSECTION	L	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B)
0.12	0.12	INTERSECTION	L	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B)
0.12	0.12	INTERSECTION	N/A	ROUTE 0216BZ (BEAR BROOK PICNIC AREA ROAD B)

ROUTE 0222: OVERLOOK ROAD - SCHOONER HEAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.00	0.00	INTERSECTION	L	ROUTE 0300 (PARK LOOP ROAD - ONE-WAY)
0.01	0.01	INTERSECTION	R	UNPAVED ROUTE
0.10	0.10	INTERSECTION	R	ROUTE 0202 (SCHOONER HEAD ROAD)
0.10	0.10	INTERSECTION	L	ROUTE 0202 (SCHOONER HEAD ROAD)
0.18	0.18	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
0.18	0.18	ONE-WAY START	N/A	N/A
0.19	0.19	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD) CUT-THRU
0.30	0.30	INTERSECTION	R	ROUTE 0917 (SCHOONER HEAD OVERLOOK PARKING)
0.38	0.38	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD) CUT-THRU
0.41	0.41	INTERSECTION	N/A	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
0.41	0.41	ONE-WAY END	N/A	N/A
0.41	0.41	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)

ACAD: Route Milepost Log

ROUTE 0227: ECHO LAKE BEACH ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 5102 (MAINE STATE HIGHWAY 102)
0.00	0.00	INTERSECTION	R	ROUTE 5102 (MAINE STATE HIGHWAY 102)
0.02	0.02	INTERSECTION	R	ROUTE 5102 (MAINE STATE HIGHWAY 102) SPUR
0.28	0.28	INTERSECTION	L	ROUTE 0240 (LURVEY SPRING ROAD)
0.47	0.47	INTERSECTION	N/A	ROUTE 0937 (ECHO LAKE BEACH PARKING)

ROUTE 0230: PRETTY MARSH PICNIC AREA ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 5102 (MAINE STATE HIGHWAY 102)
0.00	0.00	INTERSECTION	L	ROUTE 5102 (MAINE STATE HIGHWAY 102)
0.06	0.06	INTERSECTION	L	UNPAVED PARKING (PRETTY MARSH UNPAVED PARKING AREA)
0.35	0.35	INTERSECTION	R	PAVED PARKING (PRETTY MARSH PARKING AREA)
0.41	0.41	INTERSECTION	L	ROUTE 0230 (PRETTY MARSH PICNIC AREA ROAD)
0.43	0.43	INTERSECTION	R	UNPAVED ROUTE (FIRE ROAD)
0.46	0.46	INTERSECTION	L	ROUTE 0230 (PRETTY MARSH PICNIC AREA ROAD)
0.46	0.46	INTERSECTION	N/A	ROUTE 0230 (PRETTY MARSH PICNIC AREA ROAD)

ACAD: Route Milepost Log

ROUTE 0231AZ: SEAWALL PICNIC AREA AND VISTA A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 5102A (MAINE STATE HIGHWAY 102A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 5102A (MAINE STATE HIGHWAY 102A)
0.11	0.11	INTERSECTION	L	ROUTE 0231BZ (SEAWALL PICNIC AREA AND VISTA B)
0.15	0.15	INTERSECTION	L	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)
0.20	0.20	INTERSECTION	L	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)
0.20	0.20	INTERSECTION	N/A	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)

ROUTE 0231BZ: SEAWALL PICNIC AREA AND VISTA B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)
0.07	0.07	INTERSECTION	L	ROUTE 0231BZ (SEAWALL PICNIC AREA AND VISTA B)
0.07	0.07	ONE-WAY START	N/A	N/A
0.08	0.08	INTERSECTION	R	PAVED PARKING
0.14	0.14	INTERSECTION	R	PAVED PARKING
0.15	0.15	INTERSECTION	N/A	ROUTE 0231BZ (SEAWALL PICNIC AREA AND VISTA B)
0.15	0.15	INTERSECTION	L	ROUTE 0231BZ (SEAWALL PICNIC AREA AND VISTA B)
0.15	0.15	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0232AZ: COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0231AZ (SEAWALL PICNIC AREA AND VISTA A)
0.00	0.00	INTERSECTION	L	ROUTE 5102A (MAINE STATE HIGHWAY 102A)
0.00	0.00	INTERSECTION	R	ROUTE 5102A (MAINE STATE HIGHWAY 102A)
0.11	0.11	INTERSECTION	L	ROUTE 0232BZ (COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND)
0.15	0.15	INTERSECTION	L	ROUTE 0232BZ (COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND)
0.16	0.16	INTERSECTION	L	ROUTE 0233 (SEAWALL CAMPGROUND LOOP A)
0.22	0.22	INTERSECTION	R	ROUTE 0234 (SEAWALL CAMPGROUND LOOP B)
0.24	0.24	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D)
0.25	0.25	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) SPUR
0.33	0.33	INTERSECTION	R	ROUTE 0938AZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING A)
0.36	0.36	INTERSECTION	L	ROUTE 0938BZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING B)
0.37	0.37	INTERSECTION	R	ROUTE 0938CZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING C)
0.47	0.47	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.47	0.47	INTERSECTION	N/A	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)

ROUTE 0232BZ: COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0233 (SEAWALL CAMPGROUND LOOP A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.02	0.02	INTERSECTION	R	ROUTE 0990 (SEASONAL WAY - SEAWALL CAMPGROUND MAINTENANCE PARKING)
0.04	0.04	INTERSECTION	N/A	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)

ACAD: Route Milepost Log

ROUTE 0233: SEAWALL CAMPGROUND LOOP A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0232BZ (COBBLESTONE WAY - SEAWALL CAMPGROUND TURN AROUND)
0.01	0.01	INTERSECTION	L	ROUTE 0233 (SEAWALL CAMPGROUND LOOP A)
0.01	0.01	ONE-WAY START	N/A	N/A
0.36	0.36	INTERSECTION	L	ROUTE 0233 (SEAWALL CAMPGROUND LOOP A)
0.36	0.36	INTERSECTION	N/A	ROUTE 0233 (SEAWALL CAMPGROUND LOOP A)
0.36	0.36	ONE-WAY END	N/A	N/A

ROUTE 0234: SEAWALL CAMPGROUND LOOP B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 0234 (SEAWALL CAMPGROUND LOOP B)
0.03	0.03	ONE-WAY START	N/A	N/A
0.29	0.29	ONE-WAY END	N/A	N/A
0.29	0.29	INTERSECTION	N/A	ROUTE 0234 (SEAWALL CAMPGROUND LOOP B)
0.29	0.29	INTERSECTION	L	ROUTE 0234 (SEAWALL CAMPGROUND LOOP B)

ACAD: Route Milepost Log

ROUTE 0235AZ: SEAWALL CAMPGROUND LOOP C ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.02	0.02	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A) SPUR
0.03	0.03	INTERSECTION	L	ROUTE 0235BZ (SEAWALL CAMPGROUND LOOP C ROAD B)
0.04	0.04	INTERSECTION	L	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.07	0.07	INTERSECTION	L	ROUTE 0235EZ (SEAWALL CAMPGROUND LOOP C ROAD E)
0.17	0.17	INTERSECTION	R	ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD)
0.18	0.18	INTERSECTION	L	ROUTE 0235EZ (SEAWALL CAMPGROUND LOOP C ROAD E)
0.19	0.19	INTERSECTION	L	ROUTE 0235DZ (SEAWALL CAMPGROUND LOOP C ROAD D)
0.22	0.22	INTERSECTION	R	ROUTE 0235FZ (SEAWALL DUMP STATION)
0.22	0.22	INTERSECTION	L	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.25	0.25	INTERSECTION	R	ROUTE 0235FZ (SEAWALL DUMP STATION)
0.34	0.34	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A) SPUR
0.36	0.36	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.36	0.36	ONE-WAY END	N/A	N/A
0.36	0.36	INTERSECTION	N/A	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)

ROUTE 0235BZ: SEAWALL CAMPGROUND LOOP C ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.12	0.12	INTERSECTION	L	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.12	0.12	INTERSECTION	R	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.12	0.12	ONE-WAY END	N/A	N/A

Data Collected on 10/2020

ACAD: Route Milepost Log

ROUTE 0235CZ: SEAWALL CAMPGROUND LOOP C ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.01	0.01	INTERSECTION	R	ROUTE 0235DZ (SEAWALL CAMPGROUND LOOP C ROAD D)
0.13	0.13	INTERSECTION	R	ROUTE 0235BZ (SEAWALL CAMPGROUND LOOP C ROAD B)
0.13	0.13	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.13	0.13	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.13	0.13	ONE-WAY END	N/A	N/A

ROUTE 0235DZ: SEAWALL CAMPGROUND LOOP C ROAD D

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.00	0.00	INTERSECTION	R	ROUTE 0235CZ (SEAWALL CAMPGROUND LOOP C ROAD C)
0.00	0.00	ONE-WAY START	N/A	N/A
0.11	0.11	ONE-WAY END	N/A	N/A
0.11	0.11	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.11	0.11	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)

ROUTE 0235EZ: SEAWALL CAMPGROUND LOOP C ROAD E

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.10	0.10	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.10	0.10	ONE-WAY END	N/A	N/A
0.10	0.10	INTERSECTION	N/A	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)

ACAD: Route Milepost Log

ROUTE 0235FZ: SEAWALL DUMP STATION

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.04	0.04	INTERSECTION	N/A	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.04	0.04	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.04	0.04	ONE-WAY END	N/A	N/A

ROUTE 0236: SEAWALL CAMPGROUND LOOP D

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD)
0.01	0.01	INTERSECTION	R	ROUTE 0232AZ (COBBLESTONE WAY - SEAWALL CAMPGROUND ENTRANCE ROAD) SPUR
0.09	0.09	ONE-WAY START	N/A	N/A
0.09	0.09	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D)
0.11	0.11	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) CUT-THRU
0.12	0.12	INTERSECTION	R	ROUTE 0992AZ (SEAWALL CAMPGROUND AT LOOP D PARKING A)
0.17	0.17	INTERSECTION	R	ROUTE 0992BZ (SEAWALL CAMPGROUND AT LOOP D PARKING B)
0.23	0.23	INTERSECTION	R	ROUTE 0992CZ (SEAWALL CAMPGROUND AT LOOP D PARKING C)
0.28	0.28	INTERSECTION	R	ROUTE 0992DZ (SEAWALL CAMPGROUND AT LOOP D PARKING D)
0.29	0.29	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D) CUT-THRU
0.30	0.30	INTERSECTION	N/A	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D)
0.30	0.30	ONE-WAY END	N/A	N/A
0.30	0.30	INTERSECTION	L	ROUTE 0236 (SEAWALL CAMPGROUND LOOP D)

ACAD: Route Milepost Log

ROUTE 0237: BEECH HILL ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	PAVED ROUTE (BEECH HILL ROAD)
0.42	0.42	INTERSECTION	N/A	ROUTE 0942 (BEECH MOUNTAIN PARKING)

ROUTE 0245: LIGHTHOUSE ROAD - BASS HARBOR

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 5006 (LIGHTHOUSE ROAD (NON-NPS))
0.25	0.25	INTERSECTION	R	ROUTE 0941 (BASS HARBOR LIGHTHOUSE PARKING)

ROUTE 0249AZ: AREY COVE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.07	0.07	INTERSECTION	L	ROUTE 0249BZ (AREY COVE ROAD SPUR)
0.14	0.16	INTERSECTION	L	PULLOUT
0.19	0.19	INTERSECTION	R	ROUTE 0262 (ACADIA DRIVE)
0.39	0.41	INTERSECTION	R	PULLOUT
0.51	0.51	INTERSECTION	N/A	ROUTE 0944 (SCHOODIC POINT PARKING)

ACAD: Route Milepost Log

ROUTE 0249BZ: AREY COVE ROAD SPUR

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0249AZ (AREY COVE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0249AZ (AREY COVE ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.04	0.04	INTERSECTION	N/A	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0301 (SCHOODIC LOOP ROAD)
0.04	0.04	ONE-WAY END	N/A	N/A

ROUTE 0261: SEAWALL CAMPGROUND GROUP AREA ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (SEAWALL CAMPGROUND LOOP C ROAD A)
0.05	0.05	INTERSECTION	L	ROUTE 0418 (HIO FIRE ROAD)
0.07	0.07	INTERSECTION	L	ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD)
0.07	0.07	ONE-WAY START	N/A	N/A
0.09	0.09	INTERSECTION	R	ROUTE 0938DZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING D)
0.11	0.11	INTERSECTION	L	ROUTE 0938EZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING E)
0.12	0.12	INTERSECTION	L	ROUTE 0938FZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING F)
0.13	0.13	INTERSECTION	R	ROUTE 0938HZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING H)
0.13	0.13	INTERSECTION	L	ROUTE 0938GZ (SEAWALL CAMPGROUND AMPHITHEATER PARKING G)
0.23	0.23	INTERSECTION	N/A	ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD)
0.23	0.23	ONE-WAY END	N/A	N/A
0.23	0.23	INTERSECTION	L	ROUTE 0261 (SEAWALL CAMPGROUND GROUP AREA ROAD)

ACAD: Route Milepost Log

ROUTE 0262: ACADIA DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0249AZ (AREY COVE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0249AZ (AREY COVE ROAD)
0.02	0.02	INTERSECTION	R	ROUTE 0961AZ (ENTRANCE BUILDING PARKING)
0.04	0.04	INTERSECTION	L	ROUTE 0961BZ (WASTEWATER SERVICES PARKING)
0.04	0.04	INTERSECTION	R	ROUTE 0961AZ (ENTRANCE BUILDING PARKING)
0.09	0.09	INTERSECTION	L	ROUTE 0271 (FABBRI DRIVE)
0.12	0.12	INTERSECTION	L	ROUTE 0270 (ATTERBURY CIRCLE)
0.14	0.14	INTERSECTION	R	ROUTE 0263 (JACOBSON DRIVE)
0.17	0.17	INTERSECTION	R	ROUTE 0958BZ (GEORGE M. WRIGHT HALL SERVICES PARKING)
0.23	0.23	INTERSECTION	R	ROUTE 0264 (MUSETTI DRIVE)
0.27	0.27	INTERSECTION	R	ROUTE 0950BZ (SERVICES SOUTH PARKING)
0.30	0.30	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.31	0.31	INTERSECTION	R	ROUTE 0949AZ (ADMINISTRATION SERVICES PUBLIC PARKING)
0.33	0.33	INTERSECTION	R	ROUTE 0949CZ (MOORE AUDITORIUM PARKING 2)
0.34	0.34	INTERSECTION	N/A	ROUTE 0262 (ACADIA DRIVE)
0.34	0.34	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.34	0.34	INTERSECTION	R	ROUTE 0949CZ (MOORE AUDITORIUM PARKING 2)

ACAD: Route Milepost Log

ROUTE 0263: JACOBSON DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.00	0.00	INTERSECTION	R	ROUTE 0262 (ACADIA DRIVE)
0.03	0.03	INTERSECTION	R	ROUTE 0265 (MYRICK DRIVE)
0.06	0.06	INTERSECTION	L	ROUTE 0958AZ (GEORGE M. WRIGHT HALL PARKING)
0.11	0.11	INTERSECTION	R	ROUTE 0953 (SUITES PARKING)
0.14	0.14	INTERSECTION	R	ROUTE 0977 (SERVICES NORTH PARKING)
0.17	0.17	INTERSECTION	R	ROUTE 0272AZ (ALVEY DRIVE PAVED)
0.19	0.19	INTERSECTION	R	ROUTE 0952 (SCHOONER COMMONS PARKING)
0.21	0.21	INTERSECTION	R	ROUTE 0952 (SCHOONER COMMONS PARKING)
0.27	0.27	INTERSECTION	R	ROUTE 0951AZ (CABIN NORTH PARKING)
0.28	0.28	INTERSECTION	L	ROUTE 0263 (JACOBSON DRIVE)
0.32	0.32	INTERSECTION	R	ROUTE 0951BZ (CABIN SOUTH PARKING)
0.33	0.33	INTERSECTION	L	ROUTE 0263 (JACOBSON DRIVE)
0.33	0.33	INTERSECTION	N/A	ROUTE 0263 (JACOBSON DRIVE)

ROUTE 0264: MUSETTI DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0262 (ACADIA DRIVE)
0.00	0.00	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.03	0.03	INTERSECTION	L	ROUTE 0950BZ (SERVICES SOUTH PARKING)
0.04	0.04	INTERSECTION	R	ROUTE 0950AZ (SERVICES SOUTH BUS DROP-OFF PARKING)
0.05	0.05	INTERSECTION	L	ROUTE 0950BZ (SERVICES SOUTH PARKING)
0.06	0.06	INTERSECTION	L	ROUTE 0950BZ (SERVICES SOUTH PARKING)
0.08	0.08	INTERSECTION	L	ROUTE 0950BZ (SERVICES SOUTH PARKING)
0.12	0.12	INTERSECTION	R	ROUTE 0950CZ (WATER TOWER PARKING)
0.15	0.15	INTERSECTION	N/A	ROUTE 0988 (WAREHOUSE PARKING)
0.15	0.15	INTERSECTION	L	ROUTE 0950DZ (WAREHOUSE SERVICES PARKING)

ACAD: Route Milepost Log

ROUTE 0265: MYRICK DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0263 (JACOBSON DRIVE)
0.00	0.00	INTERSECTION	R	ROUTE 0263 (JACOBSON DRIVE)
0.03	0.03	INTERSECTION	R	ROUTE 0957AZ (SCHOODIC SHORES A PARKING)
0.03	0.03	INTERSECTION	L	ROUTE 0957BZ (SCHOODIC SHORES B PARKING)
0.05	0.05	INTERSECTION	R	ROUTE 0957CZ (SCHOODIC SHORES C PARKING)
0.05	0.05	INTERSECTION	L	ROUTE 0957DZ (SCHOODIC SHORES D PARKING)
0.06	0.06	INTERSECTION	L	ROUTE 0957FZ (SCHOODIC SHORES F PARKING)
0.07	0.07	INTERSECTION	R	ROUTE 0957EZ (SCHOODIC SHORES E PARKING)
0.07	0.07	INTERSECTION	L	ROUTE 0957GZ (SCHOODIC SHORES G PARKING)
0.08	0.08	INTERSECTION	R	ROUTE 0957IZ (SCHOODIC SHORES I PARKING)
0.08	0.08	INTERSECTION	L	ROUTE 0957HZ (SCHOODIC SHORES H PARKING)
0.09	0.09	INTERSECTION	L	ROUTE 0957JZ (SCHOODIC SHORES J PARKING)
0.10	0.10	INTERSECTION	N/A	DEAD END
0.10	0.10	INTERSECTION	R	ROUTE 0957KZ (SCHOODIC SHORES K PARKING)

ROUTE 0270: ATTERBURY CIRCLE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0262 (ACADIA DRIVE)
0.00	0.00	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.03	0.03	INTERSECTION	L	ROUTE 0270 (ATTERBURY CIRCLE)
0.04	0.04	INTERSECTION	R	ROUTE 0959Z (ROCKEFELLER BUILDING PARKING)
0.08	0.08	INTERSECTION	L	ROUTE 0270 (ATTERBURY CIRCLE)
0.08	0.08	INTERSECTION	N/A	ROUTE 0270 (ATTERBURY CIRCLE)

ACAD: Route Milepost Log

ROUTE 0271: FABBRI DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0262 (ACADIA DRIVE)
0.00	0.00	INTERSECTION	R	ROUTE 0262 (ACADIA DRIVE)
0.01	0.01	INTERSECTION	L	ROUTE 0960AZ (EMERGENCY SERVICES PARKING)
0.05	0.05	INTERSECTION	N/A	ROUTE 0960BZ (ROCKEFELLER PLAZA PARKING)

ROUTE 0272AZ: ALVEY DRIVE PAVED

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0263 (JACOBSON DRIVE)
0.00	0.00	INTERSECTION	L	ROUTE 0263 (JACOBSON DRIVE)
0.06	0.06	INTERSECTION	L	ROUTE 0955AZ (BALL FIELD PARKING A)
0.09	0.09	INTERSECTION	R	ROUTE 0955BZ (BALL FIELD PARKING B)
0.10	0.10	INTERSECTION	L	ROUTE 0955CZ (BALL FIELD PARKING C)
0.15	0.15	INTERSECTION	N/A	ROUTE 0272BZ (ALVEY DRIVE UNPAVED)

ROUTE 0274: JORDAN POND HOUSE BUS LOOP

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN RD)
0.00	0.00	INTERSECTION	L	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN RD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.02	0.02	INTERSECTION	R	ROUTE 0907CBZ (JORDAN POND BUS PARKING B)
0.05	0.05	INTERSECTION	R	ROUTE 0907CAZ (JORDAN POND BUS PARKING A)
0.06	0.06	INTERSECTION	R	ROUTE 0907AZ (JORDAN POND HOUSE RESTAURANT - SOUTH PARKING)
0.07	0.07	INTERSECTION	R	ROUTE 0907AZ (JORDAN POND HOUSE RESTAURANT - SOUTH PARKING)
0.10	0.10	INTERSECTION	L	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN RD)
0.10	0.10	INTERSECTION	R	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN RD)
0.10	0.10	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0276AZ: SCHOODIC WOODS LOOP A ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.00	0.00	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.00	0.00	ONE-WAY START	N/A	N/A
0.02	0.02	INTERSECTION	L	ROUTE 0276BZ (SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD)
0.09	0.09	INTERSECTION	L	ROUTE 0276CZ (SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD)
0.12	0.12	INTERSECTION	L	ROUTE 0276DZ (SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS ROAD)
0.19	0.19	INTERSECTION	R	ROUTE 0276EZ (SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS ROAD)
0.25	0.25	INTERSECTION	R	ROUTE 0276EZ (SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS ROAD)
0.29	0.29	INTERSECTION	R	ROUTE 0987CZ (SCHOODIC WOODS WALK-IN SITE PARKING)
0.35	0.35	INTERSECTION	L	ROUTE 0276DZ (SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS ROAD)
0.39	0.39	INTERSECTION	L	ROUTE 0276CZ (SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD)
0.47	0.47	INTERSECTION	L	ROUTE 0276BZ (SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD)
0.49	0.49	ONE-WAY END	N/A	N/A
0.49	0.49	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.49	0.49	INTERSECTION	R	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)

ROUTE 0276BZ: SCHOODIC WOODS LOOP A STAGING AREA ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.04	0.04	ONE-WAY END	N/A	N/A
0.04	0.04	INTERSECTION	N/A	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)

Data Collected on 10/2020

ACAD: Route Milepost Log

ROUTE 0276CZ: SCHOODIC WOODS LOOP A SITES A3 THRU A12 ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.06	0.06	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

ROUTE 0276DZ: SCHOODIC WOODS LOOP A SITES A15 THRU A23 ACCESS RD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.10	0.10	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.10	0.10	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.10	0.10	ONE-WAY END	N/A	N/A

ROUTE 0276EZ: SCHOODIC WOODS LOOP A SITES A40 THRU A50 ACCESS RD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.13	0.13	ONE-WAY END	N/A	N/A
0.13	0.13	INTERSECTION	R	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)
0.13	0.13	INTERSECTION	L	ROUTE 0276AZ (SCHOODIC WOODS LOOP A ACCESS ROAD)

ACAD: Route Milepost Log

ROUTE 0277AZ: SCHOODIC WOODS LOOP B ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.02	0.02	INTERSECTION	R	ROUTE 0277BZ (SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD)
0.03	0.03	INTERSECTION	R	ROUTE 0277CZ (SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD)
0.05	0.05	INTERSECTION	R	ROUTE 0277DZ (SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD)
0.16	0.16	INTERSECTION	R	ROUTE 0277DZ (SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD)
0.19	0.19	INTERSECTION	R	ROUTE 0277CZ (SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD)
0.23	0.23	INTERSECTION	R	ROUTE 0277BZ (SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD)
0.30	0.30	INTERSECTION	R	ROUTE 0277EZ (SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD)
0.42	0.42	INTERSECTION	L	ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)
0.43	0.43	INTERSECTION	L	ROUTE 0277FZ (SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD)
0.43	0.43	INTERSECTION	R	ROUTE 0277EZ (SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD)
0.46	0.46	INTERSECTION	L	ROUTE 0277FZ (SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD)
0.47	0.47	INTERSECTION	L	ROUTE 0278 (SERVICE ROAD - SCHOODIC WOODS)
0.50	0.50	INTERSECTION	R	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
0.50	0.50	ONE-WAY END	N/A	N/A
0.50	0.50	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)

ACAD: Route Milepost Log

ROUTE 0277BZ: SCHOODIC WOODS LOOP B SITES B1 THRU B5 ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.23	0.23	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.23	0.23	ONE-WAY END	N/A	N/A
0.23	0.23	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)

ROUTE 0277CZ: SCHOODIC WOODS LOOP B SITES B6 THRU B13 ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.16	0.16	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.16	0.16	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.16	0.16	ONE-WAY END	N/A	N/A

ROUTE 0277DZ: SCHOODIC WOODS LOOP B SITES B14 THRU B18 ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.11	0.11	ONE-WAY END	N/A	N/A
0.11	0.11	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.11	0.11	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)

ACAD: Route Milepost Log

ROUTE 0277EZ: SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS RD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.13	0.13	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.13	0.13	ONE-WAY END	N/A	N/A
0.13	0.13	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.13	0.13	INTERSECTION	N/A	ROUTE 0277FZ (SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS ROAD)

ROUTE 0277FZ: SCHOODIC WOODS LOOP B SITES DUMP STATION ACCESS RD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0277EZ (SCHOODIC WOODS LOOP B SITES B31 THRU B33 ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.02	0.02	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.02	0.02	ONE-WAY END	N/A	N/A
0.02	0.02	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)

ROUTE 0278: SERVICE ROAD - SCHOODIC WOODS

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 0981BZ (SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF A)
0.05	0.05	INTERSECTION	R	ROUTE 0981CZ (SCHOODIC WOODS MAINTENANCE OVERFLOW AND STAFF B)
0.06	0.06	INTERSECTION	R	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)
0.06	0.06	INTERSECTION	L	ROUTE 0277AZ (SCHOODIC WOODS LOOP B ACCESS ROAD)

ACAD: Route Milepost Log

ROUTE 0300: PARK LOOP ROAD - ONE-WAY

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.02	0.02	INTERSECTION	L	ROUTE 0010AZ (PARADISE HILL ROAD) SPUR
0.30	0.30	INTERSECTION	L	ROUTE 0985NZ (OLD NORTH RIDGE TRAIL PARKING)
0.90	0.90	INTERSECTION	R	ROUTE 0985MZ (GORGE PATH PARKING)
0.96	0.97	BRIDGE	N/A	1700-018 (KEBO BROOK BRIDGE)
1.31	1.31	INTERSECTION	R	ROUTE 0985LZ (STRATHEDEN TRAIL PULLOUT)
1.51	1.51	INTERSECTION	L	ROUTE 0985OZ (STRATHEDEN TRAIL UNPAVED PULLOUT)
1.86	1.86	INTERSECTION	L	ROUTE 0103 (KEBO STEET)
2.22	2.22	INTERSECTION	R	ROUTE 0985KZ (GREAT MEADOW PULLOUT)
2.22	2.22	INTERSECTION	L	ROUTE 0104 (GREAT MEADOW DRIVE)
2.40	2.40	INTERSECTION	R	ROUTE 0985JZ (GREAT MEADOW VISTA PULLOUT)
2.78	2.78	INTERSECTION	R	ROUTE 0016 (SIEUR DE MONTS ROAD)
2.86	2.86	OVERPASS	N/A	1700-006 (SIEUR DE MONTS BRIDGE)
3.28	3.28	INTERSECTION	L	ROUTE 0216AZ (BEAR BROOK PICNIC AREA ROAD A)
3.50	3.50	INTERSECTION	R	ROUTE 0985IZ (BEAR BROOK PULLOUT)
3.88	3.88	INTERSECTION	L	ROUTE 0914 (EGG ROCK OVERLOOK PARKING)
3.91	3.91	INTERSECTION	L	ROUTE 0914 (EGG ROCK OVERLOOK PARKING)
4.62	4.62	INTERSECTION	R	ROUTE 0915 (PRECIPICE PARKING)
4.68	4.68	INTERSECTION	R	ROUTE 0915 (PRECIPICE PARKING)
5.40	5.40	INTERSECTION	L	ROUTE 0222 (OVERLOOK ROAD - SCHOONER HEAD)
5.44	5.44	INTERSECTION	L	UNPAVED PARKING
5.98	5.98	INTERSECTION	L	ROUTE 0918 (LOWER SAND BEACH PARKING)
6.00	6.00	INTERSECTION	L	ROUTE 0919 (UPPER SAND BEACH PARKING)
6.35	6.35	INTERSECTION	R	ROUTE 0920 (THUNDER HOLE AND SAND BEACH PARKING)
6.39	6.39	INTERSECTION	R	ROUTE 0920 (THUNDER HOLE AND SAND BEACH PARKING)
6.55	6.55	INTERSECTION	R	ROUTE 0921 (KEYHOLE PARKING)
6.69	6.69	INTERSECTION	R	ROUTE 0922 (THUNDER HOLE PARKING)

ACAD: Route Milepost Log

ROUTE 0300: PARK LOOP ROAD - ONE-WAY

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
6.78	6.78	INTERSECTION	R	ROUTE 0922 (THUNDER HOLE PARKING)
7.05	7.05	INTERSECTION	R	ROUTE 0923 (GORHAM MOUNTAIN PARKING)
7.14	7.14	INTERSECTION	R	ROUTE 0924 (ROUTE 0300 MP 7.1 PARKING)
7.17	7.17	INTERSECTION	R	ROUTE 0924 (ROUTE 0300 MP 7.1 PARKING)
7.26	7.26	INTERSECTION	R	ROUTE 0105 (OTTER CLIFF ROAD)
7.52	7.52	INTERSECTION	R	ROUTE 0925 (OTTER CLIFFS PARKING)
7.83	7.83	INTERSECTION	R	ROUTE 0926 (OTTER POINT PARKING)
7.96	7.96	INTERSECTION	R	ROUTE 0926 (OTTER POINT PARKING)
8.40	8.40	INTERSECTION	L	ROUTE 0927 (FABBRI MEMORIAL PARKING)
8.43	8.43	INTERSECTION	R	ROUTE 0928 (FABBRI PICNIC AREA PARKING)
8.47	8.47	INTERSECTION	L	ROUTE 0927 (FABBRI MEMORIAL PARKING)
8.55	8.56	BRIDGE	N/A	1700-002 (FISH HOUSE BRIDGE)
8.83	8.84	BRIDGE	N/A	1700-019 (OTTER COVE CREEK CAUSEWAY BRIDGE)
9.56	9.56	INTERSECTION	R	ROUTE 0410 (BLACKWOODS CAMPGROUND FIRE EXIT ROAD)
9.82	9.82	INTERSECTION	L	ROUTE 0985HZ (WESTERN POINT OVERLOOK #1)
9.87	9.87	INTERSECTION	L	ROUTE 0985GZ (WESTERN POINT OVERLOOK #2)
9.90	9.90	INTERSECTION	L	ROUTE 0985FZ (WESTERN POINT OVERLOOK #3)
10.30	10.30	INTERSECTION	L	ROUTE 0985EZ (ATLANTIC OCEAN OVERLOOK)
10.40	10.40	INTERSECTION	R	ROUTE 0985DZ (LITTLE HUNTERS BEACH TRAIL PULLOUT)
10.60	10.60	INTERSECTION	L	ROUTE 0985CZ (SOUTHWEST OVERLOOK)
11.53	11.53	OVERPASS	N/A	1700-003 (DAY MOUNTAIN BRIDGE (VEHICULAR))
11.58	11.58	INTERSECTION	R	ROUTE 0985BZ (HUNTERS BROOK TRAIL PULLOUT)
12.53	12.53	INTERSECTION	R	ROUTE 0985AZ (TRIAD-DAY PULLOUT)
12.58	12.58	OVERPASS	N/A	1700-005 (TRIAD-DAY MOUNTAIN BRIDGE)
12.85	12.85	INTERSECTION	R	ROUTE 0989 (DANE FARM PARKING)
13.16	13.17	BRIDGE	N/A	1700-004 (WILDWOOD ENTRANCE BRIDGE)
13.41	13.41	INTERSECTION	L	ROUTE 0014 (STANLEY BROOK ROAD)
13.41	13.41	INTERSECTION	N/A	ROUTE 0012 (PARK LOOP ROAD - LOWER MOUNTAIN ROAD)
13.41	13.41	ONE-WAY END	N/A	N/A

ACAD: Route Milepost Log

ROUTE 0301: SCHOODIC LOOP ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	PAVED ROUTE (STATE HIGHWAY 186 / MAIN STREET)
0.00	0.00	INTERSECTION	L	PAVED ROUTE (STATE HIGHWAY 186 / MAIN STREET)
0.15	0.15	INTERSECTION	L	UNPAVED ROUTE NON NPS
0.64	0.64	INTERSECTION	L	ROUTE 0981AZ (SCHOODIC WOODS CAMPGROUND LAYDOWN AREA)
0.92	0.92	INTERSECTION	L	ROUTE 0106 (FARVIEW DRIVE - SCHOODIC WOODS)
1.22	1.22	INTERSECTION	L	UNPAVED ROUTE NON NPS
1.36	1.43	BRIDGE	N/A	1700-025 (FRAZER CREEK BRIDGE)
1.45	1.45	INTERSECTION	L	ROUTE 0419 (SCHOODIC POWERLINE ROAD)
1.58	1.58	INTERSECTION	L	UNPAVED ROUTE
1.58	1.58	INTERSECTION	R	ROUTE 0971 (FRAZER POINT PICNIC AREA PARKING)
1.59	1.59	ONE-WAY START	N/A	N/A
2.25	2.27	INTERSECTION	R	PULLOUT
2.78	2.81	INTERSECTION	R	PULLOUT
3.75	3.78	INTERSECTION	R	PULLOUT
3.80	3.80	INTERSECTION	L	ROUTE 0248 (MOUNTAIN ROAD)
4.24	4.25	INTERSECTION	R	PULLOUT
4.56	4.56	INTERSECTION	R	ROUTE 0249AZ (AREY COVE ROAD)
4.63	4.63	INTERSECTION	R	ROUTE 0249BZ (AREY COVE ROAD SPUR)
5.09	5.09	INTERSECTION	R	ROUTE 0945 (BLUEBERRY HILL PARKING)
5.17	5.19	INTERSECTION	R	PULLOUT
5.32	5.32	INTERSECTION	R	ROUTE 0946 (ROLLING ISLAND OVERLOOK PARKING)
5.35	5.35	INTERSECTION	R	ROUTE 0946 (ROLLING ISLAND OVERLOOK PARKING)
5.67	5.68	INTERSECTION	R	PULLOUT
5.82	5.84	INTERSECTION	R	PULLOUT
6.07	6.09	INTERSECTION	R	PULLOUT
6.75	6.75	INTERSECTION	L	UNPAVED ROUTE
6.93	6.93	INTERSECTION	L	UNPAVED ROUTE
7.20	7.20	INTERSECTION	L	ROUTE 0982 (WONSQUEAK BIKE PATH PARKING)
7.20	7.20	ONE-WAY END	N/A	N/A
7.20	7.20	INTERSECTION	N/A	PAVED ROUTE (E SCHOODIC DRIVE)

Data Collected on 10/2020

ACAD: Route Milepost Log

ROUTE 0400: HULLS COVE STORAGE AREA ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (HULLS COVE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0011 (HULLS COVE ROAD)
0.13	0.13	INTERSECTION	N/A	DEAD END

ACAD: Route Milepost Log

ROUTE 0404: MCFARLAND HILL DRIVE

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.00	0.00	INTERSECTION	L	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.03	0.03	INTERSECTION	L	ROUTE 0973AZ (MCFARLAND HILL HEADQUARTERS UNPAVED A PARKING)
0.05	0.05	INTERSECTION	R	ROUTE 0973BZ (MCFARLAND HILL HEADQUARTERS UNPAVED B PARKING)
0.08	0.08	INTERSECTION	R	ROUTE 0972BZ (MCFARLAND HILL HEADQUARTERS B PKG)
0.08	0.08	INTERSECTION	L	ROUTE 0972AZ (MCFARLAND HILL HEADQUARTERS A PKG)
0.10	0.10	INTERSECTION	L	ROUTE 0973CZ (MCFARLAND HILL HEADQUARTERS UNPAVED C PARKING)
0.11	0.11	INTERSECTION	R	ROUTE 0972DZ (MCFARLAND HILL HEADQUARTERS D PKG)
0.13	0.13	INTERSECTION	R	ROUTE 0405BZ (VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD)
0.14	0.14	INTERSECTION	R	ROUTE 0972EZ (MCFARLAND HILL HEADQUARTERS E PKG)
0.14	0.14	INTERSECTION	R	ROUTE 0405AZ (VOLUNTEER WAY - LEACH FIELD ACCESS ROAD)
0.15	0.15	INTERSECTION	L	ROUTE 0972FZ (MCFARLAND HILL HEADQUARTERS F PARKING)
0.17	0.17	INTERSECTION	R	ROUTE 0972GZ (MCFARLAND HILL HEADQUARTERS G PKG)
0.17	0.17	INTERSECTION	L	ROUTE 0973HZ (CURATORIAL PARKING)
0.18	0.18	INTERSECTION	R	ROUTE 0973EZ (MCFARLAND HILL HEADQUARTERS UNPAVED E PARKING)
0.19	0.19	INTERSECTION	R	ROUTE 0973FZ (MCFARLAND HILL HEADQUARTERS UNPAVED F PARKING)
0.21	0.21	INTERSECTION	R	ROUTE 0973CZ (MCFARLAND HILL HEADQUARTERS UNPAVED C PARKING)
0.24	0.24	INTERSECTION	L	ROUTE 0972HZ (MCFARLAND HILL HEADQUARTERS H PARKING)
0.25	0.25	INTERSECTION	R	ROUTE 0972IZ (MCFARLAND HILL HEADQUARTERS I PKG)
0.28	0.28	INTERSECTION	R	ROUTE 0973GZ (MCFARLAND HILL HEADQUARTERS UNPAVED G PARKING)
0.32	0.32	INTERSECTION	L	ROUTE 0973DZ (MCFARLAND HILL HEADQUARTERS UNPAVED D PARKING)
0.33	0.33	INTERSECTION	R	ROUTE 5233 (MAINE STATE HIGHWAY 233)
0.33	0.33	INTERSECTION	L	ROUTE 5233 (MAINE STATE HIGHWAY 233)

ACAD: Route Milepost Log

ROUTE 0405AZ: VOLUNTEER WAY - LEACH FIELD ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0404 (MCFARLAND HILL DRIVE)
0.00	0.00	INTERSECTION	N/A	ROUTE 0404 (MCFARLAND HILL DRIVE)
0.01	0.01	INTERSECTION	R	ROUTE 0405BZ (VOLUNTEER WAY - LEACH FIELD ACCESS SPUR ROAD)
0.08	0.08	INTERSECTION	L	ROUTE 0973IZ (VIP PARKING)

ROUTE 0409: HULLS COVE PARK RESIDENCE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.03	0.03	INTERSECTION	L	ROUTE 0409 (HULLS COVE PARK RESIDENCE ROAD)
0.06	0.06	INTERSECTION	L	ROUTE 0409 (HULLS COVE PARK RESIDENCE ROAD)
0.06	0.06	INTERSECTION	N/A	ROUTE 0409 (HULLS COVE PARK RESIDENCE ROAD)

ROUTE 0416: OLD FARM ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.00	0.00	INTERSECTION	L	ROUTE 5003 (MAINE STATE HIGHWAY 3)
0.29	0.29	INTERSECTION	R	PAVED ROUTE (SOLS CLIFF ROAD / NON NPS)
0.29	0.29	INTERSECTION	N/A	PAVED ROUTE (OLD FARM ROAD / NON NPS)

Section 8 Appendix



Acadia National Park



Federal Lands Highway
Road Inventory Program

Improvements to the RIP Index Equations and Determination of PCR

In 2005, the Federal Highway Administration (FHWA) began implementing the use of a Pavement Management System (PMS) to assist the National Park Service (NPS) in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) which has the ability to store inventory and condition data from the Road Inventory Program (RIP) and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Region, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA as well.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions the distresses and indexes that comprise the Pavement Condition Rating (PCR), an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method and specifically, the calculation of PCR. It was determined that a better representation of PCR could be achieved by modifying the relative impact certain distresses would have on the overall rating.

Through the use of HPMA data, it was noted that false failure indicators existed with the existing PCR model, and that it would be necessary to reduce their impact. The distresses affected in this way were Rutting and Roughness. Conversely, experience showed that roadways with extensive cracking present were often shown to have a high PCR. Therefore, the crack index models were adjusted to be more sensitive to changes in crack severity or quantity. It was also determined that these issues were not due to a problem with data acquisition (i.e. the RIP “van”), but with the way the collected data was processed. The final change was to provide guidance on when to use the Roughness Condition Index (RCI) in the PCR calculation. Roughness data is of little value to determining overall condition on routes that, due to their length or geometrics, have lower vehicle operating speeds. Therefore, in Cycle 5, only routes that have lengths of one half mile or greater and posted speed limits of 25 mph or greater will have RCI reported and included in the PCR calculations.

Additionally, methodologies were updated in 2013 for Manually Rated Routes (paved routes that the collection vehicle is unable to drive) as well as Parking Areas to provide more accurate condition data to the HPMA. These updated methodologies allow for the efficient assessment of pavement conditions using a visual inspection method to denote specific distresses. These distresses are indicative of current conditions, the causes for current and future deterioration, and identify the level of targeted repair and rehabilitation practices required.

The changes that were implemented were endorsed by management at both the FHWA and NPS. In order to show the effectiveness of these changes, several sites were ground truth tested in early 2014 to ensure that an improvement was achieved between the relationship of PCR and the actual Maintenance and Rehabilitation needs that were represented. The changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection.

Description of the Rating System

The Federal Highway Administration, National Park Service Road Inventory Program (NPS-RIP), collects roadway condition data on paved surfaces (asphalt, concrete, brick, and cobblestone) on roads, parkways, and parking areas in national parks nationwide. The road surface condition data is collected using an automated Data Collection Vehicle (DCV) and manually using Manually Rated Route (MRR) procedures. Roads having brick or cobblestone surfacing are not normally surveyed with the DCV, but are manually rated for condition rating.

The FHWA RIP is implemented based on the premise that an accurate pavement surface condition assessment can be accomplished using automated crack detection technology as applied to digital images. Various methods of pavement condition assessment have been developed over the years with varying degrees of accuracy and acceptance. The use of digital photography to record pavement images and subsequent crack detection and classification has undergone continuous improvements over the past decade. Digital cameras with increasingly superior resolution and high definition have become more affordable, and the proprietary programming code and algorithms have been improved in crack detection software.

With the use of quality digital photography and automated crack detection software, FHWA RIP is tasked with executing a pavement condition assessment on a network of roughly 5,700 miles of National Park Service roads and parkways. Because a subset of roads will be collected multiple times this cycle, the total collection length will be around 13,000 miles. Foremost in setting up the basis of pavement distress identification is employing the distress identification protocols used by FHWA. There is no single distress identification system that is universal among entities conducting a program of distress identification. For the purpose of the NPS RIP, FHWA employs distress identification protocols that are specific to this program.

FHWA has referenced the “*Distress Identification Manual for the Long-Term Pavement Performance Program*”, Publication No. FHWA-RD 03-031, June 2003, as the point-of-reference for distress types on NPS pavement. In truth, the FHWA RIP distress types are similar to those described in the LTPP manual with some modifications. This document, “*Distress Identification Manual for the NPS Road Inventory Program, Cycle 6, 2014-2020*” was developed using the “*Distress Identification Manual for the Long-Term Pavement Performance Program*” as a guideline. Definitions of severity levels based on crack width contained in this document adhere to the LTPP Distress ID Manual. Modifications have been made to the definition of Alligator and Longitudinal Cracking and determination of Alligator Cracking severity. This manual also addresses Rutting and Roughness and its application to RIP.

Cycle 6 has launched in the spring of 2014 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 6, roughly 333 large and small parks will have all paved routes and parking areas collected at least once in the cycle, some will have multiple collections depending on the size of the park and the functional class of the route.

This “*Distress Identification Manual for the NPS Road Inventory Program, Cycle 6, 2014-2020*” will be used as a reference resource in crack detection and classification, determination of distress severity and extent, and in the calculation of distress index values for the FHWA RIP Cycle 6.


Explanation of the Condition Descriptions

In addition to the RIP Index changes that were implemented in Cycle 5, we will also aim to provide greater assistance in translating good/fair/poor categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the types of treatments that should be considered now and into the future.

- Excellent/New: PCR of 95-100. Pavements in this range will require only spot repairs
- Good: PCR of 85-94. Pavements in this range will likely be candidates for preventive maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84. Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include single-lift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 60 or below. Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R). Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.

At this time, specific maintenance and rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions the year in which the data was collected. For further information or to obtain additional PMS data from our (HPMA) please contact the Eastern Federal Lands pavement team.

Condition Categories and Treatments



Description of Pavement Treatment Types

1. **Preventive Maintenance** is a planned strategy of cost-effective treatments to an existing roadway system and its appurtenances that preserves the system, retards future deterioration, and maintains or improves the functional condition of the system (without significantly increasing the structural capacity). Preventive maintenance is typically applied to pavements in good condition having significant remaining service life. As a major component of pavement preservation, preventive maintenance is a strategy of extending the service life by applying cost-effective treatments to the surface or near-surface of structurally sound pavements. Examples of preventive treatments include asphalt crack sealing, chip sealing, slurry or micro-surfacing, thin and ultra-thin hot-mix asphalt overlay, concrete joint sealing, diamond grinding, dowel-bar retrofit, and isolated, partial and/or full-depth concrete repairs to restore functionality of individual slabs.
2. Pavement Rehabilitation consists of structural enhancements that extend the service life of an existing pavement and/or improve its load carrying capacity. Rehabilitation techniques include restoration treatments and structural overlays. Rehabilitation projects extend the life of existing pavement structures either by restoring existing structural capacity through the elimination of age-related, environmental cracking of embrittled pavement surface or by increasing pavement thickness to strengthen existing pavement sections to accommodate existing or projected traffic loading conditions. Two sub-categories result from these distinctions, which are directly related to the restoration or increase of structural capacity.
 - **Light Rehabilitation (L3R)** - Examples include single-lift overlays up to 2.5 inches in total thickness and milling and overlays for flexible pavements
 - **Heavy Rehabilitation (H3R)** – Requires rehabilitation with grade improvement. H3R stands for resurfacing, restoration, and rehabilitation projects. H3R projects typically involve multi-depth (overlays greater than 2.5 inches) pavement improvement work (short of full-depth replacement) and targeted safety improvements. H3R projects generally involve retention of the existing three-dimensional alignment.
3. **Reconstruction (4R)** is defined as the replacement of the entire existing pavement structure by the placement of the equivalent or increased pavement structure. Reconstruction usually requires the complete removal and replacement of the existing pavement structure. Reconstruction may utilize either new or recycled materials incorporated into the materials used for the reconstruction of the complete pavement section. Reconstruction is required when a pavement has either failed or has become functionally obsolete.

Appendix A

Methodology for Determining Condition Ratings with the Data Collection Vehicle (DCV)

Surface Distresses Identified by the Data Collection Vehicle

Surface Condition Rating – SCR

Surface distresses are measured in the primary lane only. In the classification and measurement of all paved surface condition data, results will be reported in the database in record intervals of 0.02 miles (105.6 feet) (smallest granularity) along the route.

Surface distresses and rutting are determined from digital images that provide both the longitudinal and transverse profile. The images also provide an elevation profile of the road, creating a 3-dimensional image of the paved surface.

- Transverse Cracks
- Longitudinal Cracks
- Alligator Cracks
- Patching/Potholes
- Rutting

Each of the five surface distresses is assigned a computed surface distress index

- Transverse Crack Index
- Longitudinal Crack Index
- Alligator Crack Index
- Patching/Pothole Index
- Rutting Index

Surface distress data are classified as listed above, measured for severity, and quantified for extent. Classification, severity, and extent of these five surface distresses comprise the three main elements for calculation of Surface Condition Rating (SCR).

In addition to the five surface distresses, a Structural Crack Index is computed, which is a combination of the Longitudinal Crack Index and the Alligator Crack Index. The Structural Crack Index is then used in lieu of the LC and AC indices to compute SCR.

Roughness Condition Index - RCI

Additional condition data measured by DCV (lasers and accelerometers)

- Roughness (IRI)

Roughness is measured by FHWA's DCV and reported as International Roughness Index (IRI) in inches/mile. Using IRI, the Roughness Condition Index (RCI) is computed.

Pavement Condition Rating - PCR

Using the SCR (computed from the five surface distresses) and the RCI, an overall Pavement Condition Rating (PCR) is computed. The formula for PCR is:

$$\text{Asphalt PCR} = (0.60 * \text{SCR}) + (0.40 * \text{RCI})$$

$$\text{Concrete PCR} = \text{RCI}$$

A detailed description of each distress index formula, roughness index formula, SCR and PCR is provided in this document.

Each classified surface distress will fall into one or more severity - LOW, MEDIUM, or HIGH based on criteria listed. For each severity, an extent is established based on the measured quantity of the distress within that severity. Within each severity individual distresses are assigned a Maximum Allowable Extent (MAE). For example, LOW severity transverse cracking may be allowed up to 21.1 cracks within a 0.02 mile interval before it reaches MAE and fails.

The index formulas are based on a scale of 0 to 100. A PCR index value of 100 would indicate a “new” road with no measurable distresses or rough ride. A PCR value of 60 is determined to be terminable serviceability and the road is considered failed. The range of index values with condition descriptors is:

POOR = (less than or equal to 60), **FAIR**= (61 – 84), **GOOD**= (85 - 94), **EXCELLENT**= (95 - 100)

Index values are generally computed based on cumulative deducts of the measured severities. As shown in the index formulas below, as any single severity reaches or exceeds MAE, the index computes to a value of 60 or less, and the road fails for that 0.02 interval.

Note: *As a result of a unique combination of measured surface distresses and IRI, index values occasionally compute to less than 0 or greater than 100. In this instance, an index value less than 0 defaults to 0. Index values greater than 100 defaults to 100. For all indices, a higher value indicates a better road condition, and a lower value indicates a poorer road condition.*

On the following page, Table 1 summarizes the different types of distresses measured.

ASPHALT-SURFACED PAVEMENT DISTRESS TYPES WITH RUTTING AND ROUGHNESS				
Distress Type	Units Of Measure	Converted To	Defined Severity Levels?	Measured By
Alligator Cracking	Square Feet	Percent of Lane Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Transverse Cracking	Linear feet	Number of Cracks Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Longitudinal Cracking	Linear feet	Percent of Lane Length Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Patching / Potholes	Square Feet	Percent of Lane Per 0.02 Mile	No	3 Dimensional pavement imaging system
Rutting	Inches	Rut Depth Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Roughness	IRI	*RCI Per 0.02 Mile	No	DCV – Lasers / Accelerometers

**Note: Roughness is measured on concrete roadways, but surface distresses and rutting are not measured. For concrete, PCR = RCI*

Table 1. Distress summary

Alligator Cracking

Description:

Alligator cracking is considered a combination of fatigue and block cracking. It is a series of interconnected cracks in various stages of development. Alligator cracking develops into a many-sided pattern that resembles chicken wire or alligator skin. It can occur anywhere in the road lane. Alligator cracking must have a quantifiable area.

Severity Levels:

LOW

An area with little to no interconnecting cracks with no visible spalling. Cracks are less than or equal to a mean width of 0.25 in. (6mm). Cracks in the pattern are no further apart than 1 foot (0.328 m). May be sealed cracks with sealant in good condition and a crack width that cannot be determined.

MEDIUM

An area of interconnected cracks that form a complete pattern. Cracks may be slightly spalled. Cracks are greater than 0.25 in. (6 mm) but less than or equal to 0.75 in. (19 mm) or any crack with a mean width less than or equal to 0.75 in. (19 mm) and adjacent low severity cracking. Cracks in the pattern are no further apart than 6 in. (150 mm).

HIGH

An area of interconnected cracks forming a complete pattern. Cracks are moderately or severely spalled. Cracks are greater than 0.75 in. (19mm) or any crack with a mean width less than or equal to 0.75 in. (19mm) and adjacent medium to high severity random cracking.

A combination of observed crack width and crack pattern is used to determine overall severity of alligator cracking. Based on above description of each severity, the highest level of crack width and crack pattern determines overall severity as shown in Table 2.

ALLIGATOR CRACKING SEVERITY LEVELS				
	CRACK SEVERITY	CRACK PATTERN		
		LOW	MED	HIGH
CRACK WIDTH	LOW	LOW	MED	HIGH
	MED	MED	MED	HIGH
	HIGH	HIGH	HIGH	HIGH

Table 2. Alligator Crack Severity Levels

Longitudinal Cracking

Description:

Longitudinal cracking occurs predominantly parallel to the pavement centerline. It can occur anywhere within the lane. Longitudinal cracks occurring in the wheelpath may be noteworthy.

Severity Levels:

LOW

Cracks with a mean width less than or equal to 0.25 in. (6 mm). This also includes sealed cracks with sealant in good condition and a width that cannot be determined.

MEDIUM

Cracks with a mean width greater than 0.25 in. (6 mm) but less than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width greater than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

Transverse Cracking

Description:

Transverse cracking occurs predominantly perpendicular to the pavement centerline. It can occur anywhere within the lane.

Severity Levels:

LOW

Cracks with a mean width of less than or equal to 0.25 in. (6 mm). Sealed cracks with sealant in good condition and a width that cannot be determined.

MEDIUM

Cracks with a mean width greater 0.25 in. (6 mm) and less than or equal to 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width greater than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

Patching and Potholes

Description:

Patching is an area of pavement surface that has been removed and replaced with patching material or an area of pavement surface that has had additional patching material applied. Patching may encompass partial lane or full lane width. On full lane width patching; the total, contiguous length of patch may not exceed 0.100 mi. (0.161 km). (Any full-lane patch exceeding 0.100 mi. in length is considered a pavement change). Patching must have a quantifiable area.

Potholes are bowl-shaped holes of various sizes occurring in the pavement surface.

Manhole covers should not be rated as patches unless there is obvious patching around the manhole.

Speed bumps should not be rated as patches

Severity Levels:

There are no stratified severities for Patching and Potholes. They either are present or they are not.

RUTTING

Description:

Rutting is a longitudinal surface depression in the wheelpath.

Severity Levels:

LOW

Ruts with a measured depth of 0.20 inches to 0.49 inches
Ruts less than 0.20 in. are not included in the distress calculations.

MEDIUM

Ruts with a measured depth of 0.50 inches to 0.99 inches

HIGH

Ruts with a measured depth greater than 1.00 inch

ROUGHNESS

Description:

Roughness is the measurement of the unevenness of the pavement in the direction of travel. It is measured in units of IRI (International Roughness Index), inches per mile, and is indicative of ride comfort.

Severity Levels:

There are no stratified severity levels for roughness. The roughness (or smoothness) of a road surface can be defined by IRI in the following table.

IRI DESCRIPTIONS	
Type of Road	Typical IRI (in/mile)
New Road, no noticeable roughness	<90
Small level of roughness	90 – 126
Road of average roughness	126 – 190
Road with above average roughness	190 – 253
Road with severe roughness	253 – 380
Nearly impassable	>380

Table 3. International Roughness Index

Roughness Collection Parameters

On shorter roads with a lower speed limit the usefulness in collecting and reporting IRI is negligible. Lower, inconsistent speeds can lead to a less accurate IRI value. Therefore RIP has put in place the following protocols for reporting IRI.

International Roughness Index (IRI) is not reported on routes with the following criteria:

- Posted speed limit is less than 25 mph
- Length of route is less than 0.50 miles

When a collected route has a posted speed limit of at least 25 mph and length of at least 0.50 miles, IRI will be collected except on road sections where the speed is less than 20 mph

Other situations may arise where the speed and length factors are met, but reporting IRI could lead to an inaccurate PCR. RIP will determine whether or not it is reasonable to report IRI on these routes on a case by case basis.

Index Formulas

Note: All index formulas listed below contain MAE applicable to 0.02 mile (105.6 feet) interval.

Alligator Crack Index

$$AC_INDEX = 100 - 40 * [(\%LOW / 35) + (\%MED / 15) + (\%HI / 5)]$$

Where:

The values %LOW, %MED and %HI report the percentage of the observed pavement (0.02 mile, primary lane) that contains alligator cracking within the respective severities. These values range from 0 to 100.

%LOW = Percent of total area (primary lane, 0.02 in length), low severity

%MED = Percent of total area (primary lane, 0.02 in length), medium severity

%HI = Percent of total area (primary lane, 0.02 in length), high severity

Percent of total area is computed as:

$$\frac{\text{square foot area of alligator crack severity}}{(0.02 \text{ mile}) * (\text{lane width})}$$

In AC_INDEX, the denominators 35, 15, and 5 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 35% of low severity alligator cracking for a 0.02 interval before failure, 15% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Longitudinal Crack Index

$$LC_INDEX = 100 - 40 * [(\%LOW / 175) + (\%MED / 75) + (\%HI / 25)]$$

Where:

The values %LOW, %MED, and %HI report the length of longitudinal cracking within each severity as a percent of the section length (0.02 mile, primary lane). These values are greater than or equal to 0 and can exceed 100.

%LOW = Percent of interval length (primary lane, 0.02 in length), low severity

%MED = Percent of interval length (primary lane, 0.02 in length), medium severity

%HI = Percent of interval length (primary lane, 0.02 in length), high severity

Percent of interval length is computed as:

$$\frac{\text{length of respective longitudinal cracking}}{(0.02 \text{ mile}) * (105.6 \text{ ft.})}$$

In LC_INDEX, the denominators 175, 75, and 25 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 175% of low severity longitudinal cracking for a 0.02 interval before failure, 75% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Structural Crack Index

$$SC_INDEX = [100 - ((100 - AC_INDEX) + (100 - LC_INDEX))]$$

Structural Crack Index is a combination of Alligator Cracking and Longitudinal Cracking, and is used in the SCR formula in lieu of AC and LC separately.

Transverse Crack Index

$$TC_INDEX = 100 - 40 * [(LOW / 21.1) + (MED / 4.4) + (HI / 2.6)]$$

Where:

The values LOW, MED and HI report a count of the total number of transverse cracks (reported to three decimals) within each severity level, where one transverse crack is equal to the lane width. These values are greater than or equal to 0.

LOW = Number of cracks in interval (primary lane, 0.02 in length), low severity

MED = Number of cracks in interval (primary lane, 0.02 in length), medium severity

HI = Number of cracks in interval (primary lane, 0.02 in length), high severity

Number of cracks is computed as:

$$\frac{\text{Total length of transverse cracks}}{\text{Lane width}}$$

In TC_INDEX, the denominators 21.1, 4.4, and 2.6 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 21.1 low severity transverse cracks for a 0.02 interval before failure, 4.4 cracks for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Patching Index

$$PATCH_INDEX = (100 - 40) * (\%PATCHING / 80)$$

Where:

The value %PATCHING reports the percentage of the observed pavement (0.02 mile, primary lane) that contains patching/potholes. This value ranges from 0 to 100.

%PATCHING = Percent of total area (primary lane, 0.02 in length)

Percent of total area is computed as:

$$\frac{\text{square foot area of patching/potholes}}{(0.02 \text{ mile}) * (\text{lane width})}$$

There are no severity levels for patching. It either exists or does not.

There are no severity levels for patching. It either exists or does not. In PATCH_INDEX, the denominator 80 is the Maximum Allowable Extent (MAE) for each severity. In other words, we will allow up to 80% patching for a 0.02 interval before failure. As you can see, if patching/potholes reaches MAE the resulting index value is 60, or failure.

Rutting Index

$$\text{RUT_INDEX} = 100 - 40 * [(\% \text{LOW} / 535) + (\% \text{MED} / 205) + (\% \text{HI} / 40)]$$

Where:

20 rut depth measurements are taken per 0.02 interval for each of 2 wheel paths (left and right), resulting in a total of 40 measurements taken for both wheel paths. Each wheelpath is analyzed independently for rut severities. The values %LOW, %MED and %HI report the percentage of the 40 measurements within that severity. These values range from 0 to 200.

%LOW = Percent of LOW ruts in left wheelpath based on 20 ruts, plus percent of LOW ruts in right wheelpath based on 20 ruts.

%MED = Percent of MED ruts in left wheelpath based on 20 ruts, plus percent of MED ruts in right wheelpath based on 20 ruts.

%HI = Percent of HI ruts in left wheelpath based on 20 ruts, plus percent of HI ruts in right wheel path based on 20 ruts.

Percent of rut measurements within each severity can also be computed as:

$$\frac{\text{(total number of ruts within each severity in both wheelpaths)}}{20} \times 100$$

In RUT_INDEX, the denominators 535, 205, and 40 are the Maximum Allowable Extents for each severity; Low, Medium, and High, respectively. Only the MAE for high severity rutting can fail a section, since 200% of *only* low severity ruts would yield a rut index of 85 and 200% of *only* medium severity ruts would yield a rut index of 61.

Roughness Condition Index (Asphalt)

$$\text{RCI} = 32 * [5 * (2.718282^{(-.0041 * \text{AVG IRI}))}]$$

Where:

The value AVG IRI reports the average value of the Left IRI and Right IRI measurements for the interval (0.02 mile, primary lane). This value can range from approximately 40 to 999.0.

Average IRI is computed as:

$$\frac{(\text{Left wheelpath IRI}) + (\text{Right wheelpath IRI})}{2}$$

There is no applicable threshold for failure for this index.

Roughness Condition Index (Concrete)

$$\text{RCI} = (-0.0012)(\text{IRI}^2) + (0.0499)(\text{IRI}) + 99.542$$

For concrete, PCR = RCI

Surface Condition Rating Index

SCR = Lowest Index Value Of: [SC_INDEX, TC_INDEX, PATCH_INDEX, RUT_INDEX]

Note: The modified SCR equation above combines AC_INDEX and LC_INDEX, and considers that a single AC/LC index value of the Structural Crack Index (SC_INDEX). The lowest of the four computed index values (SC_INDEX, TC_INDEX, PATCH_INDEX, or RUT_INDEX) becomes the SCR.

Where:

See above for determinations of SC_INDEX, TC_INDEX, PATCH_INDEX and RUT_INDEX.

The threshold for failure for this index is SCR = 60. Data Collection Vehicle Subsystems

Data on paved roads is collected by FHWA using a Pathway Services Inc. Data Collection Vehicle (DCV), called a PathRunner. The DCV is driven in the primary-direction lane at posted speed limits and less.

Cameras

Forward-facing and rear-facing video is collected as jpeg digital imagery files at a frequency of every 26.4feet.

Two forward-facing cameras are mounted above the vehicle cab, one pointed straight ahead and the other to the right shoulder providing seamless roughly 120 degree viewing. A third camera is mounted in the rear of the vehicle, recording the left shoulder.

CAMERA SPECIFICATIONS TWO FORWARD / ONE REAR FACING CAMERA	
Camera lens/type	Prosilica GT 2750 (GigE Technology)
Image format	*.jpg
Image resolution	2750 x 2200, 18 frames/second
Image pixel size	depends on distance
Zoom ratio	16mm Fixed
Iris range	Aperture Range F 1.8 – Infinity (P-Iris, Automatic)

Pavement Imaging and Rutting

High resolution rutting data and surface imaging are collected in a single data stream using a three-dimensional (3D) pavement surface transverse profile data acquisition system. The 3D camera captures a laser line as it is projected over the pavement surface and uses the location of this line to measure the height deviations of the pavement surface. These height deviations can be used to calculate rutting in both wheelpaths. These deviations also provide a grayscale image detailing the change in height throughout the surface, i.e. providing depth measurements for cracking.

THREE-DIMENSIONAL PAVEMENT SURFACE AND TRANSVERSE PROFILE DATA ACQUISITION SYSTEM	
Surface Image Specifications	
Image size	1536 pixels/scan @ 3000 Hz
Image width	4 meters (3950 mm nominal)
Laser class	3B
Power	16W (Two lasers @ 8W Ea)
Vehicle speed limitations	62 mph
Environment	Dry pavement, day or night
Sensor size (approximate)	1536 pixels x 512 pixels
Image display length	26.4 feet
Rutting Specifications	
Reported rut depth units	Inches
Vehicle speed limitations	Up to 62 mph
Sampling rate	3000 profiles/second
Transverse resolution	1536 points/profile
Transverse field-of-view	14 feet
Depth accuracy (nominal)	<1mm
Environment	Dry pavement, day or night, above 32 degrees F
Adherence to specifications	ASTM E1703M-95 (reapproved 2005)

Distance Measuring Instrument (DMI)

The DMI (Distance Measuring Instrument) obtains road length measurements that are accurate to 0.15% for speeds up to 60 mph. The DMI is connected to the hub of the rear wheel on the driver's side, and is calibrated to the revolutions of the rear vehicle axle on a regular basis.

Roughness (IRI)

IRI SPECIFICATIONS	
Reported IRI units	Inches/mile
Vehicle speed limitations	12-62 mph
IRI equipment certification	Texas Transportation Institute (TTI)
Wavelengths accommodated	0.5 feet to 300 feet
IRI computed & reported	World Bank Technical Paper Number 46
Environment	Dry pavement, day or night, above 32 degrees
Adherence to specifications	ASTM E950 Class 1 & AASHTO M 328

The collection system includes a South Dakota type laser profiler manufactured based on active Class 1 ASTM E950 standards. The dynamic profile of the pavement surface is collected from which the IRI roughness data is computed. The sensors include one accelerometer on each wheelpath, one height sensor (laser) on each wheelpath, and a distance transducer.

GPS & Inertial Systems

GPS is collected by an onboard system employing Omnistar real time correction and a spinning gyroscope to provide accurate positioning data in instances of satellite obstruction. All GPS coordinates are tied to an image and linear distance measurements.

GPS SPECIFICATIONS	
Static accuracy	Sub-meter
Dynamic accuracy	2-3 meters
Receiver	12 satellite tracking
Coordinate system	Lat Lon WGS 84
Environment	Day or night
Cross-slope	± 1.75%
Grade	± 1.75%
Adherence to specifications	ASTM E1703M-95 (reapproved 2005)

*NOTE – GPS accuracy is dependent on many different factors. Satellite constellation, tree coverage, GPS receiver quality, and real-time correction availability can all affect the locational and elevation accuracies. The elevation (z coordinate) accuracy is less dependable than locational or horizontal accuracy (x/y coordinates or latitude/longitude). In areas of heavy tree coverage or poor satellite constellations, elevation data can vary by as much as +/- 100 feet.

Appendix B

**Methodology for Determining Condition Ratings
Using Manual Rating Procedures**

Description of Manual Rating Methods

In 2013, the Federal Highway Administration updated existing Manual Rating Procedures in an effort to better align pavement conditions for Manually Rated Routes and Parking with the Highway Pavement Management Application (HPMA). HPMA is the Pavement Management System used by the FHWA to store inventory and condition data from the Road Inventory Program (RIP) and forecast future performance using prediction models. HPMA uses pavement condition data (collected by the Road Inventory Program) to develop life cycles for pavements and recommend treatments to maximize useable pavement life while minimizing costs associated with maintenance and repair.

The Federal Highway Administration (FHWA) developed a set of manual rating methods for pavement that are appropriate for Federal Roadways. Two different methods were developed for linear roads and a separate method was developed for parking areas and nonlinear roads. These methods employ a 0 to 100 rating scale and improve consistency and objectivity in the manual evaluation of surface distresses. They are compatible with ratings that are collected by the automated Data Collection Vehicle (DCV).

- The first of the two manual evaluation methods for roads uses rating criteria to assign index values to each distress type based on a visual evaluation of severity and extent.
- The second manual evaluation method for roads is very time demanding and is best employed on only a select set of routes which may have the highest visitor use and require a more intensive assessment. This method will be used for the Manual Rating of Function Class 1, 2, 7, and 8 Roads. This method is based on measurements that are recorded for each instance of a surface distress. These measurements are converted into index values using conversion formulas.
- Parking areas and non-linear roads are rated similar to the first method shown above, however, there are some slight differences due to the non-linear nature.

The details and criteria used for each of these rating methods are outlined below.

Visual Inspection Method for Manually Rating Secondary Roads

The visual inspection method for manually rated roads uses condition rating criteria that have been developed by FHWA. This criteria is based on a visual evaluation of the severity and extent of distresses to determine the overall condition of the roadway. This method is used for secondary roads that are Functional Class 3, 4, 5, and 6. This constitutes the majority of manually rated roads collected by the Road Inventory Program.

Rating Section Lengths

For this method, Manually Rated Roads are rated in sections. These sections may be made based on length of changes in surface type or condition as described below. The ratings are then aggregated to give an overall rating for the Route:

- Rating sections should be no longer than 0.25 miles in order to keep the area being rated manageable.
- A new rating section may be started based on changes in condition, width, or surface type if these changes represent a significant portion of the route (are not isolated instances).
- If the road condition, width, and surface type remain constant then new sections do not need to be created unless the road exceeds 0.25 miles.

Rating Criteria

For this method, Manually Rated Roads are evaluated using a visual inspection of the six distress types listed below. Each distress is assigned one of five index values. An overall Surface Condition Rating (SCR) and Pavement Condition Rating (PCR) are calculated based on these index values.

- Alligator Cracking
 - Rating based on percentage of road surface affected
- Longitudinal Cracking
 - Rating based on severity level (crack width) and percentage of road section length of longitudinal cracks
- Transverse Cracking
 - Rating based on crack width, crack spacing, and percentage of surface affected
- Patching
 - Rating based on percentage of road surface affected
- Rutting
 - Rating based on percentage of road section length affected by visible rutting (>1 inch depth) that requires remediation
- Roughness
 - Manual assessments of roughness are not made due to the subjectivity of the measurement. Therefore, roughness is not incorporated into the PCR calculation of manually rated roads.

Concrete Routes also receive a PCR rating based on visual evaluation of the following six distress types.

- Slab Faulting at Joints
- Slab Cracking and breakup
- Surface Delamination and Pop-outs
- Joint Distresses
- Patching

Distress Measurement Method for Manually Rating Primary Roads

A more intensive and time demanding assessment than our standard method was developed for Primary roads that are functional class 1, 2, 7, or 8. These high visitation roads are usually accessible by the automated Data Collection Vehicle but in rare instances may need to be manually rated. The method developed is based on measuring each instance of a distress. These measurements are totaled over each section length being measured and are then converted into index values between 0 and 100 (100 being a road with no distress) using index formula equations outlined below. The goal of this method is to produce measured index values which are directly comparable to the automated DCV.

Rating Section Lengths

For the distress measurement method roads are broken into sections in order to rate. Distress measurements are totaled for each section separately in order to determine the index value for that particular section. The section length to be rated is determined based on the following rules:

- Rating sections are between 0.25 and 0.50 miles long
- A new rating section is created if there is a significant change in condition or pavement width
- If there are no significant changes in condition or pavement width, rating sections are broken at equal intervals, typically 0.50 miles

Manual Distress Measurements

Alligator Cracking

- Alligator cracking is measured by area (square feet). Instances of Alligator cracking are measured along the length and multiplied by the average width of the distressed area.
- The index for alligator cracking takes the total area of cracking compared to the interval length and converts it to a percentage. That percentage is then input into an index formula that yields a value between 0 and 100 (0 being the most distressed).
- Severity levels are not defined for manually measured Alligator cracks. The Alligator Crack Index formula is calculated based on an assumption of medium severity.

Longitudinal Cracking

- Longitudinal cracking (cracking in the direction parallel to the roadway) is measured by length (ft.).
- The index for longitudinal cracking takes the total length of cracking compared to the interval length and converts it to a percentage broken down by severity. That percentage is then input into a formula that yields a value between 0 and 100 (0 being the most distressed).
- Two severity levels are defined for manually measured Longitudinal Cracks. Lower severity cracks are those with a mean width of less than 0.25 inches. Sealed cracks with sealant in good condition are also considered lower severity. Higher severity cracks are those with a mean width of greater than 0.25 inches.

Transverse Cracking

- Transverse cracking (cracking in the direction perpendicular to the roadway) is measured by length (ft).
- The index for transverse cracking takes the total number of cracks (1 crack would encompass the full lane) broken down by severity. The total numbers of each severity are then put into a formula that yields a value between 0 and 100 (0 being the most distressed).
- Two severity levels are defined for manually measured Transverse Cracks. Lower severity cracks are those with a mean width of less than or equal to 0.25 inches. Sealed cracks with sealant in

good condition are also considered lower severity. Higher severity cracks are those with a mean width of greater than 0.25 inches.

Patching and Potholes

- Patching and Potholes are measured by area (square feet). Instances of Patching are measured along the length and multiplied by the average width of the patch.
- Instances of full lane width patching cannot be longer than 0.100 miles, otherwise it should be considered a pavement change rather than a distress.
- There are no stratified severities for Patching. It is either present or it is not.

Rutting

- Visible rutting is measured by length (ft.) in each wheel path. Only visible ruts are rated, which are ruts greater than 1 inch deep.
- All rutting recorded in a manual rating is considered to be high severity (> 1 inch). Lesser severities are generally not distinguishable in a visual inspection.

Roughness

- Manual assessments of roughness are not made due to the subjectivity of the measurement. Therefore, roughness is not incorporated into the PCR calculation of manually rated roads.

Index Formulas for Distress Measurement Method:

The method used to convert distress measurements into index values is shown below. The Surface Condition Rating and Pavement Condition Rating are calculated based on these index values.

Alligator Crack Index for Manual Rating:

$$AC_INDEX = 100 - 40 * (\%ALLIGATOR / 15)$$

Where:

%ALLIGATOR = Percent of total area of section being rated that contains Alligator cracking.

Longitudinal Crack Index for Manual Rating:

$$LC_INDEX = 100 - 40 * [(\%LOW / 175) + (\%MED / 75)]$$

Where:

%LOW = Percent length of longitudinal cracks where crack width less than or equal to 0.25 inches

%HIGH = Percent length of longitudinal cracks where crack width greater than 0.25 inches

Transverse Crack Index for Manual Rating:

$$TC_INDEX = (100 - 40) * [(LOW / 21.1) + (MED / 4.4)]$$

Where:

LOW = Count of the total number of transverse cracks within the section length where one transverse crack is equal to the lane width and the crack width \leq 0.25 inches

HIGH = Count of the total number of transverse cracks within the section length where one transverse crack is equal to the lane width and the crack width $>$ 0.25 inches

Number of cracks is computed as:
Total length of transverse cracks/Lane width

Patching Index for Manual Rating:

$$\text{PATCH_INDEX} = (100 - 40) * (\% \text{PATCHING} / 80)$$

Where:

%PATCHING = Percentage of pavement section that contains patching/potholes.

Rutting Index for Manual Rating:

$$\text{RUT_INDEX} = 100 - 40 * (\% \text{RUTTING} / 40)$$

Where:

%RUTTING = Percentage length of high severity rutting within the section being measured.

Method for Manually Rating Paved Parking Areas and Non-Linear Roads

Parking areas are evaluated based on a visual inspection using condition rating criteria that has been developed by FHWA. This criteria is based on a visual evaluation of the severity and extent of distresses to determine the overall condition of the parking area. This overall condition rating is linked to the level of repair and rehabilitation practices required.

A distress index is determined for each of the distresses listed below for Asphalt and Concrete Parking areas. The overall Pavement Condition Rating (PCR) of the parking lot is driven by the most severe distress present.

Rating Criteria:

Asphalt Parking Distress Types

- Alligator Cracking
 - Rating based on percentage of road surface affected
- Longitudinal, Transverse and Block cracking
 - Rating based on crack width, crack spacing, and percentage of surface affected
- Rutting and Distortions
 - Rating based on percentage of road surface affected
- Hot Mix Asphalt Patches
 - Rating based on overall percentage of HMA patches
- Potholes and Cold Patches
 - Rating based on percentage of road surface affected
- Surface Raveling and Bleeding
 - Rating based on percentage of road surface affected

Concrete Parking Distress Types

- Slab Faulting at Joints
 - Rating based on height differential between adjacent slabs or pieces of broken slabs
- Slab Cracking and breakup
 - Rating based on quantity of cracks and if slab is acting to able distribute load as designed
- Surface Delamination and Pop-outs
 - Rating based on percentage of road surface affected to include pop-outs, spalls and surface delamination
- Joint Distresses
 - Rating based on sealant condition and concrete distresses at/or adjacent to joints
- Patching
 - Rating based on percentage of road surface affected

Curb Inspection and Treatments

During inspections of manually rated parking lots and routes, the curb reveal and overall curb condition are evaluated. The curb condition is used to determine a recommendation.

Curb Reveal

The vertical distance on the curb face from the gutter flow line or pavement surface to the top of curb. When resurfacing adjacent to curb, the resulting curb reveal should be no less than 4 inches. Additionally, when resurfacing adjacent to a gutter, the resulting pavement surface should be flush with the gutter pan. In cases where a resurfacing would violate either of these parameters, the surface may need to be milled or removed to adjust to these field conditions.

Curb Recommendations

The following treatment categories are based on the overall percentage of distresses along the entire curb structure for a specific pavement structure. Distresses include spalling, cracking, loss of material and any other damage which prevents the curb from conveying storm runoff or failing to perform in its intended function.

- Overall curb damage ranging 0%-5%:
 - DO NOTHING
- Overall curb damage ranging 5%-20%
 - LIGHT REPAIR
- Overall curb damage ranging 20%-50%
 - MODERATE REPAIR
- Overall curb damage greater than 50%:
 - REPLACE

GPS for Manually Rated Roads and Parking

GPS information for Manually Collected Cycle 6 Routes will be recorded using the latest hardware and software by TRIMBLE 6000 Series GeoXT. Cycle 6 GPS collection units will allow access to GPS and GLONASS, improving overall GPS reliability, accuracy and precision to submeter accuracy.

Additionally, the new GPS units have an enhanced ability to collect accurate signals underneath tree cover or adjacent to buildings or natural terrain with extreme vertical gradations that typically reduce GPS accuracy. Trees and buildings create “satellite shadows”, limiting the areas where you can reliably collect high-accuracy GPS data. The updated GPS receiver will deliver improved usable data under tree canopy or in natural or urban canyons. Routes that were previously collected accurately will not be recollected in Cycle 6.

TRIMBLE 6000 SERIES GeoXT GPS SPECIFICATIONS	
Receiver	Trimble Maxwell™ 6 GNSS chipset
Channels	220 channels
Systems	GPS / GLONASS / WAAS
Accuracy	Sub-meter
Operation Temperature	-20 °C to +60 °C (-4 °F to +140 °F)
Cellular and Wireless	UMTS / HSDPA / GPRS / EDGE / Wi-Fi / Bluetooth
Internal Still Camera w/ GEOTAG ability	Autofocus 5 MP (JPG) and WMV w/ Audio

Appendix C
Description of Cycle 6 Deliverables

Final Report Delivery

The Final Report will contain all data collected by Manual Inspection and the Data Collection Vehicle. All information provided in the Interim Report will be included in the Final report. Manually collected information reported in the Interim Report may be updated in the Final Report if pavement conditions have substantially changed between the Manual Inspection and Data Collection Vehicle Inspection or other unforeseen circumstances.

The final report will be released approximately 8 months after the Data Collection Vehicle completes its collection of that specific park.

Data included in the Final Report package consists of the following:

- **Condition Photos:** All photos taken during Cycle 6.
- **Data Video:** Data and video of each route collected by the DCV will be viewable through PATHVIEW software. PATHVIEW Software and training will be provided to NPS personnel by Eastern Federal Lands.
- **GPS on All Rated Routes:** All GPS data collected from the DCV will be provided. Parking areas, some roads, and other paved areas that are not fully drivable with the DCV are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS units.
 - GPS will be provided as Shapefiles and KMLs
 - All GPS data related to road collection will be linear referenced to the collected length
- **Geodatabase – Background and Metadata:** In addition to this park report, a geodatabase containing both tabular and spatial data specific to this park has been provided.
 - All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer.
 - Consolidating the RIP data into one database creates a seamless relationship of tables and geographic data. It allows RIP to facilitate easier updates and enhancements in the future. A geodatabase can be thought of as simply a database containing spatial data. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the metadata. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog.
- **Report (RIP Report and Route ID):** A PDF report will be provided that includes a list of all routes and key data. Condition reports for each route will be included. All changes, additions and deletions to any route will be included in the report. Features along routes will not be collected in Cycle 6.

Partial DCV Collections

Additional Partial DCV Collections may be done on specific parks depending on their size and overall mileage of routes within its boundaries during Cycle 6. Parks with greater than 10 miles of paved roadways will receive at least one additional Partial DCV collection during Cycle 6. Data collected during these Partial DCV Collections will not result in the delivery of an additional report to the park.

Data collected by the DCV during Partial DCV Collection will be used to improve HPMA modeling by providing additional “snapshots in time” of park pavement conditions. This improved HMPA modeling will assist in the programming and budgeting of future projects which will help maximize the life of pavement infrastructures.

Instead of receiving a report of conditions collected during the Partial DCV collection, the park will receive a formal letter from the Road Inventory Program requesting coordination for the additional Partial DCV collection, identifying the dates of the Partial DCV Collection and will reinforce the purpose and importance of the Partial DCV Collection.

Appendix D
Glossary of Terms and Abbreviations

Glossary of Terms and Abbreviations

TERM OR ABBREVIATION	DESCRIPTION OR DEFINITION
AC	Alligator Cracking
CRS	Condition Rating Sheets (Section 5)
Curb Recommendation	Curb remediation based on overall percentage of curb distress
Curb Reveal	Height of curb exposed from gutter flow line to top of curb
DCV	Data Collection Vehicle
Excellent	Excellent rating with an index value of 95 to 100
Fair	Fair rating with an index value from 61 to 84
FUNCT_CLASS	Functional Classification (see Route ID, Section 2)
Good	Good rating with an index value from 85 to 94
IRI	International Roughness Index
HPMA	Highway Pavement Management Application
Lane Width	Width from road centerline to fogline, or from centerline to edge-of-pavement when no fogline exists
LC	Longitudinal Cracking
MRR	Manually Rated Route
MRL	Manually Rated Line
MRP	Manually Rated Polygon
N/A	Not Applicable
NC	Not Collected
PATCH	Patching and Potholes
Paved Width	Width from edge-of-pavement to edge-of-pavement
PCR	Pavement Condition Rating
PKG	Parking Area
Poor	Poor rating with an index value of 0 to 60
RCI	Roughness Condition Index
SC	Structural Cracking
SCR	Surface Condition Rating
TC	Transverse Cracking