

Final Report

Road Inventory and Condition Assessment of Paved Routes Grand Teton National Park





Road Inventory Program

Prepared By: Federal Highway Administration Eastern Federal Lands Highway Division Road Inventory Program (RIP)

Report Date: May 2017

Grand Teton National Park in Wyoming




Table of Contents

SECTION							
1. INTRODUCTION	1 - 1						
2. PARK ROUTE INVENTORY Route ID Report, Subcomponent Report, and Changes Report (As Applicable)	le) 2 - 1						
3. PARK SUMMARY INFORMATION Parkwide Paved Route Condition Summary Explanation of Condition Descriptions Route-Level Condition Summary Reports for Data Collection Vehicle, Manually Rated, and Parking Area Routes (As Applicable)	3 - 1 3 - 2 3 - 3						
4. PARK ROUTE LOCATION MAPS Route Location Key Map Route Location Area Map(s) Route Condition Key Map – PCR Mile by Mile Route Condition Area Map(s) – PCR Mile by Mile	4 - 1 4 - 2 4 - 13 4 - 14						
5. PAVED ROAD CONDITION RATING SHEETS Paved Road Pages	5 - 1						
6. PAVED PARKING AREA CONDITION RATING SHEETS Paved Parking Area Pages	6 - 1						
7. ROAD MILEPOST INFORMATION Road Milepost Information and Logs	7 - 1						
 8. APPENDIX Improvements to the RIP Index Equations and Determination of PCR Description of the Rating System Explanation of the Condition Descriptions Description of Pavement Treatment Types Appendix A: Methodology for Determining Condition Ratings with the Data Collection Vehicle (DCV) Appendix B: Methodology for Determining Condition Ratings Using Manua Procedures Appendix C: Description of Cycle 6 Deliverables 							
Appendix C. Description of Cycle of Deriverables Appendix D: Glossary of Terms and Abbreviations	8 - 33						

Section 1 Introduction





Introduction

The Federal Highway Administration's (FHWA), Road Inventory Program (RIP) inventories all roads and parking areas in the National Park System, and performs condition inspections on all paved roads and parking areas for the National Park Service (NPS). This report contains the results of the Cycle 6 condition assessment of paved roads and parking lots for this park unit. This assessment was done using an automated, state-of-the-art pavement inspection vehicle as well as manual ratings. This information represents the condition of the paved assets at the time of the inspection. The pavement management system utilized by FHWA and the NPS uses these assessments to estimate future conditions and help prioritize pavement maintenance and rehabilitation projects. Further information about RIP data and its role in managing paved roads and bridges can be obtained by contacting the NPS Regional Transportation Program Manager.

A History of the Road Inventory Program:

The FHWA, in the mid-1970s, was charged with the task of identifying surface condition deficiencies and corrective priorities on NPS roads and parkways. Additionally, FHWA was tasked with establishing an integrated maintenance features inventory, locating features such as culverts, guardrails, and signs, among others, along NPS roads and parkways. As a result, in 1976 the NPS and FHWA entered into a Memorandum of Agreement (MOA) which established the RIP. This MOA was revised in 1980 to update RIP data collection standards and develop a long-range program to improve and maintain NPS roads to designated condition standards and establish a pavement management program.

The FHWA completed the initial phase of inventory in the early 1980s. As a result of this effort, each NPS unit included in the collection received a RIP Report known as the "Brown Book" which contained information that was inventoried during this first RIP phase. In the 1990s, a cyclical program was developed, and since then five cycles of collection have been completed. Cycle 6 is currently in progress. A summary of the RIP collection cycles is shown in the table below.

Cycle	Years	Parks Collected
Cycle 1	1994 - 1997	° 44 Large Parks
Cycle 2	1997 - 2001	 79 Large Parks 5 Small Parks
Cycle 3	2001 - 2004	 All Large Parks All Small Parks
Cycle 4	2006 - 2010	 86 Large Parks Several Small Parks
Cycle 5	2010 - 2014	 All Large Parks (Only functional class 1, 2, 7, and new/modified routes collected) All Small Parks (all roads and parking areas collected)
Cycle 6	2014 – 2020 (±)	 All roads and parking areas collected at all Parks Additional partial collections of functional class 1, 2, and 7 roads at Large Parks Cycle 6 is expected to last 6 years

Note: Large Parks have ≥ 10 Paved Miles; Small Parks have < 10 Paved Miles

Since 1984, the Road Inventory Program has been funded through the Federal Lands Highway Park Roads and Parkways (PRP) Program. Currently, coordination of the RIP with Federal Lands Highway (FLH) is under the NPS Washington Headquarters Park Facility Management Division. The FLH Washington office coordinates policy and prepares national reports and needs assessment studies for Congress.

In 1998, the Transportation Equity Act for the 21st Century (TEA-21) amended Title 23 U.S.C., and inserted Section 204(a)(6) requiring the FHWA and NPS, to develop by rule, a Pavement Management System (PMS) applied to park roads and parkways serving the National Park System.

In 2012, the Moving Ahead for Progress in the 21st Century Act (MAP-21) amended Title 23 U.S.C., and under Section 203(c)(1-2) stated that the National Park Service in cooperation with the DOT/FHWA, shall maintain a comprehensive national inventory of their transportation facilities, with the goal of quantifying transportation infrastructure needs within the National Park System.

A History of the Pavement Management System:

In 2005, the FHWA began implementing the use of a pavement management system to assist the NPS in prioritizing Pavement Maintenance and Rehabilitation activities. The system used by FHWA is the Highway Pavement Management Application (HPMA), which has the ability to store inventory and condition data from RIP and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Regional, Park, or Route level. Regional prioritized lists and optimizations have been produced for most regions, and the Service's overall roadway Deferred Maintenance is calculated via the HPMA.

Overview of Cycle 6:

Cycle 6 launched in the spring of 2014 and will again comprise all NPS park units that are served by paved roads and/or parking areas. For Cycle 6, all paved roads (approximately 5,700 miles) and parking areas will be collected in all parks at least once, while the primary routes (functional class 1, 2, and 7 roads) at Large Parks will have additional collections. These multiple collections will provide updated condition data on a majority of the NPS's primary road network and help build a better pavement management system, allowing for more accurate pavement performance prediction models.


FLH is responsible for the accuracy of all data presented in this report. Any questions or comments concerning the contents of this report should be directed to the national RIP Coordinator located in Sterling, Virginia.

Respectfully,

FHWA RIP Team

FHWA/Eastern Federal Lands 21400 Ridgetop Circle Sterling, VA 20166 (571) 434-1574 FHWA/Central Federal Lands 12300 West Dakota Ave Lakewood, CO 80228 (720) 963-3556

Section 2 Park Route Inventory





Page 1 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessic	Route Name	Route Des	cription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Function Class	Area (SQ FT)	Surf. Type	Area Map
0010	6	1	00001364		U.S. HIGHWAY 26/89/191	FROM SOUTH PARK BOUNDARY	TO EAST PARK BOUNDARY	SOUTH DISTRICT	28.09	0.00	28.09	1		AS	2,2C,4,4 A
0011	6	1	00001365		TETON PARK ROAD (INSIDE ROAD)	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 8.02 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 4.02 ON LEFT	SOUTH DISTRICT	20.92	0.00	20.92	1		AS	2,2A,2B, 3,3B,4,4 A
0013	6	1	00001362		NORTH PARK ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 25.86 ON LEFT	TO START OF JODR-0013 (JDR PARKWAY ROAD) AND JODR-0978 (JDR SOUTH ENTRANCE PARKING)	NORTH DISTRICT	20.50	0.00	20.50	1		AS	1,1A,2,2 A,2C
0100ZZ	6	1	4330		MOOSE/WILSON ROADS	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.68 ON LEFT	TO COUNTY ROAD 390 AT SOUTH PARK BOUNDARY	SOUTH DISTRICT	5.65	1.38	7.03	2		AS	4,4A
0101	6	1	4289		ANTELOPE FLATS ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 9.20 ON RIGHT	TO ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 2.46 ON LEFT	SOUTH DISTRICT	3.31	0.00	3.31	2		AS	4
0102	6	1	36755		TETON FOREST ACCESS ROAD	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 8.12 ON LEFT	TO END OF PAVEMENT	SOUTH DISTRICT	4.03	0.24	4.27	2		AS	4
0103	6	1	4358		COLTER BAY ENTRANCE ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 9.52 ON LEFT	TO 4-WAY STOP INTERSECTING ROUTE 021 5ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS), ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS), ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	NORTH DISTRICT	0.66	0.00	0.66	2		AS	1A
0104	6	1	4090		GROS VENTRE ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 2.51 ON RIGHT	TO EAST PARK BOUNDARY	SOUTH DISTRICT	10.36	0.00	10.36	2		AS	4

Page 2 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line

MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessio	Route Name	Route Des	cription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Function Class	Area (SQ FT)	Surf. Type	Area Map
0105	6	1	31295		SOUTH JENNY LAKE ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 7.88 ON LEFT	TO ROUTE 0929 (SOUTH JENNY LAKE PARKING)	SOUTH DISTRICT	0.35	0.00	0.35	2		AS	ЗВ
0107	6	1	31523		MORAN DEVELOPMENT ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 26.05 ON LEFT	TO END OF RESIDENTIAL	NORTH DISTRICT	0.26	0.00	0.26	2		AS	2C
0108ZZ	6	1	36775		TETON SCIENCE SCHOOL ROADS	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 0.91 ON RIGHT	TO NORTH EAST BOUNDARY	SOUTH DISTRICT	1.80	1.00	2.80	2		AS	4
0109	6	1	4334		DORNAN'S ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.19 ON RIGHT	TO PRIVATE PARKING AREA (DORMAND'S RANCH CABINS)	SOUTH DISTRICT	0.26	0.00	0.26	2		AS	4A
0110	6	1	4345		STRING LAKE ROAD	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 1.50 ON RIGHT	TO END OF LOOP	SOUTH DISTRICT	0.53	0.00	0.53	2		AS	3A
0111	6	1	4352		SIGNAL MOUNTAIN SUMMIT ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 16.78 ON RIGHT	TO ROUTE 0944 (SIGNAL MOUNTAIN SUMMIT OVERLOOK PARKING)	NORTH DISTRICT	4.76	0.00	4.76	2		AS	2,2В
0112	6	1	4353		SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 17.88 ON LEFT	TO END OF LOOP	NORTH DISTRICT	0.61	0.00	0.61	2		AS	2В
0113	6	1	4311		JACKSON LAKE LODGE ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 5.08 ON LEFT	TO END OF LOOP	NORTH DISTRICT	0.62	0.00	0.62	2		AS	2A
0114	6	1	4305		PACIFIC CREEK ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 1.18 ON RIGHT	TO EAST PARK BOUNDARY	NORTH DISTRICT	3.36	0.00	3.36	2		AS	2
0115	6	1	4315		LEEKS MARINA ACCESS ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 10.37 ON LEFT	TO ROUTE 0971 (LEEKS MARINA PARKING)	NORTH DISTRICT	0.62	0.00	0.62	2		AS	1
0116	NC		4303		PILGRIM CREEK ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 7.52 ON RIGHT	TO TRAILHEAD	NORTH DISTRICT	0.00	2.36	2.36	2		GR	

Page 3 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line

MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessic	Route Name	Route Dese From	ription To	Maintenance District	Paved Miles		Total Mileage	Functior Class	Area (SQ FT)	Surf. Type	Area Map
0118	6	1	35858		BLACKTAIL PONDS OVERLOOK ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 9.28 ON LEFT	TO END OF LOOP	SOUTH DISTRICT	0.27	0.00	0.27	2		AS	4
0119	NC		4285		LOST CREEK RANCH ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 16.18 ON RIGHT	TO END OF GRAVEL	SOUTH DISTRICT	0.00	1.40	1.40	2		GR	
0120	NC		4306		TWO OCEAN LAKE ROAD	FROM ROUTE 0114 (PACIFIC CREEK ROAD) AT MP 2.08 ON LEFT	TO END AT TWO OCEAN LAKE	NORTH DISTRICT	0.00	2.43	2.43	2		GR	
0200	6	1	36013		SAGE BRUSH DRIVE	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 2.51 ON LEFT	TO WEST PARK BOUNDARY AT 4-WAY INTERSECTION	SOUTH DISTRICT	0.51	0.00	0.51	3		AS	4
0201	NC		4537		MORMON ROW ROADS	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 5.0 ON LEFT	TO END	SOUTH DISTRICT	0.00	2.85	2.85	3		GR	
0202ZZ	6	1	4298		GROS VENTRE CAMPGROUND ROADS	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 4.59 ON RIGHT	THROUGH CAMPGROUND	SOUTH DISTRICT	4.39	0.00	4.39	3		AS	4
0204	6	1	4336		CHAPEL OF TRANSFIGURATION ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 1.21 ON RIGHT	TO END OF LOOP	SOUTH DISTRICT	0.55	0.00	0.55	3		AS	4A
0205ZZ	6	1	4343		JENNY LAKE CAMPGROUND ROADS	FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.12 ON RIGHT	THROUGH 1-WAY CAMPGROUND LOOP	SOUTH DISTRICT	0.94	0.00	0.94	3		AS	ЗВ
0206	NC		35847		ARIZONA CREEK TRAILHEAD ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 14.36 ON RIGHT	TO TRAILHEAD	NORTH DISTRICT	0.00	0.15	0.15	4		GR	
0207	NC		36482		PACIFIC CREEK WILDERNESS ACCESS ROAD	FROM ROUTE 0114 (PACIFIC CREEK ROAD) AT MP 2.19 ON LEFT	TO EAST PARK BOUNDARY	NORTH DISTRICT	0.00	3.85	3.85	4		GR	

Page 4 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon

- PKG = Parking Areas
- NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessic	Route Name	Route Dese From	cription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Functior Class	Area (SQ FT)	Surf. Type	Area Map
0208	6	1	35920		DEATH CANYON ROAD	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 3.07 ON RIGHT	TO TRAILHEAD	SOUTH DISTRICT	0.65	1.02	1.67	3		AS	4
0209	6	1	36045		CLIMBERS RANCH ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 4.74 ON LEFT	TO RANCH	SOUTH DISTRICT	0.28	0.35	0.63	3		AS	3
0210	NC		4308		ARIZONA LAKE TRAILHEAD ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 11.96 ON RIGHT	TO TRAILHEAD	NORTH DISTRICT	0.00	0.50	0.50	4		GR	
0211ZZ	6	1	4354		SIGNAL MOUNTAIN CAMPGROUND ACCESS ROADS	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT 0.09 ON RIGHT	THROUGH CAMPGROUND	NORTH DISTRICT	0.80	0.00	0.80	3		AS	2В
0212	6	1	4356		JACKSON LAKE DAM FISHING ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.87 ON RIGHT	TO ROUTE 0998 (JACKSON LAKE DAM FISHING ACCESS PARKING)	NORTH DISTRICT	0.29	0.00	0.29	3		AS	2
0213	NC		4300		SPREAD CREEK ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 21.39 ON RIGHT	TO BORROW SITE	NORTH DISTRICT	0.00	1.60	1.60	3		GR	
0214	NC		36789		WOLF RANCH ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 22.34 ON RIGHT	TO RANCH	NORTH DISTRICT	0.00	2.60	2.60	3		GR	
021 <i>5</i> ZZ	6	1	4243		COLTER BAY CAMPGROUND LOOPS AND ROADS	FROM END OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD)	THROUGH CAMPGROUND	NORTH DISTRICT	7.45	0.00	7.45	3		AS	1A
0216	6	1	4317		CUNNINGHAM CABIN ACCESS ROAD	FROM ROUTE 0910 (CUNNINGHAM CABIN PARKING)	TO ROUTE 0911 (BAR FLYING U PARKING) ON LEFT	NORTH DISTRICT	0.30	0.00	0.30	3		AS	2
0217	6	1	35917		deadmans bar road	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 17.01 ON LEFT	TO END	SOUTH DISTRICT	0.34	0.37	0.71	3		AS	2

Page 5 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route	rcle Ilected	ration Ilected	FMSS	ncessic		Route Desc	•	Maintenance District	Paved Miles	Unpaved		unctior ass	Area		Area
No.	ບີບິ	ltera Collo	Number	ů	Route Name	From	То	District	Miles	Miles	Mileage	30	(SQ FT)	Туре	Мар
0218	NC		35867		BRUSH CREEK FOREST ACCESS ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 20.43 ON RIGHT	TO SOUTH PARK BOUNDARY	SOUTH DISTRICT	0.00	0.20	0.20	3		GR	
0219	NC		4299		TRIANGLE X RANCH ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 19.71 ON RIGHT	TO RANCH	SOUTH DISTRICT	0.00	0.52	0.52	3		GR	
0220	NC		4335		MURIE CENTER ACCESS ROAD	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 0.05 ON LEFT	TO MURIE CENTER	SOUTH DISTRICT	0.00	0.61	0.61	3		GR	
0221	6	1	30026		COLTER BAY PICNIC AREA DAY USE ROAD	FROM ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	TO END OF LOOP	NORTH DISTRICT	0.31	0.00	0.31	3		AS	1A
0222	NC		4327		DEADMANS BAR FLOAT SPUR ROAD	FROM ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON LEFT	TO END AT SNAKE RIVER	SOUTH DISTRICT	0.00	0.35	0.35	3		GR	
0223ZZ	6	1	4312		LIZARD CREEK CAMPGROUND ROADS	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 17.44 ON LEFT	THROUGH CAMPGROUND	NORTH DISTRICT	0.95	0.00	0.95	3		AS	1
0225	6	1	37766		LUPINE MEADOWS ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 7.17 ON LEFT	TO ROUTE 0994 (LUPINE MEADOWS TRAILHEAD PARKING)	SOUTH DISTRICT	0.23	1.37	1.60	3		AS	3B
0226	NC		31649		SOUTH JENNY LAKE BOAT RAMP ROAD	FROM ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD)	TO END OF LOOP	SOUTH DISTRICT	0.00	0.18	0.18	3		GR	
0227	NC		36735		SPALDING BAY ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 12.16 ON LEFT	TO END AT BAY	SOUTH DISTRICT	0.00	2.19	2.19	3		GR	
0228	NC		36624		SNAKE RIVER (RKO) ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 16.52 ON RIGHT	TO END AT RIVER	NORTH DISTRICT	0.00	3.75	3.75	4		GR	
0229	NC		4338		BAR BC RANCH ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.99 ON RIGHT	TO ROUTE 0228 (SNAKE RIVER (RKO) ACCESS ROAD)	SOUTH DISTRICT	0.00	14.52	14.52	4		GR	

Page 6 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessic	Route Name	Route Desc From	ription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Functior Class	Area (SQ FT)	Surf. Type	Area Map
0230	NC		4302		GRAND VIEW ACCESS ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 5.99 ON RIGHT	TO TRAILHEAD	NORTH DISTRICT	0.00	1.10	1.10	4		GR	
0231	NC		4325		SCHWABACHER LANDING ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 11.99 ON LEFT	TO SNAKE RIVER	SOUTH DISTRICT	0.00	1.07	1.07	3		GR	
0232	NC		36059		COLTER BAY STORAGE ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 8.79 ON RIGHT	TO END	NORTH DISTRICT	0.00	0.17	0.17	4		GR	
0233	NC		35851		BAILEY CREEK ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 12.73 ON RIGHT	TO EAST PARK BOUNDARY	NORTH DISTRICT	0.00	2.83	2.83	4		GR	
0234	NC		35927		EXUM MOUNTAIN GUIDES AND CLIMBING SCHOOL ROAD	FROM ROUTE 0226 (SOUTH JENNY LAKE BOAT RAMP ROAD)	TO END	SOUTH DISTRICT	0.00	0.15	0.15	3		GR	
0235ZZ	6	1	30029		COLTER BAY BOAT LAUNCH ROADS	FROM ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	TO END	NORTH DISTRICT	0.55	0.40	0.95	3		AS	1A
0236	NC		4310		CATTLEMAN'S BRIDGE ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 3.47 ON LEFT	TO SNAKE RIVER FOOT BRIDGE	NORTH DISTRICT	0.00	1.01	1.01	3		GR	
0237	NC		35897		CASCADE CANYON TRAILHEAD SPUR	FROM ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD)	TO END OF ROAD	SOUTH DISTRICT	0.00	0.20	0.20	4		GR	
0247	NC		36779		THREE RIVERS RANCH ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.24 ON RIGHT	TO END	NORTH DISTRICT	0.00	0.39	0.39	4		GR	
0250	NC		35925		DOUG'S BARN WILLOW FLATS ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 4.59 ON RIGHT	TO CEMETERY	NORTH DISTRICT	0.00	0.50	0.50	4		GR	
0252	6	1	113734		CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.52 ON LEFT	TO END OF LOOP	SOUTH DISTRICT	0.19	0.00	0.19	3		AS	4A
0253	6	1	110768		LSR ENTRANCE ROAD	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT 3.74 ON LEFT	TO END OF LOOP	SOUTH DISTRICT	0.45	0.00	0.45	3		AS	4

Page 7 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessic	Route Name	Route Desc From	cription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage		Area (SQ FT)	Surf. Type	Area Map
0254ZZ	6	1	115374		COLTER BAY CONCESSION CABIN AREA ROADS	FROM INTERSECTION OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD), ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS) AND ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	THROUGH CABIN AREA	NORTH DISTRICT	1.26	0.00	1.26	3		AS	1A
0255ZZ	6	1	115375		COLTER BAY CONCESSION TENT VILLAGE AREA ROADS	FROM ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS) AT MP 0.12 ON LEFT	TO END OF LOOPS	NORTH DISTRICT	0.88	0.00	0.88	3		AS	1A
0256ZZ	6	1	115376		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.17 ON RIGHT	THROUGH RESIDENCE AREA	NORTH DISTRICT	0.55	0.14	0.69	6		AS	2A
0258ZZ	6	1	115377		JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.23 ON RIGHT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD)	NORTH DISTRICT	0.59	0.00	0.59	3		AS	2A
0259ZZ	6	1	115378		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.43 ON RIGHT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.45 ON RIGHT	NORTH DISTRICT	0.54	0.00	0.54	3		AS	2A
0260ZZ	6	1	115379		JENNY LAKE LODGE CABIN ROADS	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) ON LEFT	TO ROUTE 0500 (JENNY LAKE LOOP ROAD)	SOUTH DISTRICT	0.58	0.00	0.58	3		AS	3A
0263	NC		115380		WARM DITCH ROAD	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 8.01 ON LEFT	TO INTERSECTION OF ROUTE 0201 (MORMON ROW ROADS) AND END OF GRAVEL	SOUTH DISTRICT	0.00	2.10	2.10	3		GR	
0264	NC		115381		POWER LINE/POLE LINE ROAD	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 0.91 ON RIGHT	TO ROUTE 0201 (MORMON ROW ROADS)	SOUTH DISTRICT	0.00	1.00	1.00	3		GR	
0265	6	1	115382		TRIANGLE X RIVER ACCESS ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 19.17 ON LEFT	TO END	SOUTH DISTRICT	0.04	1.30	1.34	3		AS	2

Page 8 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

				Ę		ROAD INVENTORY (1	100 SERIES FMSS L	OCATIONS)				P			
Route No.	/cle ollected	lteration Collected	FMSS Number	ncessic		Route Desc	•	Maintenance District	Paved Miles	Unpaved	Total Mileage	unctior ass	Area (SQ FT)	Surf. Type	Area Map
NO.	ບົບັ	≚ŭ	Number	ů	Route Name	From	То	District	Miles	Miles	Mileage	<u>ч</u> о	(30(11)	туре	мар
0266	6	1	237454		South Jenny Lake Visitor Center Pick UP / Drop Off	FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.29 ON RIGHT	TO ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.32 ON RIGHT	SOUTH DISTRICT	0.03	0.00	0.03	3		AS	3B
0267ZZ	6	1	247199		KELLY ROADS	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 7.01 ON RIGHT	Through the town of Kelly	SOUTH DISTRICT	0.62	0.75	1.37	3		AS	4
0400ZZ	6	1	4247		MOOSE RESIDENCE AREA ROADS	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.32 ON RIGHT	TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.38 ON RIGHT	SOUTH DISTRICT	1.22	0.00	1.22	6		AS	4A
0401ZZ	6	1	30381		BEAVER CREEK RESIDENTIAL ROADS	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.90 ON LEFT	THROUGH RESIDENCE AREA	SOUTH DISTRICT	1.01	0.00	1.01	6		AS	4
0402ZZ	6	1	4244		COLTER BAY RESIDENCE AREA ROADS	FROM ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD) AT MP 0.06	THROUGH RESIDENCE AREA	NORTH DISTRICT	0.89	0.00	0.89	6		AS	1A
0403	6	1	4245		COLTER BAY MAINTENANCE AREA ROAD	FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.19 ON RIGHT	TO ROUTE 0965 (COLTER BAY MAINTENANCE YARD)	NORTH DISTRICT	0.11	0.00	0.11	6		AS	1A
0408	6	1	36420		MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.52 ON RIGHT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) TO MP 0.68 ON RIGHT AND ROUTE 0100ZZ (MOOSE/WILSON ROADS)	SOUTH DISTRICT	0.49	0.00	0.49	5		AS	4A
0409	NC		4328		4 LAZY F RANCH ROAD	FROM ROUTE 0400ZZ (MOOSE RESIDENCE AREA ROADS) AT MP 0.14 ON RIGHT	TO RANCH	SOUTH DISTRICT	0.00	0.75	0.75	6		GR	
0411	NC		31652		LEEKS MARINA SERVICE ROAD	FROM ROUTE 0970 (LEEKS MARINA BOAT TRAILER PARKING)	TO END OF LOOP	NORTH DISTRICT	0.00	0.25	0.25	6		GR	
0412	NC		31653		LEEKS MARINA TWO TRACK ROAD	FROM ROUTE 0411 (LEEKS MARINA SERVICE ROAD)	TO END	NORTH DISTRICT	0.00	0.03	0.03	6		GR	

Page 9 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017 (1

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessio	Route Name	Route Desc From	ription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Functior Class	Area (SQ FT)	Surf. Type	Area Map
0413	NC		30028		COLTER BAY LAGOON ACCESS ROAD	FROM ROUTE 0255ZZ (COLTER BAY CONCESSION TENT VILLAGE AREA ROADS) AT MP 0.33 ON RIGHT	TO LAGOONS	NORTH DISTRICT	0.00	0.30	0.30	6		GR	
0414	6	1	35808		A.M.K. RANCH ROAD	FROM ROUTE 0115 (LEEKS MARINA ACCESS ROAD) AT MP 0.53	TO ROUTE 0414 (A.M.K. RANCH ROAD) AT MP 1.06 ON LEFT	NORTH DISTRICT	1.13	0.00	1.13	5		AS	1
0415ZZ	6	1	35800		COLTER BAY CONCESSION EMPLOYEE ROADS	FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.49 ON RIGHT	TO END	NORTH DISTRICT	0.47	0.00	0.47	6		AS	1A
0416	NC		31547		SNAKE RIVER LAND / BUFFALO DORMITORY ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.21 ON LEFT	TO END OF LOOP	NORTH DISTRICT	0.00	0.15	0.15	5		GR	
0417	NC		31 <i>5</i> 08		MORAN PUMP HOUSE ROAD	FROM ROUTE 0416 (SNAKE RIVER LAND / BUFFALO DORMITORY ROAD)	TO PUMPHOUSE	NORTH DISTRICT	0.00	0.18	0.18	6		GR	
0418	NC		30966		LUCAS FABIAN ACCESS ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 5.28 ON LEFT	TO END	SOUTH DISTRICT	0.00	0.34	0.34	6		GR	
0419	NC		36743		TAGGART LAKE SERVICE ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.66 ON LEFT	TO CORRAL	SOUTH DISTRICT	0.00	0.25	0.25	6		GR	
0420	NC		36749		TAGGART PUMPHOUSE ROAD	FROM ROUTE 0419 (TAGGART LAKE SERVICE ROAD)	TO PUMPHOUSE	SOUTH DISTRICT	0.00	0.20	0.20	6		GR	
0421	NC		31127		LUPINE RESIDENTIAL ROAD (EAST)	FROM ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD) AT MP 0.13 ON LEFT	TO RESIDENCES	SOUTH DISTRICT	0.00	0.16	0.16	5		GR	
0422	NC		31128		LUPINE RESIDENTIAL ROAD (WEST)	FROM ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD)	TO RESIDENCES	SOUTH DISTRICT	0.00	0.20	0.20	5		GR	

Page 10 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
			-	DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

		7		ы		ROAD INVENTORY (1	100 SERIES FMSS	LOCATIONS)				nal			
Route	ile lected	lteration Collected	FMSS	Icessi		Route Des	cription	Maintenance		Unpaved	Total Mileage	nctio ISS	Area		Area
No.	δõ	Col Col	Number	ŝ	Route Name	From	То	District	Miles	Miles	Mileage	5 S	(SQ FT)	Туре	Мар
0423	NC		36731		South landing lagoon Road	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 16.52 ON LEFT	TO LAGOON	NORTH DISTRICT	0.00	0.15	0.15	6		GR	
0424	NC		36604		SIGNAL MOUNTAIN RESERVOIR ROAD	FROM ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD) AT MP 1.20 ON LEFT	to reservoir	NORTH DISTRICT	0.00	0.12	0.12	6		GR	
0425	NC		4329		JENNY LAKE CONCESSION BOAT DOCK ROAD	FROM ROUTE 0226 (SOUTH JENNY LAKE BOAT RAMP ROAD)	TO END	SOUTH DISTRICT	0.00	0.20	0.20	5		GR	
0426	NC		4249		BEAVER CREEK MAINTENANCE ROAD	FROM ROUTE 0922 (BEAVER CREEK MAINTENANCE YARD)	TO END OF LOOP	SOUTH DISTRICT	0.00	0.25	0.25	6		GR	
0427	NC		36139		GROS VENTRE CAMPGROUND RESIDENTIAL SPUR	FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS)	TO END	SOUTH DISTRICT	0.00	0.15	0.15	5		GR	
0428	6	1	4288		HUNTER RANCH ROAD	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 2.46 ON RIGHT	TO END OF LOOP	SOUTH DISTRICT	1.69	0.00	1.69	6		AS	4
0430	NC		35857		BLACKTAIL STORAGE AREA ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 4.08 ON RIGHT	TO STORAGE AREA	SOUTH DISTRICT	0.00	0.25	0.25	5		GR	
0431	NC		4301		ELK RANCH ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 25.12 ON RIGHT	to junction	SOUTH DISTRICT	0.00	4.85	4.85	5		GR	
0432	NC		4295		KELLY PIT ROAD	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 5.51 ON RIGHT	TO PIT	SOUTH DISTRICT	0.00	0.40	0.40	6		GR	
0433	NC		86441		NICHOL SPRINGS ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.04 ON LEFT	TO END	SOUTH DISTRICT	0.00	0.37	0.37	6		GR	
0434	NC		94446		WARM SPRINGS (TANKE) RESIDENCE ROAD	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.33 ON LEFT	TO END	SOUTH DISTRICT	0.00	0.40	0.40	6		GR	

Page 11 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017 (Numerical By Summary Route and Subcomponent #)

Federal Lands Highway Road Inventory Program

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV - Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)															
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessio	Route Name	Route Desc	ription To	Maintenance District	Paved Miles	Unpaved Miles	Total Mileage	Function Class	Area (SQ FT)	Surf. Type	Area Map
0435	NC		113737		RKO PIT ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 16.20 ON RIGHT	TO END	NORTH DISTRICT	0.00	0.30	0.30	6		GR	
0436	NC		113738		LIZARD CREEK PIT ROAD	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 17.45 ON RIGHT	TO END	NORTH DISTRICT	0.00	0.10	0.10	6		GR	
0438ZZ	6	1	115383		SIGNAL MOUNTAIN CONCESSION CABIN LOOPS	FROM END OF ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)	TO END OF LOOP	NORTH DISTRICT	0.28	0.00	0.28	3		AS	2B
0439	6	1	115384		SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.22 ON RIGHT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.24 ON RIGHT	NORTH DISTRICT	0.12	0.00	0.12	6		AS	2В
0440	NC		115385		WAGON ROAD	FROM ROUTE 0413 (COLTER BAY LAGOON ACCESS ROAD)	TO JACKSON LAKE LODGE	NORTH DISTRICT	0.00	5.60	5.60	6		GR	
0441	6	1	115386		JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.41 ON RIGHT	TO DEAD END	NORTH DISTRICT	0.11	0.00	0.11	6		AS	2A
0442	NC		115387		MCCOLLISTER RESIDENCE ROAD	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 2.97 ON LEFT	TO END	SOUTH DISTRICT	0.00	0.10	0.10	6		GR	
0443	NC		115388		REIMER/HULTMAN RESIDENCE ROAD	FROM ROUTE 0101 (ANTELOPE FLATS ROAD) AT MP 0.17 ON RIGHT	TO END	SOUTH DISTRICT	0.00	0.10	0.10	6		GR	
0444	6	1	115389		JENNY LAKE LODGE EMPLOYEE HOUSING ROAD	FROM ROUTE 0260ZZ (JENNY LAKE LODGE CABIN ROADS) AT MP 0.19 ON LEFT	TO END OF PAVEMENT	SOUTH DISTRICT	0.05	0.04	0.08	6		AS	3A
0445	NC		115390		JENNY LAKE PUMPHOUSE ROAD	FROM ROUTE 0260ZZ (JENNY LAKE LODGE CABIN ROADS)	TO ROUTE 0444 (JENNY LAKE LODGE EMPLOYEE HOUSING ROAD) (UNPAVED SECTION)	SOUTH DISTRICT	0.00	0.45	0.45	5		GR	

Page 12 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017 (Numerical By Summary Route and Subcomponent #)

Federal Lands Highway Road Inventory Program

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
onduring color key	Yellow = Unpaved Routes, DCV not Driven	,	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

	ROAD INVENTORY (1100 SERIES FMSS LOCATIONS)														
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessi	Route Name	Route Dese From	cription To	Maintenance District	Paved Miles	Unpaved Miles			Area (SQ FT)	Surf. Type	Area Map
0446	NC		237578		ASPEN RIDGE ROAD	FROM ROUTE 0428 (HUNTER RANCH ROAD)	TO END	SOUTH DISTRICT	0.00	0.07	0.07	6		GR	
0500	6	1	31647		JENNY LAKE LOOP ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 10.81 ON LEFT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 8.51 ON LEFT	SOUTH DISTRICT	3.99	0.00	3.99	2		AS	3,3A

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)										
Route No.	Cycle Collected	lteration Collected	FMSS Number		Route De	escription To	Maintenance District	Access Level	Area (SQ FT)	Surf. Type	Area Map
0900	6	1	36018	GRAND TETON NATIONAL PARK SOUTH BOUNDARY PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.57 ON RIGHT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.64 ON RIGHT	SOUTH DISTRICT	PUBLIC	25,417	AS	4
0901	6	1	36510	GROS VENTRE RIVER PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 1.70 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 1.81 ON LEFT	SOUTH DISTRICT	PUBLIC	17,054	AS	4
0902	6	1	36511	SLEEPING INDIAN PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 5.28 ON RIGHT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 5.36 ON RIGHT	SOUTH DISTRICT	PUBLIC	19,244	AS	4
0903	6	1	36412	MEADOW ROAD PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.11 ON LEFT	TO MEADOW ROAD	SOUTH DISTRICT	PUBLIC	16,450	AS	4
0904	6	1	36517	ALBRIGHT VIEW PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.68 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.75 ON LEFT	SOUTH DISTRICT	PUBLIC	19,703	AS	4
0905	6	1	30968	PRACTICE ROCKS PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 8.88 ON RIGHT	TO PARKING	SOUTH DISTRICT	PUBLIC	14,684	AS	4
0906ZZ	6	1	35859	BLACKTAIL PONDS OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) ON LEFT AND RIGHT		SOUTH DISTRICT	PUBLIC	5,198	AS	4
0907	6	1	36010	GLACIER VIEW PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 11.33 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 11.43 ON LEFT	SOUTH DISTRICT	PUBLIC	25,218	AS	4

Page 13 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas]
			-	DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)											
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concessio	Route Name	Route Description From To		Maintenance District	Access Level	Area (SQ FT)	Surf. Type	Area Map
0908	6	1	36772		TETON POINT PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 13.34 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 13.45 ON LEFT	SOUTH DISTRICT	PUBLIC	26,652	AS	2
0909	6	1	4318		SNAKE RIVER OVERLOOK PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 16.43 ON LEFT	TO END OF PARKING LOOP	SOUTH DISTRICT	PUBLIC	54,083	AS	2
0910	6	1	35916		CUNNINGHAM CABIN PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 20.43 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 20.53 ON LEFT	NORTH DISTRICT	PUBLIC	42,992	AS	2
0911	6	1	35856		BAR FLYING U PARKING	ADJACENT TO END OF ROUTE 0216 (CUNNINGHAM CABIN ACCESS ROAD) ON LEFT		NORTH DISTRICT	PUBLIC	3,372	AS	2
0912	6	1	4246		MOOSE ADMINISTRATION AND POST OFFICE PARKING	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.03	TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.46	SOUTH DISTRICT	PUBLIC	47,779	AS	4A
0913	6	1	10314		MOOSE HEADQUARTERS PARKING	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.38 ON LEFT	THROUGH MAINTENANCE YARD AND PARKING	SOUTH DISTRICT	NONPUBLIC	120,755	AS	4A
0914	6	1	36422		MOOSE BOAT TRAILER PARKING	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.23 ON RIGHT	TO ROUTE 1008 (WESTERN CENTER FOR HISTORIC PRESERVATION PARKING)	SOUTH DISTRICT	NONPUBLIC	14,848	AS	4A
0915ZZ	6	1	29669		MOOSE OVERFLOW PARKING AREAS	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) ON LEFT AND RIGHT	TO PARKING	SOUTH DISTRICT	PUBLIC	24,397	AS	4A
0918	6	1	30137		MOOSE ENTRANCE STATION TURNAROUND AND PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 1.01 ON RIGHT	TO PARKING	SOUTH DISTRICT	PUBLIC	9,392	AS	4A
0919	6	1	35914		CHAPEL OF TRANSFIGURATION PARKING	FROM ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD) AT MP 0.51 ON RIGHT	TO ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD) AT MP 0.53 ON RIGHT	SOUTH DISTRICT	PUBLIC	33,326	AS	4A
0920	6	1	36788		WINDY POINT PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.19 ON RIGHT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.19 ON RIGHT	SOUTH DISTRICT	PUBLIC	19,037	AS	4

Page 14 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
			-	DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)										
Route	le ected	lteration Collected	FMSS	cession	Route De	escription	Maintenance	Access	Area	Surf.	Area
No.	о С С С	ltero Coll	Number	ະ Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
0921	6	1	36559	BEAVER CREEK #10 PARKING	ADJACENT TO ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) AT MP 0.63 ON LEFT		SOUTH DISTRICT	NONPUBLIC	6,036	AS	4
0922	6	1	30510	BEAVER CREEK MAINTENANCE YARD	FROM ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) AT MP 0.22 ON RIGHT	TO ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS)	SOUTH DISTRICT	NONPUBLIC	14,424	AS	4
0923	6	1	36745	TAGGART LAKE TRAILHEAD PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.40 ON LEFT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.45 ON LEFT	SOUTH DISTRICT	PUBLIC	36,909	AS	4
0924	6	1	35915	COTTONWOOD CREEK PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.75 ON RIGHT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.79 ON RIGHT	SOUTH DISTRICT	PUBLIC	12,235	AS	4
0926	6	1	36767	TETON GLACIER PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 4.95 ON LEFT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 5.02 ON LEFT	SOUTH DISTRICT	PUBLIC	25,531	AS	3
0929	6	1	4342	SOUTH JENNY LAKE PARKING	FROM END OF ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)	TO PARKING	SOUTH DISTRICT	PUBLIC	77,709	AS	ЗВ
0930	6	1	6546	JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING	FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.28 ON RIGHT	TO ROUTE 0205ZZ (JENNY LAKE CAMPGROUND ROADS)	SOUTH DISTRICT	PUBLIC	105,412	AS	ЗВ
0931	6	1	35893	CASCADE CANYON PARKING AREA	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 9.42 ON LEFT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 9.49 ON LEFT	SOUTH DISTRICT	PUBLIC	24,812	AS	3
0933	6	1	35911	CATHEDRAL GROUP PARKING	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 0.76 ON RIGHT	TO ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 0.82 ON RIGHT	SOUTH DISTRICT	PUBLIC	19,798	AS	3
0934	6	1	11288	JENNY LAKE OVERLOOK PARKING	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 2.96 ON RIGHT	TO ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 2.99 ON RIGHT	SOUTH DISTRICT	PUBLIC	13,400	AS	3
0935ZZ	6	1	4344	LEIGH LAKE TRAILHEAD PARKING AREAS	FROM ROUTE 0110 (STRING LAKE ROAD) ON LEFT	THROUGH PARKING TO ROUTE 0110 (STRING LAKE ROAD)	SOUTH DISTRICT	PUBLIC	64,822	AS	3A
0936	6	1	4346	STRING LAKE CANOE LAUNCH PARKING	FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.21 ON LEFT	TO PARKING	SOUTH DISTRICT	PUBLIC	35,272	AS	3A
0937	6	1	36742	STRING LAKE TRAILHEAD PARKING	FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.04 ON LEFT	TO ROUTE 0110 (STRING LAKE ROAD) AT MP 0.11 ON LEFT	SOUTH DISTRICT	PUBLIC	23,359	AS	3A

Page 15 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)											
Route	Cycle Collected	ation llected	FMSS	ncessio		Route De	scription	Maintenance	Access	Area	Surf.	Area
No.	ပ်ပိ	ŝ	Number	ů	Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
0938	6	1	4294		MOUNTAIN VIEW PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 11.19 ON LEFT	TO PARKING	SOUTH DISTRICT	PUBLIC	22,631	AS	3
0939	6	1	35872		BURNED RIDGE PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 13.50 ON RIGHT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 13.55 ON RIGHT	SOUTH DISTRICT	PUBLIC	15,321	AS	2
0940	6	1	36041		MT. MORAN PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 14.50 ON LEFT	TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) ON LEFT	NORTH DISTRICT	PUBLIC	20,882	AS	2
0941	6	1	36551		POTHOLES PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 15.17 ON RIGHT	TO END OF PARKING LOOP	NORTH DISTRICT	PUBLIC	21,424	AS	2
0942	6	1	36591		SIGNAL MOUNTAIN BOAT TRAILER PARKING	FROM ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD) AT MP 0.03 ON LEFT	TO PARKING	NORTH DISTRICT	PUBLIC	20,203	AS	2
0943	6	1	36248		JACKSON POINT OVERLOOK PARKING	FROM ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD) AT MP 3.99 ON LEFT		NORTH DISTRICT	PUBLIC	2,028	AS	2
0944	6	1	36593		SIGNAL MOUNTAIN SUMMIT OVERLOOK PARKING	FROM END OF ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD)	TO PARKING	NORTH DISTRICT	PUBLIC	10,323	AS	2
0945	6	1	36601		SIGNAL MOUNTAIN RANGER STATION PARKING	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.05 ON RIGHT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.08 ON RIGHT	NORTH DISTRICT	PUBLIC	7,117	AS	2B
0946	6	1	36597		SIGNAL MOUNTAIN DUMP STATION	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.05 ON LEFT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.09 ON LEFT	NORTH DISTRICT	PUBLIC	4,649	AS	2B
0947	6	1	36781		SIGNAL MOUNTAIN TRAILER STORAGE PARKING	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.37 ON RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	37,989	AS	2B
0948ZZ	6	1	36398		SIGNAL MOUNTAIN MARINA ACCESS PARKING AREAS	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON LEFT AND RIGHT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.60 ON LEFT	NORTH DISTRICT	PUBLIC	8,382	AS	2B
0949	6	1	4355		CHAPEL OF THE SACRED HEART PICNIC AREA	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 18.43 ON LEFT	TO PICNIC AREA	NORTH DISTRICT	PUBLIC	27,311	AS	2

Page 16 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)											
Route No.	Cycle Collected	lteration Collected	FMSS Number	Concession	Route Name	Route De	Route Description From To		Access Level	Area (SQ FT)	Surf. Type	Area Map
0950	6	1	36255		CATHOLIC BAY TURNOUT PARKING	ADJACENT TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 18.93 ON LEFT		NORTH DISTRICT	PUBLIC	9,064	AS	2
0951	6	1	35855		JACKSON DAM PARKING (WEST)	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.54 ON LEFT	TO PARKING	NORTH DISTRICT	PUBLIC	31,618	AS	2
0952	6	1	4357		JACKSON DAM PARKING (EAST)	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.55 ON RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	7,820	AS	2
0953ZZ	6	1	31535		MORAN DEVELOPMENT PARKING AREAS	FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) ON LEFT AND RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	35,950	AS	2C
0954	6	1	31546		MORAN RANGER STATION PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.20 ON RIGHT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 0.24 ON RIGHT	NORTH DISTRICT	PUBLIC	7,585	AS	2C
0955	6	1	36487		PACIFIC CREEK LANDING AND PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.47 ON LEFT	TO LANDING	NORTH DISTRICT	PUBLIC	25,175	AS	2C
0956	6	1	4348		UPPER OXBOW PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 2.40 ON LEFT	TO PARKING	NORTH DISTRICT	PUBLIC	18,690	AS	2
0957	6	1	00001626		OXBOW BEND PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 2.79 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 2.84 ON LEFT	NORTH DISTRICT	PUBLIC	11,473	AS	2
0958	6	1	36256		LOWER WILLOW FLATS TURNOUT PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 4.26 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 4.28 ON LEFT	NORTH DISTRICT	PUBLIC	6,813	AS	2A
0959	6	1	36787		WILLOW FLATS OVERLOOK PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 4.49 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 4.60 ON LEFT	NORTH DISTRICT	PUBLIC	28,007	AS	2A
0965	6	1	29999		COLTER BAY MAINTENANCE YARD	FROM END OF ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD)	THROUGH MAINTENANCE YARD	NORTH DISTRICT	NONPUBLIC	80,465	AS	1A
0966	6	1	37776		COLTER BAY RESIDENCE PARKING	ADJACENT TO ROUTE 0402ZZ (COLTER BAY RESIDENCE AREA ROADS) AT MP 0.5 ON LEFT		NORTH DISTRICT	NONPUBLIC	2,629	AS	1A
0967ZZ	6	1	35802		COLTER BAY CAMPGROUND OFFICE PARKING AREAS	FROM ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS)	TO PARKING	NORTH DISTRICT	PUBLIC	12,129	AS	1A

Page 17 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas]
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

				_	PAR	KING AREA INVENTORY (1	300 SERIES FMSS LOCATIO	NS)				
Route	le lected	ation lected	FMSS	Icession		Route De	scription	Maintenance	Access	Area	Surf.	Area
No.	δõ	ltera Collo	Number	ŝ	Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
0968	6	1	30025		COLTER BAY VISITOR CENTER LOOP PARKING	FROM INTERSECTION OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD), ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS) AND ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS)	TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) AND ROUTE 0235ZZ (COLTER BAY BOAT LAUNCH ROADS)	NORTH DISTRICT	PUBLIC	326,498	AS	1A
0969ZZ	6	1	30027		COLTER BAY PICINIC PARKING AREAS	ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) ON LEFT AND RIGHT SIDES		NORTH DISTRICT	PUBLIC	16,189	AS	1A
0970	6	1	4341		LEEKS MARINA BOAT TRAILER PARKING	FROM ROUTE 0414 (A.M.K. RANCH ROAD) AT MP 0.02 ON LEFT	TO ROUTE 0115 (LEEKS MARINA ACCESS ROAD) AT MP 0.61 ON RIGHT	NORTH DISTRICT	PUBLIC	37,349	AS	1
0971	6	1	31651		LEEKS MARINA PARKING	FROM END OF ROUTE 0115 (LEEKS MARINA ACCESS ROAD)	TO PARKING AND MARINA BOAT LAUNCH	NORTH DISTRICT	PUBLIC	24,821	AS	1
0973	6	1	36529		SARGENT BAY PICNIC AREA PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 11.42 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD)	NORTH DISTRICT	PUBLIC	15,024	AS	1
0974	6	1	36530		ARIZONA ISLAND PICNIC AREA PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 13.74 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD)	NORTH DISTRICT	PUBLIC	11,532	AS	1
0977	6	1	11217		NORTH BOUNDARY PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 20.39 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MO 20.43 ON LEFT	NORTH DISTRICT	PUBLIC	9,059	AS	1
0983	6	1	36146		GROS VENTRE CAMPGROUND OFFICE PARKING	FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.29 ON RIGHT	TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.33 ON RIGHT	SOUTH DISTRICT	PUBLIC	9,457	AS	4
0984	6	1	36124		GROS VENTRE CAMPGROUND DUMP STATION	FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.28 ON LEFT	TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.32 ON LEFT	SOUTH DISTRICT	PUBLIC	7,949	AS	4
0985	6	1	36117		GROS VENTRE CAMPGROUND AMPHITHEATER PARKING	FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.17 ON LEFT	TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.30 ON LEFT	SOUTH DISTRICT	PUBLIC	40,643	AS	4

Page 18 of 24

Cycle 6 NPS / RIP Route ID Report

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)											
Route	cle llected	lteration Collected	FMSS	ncessio		Route De	scription	Maintenance District	Access Level	Area (SQ FT)	Surf. Type	Area Map
No.	ວິວິ	≗°	Number	ပိ	Route Name	From	То	Disinci	Level	(3971)	Type	Map
0986	6	1	31650		JENNY LAKE CAMPGROUND PARKING	ADJACENT TO ROUTE 0205ZZ (JENNY LAKE CAMPGROUND ROADS) AT MP 0.13 ON RIGHT		SOUTH DISTRICT	PUBLIC	2,001	AS	3B
0987	NC		36067		GRANITE CANYON TRAILHEAD PARKING	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) UNPAVED SECTION	TO PARKING	SOUTH DISTRICT	PUBLIC	10,500	GR	
0988	NC		36567		SAWMILL PONDS PARKING	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 1.23 ON LEFT	TO PARKING	SOUTH DISTRICT	PUBLIC	11,340	GR	
0989	NC		36316		KELLY WARM SPRING PARKING	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 6.82 ON RIGHT	TO ROUTE 0104 (GROS VENTRE ROAD) AT MP 6.84 ON RIGHT	SOUTH DISTRICT	PUBLIC	12,500	GR	
0990	NC		36761		TETON FOREST ACCESS ROAD PARKING	FROM END OF ROUTE 0102 (TETON FOREST ACCESS ROAD)	TO PARKING	SOUTH DISTRICT	PUBLIC	4,900	GR	
0991	NC		36569		SCHWABACHER LANDING PARKING	FROM ROUTE 0231 (SCHWABACHER LANDING ROAD)	TO PARKING	SOUTH DISTRICT	PUBLIC	6,300	GR	
0992ZZ	6	1	35919		DEADMANS BAR PARKING AREAS	ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON RIGHT AND LEFT		SOUTH DISTRICT	PUBLIC	13,063	AS	2
0993	NC		30954		HIGHLANDS RESIDENTIAL PARKING	FROM ROUTE 0209 (CLIMBERS RANCH ROAD) AT MP 0.18 ON LEFT	TO PARKING	SOUTH DISTRICT	PUBLIC	12,690	GR	
0994	NC		31130		LUPINE MEADOWS TRAILHEAD PARKING	FROM END OF ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD)	TO PARKING	SOUTH DISTRICT	PUBLIC	43,470	GR	
0995	NC		36733		SOUTH LANDING TRAILHEAD PARKING	FROM ROUTE 0423 (SOUTH LANDING LAGOON ROAD)	TO PARKING	NORTH DISTRICT	PUBLIC	2,914	GR	
0996	NC		35913		CHAPEL OF SACRED HEART PARKING	FROM ROUTE 0949 (CHAPEL OF THE SACRED HEART PICNIC AREA)	TO PARKING	NORTH DISTRICT	PUBLIC	21,000	GR	
0997	NC		35853		JACKSON DAM PICNIC PARKING	FROM ROUTE 0212 (JACKSON LAKE DAM FISHING ACCESS ROAD) AT MP 0.08 ON RIGHT	TO ROUTE 0212 (JACKSON LAKE DAM FISHING ACCESS ROAD) AT MP 0.14 ON RIGHT	NORTH DISTRICT	PUBLIC	21,218	GR	
0998	NC		35854		JACKSON LAKE DAM FISHING ACCESS PARKING	FROM END OF ROUTE 0212 (JACKSON LAKE DAM FISHING ACCESS ROAD)	TO PARKING	NORTH DISTRICT	PUBLIC	15,000	GR	

Page 19 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
			-	DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

	PARKING AREA INVENTORY (1300 SERIES FMSS LOCATIONS)											
Route	cle lected	ation lected	FMSS	Icessio		Route De	scription	Maintenance	Access	Area	Surf.	Area
No.		S Fer	Number	Ŝ	Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
0999	6	1	36626		WORMHOLE PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 20.52 ON RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	2,790	AS	2
1000	NC		36484		PACIFIC CREEK HUNT CAMP	FROM ROUTE 0114 (PACIFIC CREEK ROAD) AT MP 0.41 ON RIGHT	TO LARGE PARKING AREA CIRCLE	NORTH DISTRICT	PUBLIC	115,875	GR	
1001	NC		35912		CATTLEMANS BRIDGE PARKING	FROM END OF ROUTE 0236 (CATTLEMAN'S BRIDGE ROAD)	TO PARKING	NORTH DISTRICT	PUBLIC	8,064	GR	
1002	NC		35810		A.M.K. PARKING	FROM ROUTE 0414 (A.M.K. RANCH ROAD) AT MP 0.0.97 ON LEFT	TO PARKING	NORTH DISTRICT	PUBLIC	17,640	GR	
1003	NC		35849		LAKEVIEW PICNIC PARKING AREA	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 14.89 ON LEFT	TO END OF LOOP	NORTH DISTRICT	PUBLIC	13,260	GR	
1004	6	1	36784		SOUTH HUCKLEBERRY TURNOUT PARKING	ADJACENT TO ROUTE 0013 (NORTH PARK ROAD) AT MP 18.43 ON RIGHT		NORTH DISTRICT	PUBLIC	5,586	AS	1
1005	NC		36415		MOOSE EQUIPMENT STORAGE PARKING	FROM ROUTE 0913 (MOOSE HEADQUARTERS PARKING)	TO PARKING	SOUTH DISTRICT	NONPUBLIC	10,843	GR	
1006	6	1	62097		SIGNAL MOUNTAIN LODGE MAIN PARKING	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.03 ON RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	69,925	AS	2В
1007ZZ	6	1	113735		CRAIG THOMAS DISCOVER VISITOR CENTER PARKING AREAS	FROM ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.04 ON RIGHT	TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)	SOUTH DISTRICT	NONPUBLIC	82,885	AS	4A
1008	6	1	115392		WESTERN CENTER FOR HISTORIC PRESERVATION PARKING	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.25 ON RIGHT	TO PARKING	SOUTH DISTRICT	NONPUBLIC	16,569	AS	4A
1009	NC		110769		LSR LOOP PARKING	FROM ROUTE 0253 (LSR ENTRANCE ROAD)	TO PARKING	SOUTH DISTRICT	PUBLIC	6,300	GR	
1010	6	1	115393		COLTER BAY CONCESSION STORE AND GAS STATION PARKING	FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.04 ON LEFT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 9.48 ON LEFT	NORTH DISTRICT	PUBLIC	24,890	AS	1A
1011	6	1	115394		JACKSON LAKE LODGE PARKING	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.25 ON LEFT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.48 ON LEFT	NORTH DISTRICT	PUBLIC	112,363	AS	2A

Page 20 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	1
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

				-	PAR	KING AREA INVENTORY (1	300 SERIES FMSS LOCATIO	NS)				
Route	Cycle Collected	rtion ected	FMSS	cession		Route De	scription	Maintenance	Access	Area	Surf.	Area
No.	C C C	lterc Coll	Number	Con	Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
1012	NC		115395		TETON SCIENCE SCHOOL PARKING	FROM ROUTE 0108ZZ (TETON SCIENCE SCHOOL ROADS) AT MP 1.687 ON LEFT		SOUTH DISTRICT	PUBLIC	20,000	GR	
1013	6	1	115396		ELK RANCH FLATS PARKING	FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 23.54 ON LEFT	TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 23.60 ON LEFT	NORTH DISTRICT	PUBLIC	20,346	AS	2
1019	6	1	115397		SIGNAL MOUNTAIN CONCESSION ADMINISTRATIVE PARKING	FROM ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)	TO PARKING	NORTH DISTRICT	NONPUBLIC	13,771	AS	2В
1020	6	1	115398		BRINKERHOFF PARKING	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.10 ON LEFT	TO PARKING	NORTH DISTRICT	NONPUBLIC	3,702	AS	2
1021	6	1	115399		GRANITE ENTRANCE STATION PARKING	FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 0.74 ON LEFT	TO ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 0.78 ON LEFT	SOUTH DISTRICT	NONPUBLIC	4,305	AS	4
1022	6	1	115400		MORAN ENTRANCE STATION PARKING	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.33 ON RIGHT	TO ROUTE 0013 (NORTH PARK ROAD) AT MP 0.40 ON RIGHT	NORTH DISTRICT	PUBLIC	30,203	AS	2C
1023	6	1	115401		EAST BOUNDARY PARKING	ADJACENT TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 27.98 ON LEFT		NORTH DISTRICT	PUBLIC	8,378	AS	2
1024ZZ	6	1	115402		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING AREAS	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP ON LEFT AND RIGHT		NORTH DISTRICT	NONPUBLIC	14,958	AS	2B
1025ZZ	6	1	115403		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING AREAS	ADJACENT TO ROUTE 0438ZZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOPS) ON LEFT AND RIGHT		NORTH DISTRICT	PUBLIC	16,473	AS	2В
1026	6	1	115404		JENNY LAKE LODGE CABIN PARKING	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 1.72 ON LEFT	TO ROUTE 0260ZZ (JENNY LAKE LODGE CABIN ROADS)	SOUTH DISTRICT	PUBLIC	10,049	AS	3A
1028	6	1	115405		JACKSON LAKE LODGE CLINIC AND SERVICE STATION PARKING	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.57 ON RIGHT	TO PARKING	NORTH DISTRICT	PUBLIC	45,267	AS	2A
1029ZZ	6	1	115406		COLTER BAY CONCESSION CABIN PARKING AREAS	ADJACENT TO ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS) ON LEFT AND RIGHT		NORTH DISTRICT	PUBLIC	70,152	AS	1A

Page 21 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
				DCV = Data Collection Vehicle

Red text denotes:

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

				c	PAR	KING AREA INVENTORY (1	300 SERIES FMSS LOCATIO	ONS)				
Route	Cycle Collected	rtion ected	FMSS	cession		Route De	escription	Maintenance	Access	Area	Surf.	Area
No.	v S S	lterc Coll	Number	Con	Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
1030	6	1	115407		COLTER BAY SERVICE STATION	FROM ROUTE 0415ZZ (COLTER BAY CONCESSION EMPLOYEE ROADS) AT MP 0.03 ON LEFT	TO PARKING	NORTH DISTRICT	PUBLIC	19,766	AS	1A
1031	6	1	115408		COLTER BAY CONCESSION EMPLOYEE PARKING	FROM ROUTE 0415ZZ (COLTER BAY CONCESSION EMPLOYEE ROADS) AT MP 0.09 ON RIGHT	TO PARKING	NORTH DISTRICT	NONPUBLIC	29,447	AS	1A
1032ZZ	6	1	115409		COLTER BAY DORM PARKING AREAS	ADJACENT TO ROUTE 0402ZZ (COLTER BAY RESIDENCE AREA ROADS) ON LEFT AND RIGHT		NORTH DISTRICT	NONPUBLIC	8,845	AS	1A
1033ZZ	6	1	115410		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING AREAS	ADJACENT TO ROUTE 0258ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH) ON LEFT AND RIGHT		NORTH DISTRICT	PUBLIC	30,966	AS	2A
1034ZZ	6	1	115411		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING AREAS	ADJACENT TO ROUTE 0259ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH) ON LEFT AND RIGHT		NORTH DISTRICT	PUBLIC	49,009	AS	2A
1035ZZ	6	1	237579		BEAVER CREEK SEASONAL HOUSING PARKING	FROM ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) ON RIGHT	TO PARKING	SOUTH DISTRICT	NONPUBLIC	23,161	AS	4
1036	6	1	237581		JACKSON LAKE LODGE LOADING DOCK	FROM ROUTE 0441 (JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD) AT MP 0.04 ON RIGHT	TO PARKING	NORTH DISTRICT	NONPUBLIC	12,712	AS	2A
1037ZZ	6	1	237583		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING	FROM ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT	TO PARKING	NORTH DISTRICT	NONPUBLIC	46,438	AS	2A
1038ZZ	6	1	237584		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING	ADJACENT TO ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT		NORTH DISTRICT	NONPUBLIC	11,977	AS	2A
1039ZZ	6	1	237451		COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING	ADJACENT TO ROUTE 0255ZZ (COLTER BAY CONCESSION TENT VILLAGE AREA ROADS) ON LEFT AND RIGHT		NORTH DISTRICT	PUBLIC	6,566	AS	1A

Page 22 of 24 Report Date: 0		Cycle 6 NPS / RIP Rout (Numerical By Summary Route and St	Federal Lands Highway Road Inventory Program		
Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route	
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas		
	Red text denotes: *Unpaved route data was obtained from	om the NPS and was not collected by the Road Inventory Program (RIP).		DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected	

			PAR	KING AREA INVENTORY (1300 SERIES FMSS LOCATIO	DNS)				
Route	le lected ation lected	FMSS	cession	Route De	escription	Maintenance	Access	Area	Surf.	Area
No.	C C C C C C C C C C C C C C C C C C C	Number	S Route Name	From	То	District	Level	(SQ FT)	Туре	Мар
1040	NC	247606	MOOSE OVERFLOW PARKING	ADJACENT TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) ON LEFT		SOUTH DISTRICT	PUBLIC		GR	

Page 23 of 24 Report Date: 0		Cycle 6 NPS / RIP Rou (Numerical By Summary Route and S	•	Federal Lands Highway Road Inventory Program
Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained fro	m the NPS and was not collected by the Road	Inventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

Cycle 6 Summary Totals for Grand Teton National Park

Cycle 6 Route Totals									
	NPS Maintained	Concessionaire Maintained	Park Totals						
Paved Roads, Data Collection Vehicle Rated (Miles)	1 20.47	20.50	140.97						
Paved Roads, Manually Rated Length (Miles)	1.69	0.11	1.81						
Paved Roads, Manually Rated Area (Sq. Ft.)	0	0	0						
Unpaved Roads (Miles)	72.59	3.03	75.61						
Paved Parking (Sq. Ft.)	2,129,114	650,968	2,780,082						
Unpaved Parking (Sq. Ft.)	353,814	0	353,814						

Cycle 6 Lane Miles and Overall Pavement Condition									
LanesPavementMiles*Condition Rating**									
Data Collection Vehicle Routes	327.04	94							
Manually Rated Roads	2.35	33							
Parking Areas	47.87	85							

* Equivalent Lane Miles are calculated by route using the following equations: - DCV and MRLs = (PAVE_WIDTH x PAVED_MI) / 11 foot lane **Parking and Manually Rated Routes are assigned the following PCR values based on the type of observed distresses:

- MRPs and PKGs =

SQ_FEET / 5280 / 11 foot lane

-Excellent = 97 -Good = 90 -Fair = 73 -Poor = 53, 30, or 0 -Construction / Not Rated = -1 Page 24 of 24

Report Date: 05/19/2017

Cycle 6 NPS / RIP Route ID Report

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Non-NPS Routes	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:			DCV = Data Collection Vehicle

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

General Park Road Function	al Classification (FC) Table
-----------------------------------	------------------------------

FC	Туре	User Access	Description	Route Numbers	Surface Types
1	Principal Park Road Rural Parkway	Public	Roads which constitute the main access route, circulatory tour, or thoroughfare for park visitors. Rural Parkways (e.g. Natchez Trace) are numbered 0001 - 0009.	0001 - 0009 0010 - 0099	AS - Asphaltic Concrete Pavement BR - Brick or Pavers Road Bed
2	Connector Park Road	Public	Roads which provide access within a park to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, etc.	0100 - 0199	CB - Cobble Stone Road Bed
3	Special Purpose Park Road	Public	Roads which provide circulation within public areas, such as campgrounds, picnic areas, visitor center complexes, concessionaire facilities, etc. These roads generally serve low-speed traffic and are often designed for one-way circulation.	0200 - 0299	CO - Portland Cement Concrete Pavement GR - Gravel Road Bed
4	Primitive Park Road		Roads which provide circulation through remote areas and/or access to primitive campgrounds and undeveloped areas. These roads frequently have no minimum design standards and their use may be limited to specially equipped vehicles. Note: Functional Classes 3 and 4 have the same route numbers because, historically, they were numbered similarly.	0200 - 0299	NV - Native or Dirt Material Road Bed
5	Administrative Park Road		All public roads intended for access to administrative developments or structures such as park offices, employee quarters, or utility areas.	0400 - 0499	OT - Other Materials Road Bed
6	Administrative Park Road (Restricted Access)	Nonpublic	All roads normally closed to the public, including patrol roads, truck trails, and other similar roads. Note: Functional Classes 5 and 6 have the same route numbers because historically they were numbered similarly and often there is little distinction between these routes. For example, because utility areas and employee housing are often closed to the public, this restriction would result in classification of FC 6 rather than FC 5.	0400 - 0499	
7	Urban Parkway	Public	These facilities serve high volumes of park and non-park related traffic and are restricted, limited-access facilities in an urban area. This category of roads primarily encompasses the major parkways which serve as gateways to our nation's capital. Other major park roads or portions thereof, however, may be included in this category.	0001 - 0009	
8	City Street	Public	City streets are usually extensions of the adjoining street system that are owned and maintained by the National Park Service. The construction and/or reconstruction should conform with accepted local engineering practice and local conditions.	0600 - 0699	
N/A	Non-NPS Roads	Public	State, County, or City owned roads which border, traverse, or provide access to Park Facilities or Locations. Non-NPS roads are not assigned functional classes and are driven for GPS and Video Log only.	5000 - 5999	

A park road system contains those roads within or giving access to a park or other unit of the NPS which are administered by the NPS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a park road is not based on traffic volumes or design speed, but on the intended use or function of that road or route.

The historic route numbering system also included a 300 series for interpretive roads, and a 500 series for one-way roads. There are approximately 250 roads nationwide which are designated by the 300 and 500 series. The numbers for these roads will be maintained for reporting consistency. However, since these interpretive and one-way routes are not as clearly tied to a specific functional class, the 300 and 500 series will be discontinued for future use.

Page 1 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:			DCV = Data Collection Vehicle MRL = Manually Rated Line

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

ARL = Manually Rated Line

MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

	SUMMARY ROUTE INVENTORY FOR ROADS (1100 SERIES FMSS LOCATIONS)												
Route	FMSS Number	le ected	lteration Collected	cessio		Route Des	cription		Paved	Unpaved	Total	ss	Area
Number	Number	ο C C	lterc Coll	Con	Route Name	From	Το	FLTI	Miles	Miles	Total Mileage	Fun Cla	(SQ FT)
0100ZZ	4330	6	1		MOOSE/WILSON ROADS	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.68 ON LEFT	TO COUNTY ROAD 390 AT SOUTH PARK BOUNDARY	YES	5.65	1.38	7.03	2	
0108ZZ	36775	6	1		TETON SCIENCE SCHOOL ROADS	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 0.91 ON RIGHT	TO NORTH EAST BOUNDARY	YES	1.80	1.00	2.80	2	
0202ZZ	4298	6	1		GROS VENTRE CAMPGROUND ROADS	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 4.59 ON RIGHT	THROUGH CAMPGROUND	YES	4.39	0.00	4.39	3	
0205ZZ	4343	6	1		JENNY LAKE CAMPGROUND ROADS	FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.12 ON RIGHT	THROUGH 1-WAY CAMPGROUND LOOP	YES	0.94	0.00	0.94	3	
0211ZZ	4354	6	1		SIGNAL MOUNTAIN CAMPGROUND ACCESS ROADS	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT 0.09 ON RIGHT	THROUGH CAMPGROUND	YES	0.80	0.00	0.80	3	
0215ZZ	4243	6	1		COLTER BAY CAMPGROUND LOOPS AND ROADS	FROM END OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD)	THROUGH CAMPGROUND	YES	7.45	0.00	7.45	3	
0223ZZ	4312	6	1		LIZARD CREEK CAMPGROUND ROADS	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 17.44 ON LEFT	THROUGH CAMPGROUND	YES	0.95	0.00	0.95	3	
0235ZZ	30029	6	1		COLTER BAY BOAT LAUNCH ROADS	FROM ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	TO END	YES	0.55	0.40	0.95	3	
0254ZZ	115374	6	1		COLTER BAY CONCESSION CABIN AREA ROADS	FROM INTERSECTION OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD), ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS) AND ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	THROUGH CABIN AREA	YES	1.26	0.00	1.26	3	
0255ZZ	115375	6	1		COLTER BAY CONCESSION TENT VILLAGE AREA ROADS	FROM ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS) AT MP 0.12 ON LEFT	TO END OF LOOPS	YES	0.88	0.00	0.88	3	
0256ZZ	115376	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.17 ON RIGHT	THROUGH RESIDENCE AREA	NO	0.55	0.14	0.69	6	

Page 2 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:			DCV = Data Collection Vehicle MRL = Manually Rated Line

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

- MRP = Manually Rated Polygon
- PKG = Parking Areas NC = Not Collected

	SUMMARY ROUTE INVENTORY FOR ROADS (1100 SERIES FMSS LOCATIONS)												
Route	coute FMSS 9 9 9 9 9 9 9 0 Route Name From To		<u>م</u> .		Unpaved	Total Mileage	nction 155	Area					
Number	Number	δ̈́ο̈́	lter Col	Ŝ	Route Name	From	То	3	Miles	Miles	Mileage	Ξö	(SQ FT)
0258ZZ	115377	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.23 ON RIGHT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD)	YES	0.59	0.00	0.59	3	
0259ZZ	115378	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.43 ON RIGHT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.45 ON RIGHT	YES	0.54	0.00	0.54	3	
0260ZZ	115379	6	1		JENNY LAKE LODGE CABIN ROADS	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) ON LEFT	TO ROUTE 0500 (JENNY LAKE LOOP ROAD)	YES	0.58	0.00	0.58	3	
0267ZZ	247199	6	1		KELLY ROADS	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 7.01 ON RIGHT	THROUGH THE TOWN OF KELLY	YES	0.62	0.75	1.37	3	
0400ZZ	4247	6	1		MOOSE RESIDENCE AREA ROADS	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.32 ON RIGHT	TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.38 ON RIGHT	NO	1.22	0.00	1.22	6	
0401ZZ	30381	6	1		BEAVER CREEK RESIDENTIAL ROADS	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.90 ON LEFT	THROUGH RESIDENCE AREA	NO	1.01	0.00	1.01	6	
0402ZZ	4244	6	1		COLTER BAY RESIDENCE AREA ROADS	FROM ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD) AT MP 0.06	THROUGH RESIDENCE AREA	NO	0.89	0.00	0.89	6	
0415ZZ	35800	6	1		COLTER BAY CONCESSION EMPLOYEE ROADS	FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.49 ON RIGHT	TO END	NO	0.47	0.00	0.47	6	
0438ZZ	115383	6	1		SIGNAL MOUNTAIN CONCESSION CABIN	FROM END OF ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)	TO END OF LOOP	YES	0.28	0.00	0.28	3	

Page 3 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

	SUMMARY ROUTE INVENTORY FOR PARKING AREAS (1300 SERIES FMSS LOCATIONS)										
Route	FMSS	Cycle Collected	ation llected	ncessio		Route Desc	Route Description		User		
Number	Number	δõ	Col Her	Con	Route Name	From	То	ELTP –	Access	(SQ FT)	
0906ZZ	35859	6	1		BLACKTAIL PONDS OVERLOOK PARKING AREAS	ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) ON LEFT AND RIGHT		YES	PUBLIC	5,198	
0915ZZ	29669	6	1		MOOSE OVERFLOW PARKING AREAS	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) ON LEFT AND RIGHT	TO PARKING	YES	PUBLIC	24,397	
0935ZZ	4344	6	1		LEIGH LAKE TRAILHEAD PARKING AREAS	FROM ROUTE 0110 (STRING LAKE ROAD) ON LEFT	THROUGH PARKING TO ROUTE 0110 (STRING LAKE ROAD)	YES	PUBLIC	64,822	
0948ZZ	36398	6	1		SIGNAL MOUNTAIN MARINA ACCESS PARKING AREAS	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON LEFT AND RIGHT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.60 ON LEFT	YES	PUBLIC	8,382	
0953ZZ	31535	6	1		MORAN DEVELOPMENT PARKING AREAS	FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) ON LEFT AND RIGHT	TO PARKING	YES	PUBLIC	35,950	
0967ZZ	35802	6	1		COLTER BAY CAMPGROUND OFFICE PARKING AREAS	FROM ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS)	TO PARKING	YES	PUBLIC	12,129	
0969ZZ	30027	6	1		COLTER BAY PICINIC PARKING AREAS	ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) ON LEFT AND RIGHT SIDES		YES	PUBLIC	16,189	
0992ZZ	35919	6	1		DEADMANS BAR PARKING AREAS	ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON RIGHT AND LEFT		YES	PUBLIC	13,063	
1007ZZ	113735	6	1		CRAIG THOMAS DISCOVER VISITOR CENTER PARKING AREAS	FROM ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.04 ON RIGHT	TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)	NO	NONPUBLIC	82,885	
1024ZZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING AREAS	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP ON LEFT AND RIGHT		NO	NONPUBLIC	14,958	
1025ZZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING AREAS	ADJACENT TO ROUTE 0438ZZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOPS) ON LEFT AND RIGHT		YES	PUBLIC	16,473	
1029ZZ	115406	6	1		COLTER BAY CONCESSION CABIN PARKING AREAS	ADJACENT TO ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS) ON LEFT AND RIGHT		YES	PUBLIC	70,152	
1032ZZ	115409	6	1		COLTER BAY DORM PARKING AREAS	ADJACENT TO ROUTE 0402ZZ (COLTER BAY RESIDENCE AREA ROADS) ON LEFT AND RIGHT		NO	NONPUBLIC	8,845	

Page 4 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route			
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas				
	Red text denotes: *Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).						

PKG = Parking Areas NC = Not Collected

				Ę	SUMMARY ROUTE INVEN	ITORY FOR PARKING AREAS (1300	SERIES FMSS LOCATIONS)			
Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessio	Route Name	Route Desc	ription	- 4	User Access	Area (SQ FT)
1033ZZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING AREAS	ADJACENT TO ROUTE 0258ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH) ON LEFT AND RIGHT		YES	PUBLIC	30,966
1034ZZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING AREAS	ADJACENT TO ROUTE 0259ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH) ON LEFT AND RIGHT		YES	PUBLIC	49,009
1035ZZ	237579	6	1		BEAVER CREEK SEASONAL HOUSING PARKING	FROM ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) ON RIGHT	TO PARKING	NO	NONPUBLIC	23,161
1037ZZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING	FROM ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT	TO PARKING	NO	NONPUBLIC	46,438
1038ZZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING	ADJACENT TO ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT		NO	NONPUBLIC	11,977
1039ZZ	237451	6	1		COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING	ADJACENT TO ROUTE 0255ZZ (COLTER BAY CONCESSION TENT VILLAGE AREA ROADS) ON LEFT AND RIGHT		YES	PUBLIC	6,566

Page 5 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

GRTE-0100ZZ Subcomponent Breakdown

Route	FMSS	لي و العنون FMSS و العنون umber ح و العنون و Route Name				Route Description				Unpaved		nctional Iss	Area
Number	Number	δö	Lter Col	Ŝ	Route Name	From	То	13	Miles	Miles	Mileage	20	(SQ FT)
0100ABZ	4330				MOOSE/WILSON ROAD UNPAVED	FROM END OF ROUTE 0100AZ (MOOSE/WILSON ROAD)	TO BEGINNING OF ROUTE 0100BZ (GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD)	NO	0.00	1.38	1.38	2	
0100AZ	4330	6	1		MOOSE/WILSON ROAD	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 0.68 ON LEFT	TO BEGINNING OF ROUTE 0100ABZ (MOOSE/WILSON ROAD UNPAVED)	YES	4.80	0.00	4.80	2	
0100BZ	4330	6	1		GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD	FROM END OF ROUTE 0100ABZ (MOOSE/WILSON ROAD UNPAVED)	TO COUNTY ROAD 390 AT SOUTH PARK BOUNDARY	YES	0.85	0.00	0.85	2	

GRTE-C	GRTE-0108ZZ Subcomponent Breakdown												
Route	FMSS Number	cle lected	ation lected	ncessia		Route Des	scription	- <u>-</u>		Unpaved	Total	nction 155	Area
Number	Number	δõ	Col Col	°	Route Name	From	То	FL	Miles	Miles	Mileage	2.9	(SQ FT)
0108AZ	36775	6	1		TETON SCIENCE SCHOOL ROAD	FROM ROUTE 0102 (TETON FOREST ACCESS ROAD) AT MP 0.91 ON RIGHT	TO NORTH EAST BOUNDARY	YES	1.71	1.00	2.71	2	
0108BZ	36775	6	1		TETON SCIENCE SCHOOL DORM ACCESS ROAD	FROM ROUTE 0108AZ (TETON SCIENCE SCHOOL ROAD) AT 1.7 ON LEFT	TO END AT UNPAVED PARKING	YES	0.09	0.00	0.09	2	

Page 6 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	1
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	le lected	ation lected	Icessi		Route Des	cription			Unpaved			Area
Number	Number	δõ	lter Col	Cor	Route Name	From	То	FLT	Miles	Miles	Mileage	5 G	(SQ FT)
0202AZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP A	FROM END OF ROUTE 0202Z (GROS VENTRE CAMPGROUND ACCESS ROAD) ON LEFT AND BEGINNING OF ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)	TO END OF LOOP	YES	0.88	0.00	0.88	3	
0202BZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP B (SITES 90-123)	FROM ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A) AT MP 0.38 ON RIGHT	TO END OF LOOP	YES	0.31	0.00	0.31	3	
0202CZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP C (SITES 124-167)	FROM ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A) AT MP 0.21 ON RIGHT	TO END OF LOOP	YES	0.37	0.00	0.37	3	
0202DZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP D (SITES 168-207)	FROM ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A) AT MP 0.03 ON RIGHT	TO END OF LOOP	YES	0.35	0.00	0.35	3	
0202EZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY)	FROM ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H) AT MP 0.18 ON LEFT	TO END OF LOOP	YES	0.44	0.00	0.44	3	
0202FZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP F (SITES 287-336)	FROM ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H) AT MP 0.39 ON LEFT	TO END OF LOOP	YES	0.43	0.00	0.43	3	
0202GZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP G (SITES 337-372)	FROM ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H) AT MP 0.57 ON LEFT	TO END OF LOOP	YES	0.36	0.00	0.36	3	
0202HZ	4298	6	1		GROS VENTRE CAMPGROUND LOOP H	FROM BEGINNING OF ROUTE 0202Z (GROS VENTRE CAMPGROUND ACCESS ROAD) ON RIGHT AND ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)	TO END OF LOOP	YES	0.90	0.00	0.90	3	
0202Z	4298	6	1		GROS VENTRE CAMPGROUND ACCESS ROAD	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 4.59 ON RIGHT	TO INTERSECTION OF ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A) AND ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)	YES	0.35	0.00	0.35	3	

Page 7 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number		lteration Collected	Concession.	Route Name	Route Des	cription To	FLTP -	Paved Miles	Unpaved Miles	Total Mileage	ē S	Area (SQ FT)
0205AZ	4343	6	1		JENNY LAKE CAMPGROUND LOOP	FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.12 ON RIGHT	TO END OF LOOP	YES	0.87	0.00	0.87	3	
0205BZ	4343	6	1		JENNY LAKE CAMPGROUND CUT THROUGH	FROM ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP) AT MP 0.28 ON RIGHT	TO ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP) AT MP 0.82 ON RIGHT	YES	0.07	0.00	0.07	3	

GRTE-C)211ZZ	Sul	bco	mp	onent Breakdown							6	
Route Number	FMSS Number	ycle ollected	eration ollected	oncessio	Route Name	Route Des	•	Ē	Paved Miles	Unpaved Miles	Total Mileage	unction la ss	Area (SQ FT)
Nomber	Nomber	ΰŭ	≚ŭ	Ŭ	Koole Nulle	From	То	Ξ	Miles	Miles	mileuge	ĒΟ	
0211AZ	4354	6	1		SIGNAL MOUNTAIN CAMPGROUND LOOP A	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT 0.09 ON RIGHT	TO END OF LOOP	YES	0.40	0.00	0.40	3	
0211BZ	4354	6	1		SIGNAL MOUNTAIN CAMPGROUND LOOP B	FROM ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A) AT MP 0.24 ON RIGHT	TO ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A) AT MP 0.28 ON RIGHT	YES	0.21	0.00	0.21	3	
0211CZ	4354	6	1		SIGNAL MOUNTAIN CAMPGROUND	FROM ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B) AT MP 0.10 ON RIGHT	TO ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B) AT MP 0.17 ON RIGHT	YES	0.19	0.00	0.19	З	

Page 8 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:	the NPS and was not collected by the Pead Inv	Contern Program (PIP)	DCV = Data Collection Vehicle MRL = Manually Rated Line

Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRP = Manually Rated Polygon

PKG = Parkina Areas NC = Not Collected

GRTE **Grand Teton National Park**

GRTE-0215ZZ Subcomponent Breakdown lteration Collected lct io **Route Description** Area Route FMSS Paved Unpaved Total FLTP Miles Mileage (SQ FT) Number Number Miles **Route Name** То From 0215AZ 4243 COLTER BAY CAMPGROUND LOOP A FROM ROUTE 0215EZ (COLTER BAY TO ROUTE 0215EZ (COLTER BAY YES 0.24 0.00 0.24 3 6 1 (SITES 1-28) CAMPGROUND LOOP E (SITES 110-125)) CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.03 ON RIGHT AT MP 0.06 ON RIGHT 0215BZ 4243 6 COLTER BAY CAMPGROUND LOOP B FROM ROUTE 0215EZ (COLTER BAY TO ROUTE 0215EZ (COLTER BAY YES 0.19 0.00 0.19 3 1 CAMPGROUND LOOP E (SITES 110-125)) CAMPGROUND LOOP E (SITES 110-125)) (SITES 29-50) AT MP 0.08 ON RIGHT AT MP 0.10 ON RIGHT 0215CZ 4243 6 COLTER BAY CAMPGROUND LOOP C FROM ROUTE 0215EZ (COLTER BAY TO ROUTE 0215EZ (COLTER BAY YES 0.18 0.00 0.18 3 1 (SITES 51-72) CAMPGROUND LOOP E (SITES 110-125)) CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.12 ON RIGHT AT MP 0.15 ON RIGHT 0215DAZ 4243 6 COLTER BAY CAMPGROUND LOOP D FROM ROUTE 0215EZ (COLTER BAY TO ROUTE 0215EZ (COLTER BAY YES 0.27 0.00 0.27 3 1 (SITES 73-109) CAMPGROUND LOOP E (SITES 110-125)) CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.17 ON RIGHT AT MP 0.20 ON RIGHT 0215DBZ 4243 COLTER BAY CAMPGROUND LOOP D FROM ROUTE 0215DAZ (COLTER BAY TO ROUTE 0215DAZ (COLTER BAY YES 0.10 3 6 1 0.00 0.10 CROSSOVER CAMPGROUND LOOP D (SITES 73-109)) AT CAMPGROUND LOOP D (SITES 73-109)) MP 0.11 ON LEFT AT MP 0.26 ON LEFT 0215EZ 4243 COLTER BAY CAMPGROUND LOOP E FROM ROUTE 0215Z (COLTER BAY TO END OF LOOP YES 0.40 0.00 0.40 3 6 1 (SITES 110-125) CAMPGROUND LOOP ACCESS ROAD) AT MP 0.23 ON LEFT 0215FZ 4243 COLTER BAY CAMPGROUND LOOP F FROM ROUTE 0215GZ (COLTER BAY TO END OF LOOP YES 0.00 3 6 1 0.14 0.14 (SITES 126-137) CAMPGROUND LOOP G (SITES 138-149)) AT MP 0.12 ON LEFT 4243 COLTER BAY CAMPGROUND LOOP G FROM ROUTE 0215EZ (COLTER BAY TO END OF LOOP YES 0.33 0.00 0.33 3 0215GZ 6 1 CAMPGROUND LOOP E (SITES 110-125)) (SITES 138-149) AT MP 0.05 ON LEFT 0215HZ 4243 6 COLTER BAY CAMPGROUND LOOP H FROM ROUTE 0215Z (COLTER BAY TO ROUTE 0215Z (COLTER BAY YES 0.17 0.00 0.17 3 1 (SITES 150-166) CAMPGROUND LOOP ACCESS ROAD) AT CAMPGROUND LOOP ACCESS ROAD) AT MP 0.43 ON RIGHT MP 0.46 ON RIGHT 0215IZ 4243 COLTER BAY CAMPGROUND LOOP I FROM ROUTE 0215Z (COLTER BAY TO ROUTE 0215Z (COLTER BAY YES 0.14 0.00 0.14 3 6 1 (SITES 167-179) CAMPGROUND LOOP ACCESS ROAD) AT CAMPGROUND LOOP ACCESS ROAD) AT MP 0.46 ON LEFT MP 0.43 ON LEFT

Page 9 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:			DCV = Data Collection Vehicle MRL = Manually Rated Line

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

												5	
Route Number	FMSS Number	Cycle Collected	Iteration Collected	Concessio	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage		Area (SQ FT)
0215JZ	4243	6	1		COLTER BAY CAMPGROUND LOOP J (SITES 180-207)	FROM ROUTE 021 <i>5</i> Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.49 ON RIGHT	TO ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.52 ON RIGHT	YES	0.25	0.00	0.25	3	
021 <i>5</i> KZ	4243	6	1		COLTER BAY CAMPGROUND LOOP K (SITES 208-231)	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.52 ON LEFT	TO ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.49 ON LEFT	YES	0.23	0.00	0.23	3	
0215LZ	4243	6	1		COLTER BAY CAMPGROUND LOOP L (SITES 232-259)	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.56 ON RIGHT	TO ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.59 ON RIGHT	YES	0.27	0.00	0.27	3	
0215MZ	4243	6	1		COLTER BAY CAMPGROUND LOOP M (SITES 260-287)	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.59 ON LEFT	TO ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.56 ON LEFT	YES	0.31	0.00	0.31	3	
0215NZ	4243	6	1		COLTER BAY CAMPGROUND LOOP N (SITES 288-312)	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.66 ON RIGHT	TO END OF ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.69 ON RIGHT	YES	0.27	0.00	0.27	3	
0215OZ	4243	6	1		COLTER BAY CAMPGROUND LOOP O (SITES 313-350)	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.69 ON LEFT	TO ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.66 ON LEFT	YES	0.39	0.00	0.39	3	
0215PAZ	4243	6	1		COLTER BAY CAMPGROUND GROUP SITE LOOP A	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.38 ON RIGHT	TO END OF LOOP	YES	0.74	0.00	0.74	3	
0215PBZ	4243	6	1		COLTER BAY CAMPGROUND GROUP SITE LOOP B	FROM ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A) AT MP 0.34 ON LEFT	TO ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)	YES	0.12	0.00	0.12	3	
0215RAZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.14 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.60 ON LEFT	YES	0.09	0.00	0.09	3	
0215RBZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.16 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.58 ON LEFT	YES	0.10	0.00	0.10	3	

Page 10 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Lingaved route data was obtained from	the NPS and was not collected by the Road In	entory Program (RIP)	DCV = Data Collection Vehicle MRL = Manually Rated Line

from the NPS and was not collected by the Road Inventory Program (RIP).

- MRP = Manually Rated Polygon
- PKG = Parking Areas
- NC = Not Collected

GRTE **Grand Teton National Park**

				Lo Lo								2 2	
Route	FMSS Number	ile lected	ation lected	Icessi		Route Des	cription			Unpaved			Area
Number	Number	δõ	lter Col	Cor	Route Name	From	То	FLTI	Miles	Miles	Mileage	2 S	(SQ FT)
0215RCZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.18 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.56 ON LEFT	YES	0.08	0.00	0.08	3	
021 <i>5</i> RDZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.19 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.55 ON LEFT	YES	0.08	0.00	0.08	3	
0215REZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.20 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.53 ON LEFT	YES	0.07	0.00	0.07	3	
0215RFZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.21 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.52 ON LEFT	YES	0.06	0.00	0.06	3	
021 <i>5</i> RGZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.22 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.50 ON LEFT	YES	0.05	0.00	0.05	3	
021 <i>5</i> RHZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.23 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.47 ON LEFT	YES	0.05	0.00	0.05	3	
0215RIZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.24 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.46 ON LEFT	YES	0.06	0.00	0.06	3	
0215RJZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.25 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.45 ON LEFT	YES	0.06	0.00	0.06	3	
0215RKZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.26 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.43 ON LEFT	YES	0.06	0.00	0.06	3	
0215RLZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.28 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.42 ON LEFT	YES	0.07	0.00	0.07	3	

Page 11 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes:			DCV = Data Collection Vehicle MRL = Manually Rated Line

*Unpaved route data was obtained from the NPS and was not collected by the Road Inventory Program (RIP).

MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

-		ğ	- 78	sion								onal	
Route Number	FMSS Number	ycle ollecto	eratio ollecte	onces	Route Name	Route Des	cription To	ELTP .	Paved Miles	Unpaved Miles	Total Mileage		Area (SQ FT)
		00	±0	0		From	10	щ			Juneage	шU	
0215RMZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.30 ON LEFT	TO ROUTE 0215RLZ (COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95)) AT MP 0.06 ON RIGHT	YES	0.06	0.00	0.06	3	
0215RNZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.32 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.409 ON LEFT	YES	0.07	0.00	0.07	3	
021 <i>5</i> ROZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109)	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.34 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT MP 0.40 ON LEFT	YES	0.05	0.00	0.05	3	
0215RPZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1	FROM ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)) AT 0.06 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)	YES	0.04	0.00	0.04	3	
021 <i>5</i> RQZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2	FROM ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)) AT MP 0.04 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)	YES	0.05	0.00	0.05	3	
0215RRZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3	FROM ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)) AT MP 0.03 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)	YES	0.05	0.00	0.05	3	
0215RSZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4	FROM ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)) AT 0.02 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)	YES	0.06	0.00	0.06	3	
021 <i>5</i> RTZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5	FROM ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)) AT 0.01 ON LEFT	TO ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)	YES	0.06	0.00	0.06	3	
021 <i>5</i> RUZ	4243	6	1		COLTER BAY CAMPGROUND RV SITE UTILITY ROAD	FROM ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) AT 0.05 ON LEFT	TO END OF PAVEMENT	YES	0.08	0.00	0.08	3	
0215RZ	4243	6	1		COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.03 ON LEFT	TO END OF LOOP	YES	0.69	0.00	0.69	3	

Page 12 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS	, ţ	ation ected	cession		Route Des	cription	_ ~	Paved	Unpaved			Area
Number	Number	C C S II	Coll	Con	Route Name	From	Το	FLT	Miles	Miles	Mileage	Cla	(SQ FT)
021 <i>5</i> Z	4243	6	1			FROM INTERSECTION OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD), ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS), AND ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	TO END OF PAVEMENT	YES	0.69	0.00	0.69	3	

				Ś	onent Breakdown							la I	
Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessi	Route Name	Route De	scription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functior Class	Area (SQ FT)
0223AZ	4312	6	1		LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)	FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 17.54 ON LEFT	TO END OF LOOP	YES	0.82	0.00	0.82	3	
0223BZ	4312	6	1		LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63)	FROM ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)) AT MP 0.33	TO ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)) AT MP 0.20 ON LEFT	YES	0.13	0.00	0.13	3	

GRTE-C	0235ZZ	Sub	ocom	ponent Breakdown							al	
Route	FMSS	le lected	ation lected	Icessio	Route De	scription	_ ~	Paved	Unpaved		nction Iss	Area
Number	Number	Cycle Collect	Col	B Route Name	From	То	FLT	Miles	Miles	Mileage	Ъ.	(SQ FT)
0235AZ	30029	6	1	COLTER BAY BOAT LAUNCH ROAD	FROM ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	TO END	YES	0.50	0.40	0.90	3	
0235BZ	30029	6	1	COLTER BAY BOAT LAUNCH SPUR	FROM ROUTE 0235AZ (COLTER BAY BOAT LAUNCH ROAD) AT 0.04 ON LEFT	TO ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)	YES	0.05	0.00	0.05	3	

Page 13 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Area

(SQ FT)

Class

3

3

3

3

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road In	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

GRTE-0254ZZ Subcomponent Breakdown lteration Collected Inpaved Total 년 Miles Mileage 문 Concessi **Route Description** Route FMSS **Paved Unpaved Total** Route FMSS _{광 환} Number Number 상 3 FI **Route Name** Miles From То COLTER BAY CONCESSION CABIN ROAD 0254AZ 115374 FROM INTERSECTION OF ROUTE 0103 TO ROUTE 1029AHZ (COLTER BAY YES 0.30 0.00 0.30 6 1 CONCESSION CABIN ROAD A PARKING (COLTER BAY ENTRANCE ROAD), ROUTE А 0215ZZ (COLTER BAY CAMPGROUND H) LOOPS AND ROADS) AND ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING) 0254BZ 115374 6 1 COLTER BAY CONCESSION CABIN ROAD FROM ROUTE 0254AZ (COLTER BAY TO ROUTE 1029BFZ (COLTER BAY YES 0.20 0.00 0.20 CONCESSION CABIN ROAD A) AT MP 0.04 CONCESSION CABIN ROAD B PARKING F) R ON RIGHT 0254CZ 115374 6 COLTER BAY CONCESSION CABIN ROAD FROM ROUTE 0254AZ (COLTER BAY TO ROUTE 0254AZ (COLTER BAY YES 0.54 0.00 0.54 1 CONCESSION CABIN ROAD A) AT MP 0.07 CONCESSION CABIN ROAD A) AT MP С ON RIGHT 0.17 0254DZ 115374 6 COLTER BAY CONCESSION CABIN ROAD FROM ROUTE 0254AZ (COLTER BAY TO ROUTE 0254CZ (COLTER BAY YES 0.22 0.00 0.22 1 CONCESSION CABIN ROAD A) AT MP 0.12 CONCESSION CABIN ROAD C) D ON RIGHT

Page 14 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concession.	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
0255AZ	115375	6	1		COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD	FROM ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD) AT MP 0.02 ON RIGHT	TO END OF LOOP	YES	0.38	0.00	0.38	3	
0255BZ	115375	6	1		COLTER BAY CONCESSION TENT VILLAGE ROAD	FROM ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.12 ON LEFT	TO END OF LOOP	YES	0.26	0.00	0.26	З	
0255CZ	115375	6	1		COLTER BAY CONCESSION TENT VILLAGE	FROM ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD) AT MP 0.10 ON LEFT	TO END OF LOOP	YES	0.24	0.00	0.24	3	

GRTE-C)256ZZ	Sul	bco	mp	onent Breakdown							7	
Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessio	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Function Class	Area (SQ FT)
0256AZ	115376	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.17 ON RIGHT	TO INTERSECTION OF ROUTE 1037GZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G), ROUTE 1037HZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H), AND ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C)	NO	0.31	0.00	0.31	6	
0256BZ	115376	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B	FROM ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.05 ON RIGHT	TO DEAD END	NO	0.16	0.00	0.16	6	
0256CZ	115376	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C	FROM END OF ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)	TO END OF PAVEMENT	NO	0.08	0.14	0.22	6	

Page 15 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

Route Number	FMSS Number	ycle ollected	eration ollected	oncession.	Route Name	Route Des	cription	LTP	Paved Miles	Unpaved Miles	Total Mileage		Area (SQ FT)
		00	±Ο	0		From	16	щ				ĒŪ	
0258AZ	115377	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.23 ON RIGHT	TO ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.30	YES	0.33	0.00	0.33	3	
0258BZ	115377	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.25 ON RIGHT	TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.12 ON LEFT	YES	0.12	0.00	0.12	3	
0258CZ	115377	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.28 ON RIGHT	TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.14 ON LEFT	YES	0.14	0.00	0.14	3	

GRTE-C)259ZZ	Su	bco	mp	onent Breakdown							8	
Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessio	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Function Class	Area (SQ FT)
0259AZ	115378	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.43 ON RIGHT	TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.14 ON RIGHT	YES	0.17	0.00	0.17	3	
0259BZ	115378	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.45 ON RIGHT	TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.15 ON LEFT	YES	0.13	0.00	0.13	3	
0259CZ	115378	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C	FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.48 ON RIGHT	TO ROUTE 1034Z (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Z)	YES	0.20	0.00	0.20	3	
0259DZ	115378	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D	FROM ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.14 ON RIGHT	TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.15 ON RIGHT	YES	0.04	0.00	0.04	3	

Page 16 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	1
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon

PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	le ected	rtion ected	cession_		Route Des	cription	- 0-	Paved	Unpaved			Area
Number	Number	ပိုင်	lter Coll	Con	Route Name	From	То	FLT	Miles	Miles	Mileage	Cla	(SQ FT)
0260AZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD A	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT MP 0.12 ON RIGHT	TO END OF PAVEMENT	YES	0.07	0.00	0.07	3	
0260BZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD B	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT MP 0.15 ON RIGHT	TO END OF PAVEMENT	YES	0.03	0.00	0.03	3	
0260CZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD C	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT MP 0.16 ON RIGHT	TO END OF PAVEMENT	YES	0.02	0.00	0.02	3	
0260DZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD D	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT MO 0.18 ON RIGHT	TO END OF PAVEMENT	YES	0.01	0.00	0.01	3	
0260EZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD E	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT PM 0.20 ON RIGHT	TO END OF PAVEMENT	YES	0.05	0.00	0.05	3	
0260FZ	115379	6	1		JENNY LAKE LODGE CABIN ROAD F	FROM ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD) AT MP 0.21 ON LEFT	TO END OF PAVEMENT	YES	0.09	0.00	0.09	3	
0260Z	115379	6	1		JENNY LAKE LODGE CABIN ACCESS ROAD	FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 1.50 ON LEFT	TO ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 1.75 ON LEFT	YES	0.31	0.00	0.31	3	

Page 17 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concession.	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles	Total Mileage	Functional Class	Area (SQ FT)
0267AZ	247199	6	1		MAIN STREET	FROM ROUTE 0104 (GROS VENTRE ROAD) AT MP 7.01 ON RIGHT	TO INTERSECTION OF ROUTE 0267EZ (HILL STREET) AND BEGINNING OF ROUTE 0267GZ (FLOOD STREET)	YES	0.42	0.09	0.51	3	
0267BZ	247199				SHORTCUT STREET	FROM ROUTE 0267AZ (MAIN STREET) AT MP 0.2 ON LEFT	TO END	NO	0.00	0.11	0.11	3	
0267CZ	247199	6	1		4TH STREET	FROM INTERSECTION OF ROUTE 0267AZ (MAIN STREET) AND ROUTE 0267DZ (EASY STREET)	TO ROUTE 0267FZ (NORTH BRIDGE LANE)	YES	0.20	0.17	0.37	3	
0267DZ	247199				EASY STREET	FROM INTERSECTION OF ROUTE 0267AZ (MAIN STREET) AND ROUTE 0267CZ (4TH STREET)	TO ROUTE 0267BZ (SHORTCUT STREET)	NO	0.00	0.16	0.16	3	
0267EZ	247199				HILL STREET	FROM ROUTE 0267CZ (4TH STREET) AT MP 0.17 ON LEFT	TO END	NO	0.00	0.11	0.11	3	
0267FZ	247199				NORTH BRIDGE LANE	FROM ROUTE 0267CZ (4TH STREET) AT MP 0.20 ON RIGHT	TO END	NO	0.00	0.06	0.06	3	
0267GZ	247199				FLOOD STREET	FROM INTERSECTION OF ROUTE 0267EZ (HILL STREET) AND ROUTE 0267AZ (MAIN STREET)	TO END	NO	0.00	0.05	0.05	3	

Page 18 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concession.	Route Name	Route Des	cription To	FLTP	Paved Miles	Unpaved Miles			Area (SQ FT)
0400AZ	4247	6	1		MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.32 ON RIGHT	TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.38 ON RIGHT	NO	0.95	0.00	0.95	6	
0400BZ	4247	6	1		MOOSE RESIDENCE AREA ROAD B	FROM ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)) AT MP 0.57 ON RIGHT	TO ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)) AT MP 0.79 ON RIGHT	NO	0.15	0.00	0.15	6	
0400CZ	4247	6	1		MOOSE RESIDENCE AREA ROAD C (BURT DRIVE)	FROM ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)) AT MP 0.87 ON RIGHT	TO ROUTE 0400BZ (MOOSE RESIDENCE AREA ROAD B) AT MP 0.06 ON RIGHT	NO	0.12	0.00	0.12	6	

GRTE-0	GRTE-0401ZZ Subcomponent Breakdown												
Route Number	FMSS Number	∕cle ollected	eration ollected	oncessio	Route Name	Route Des	_	- F.	Paved Miles	Unpaved Miles		unction lass	Area (SQ FT)
Number	Number	ΰŭ	≚ŭ	Ŭ		From	То	Ē	Miles	Miles	Mileage	ΨŪ	(
0401AZ	30381	6	1		BEAVER CREEK RESIDENTIAL ROAD A	FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.91 ON LEFT	TO END OF LOOP	NO	0.66	0.00	0.66	6	
0401BZ	30381	6	1		BEAVER CREEK RESIDENTIAL ROAD B	FROM ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A) AT MP 0.25 ON RIGHT	TO ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A) AT MP 0.31 ON RIGHT	NO	0.24	0.00	0.24	6	
0401CZ	30381	6	1		BEAVER CREEK RESIDENTIAL ROAD C	FROM ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A) AT MP 0.6 ON RIGHT	TO ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A) AT MP 0.62 ON RIGHT	NO	0.11	0.00	0.11	6	

Page 19 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpayed Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	cle llected	ation llected	ncession,		Route Des	cription		Paved	Unpaved		nctional ass	Area
Number	Number	δ̈́ο̈́	Iter Co	õ	Route Name	From	То	E	Miles	Miles	Mileage	2 0	(SQ FT)
0402AZ	4244	6	1		COLTER BAY RESIDENCE AREA ROAD A	FROM ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD) AT MP 0.05 ON LEFT	TO END OF LOOP	NO	0.56	0.00	0.56	6	
0402BZ	4244	6	1		COLTER BAY RESIDENCE AREA ROAD B	FROM ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.09 ON LEFT	TO END OF PAVEMENT	NO	0.11	0.00	0.11	6	
0402CZ	4244	6	1		COLTER BAY RESIDENCE AREA ROAD C	FROM ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.14 ON LEFT	TO END OF PAVEMENT	NO	0.03	0.00	0.03	6	
0402EZ	4244	6	1		COLTER BAY RESIDENCE AREA ROAD E	FROM ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.17 ON LEFT	TO ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.15 ON LEFT	NO	0.09	0.00	0.09	6	
0402FZ	4244	6	1		COLTER BAY RESIDENCE AREA ROAD F	FROM ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.43 ON RIGHT	TO ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A) AT MP 0.47 ON RIGHT	NO	0.10	0.00	0.10	6	

Page 20 of 388

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road In	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

Route	FMSS Number	ile lected	ation lected	icession_		Route Des	cription	. 4	Paved	Unpaved		actional Iss	Area
Number	Number	δõ	Ler Col	ŝ	Route Name	From	То	FLT	Miles	Miles	Mileage	Ω. Γ	(SQ FT)
0415AZ	35800	6	1		COLTER BAY CONCESSION EMPLOYEE ROAD A	FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.49 ON RIGHT	TO END OF PAVEMENT	NO	0.22	0.00	0.22	6	
0415BZ	35800	6	1		COLTER BAY CONCESSION EMPLOYEE ROAD B	FROM ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A) AT MP 0.11	TO ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A) AT MP 0.13 ON RIGHT	NO	0.14	0.00	0.14	6	
041 <i>5</i> CZ	35800	6	1		COLTER BAY CONCESSION EMPLOYEE ROAD C	FROM ROUTE 0415BZ (COLTER BAY CONCESSION EMPLOYEE ROAD B) AT MP 0.05 ON RIGHT	TO END OF PAVEMENT	NO	0.11	0.00	0.11	6	

GRTE-C	GRTE-0438ZZ Subcomponent Breakdown												
Route	FMSS Number	cle lected	ation lected	ncessio		Route Des	cription	. <u>e</u>		Unpaved	Total	nction	Area
Number	Number	δ̈́ΰ	Ler Col	ŝ	Route Name	From	Το	FT	Miles	Miles	Mileage	2 9	(SQ FT)
0438AZ	115383	6	1		SIGNAL MOUNTAIN CONCESSION CABIN	FROM END OF ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)	TO END OF LOOP	YES	0.25	0.00	0.25	3	
0438BZ	115383	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP B	FROM ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.06 ON LEFT	TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.18 ON LEFT	YES	0.03	0.00	0.03	3	

Page 21 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	= Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

GRTE-0906ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessio	Route Name	Route Desc	cription To	FLTP	User Access	Area (SQ FT)
0906AZ	35859	6	1		BLACKTAIL PONDS OVERLOOK PARKING A	ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) AT MP 0.22 ON RIGHT		YES	PUBLIC	2,288
0906BZ	35859	6	1		BLACKTAIL PONDS OVERLOOK PARKING B	ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) AT MP 0.19 ON LEFT		YES	PUBLIC	2,910

Route	FMSS	Cycle Collected	ation lected	Icession		Route Description			User	Area
Number	Number	δõ	lter Col	Cor	Route Name	From	То	FLTI	Access	(SQ FT)
0915AZ	29669	6	1		MOOSE OVERFLOW PARKING A	FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.07 ON RIGHT	TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.13 ON RIGHT	YES	PUBLIC	1 <i>5</i> ,833
0915BZ	29669	6	1		MOOSE OVERFLOW PARKING B	ADJACENT TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.09 ON LEFT		YES	PUBLIC	4,063
0915CZ	29669	6	1		MOOSE OVERFLOW PARKING C	ADJACENT TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.10 ON RIGHT		YES	PUBLIC	3,550
0915DZ	29669	6	1		MOOSE OVERFLOW PARKING D	ADJACENT TO ROUTE 1040 (MOOSE OVERFLOW PARKING) AT MP 0.04 ON LEFT		YES	PUBLIC	951

Page 22 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



° , L	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessior	Route Name	Route Descr From	ription To	FLTP	User Access	Area (SQ FT)
0935AZ	4344	6	1		LEIGH LAKE TRAILHEAD PARKING A	FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.30 ON LEFT	TO ROUTE 0110 (STRING LAKE ROAD) AT 0.48 MP ON LEFT	YES	PUBLIC	41,858
0935BZ	4344	6	1		LEIGH LAKE TRAILHEAD PARKING B	FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.35 ON LEFT	TO ROUTE 0110 (STRING LAKE ROAD) AT MP 0.44 ON LEFT	YES	PUBLIC	17,455
0935CZ	4344	6	1		LEIGH LAKE TRAILHEAD PARKING C	FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.40 ON LEFT	TO PARKING	YES	PUBLIC	5,509

GRTE-C	GRTE-0948ZZ Subcomponent Breakdown												
Route								- 0	User	Area			
Number	Number	č s	ter Coll	Con	Route Name	From	То	FLTF	Access	(SQ FT)			
0948AZ	36398	6	1		SIGNAL MOUNTAIN MARINA ACCESS PARKING A	FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON LEFT	TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.60 ON LEFT	YES	PUBLIC	3,029			
0948BZ	36398	6	1			ADJACENT TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON RIGHT		YES	PUBLIC	5,353			

Page 23 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



, L	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Concession Route	
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	<u>e e</u>	teration Collected	oncession	Route Name	Route Desc	ription To	· L	User Access	Area (SQ FT)
		00	±Ο	0				Ē		
0953AZ	31535	6	1		MORAN DEVELOPMENT PARKING A	FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.10 ON LEFT	TO PARKING	YES	PUBLIC	2,516
0953BZ	31535	6	1		MORAN DEVELOPMENT PARKING B	FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.10 ON RIGHT	TO PARKING	YES	PUBLIC	12,930
0953CZ	31535	6	1		MORAN DEVELOPMENT PARKING C	FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.15 ON RIGHT	TO ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.21 ON RIGHT	YES	PUBLIC	13,250
0953EZ	31535	6	1		MORAN DEVELOPMENT PARKING E	ADJACENT TO ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.15 ON LEFT		YES	PUBLIC	7,254

GRTE-0967ZZ	Subcomponent	Breakdown
-------------	--------------	-----------

Route	FMSS	cle lected	ration llected	rcessior		Route Description			User	Area
Number	Number	δõ	ltera Colli	ŝ	Route Name	From	То	FLT	Access	(SQ FT)
0967AZ	35802	6	1		COLTER BAY CAMPGROUND OFFICE PARKING A	FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.01 ON RIGHT	TO ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.02 ON RIGHT	YES	PUBLIC	7,475
0967BZ	35802	6	1		COLTER BAY CAMPGROUND OFFICE PARKING B	FROM ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.02 ON RIGHT	TO ROUTE 0215AZ (COLTER BAY CAMPGROUND LOOP A (SITES 1-28))	YES	PUBLIC	4,654

Page 24 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	lect lect	lteration Collected	Concessior	Route Name	Route Desc	ription To	FLTP	User Access	Area (SQ FT)
0969AZ	30027	6	1		COLTER BAY PICNIC AREA PARKING A	ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) AT MP 0.13 ON LEFT		YES	PUBLIC	11,728
0969BZ	30027	6	1		COLTER BAY PICNIC AREA PARKING B	ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) AT MP 0.27 ON RIGHT		YES	PUBLIC	3,050
0969CZ	30027	6	1		COLTER BAY PICNIC AREA PARKING C	ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) AT MP 0.29 ON RIGHT		YES	PUBLIC	1,411

GRTE-0	GRTE-0992ZZ Subcomponent Breakdown												
Route							User	Area					
Number	Number	δõ	Col	Š	Route Name	From	То	ЕГТІ	Access	(SQ FT)			
0992AZ	35919	6	1		DEADMANS BAR PARKING A	ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON LEFT		YES	PUBLIC	3,748			
0992BZ	35919	6	1		DEADMANS BAR PARKING B	ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON RIGHT		YES	PUBLIC	9,315			

Page 25 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained fron	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	lect lect	lteration Collected	Concessior	Route Name	Route Desc	ription To	FLTP -	User Access	Area (SQ FT)
1007AZ	113735	6	1		CRAIG THOMAS DISCOVER VISITOR CENTER PARKING A	FROM ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.04 ON RIGHT	TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.06 ON RIGHT	NO	NONPUBLIC	79,865
1007BZ	113735	6	1		CRAIG THOMAS DISCOVER VISITOR CENTER PARKING B	ADJACENT TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.14 ON RIGHT		NO	NONPUBLIC	3,020

GRTE-1	024ZZ	. Sul	bco	mp	onent Breakdown					
Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessio	Route Name	Route Desc	ription To	FLTP .	User Access	Area (SQ FT)
1024AZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING A	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.04 ON RIGHT		NO	NONPUBLIC	5,235
1024BZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING B	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.03 ON LEFT		NO	NONPUBLIC	1,599
1024CZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING C	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.05 ON LEFT		NO	NONPUBLIC	1,402
1024DZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING D	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.08 ON RIGHT		NO	NONPUBLIC	3,451
1024EZ	115402	6	1		SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING E	ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.09 ON LEFT		NO	NONPUBLIC	3,271

Page 26 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concession	Route Name	Route Desc	ription To	FLTP	User Access	Area (SQ FT)
1025AZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.01 ON LEFT		YES	PUBLIC	623
1025BZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING B	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.05 ON LEFT		YES	PUBLIC	1,216
1025CZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING C	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.08 ON LEFT		YES	PUBLIC	997
1025DZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING D	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.10 ON RIGHT		YES	PUBLIC	2,737
1025EZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING E	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.12 ON RIGHT		YES	PUBLIC	1,443
1025FZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING F	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.13 ON LEFT		YES	PUBLIC	979
1025GZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING G	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.16 ON RIGHT		YES	PUBLIC	901
1025HZ	115403	6	1		SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING H	ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.21 ON RIGHT		YES	PUBLIC	7,577

Page 27 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	a the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	e ected	lteration Collected	cession_		Route Desc	ription		User	Area
Number	Number	Cycle Colle	ltera Colle	Conc	Route Name	From	То	FLTP	Access	(SQ FT)
1029AAZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING A	FROM ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.007 ON LEFT	TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.006 ON RIGHT	YES	PUBLIC	7,243
1029ABZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING B	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.10 ON RIGHT		YES	PUBLIC	903
1029ACZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING C	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.15 ON RIGHT		YES	PUBLIC	960
1029ADZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING D	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.21 ON RIGHT		YES	PUBLIC	1,194
1029AEZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING E	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.21 ON LEFT		YES	PUBLIC	1,165
1029AFZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING F	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.25 ON RIGHT		YES	PUBLIC	1,263
1029AGZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING G	ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.25 ON LEFT		YES	PUBLIC	822
1029AHZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING H	FROM END OF ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)	TO PARKING	YES	PUBLIC	3,454
1029AIZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD A PARKING I	FROM ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.07 ON LEFT	TO INTERSECTION OF ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AND 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)	YES	PUBLIC	12,887
1029BAZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD B PARKING A	ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.02 ON LEFT		YES	PUBLIC	1,709
1029BBZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD B PARKING B	ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.08 ON LEFT		YES	PUBLIC	1,182
1029BCZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD B PARKING C	ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.13 ON LEFT		YES	PUBLIC	978
1029BDZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD B PARKING D	ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.15 ON LEFT		YES	PUBLIC	621

Page 28 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

		hed	r de	ssion_					User	Area
Route Number	FMSS Number	Cycle Collect	lteratic Collect	Conce	Route Name	Route Dese	cription To	FLTP	Access	(SQ FT)
1029BEZ	115406	6	1		Colter bay concession cabin road b parking e	ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.17 ON LEFT		YES	PUBLIC	870
1029BFZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD B PARKING F	FROM END OF ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B)	TO PARKING	YES	PUBLIC	10,125
1029CAZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.03 ON RIGHT		YES	PUBLIC	1,411
1029CBZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING B	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.02 ON LEFT		YES	PUBLIC	1,462
1029CCZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING C	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.05 ON LEFT		YES	PUBLIC	1,180
1029CDZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING D	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.09 ON RIGHT		YES	PUBLIC	1,633
1029CEZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.11 ON RIGHT		YES	PUBLIC	475
1029CFZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING F	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.13 ON RIGHT		YES	PUBLIC	1,559
1029CGZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.16 ON RIGHT		YES	PUBLIC	1,272
1029CHZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING H	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.17 ON RIGHT		YES	PUBLIC	904
1029CIZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.19 ON RIGHT		YES	PUBLIC	1,433
1029CJZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.22 ON RIGHT		YES	PUBLIC	1,087
1029CKZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING K	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.25 ON RIGHT		YES	PUBLIC	1,385
1029CLZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING L	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.28 ON RIGHT		YES	PUBLIC	1,410

Page 29 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

GRTE-1029ZZ Subcomponent Breakdown

Route Number	FMSS	cle lected	ation lected	ncession		Route Desc	ription	₽.	User	Area
Number	Number	δ̈́ο̈́	Col Iter	ŝ	Route Name	From	То	FLT	Access	(SQ FT)
1029CMZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING M	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.29 ON LEFT		YES	PUBLIC	1,176
1029CNZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING N	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.40 ON RIGHT		YES	PUBLIC	784
1029COZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING O	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.50 ON LEFT		YES	PUBLIC	1,462
1029CPZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD C PARKING P	ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.52 ON RIGHT		YES	PUBLIC	949
1029DAZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD D PARKING A	ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D) AT MP 0.02 ON RIGHT		YES	PUBLIC	1,080
1029DBZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD D PARKING B	ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D) AT MP 0.02 ON LEFT		YES	PUBLIC	1,584
1029DCZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD D PARKING C	ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D) AT MP 0.04 ON LEFT		YES	PUBLIC	1,593
1029DDZ	115406	6	1		COLTER BAY CONCESSION CABIN ROAD D PARKING D	ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D) AT MP 0.04 ON RIGHT		YES	PUBLIC	937

Route	FMSS	cle lected	ation Ilected	ncessio		Route Desc	ription	~	User	Area
Number	Number	Cyall	Col Iter	Ŝ	Route Name	From	То	FLT	Access	(SQ FT)
1032AZ	115409	6	1		COLTER BAY DORM PARKING A	ADJACENT TO ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E) AT MP 0.03 ON RIGHT		NO	NONPUBLIC	5,123
1032BZ	115409	6	1			ADJACENT TO ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E) AT MP 0.03 ON LEFT		NO	NONPUBLIC	3,722

Page 30 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

		eq	r ba	sion_						
Route Number	FMSS Number	ycle ollect	lteration Collected	onces	Route Name	Route Desc	ription To	FLTP	User Access	Area (SQ FT)
		.00	± 0	0		FIGH		Ξ		
1033AZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING A	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.02 ON LEFT		YES	PUBLIC	1,321
1033BZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING B	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.05 ON LEFT		YES	PUBLIC	1,481
1033CZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING C	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.07 ON LEFT		YES	PUBLIC	1,453
1033DZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING D	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.19 ON LEFT		YES	PUBLIC	1,399
1033EZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING E	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.23 ON LEFT		YES	PUBLIC	1,028
1033FZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING F	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.26 ON LEFT		YES	PUBLIC	1,041
1033GZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING G	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.30 ON LEFT		YES	PUBLIC	2,013
1033HZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING H	ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.31 ON RIGHT		YES	PUBLIC	1,535
1033IZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING I	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.02 ON RIGHT		YES	PUBLIC	1,235
1033JZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING J	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.03 ON LEFT		YES	PUBLIC	2,070

Page 31 of 38

GRTE

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

Grand Teton National Park

Route Number	FMSS Number	∕cle ollected	eration ollected	oncession.	Route Name	Route Desc		đ	User Access	Area (SQ FT)
Nomber	Number	ΰŭ	≛ŏ	ŭ	Roofe Name	From	То	3		(/
1033KZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING K	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.06 ON RIGHT		YES	PUBLIC	1,026
1033LZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING L	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.06 ON LEFT		YES	PUBLIC	967
1033MZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING M	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.09 ON RIGHT		YES	PUBLIC	1,463
1033NZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING N	ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.09 ON LEFT		YES	PUBLIC	1,954
1033OZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING O	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.11 ON LEFT		YES	PUBLIC	1,464
1033PZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING P	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.11 ON RIGHT		YES	PUBLIC	1,270
1033QZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING Q	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.094 ON LEFT		YES	PUBLIC	549
1033RZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING R	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.09 ON RIGHT		YES	PUBLIC	760
1033SZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING S	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.09 ON LEFT		YES	PUBLIC	433
1033TZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING T	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.08 ON LEFT		YES	PUBLIC	560

Page 32 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	rcle illected	ration Ilected	ncession	D · · N	Route Desc	·	£	User Access	Area (SQ FT)
Number	Number	ບີບິ	≗ °	ပိ	Route Name	From	То	3	Access	(3411)
1033UZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING U	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.07 ON RIGHT		YES	PUBLIC	901
1033VZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING V	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.06 ON LEFT		YES	PUBLIC	1,142
1033WZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING W	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.03 ON RIGHT		YES	PUBLIC	2,053
1033XZ	115410	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING X	ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.03 ON LEFT		YES	PUBLIC	1,848

Page 33 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

Route Number	FMSS Number	∕cle ollected	lteration Collected	oncession.	Route Name	Route Desc		đ	User Access	Area (SQ FT)
Number	Number	ΰŭ	≚ŭ	ů	Koore Name	From	То	FLTI		(• /
1034AZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING A	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.02 ON LEFT		YES	PUBLIC	1,829
1034BZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING B	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.03 ON RIGHT		YES	PUBLIC	2,305
1034CZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING C	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.06 ON LEFT		YES	PUBLIC	2,051
1034DZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING D	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.06 ON RIGHT		YES	PUBLIC	1,143
1034EZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING E	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.10 ON RIGHT		YES	PUBLIC	2,044
1034FZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING F	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.10 ON LEFT		YES	PUBLIC	1,881
1034GZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING G	ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.12 ON RIGHT		YES	PUBLIC	1,788
1034HZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING H	ADJACENT TO ROUTE 0259DZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D) AT MP 0.02 ON RIGHT		YES	PUBLIC	3,319
1034IZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING I	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.11 ON RIGHT		YES	PUBLIC	1,885
1034JZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING J	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.10 ON LEFT		YES	PUBLIC	1,698

Page 34 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



NC = Not Collected

Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

GRTE Grand Teton National Park

Route Number	FMSS Number	ycle ollected	eration ollected	oncession,	Route Name	Route Desc	•	FLTP	User Access	Area (SQ FT)
Nomber	NUMBER	ÚŬ	žΰ	Ŭ	Koole Nulle	From	То	Ę		• • •
1034KZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING K	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.07 ON LEFT		YES	PUBLIC	1,011
1034LZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING L	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.06 ON RIGHT		YES	PUBLIC	1,623
1034MZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING M	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.04 ON LEFT		YES	PUBLIC	1,283
1034NZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING N	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.02 ON RIGHT		YES	PUBLIC	2,045
1034OZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING O	ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.02 ON LEFT		YES	PUBLIC	1,367
1034PZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING P	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.02 ON RIGHT		YES	PUBLIC	989
1034QZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Q	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.02 ON LEFT		YES	PUBLIC	1,280
1034RZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING R	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.05 ON RIGHT		YES	PUBLIC	1,522
1034SZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING S	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.05 ON LEFT		YES	PUBLIC	1,614
1034TZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING T	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.08 ON RIGHT		YES	PUBLIC	908

Page 35 of 38

NPS / RIP Subcomponent Details for GRTE

Report Date: 05/19/2017

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	n the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

GRTE-1034ZZ Subcomponent Breakdown

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concession	Route Name	Route Desc	ription To	FLTP	User Access	Area (SQ FT)
1034UZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING U	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.08 ON LEFT		YES	PUBLIC	1,673
1034VZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING V	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.11 ON RIGHT		YES	PUBLIC	1,829
1034WZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING W	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.12 ON LEFT		YES	PUBLIC	916
1034XZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.16 ON LEFT		YES	PUBLIC	3,975
1034YZ	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Y	ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.17 ON RIGHT		YES	PUBLIC	3,108
1034Z	115411	6	1		JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Z	FROM END OF ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)	TO PARKING	YES	PUBLIC	3,923

Route	FMSS	le lected	ation lected	Icessio		Route Desci	iption		User	Area
Number	Number	C C	Col Col	Š	Route Name	From	То	FLTI	Access	(SQ FT)
1035AZ	237579	6	1			FROM ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B) AT MP 0.14 ON RIGHT	TO PARKING	NO	NONPUBLIC	19,982
1035BZ	237579	6	1			FROM ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B) AT MP 0.11 ON RIGHT	TO PARKING	NO	NONPUBLIC	3,179

Page 36 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	ventory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas

NC = Not Collected

GRTE Grand Teton National Park

Route	FMSS Number	cle llected	ation Ilected	ncession		Route Desc	ription	· œ	User	Area (SQ FT)
Number	Number	ပ်ပိ	° ŧ	ပိ	Route Name	From	То	FLTP	Access	(30.11)
1037AZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING A	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.14 ON LEFT		NO	NONPUBLIC	3,296
1037BZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING B	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.14 ON RIGHT		NO	NONPUBLIC	3,117
1037CZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING C	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.20 ON LEFT		NO	NONPUBLIC	3,353
1037DZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING D	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.20 ON RIGHT		NO	NONPUBLIC	3,730
1037EZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING E	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.27 ON LEFT		NO	NONPUBLIC	2,872
1037FZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING F	ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.27 ON RIGHT		NO	NONPUBLIC	3,098
1037GZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G	FROM END OF ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)	TO PARKING	NO	NONPUBLIC	11,014
1037HZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H	FROM END OF ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)	TO PARKING	NO	NONPUBLIC	6,549
1037IZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING I	ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.06 ON LEFT		NO	NONPUBLIC	3,392
1037JAZ	237583	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING JA	ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.01 ON RIGHT		NO	NONPUBLIC	3,600

Page 37 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained from	the NPS and was not collected by the Road Inv	entory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

GRTE-1037ZZ Subcomponent Breakdown lteration Collected Route FMSS _a Bumber Number CO Concessic User Area **Route Description** FLTP Access (SQ FT) **Route Name** From То NO NONPUBLIC 2,417 1037JZ 237583 JACKSON LAKE LODGE CONCESSION ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE 6 EMPLOYEE DORM PARKING J CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.07 ON RIGHT

GRTE-1	038ZZ	. Su	bco	mp	onent Breakdown					
Route Number	FMSS Number	/cle ollected	eration ollected	oncessio	Route Name	Route Desc		- ല	User Access	Area (SQ FT)
Number	Number	ΰŭ	≚ŏ	ŭ	Koore Name	From	То	Ξ		(• • • • • •
1038AZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING A	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.04 ON RIGHT		NO	NONPUBLIC	3,583
1038BZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING B	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.3 ON LEFT		NO	NONPUBLIC	873
1038CZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING C	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.06 ON LEFT		NO	NONPUBLIC	1,098
1038DZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING D	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.08 ON RIGHT		NO	NONPUBLIC	1,423
1038EZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING E	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.10 ON LEFT		NO	NONPUBLIC	3,179
1038FZ	237584	6	1		JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING F	ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.11 ON RIGHT		NO	NONPUBLIC	1,821

Page 38 of 38

Report Date: 05/19/2017

NPS / RIP Subcomponent Details for GRTE

(Numerical By Summary Route and Subcomponent #)



Shading Color Key	White = Paved Routes, DCV Driven	Grey = Paved Routes, DCV not Driven	Black = Paved Routes, Non-NPS	Concession Route
	Yellow = Unpaved Routes, DCV not Driven	Blue = Paved Parking Areas	Green = Unpaved Parking Areas	
	Red text denotes: *Unpaved route data was obtained fron	n the NPS and was not collected by the Road Inv	rentory Program (RIP).	DCV = Data Collection Vehicle MRL = Manually Rated Line MRP = Manually Rated Polygon PKG = Parking Areas NC = Not Collected

GRTE Grand Teton National Park

Route Number	FMSS Number	Cycle Collected	lteration Collected	Concessior	Route Name	Route Desc	ription To	FLTP	User Access	Area (SQ FT)
1039AZ	237451	6	1		COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING A	ADJACENT TO ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AT MP 0.36 ON RIGHT		YES	PUBLIC	2,608
1039BZ	237451	6	1		COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING B	ADJACENT TO ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AT MP 0.34 ON LEFT		YES	PUBLIC	3,958

Route Identification Changes to Paved Routes from Previous Cycle Grand Teton National Park

	ROUTES REMOVED FROM PREVIOUS INVENTORY:							
Route No.	Route Name	Type of Change	Comments					
0963	COLTER BAY STORAGE PARKING (LEFT)	OTHER	PARKING AREA REMOVED FROM THE INVENTORY BETWEEN CYCLE 5 AND 6.					
0964	COLTER BAY STORAGE PARKING (RIGHT)	OTHER	PARKING AREA REMOVED FROM THE INVENTORY BETWEEN CYCLE 5 AND 6.					
0972	NORTH LEEKS PARKING AREA	OTHER	PARKING AREA REMOVED FROM THE INVENTORY DURING PROJECT GRTE 13(7).					

ROUTES ADDED FROM PREVIOUS INVENTORY:						
Route No.	Route Name	Type of Change	Comments			
0267ZZ	KELLY ROADS	OTHER	PAVED AND UNPAVED ROUTES ADDED IN CYCLE 6.			

	ROUT	TES MODIFIED FROM PR	REVIOUS INVENTORY:
Route No.	Route Name	Type of Change	Comments
0400ZZ	MOOSE RESIDENCE AREA ROADS	OTHER	PAVED SECTION ADDED (0400CZ) IN CYCLE 6.
0401ZZ	BEAVER CREEK RESIDENTIAL ROADS	OTHER	PAVED SECTION ADDED (0401CZ) IN CYCLE 6.
0428	HUNTER RANCH ROAD	FUNCTIONAL CLASS CHANGE	FUNCTIONAL CLASS CHANGED FROM 5 TO 6 BECAUSE THIS ROUTE IS AN ADMINISTRATIVE ROAD WITH RESTRICTED ACCESS.
0913	MOOSE HEADQUARTERS PARKING	OTHER	ROUTE NAME CHANGED FROM "MOOSE MAINTENANCE YARD AND REAR VC PARKING" TO "MOOSE HEADQUARTERS PARKING". GPS WAS UPDATED TO BETTER REFLECT THE PARKING AREA GEOMETRY.
0914	MOOSE BOAT TRAILER PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.
0915ZZ	MOOSE OVERFLOW PARKING AREAS	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO SHOW ADDITION TO ROUTE 0915DZ.
0943	JACKSON POINT OVERLOOK PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.
0948ZZ	SIGNAL MOUNTAIN MARINA ACCESS PARKING AREAS	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.

Route Identification Changes to Paved Routes from Previous Cycle Grand Teton National Park

	ROUTES MODIFIED FROM PREVIOUS INVENTORY:						
Route No.	Route Name	Type of Change	Comments				
0967ZZ	COLTER BAY CAMPGROUND OFFICE PARKING AREAS	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
0968	COLTER BAY VISITORCENTER LOOP PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
0973	SARGENT BAY PICNIC AREA PARKING	ROUTE NAME	ROUTE NAME CHANGED FROM "NORTH LEEKS PICNIC AREA PARKING" TO "SARGENT BAY PICNIC AREA PARKING".				
0992ZZ	DEADMANS BAR PARKING AREAS	SURFACE TYPE CHANG	SURFACE TYPE CHANGED FROM GRAVEL TO ASPHALT IN CYCLE 6.				
0999	WORMHOLE PARKING	SURFACE TYPE CHANG	SURFACE TYPE CHANGED FROM GRAVEL TO ASPHALT IN CYCLE 6.				
1006	SIGNAL MOUNTAIN LODGE MAIN PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1008	WESTERN CENTER FOR HISTORIC PRESERVATION PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1010	COLTER BAY CONCESSION STORE AND GAS STATION PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1011	JACKSON LAKE LODGE PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1030	COLTER BAY SERVICE STATION	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1035ZZ	BEAVER CREEK SEASONAL HOUSING PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1036	JACKSON LAKE LODGE LOADING DOCK	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO IMPROVE THE ACCURACY OF THE SHAPE AND SQUARE FOOTAGE.				
1037ZZ	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING	SQ FEET CHANGE	UPDATED GPS WAS COLLECTED IN CYCLE 6 TO SHOW AN ADDITIONAL PARKING SUBCOMPONENT (ROUTE-1037JAZ).				

Section 3 Park Summary Information



Grand Teton National Park



Parkwide Paved Route Condition Summary Grand Teton National Park

Table 1: Paved Route Miles and Parking Area Square Footages by Access Level and PCR

	POOR (PCR of 0 - 60)	FAIR (PCR of 61 - 84)	GOOD (PCR of 85 - 94)	EXCELLENT (PCR of 95 -100)	
		PAVED	ROADS		
Functional Class	Length (miles)	Length (miles)	Length (miles)	Length (miles)	Total Mileage by FC
1	0.08	3.57	7.90	57.92	69.47
2	1.42	11.95	16.43	11.64	41.44
3	0.90	5.79	10.15	6.93	23.77
4					
5	0.36	0.90	0.28	0.06	1.60
6	2.87	0.89	1.02	1.43	6.21
7					
8					
Total Mileage by PCR	5.63	23.10	35.78	77.97	142.48
		PAVED P	ARKING		
Access Level	Area (sq. ft.)	Area (sq. ft.)	Area (sq. ft.)	Area (sq. ft.)	Total Area
PUBLIC	135,734	263,129	1,774,104	99,188	2,272,155
NONPUBLIC	68,277	120,926	290,633	28,091	507,927
Total Area by PCR	204,011	384,055	2,064,737	127,279	2,780,082


Breakdown of Pavement Condition Rating (PCR) Based on Access Level

NOTES:

1. Data are reported in the table only for paved roads and parking lots that received a condition rating.

2. Non-linear roads (MRP collected routes) are measured by area and converted to equivalent route miles based on a 22-ft pavement width in order to be included in the mileage totals for paved roads shown above.


3. Quantities in the table above are derived from the route condition data within the PMS_20, PMS_MRL, PMS_MRP, and PMS_PKG tables in the Park geodatabase.



Parkwide Condition Percentages

Road Condition Percentages


Parking Area Condition Percentages



Explanation of the Excellent, Good, Fair, and Poor Condition Descriptions

The Road Inventory Program aims to provide assistance in translating the excellent / good / fair / poor rating categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the type of treatments that should be considered now and into the future.

- Excellent / New: PCR of 95-100
 - o Pavements in this range will require only spot repairs
- Good: PCR of 85-94
 - o Pavements in this range will likely be candidates for Preventive Maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84
 - Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include singlelift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 0-60
 - Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R).
 Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.



CONDITION CATEGORIES AND TREATMENTS

At this time, specific Maintenance and Rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions at the time in which the data were collected. For further information or to obtain additional Pavement Management System's data from our Highway Pavement Management Application (HPMA) please contact the Eastern Federal Lands pavement team.



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection	<u>vehicle (DCV)</u> Functional Class	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0010	00001364	U.S. HIGHWAY 26/89/191	1	AS	28.09	99	100	98	99	100	99	98	100	99
GRTE-0011	00001365	TETON PARK ROAD (INSIDE ROAD)	1	AS	20.92	95	100	91	91	100	91	99	100	97
GRTE-0013	00001362	NORTH PARK ROAD	1	AS	20.50	99	100	99	100	100	100	99	100	100
GRTE-0100AZ	4330	MOOSE/WILSON ROAD	2	AS	4.80	75	53	89	89	100	89	93	99	94
GRTE-0100BZ	4330	GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD	2	AS	0.85	92	88	94	97	100	97	94	100	97
GRTE-0101	4289	ANTELOPE FLATS ROAD	2	AS	3.31	89	78	96	99	100	99	100	100	96
GRTE-0102	36755	TETON FOREST ACCESS ROAD	2	AS	4.03	89	76	97	99	100	99	99	100	97
GRTE-0103	4358	COLTER BAY ENTRANCE ROAD	2	AS	0.66	83	70	92	99	100	99	98	100	92
GRTE-0104	4090	GROS VENTRE ROAD	2	AS	10.36	92	91	93	100	100	100	99	100	93
GRTE-0105	31295	SOUTH JENNY LAKE ACCESS ROAD	2	AS	0.35	78	NR	78	78	100	78	99	100	99
GRTE-0107	31523	MORAN DEVELOPMENT ROAD	2	AS	0.26	94	NR	94	100	100	100	99	100	94
GRTE-0108AZ	36775	TETON SCIENCE SCHOOL ROAD	2	AS	1.71	91	84	95	100	100	100	97	100	95
GRTE-0108BZ	36775	TETON SCIENCE SCHOOL DORM ACCESS ROAD	2	AS	0.09	64	NR	64	64	100	64	81	99	85
GRTE-0109	4334	DORNAN'S ACCESS ROAD	2	AS	0.26	94	NR	94	99	100	99	94	100	95
GRTE-0110	4345	STRING LAKE ROAD	2	AS	0.53	96	100	94	94	100	94	99	100	99
GRTE-0111	4352	SIGNAL MOUNTAIN SUMMIT ROAD	2	AS	4.76	85	70	95	100	100	100	100	100	95
GRTE-0112	4353	SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD	2	AS	0.61	96	92	98	100	100	100	100	100	98
GRTE-0113	4311	JACKSON LAKE LODGE ROAD	2	AS	0.62	92	NR	92	94	100	94	94	96	92
GRTE-0114	4305	PACIFIC CREEK ROAD	2	AS	3.36	78	62	88	88	99	89	92	99	92



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection V	Functional	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	r Crack I	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0115	4315	LEEKS MARINA ACCESS ROAD	2	AS	0.62	84	72	92	99	100	99	99	100	92
GRTE-0118	35858	BLACKTAIL PONDS OVERLOOK ROAD	2	AS	0.27	98	NR	98	100	100	100	100	100	98
GRTE-0200	36013	SAGE BRUSH DRIVE	3	AS	0.51	86	84	88	100	100	100	98	100	88
GRTE-0202AZ	4298	GROS VENTRE CAMPGROUND LOOP A	3	AS	0.88	92	NR	92	99	100	99	97	99	92
GRTE-0202BZ	4298	GROS VENTRE CAMPGROUND LOOP B (SITES 90-123)	3	AS	0.31	92	NR	92	99	100	99	98	100	92
GRTE-0202CZ	4298	GROS VENTRE CAMPGROUND LOOP C (SITES 124-167)	3	AS	0.37	93	NR	93	100	100	100	99	99	93
GRTE-0202DZ	4298	GROS VENTRE CAMPGROUND LOOP D (SITES 168-207)	3	AS	0.35	89	NR	89	99	100	99	99	95	89
GRTE-0202EZ	4298	GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY)	3	AS	0.44	89	NR	89	99	100	99	99	89	97
GRTE-0202FZ	4298	GROS VENTRE CAMPGROUND LOOP F (SITES 287-336)	3	AS	0.43	92	NR	92	99	100	99	95	100	92
GRTE-0202GZ	4298	GROS VENTRE CAMPGROUND LOOP G (SITES 337-372)	3	AS	0.36	91	NR	91	97	100	97	91	99	91
GRTE-0202HZ	4298	GROS VENTRE CAMPGROUND LOOP H	3	AS	0.90	93	NR	93	97	100	97	94	99	93
GRTE-0202Z	4298	GROS VENTRE CAMPGROUND ACCESS ROAD	3	AS	0.35	98	NR	98	100	100	100	99	100	98
GRTE-0204	4336	CHAPEL OF TRANSFIGURATION ACCESS ROAD	3	AS	0.55	92	86	96	100	100	100	100	99	96
GRTE-0205AZ	4343	JENNY LAKE CAMPGROUND LOOP	3	AS	0.87	92	NR	92	97	100	97	95	100	92
GRTE-0205BZ	4343	JENNY LAKE CAMPGROUND CUT THROUGH	3	AS	0.07	84	NR	84	94	100	94	84	100	86
GRTE-0208	35920	DEATH CANYON ROAD	3	AS	0.65	80	57	96	99	100	99	99	100	96
GRTE-0209	36045	CLIMBERS RANCH ROAD	3	AS	0.28	94	NR	94	99	100	99	99	100	94
GRTE-0211AZ	4354	SIGNAL MOUNTAIN CAMPGROUND LOOP A	3	AS	0.40	78	NR	78	83	92	91	99	90	78
GRTE-0211BZ	4354	SIGNAL MOUNTAIN CAMPGROUND LOOP B	3	AS	0.21	83	NR	83	97	99	98	100	98	83



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection Vel	nicle (DCV) Functiona Class	ıl Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index		Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0211CZ	4354	SIGNAL MOUNTAIN CAMPGROUND LOOP C	3	AS	0.19	92	NR	92	100	100	100	100	99	92
GRTE-0212	4356	JACKSON LAKE DAM FISHING ACCESS ROAD	3	AS	0.29	99	NR	99	99	100	99	99	100	99
GRTE-0215AZ	4243	COLTER BAY CAMPGROUND LOOP A (SITES 1-28)	3	AS	0.24	87	NR	87	100	100	100	100	100	87
GRTE-0215BZ	4243	COLTER BAY CAMPGROUND LOOP B (SITES 29-50)	3	AS	0.19	94	NR	94	100	100	100	100	94	95
GRTE-0215CZ	4243	COLTER BAY CAMPGROUND LOOP C (SITES 51-72)	3	AS	0.18	90	NR	90	100	100	100	100	93	90
GRTE-0215DAZ	4243	COLTER BAY CAMPGROUND LOOP D (SITES 73-109)	3	AS	0.27	78	NR	78	100	100	100	100	78	91
GRTE-0215DBZ	4243	COLTER BAY CAMPGROUND LOOP D CROSSOVER	3	AS	0.10	72	NR	72	99	100	99	100	72	91
GRTE-0215EZ	4243	COLTER BAY CAMPGROUND LOOP E (SITES 110-125)	3	AS	0.40	83	NR	83	99	100	99	100	83	93
GRTE-0215FZ	4243	COLTER BAY CAMPGROUND LOOP F (SITES 126-137)	3	AS	0.14	85	NR	85	100	100	100	100	96	85
GRTE-0215GZ	4243	COLTER BAY CAMPGROUND LOOP G (SITES 138-149)	3	AS	0.33	90	NR	90	100	100	100	100	90	91
GRTE-0215HZ	4243	COLTER BAY CAMPGROUND LOOP H (SITES 150-166)	3	AS	0.17	95	NR	95	100	100	100	100	98	95
GRTE-0215IZ	4243	COLTER BAY CAMPGROUND LOOP I (SITES 167-179)	3	AS	0.14	90	NR	90	100	100	100	100	96	90
GRTE-0215JZ	4243	COLTER BAY CAMPGROUND LOOP J (SITES 180-207)	3	AS	0.25	93	NR	93	100	100	100	100	99	93
GRTE-0215KZ	4243	COLTER BAY CAMPGROUND LOOP K (SITES 208-231)	3	AS	0.23	90	NR	90	100	100	100	100	99	90
GRTE-0215LZ	4243	COLTER BAY CAMPGROUND LOOP L (SITES 232-259)	3	AS	0.27	93	NR	93	100	100	100	100	98	93
GRTE-0215MZ	4243	COLTER BAY CAMPGROUND LOOP M (SITES 260-287)	3	AS	0.31	79	NR	79	100	100	100	100	99	79
GRTE-0215NZ	4243	COLTER BAY CAMPGROUND LOOP N (SITES 288-312)	3	AS	0.27	76	NR	76	96	100	96	100	99	76
GRTE-0215OZ	4243	COLTER BAY CAMPGROUND LOOP O (SITES 313-350)	3	AS	0.39	81	NR	81	98	100	98	100	99	81
GRTE-0215PAZ	4243	COLTER BAY CAMPGROUND GROUP SITE LOOP A	3	AS	0.74	9 3	NR	93	100	100	100	99	99	93



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection Vehic Route Name	<u>le (DCV)</u> Functiona Class	l Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	ck	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0215PBZ	4243	COLTER BAY CAMPGROUND GROUP SITE LOOP B	3	AS	0.12	94	NR	94	100	100	100	100	98	94
GRTE-0215RAZ	4243	COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)	3	AS	0.09	93	NR	93	95	100	95	100	100	93
GRTE-0215RBZ	4243	COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30)	3	AS	0.10	93	NR	93	100	100	100	100	99	93
GRTE-0215RCZ	4243	COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40)	3	AS	0.08	89	NR	89	97	100	97	99	97	89
GRTE-0215RDZ	4243	COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49)	3	AS	0.08	93	NR	93	100	100	100	100	98	93
GRTE-0215REZ	4243	COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55)	3	AS	0.07	92	NR	92	100	100	100	100	99	92
GRTE-0215RFZ	4243	COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58)	3	AS	0.06	96	NR	96	99	100	99	100	100	96
GRTE-0215RGZ	4243	COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63)	3	AS	0.05	90	NR	90	100	100	100	100	99	90
GRTE-0215RHZ	4243	COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68)	3	AS	0.05	86	NR	86	99	100	99	100	99	86
GRTE-0215RIZ	4243	COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74)	3	AS	0.06	86	NR	86	99	100	99	100	99	86
GRTE-0215RJZ	4243	COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80)	3	AS	0.06	87	NR	87	100	100	100	99	100	87
GRTE-0215RKZ	4243	COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87)	3	AS	0.06	91	NR	91	100	100	100	100	98	91
GRTE-0215RLZ	4243	COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95)	3	AS	0.07	92	NR	92	99	100	99	100	99	92
GRTE-0215RMZ	4243	COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97)	3	AS	0.06	95	NR	95	99	100	99	97	99	95
GRTE-0215RNZ	4243	COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104)	3	AS	0.07	94	NR	94	99	100	99	100	100	94
GRTE-0215ROZ	4243	COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109)	3	AS	0.05	94	NR	94	100	100	100	100	99	94
GRTE-0215RPZ	4243	COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1	3	AS	0.04	88	NR	88	99	100	99	99	98	88
GRTE-0215RQZ	4243	COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2	3	AS	0.05	94	NR	94	100	100	100	100	99	94
GRTE-0215RRZ	4243	COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3	3	AS	0.05	86	NR	86	99	100	99	99	95	86



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection V	V <mark>ehicle (DCV)</mark> Functiona Class	l Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	or Crack In	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0215RSZ	4243	COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4	3	AS	0.06	96	NR	96	99	100	99	99	99	96
GRTE-0215RTZ	4243	COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5	3	AS	0.06	92	NR	92	99	100	99	100	99	92
GRTE-0215RUZ	4243	COLTER BAY CAMPGROUND RV SITE UTILITY ROAD	3	AS	0.08	96	NR	96	100	100	100	99	99	96
GRTE-0215RZ	4243	COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD	3	AS	0.69	94	NR	94	99	100	99	100	100	94
GRTE-0215Z	4243	COLTER BAY CAMPGROUND LOOP ACCESS ROAD	3	AS	0.69	95	NR	95	96	100	96	99	98	95
GRTE-0216	4317	CUNNINGHAM CABIN ACCESS ROAD	3	AS	0.30	85	NR	85	85	100	85	94	99	95
GRTE-0217	35917	DEADMANS BAR ROAD	3	AS	0.34	92	NR	92	100	100	100	100	100	92
GRTE-0221	30026	COLTER BAY PICNIC AREA DAY USE ROAD	3	AS	0.31	94	NR	94	94	100	94	94	100	94
GRTE-0223AZ	4312	LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)	3	AS	0.82	83	NR	83	86	100	86	99	98	83
GRTE-0223BZ	4312	LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63)	3	AS	0.13	87	NR	87	100	100	100	98	99	87
GRTE-0225	37766	LUPINE MEADOWS ACCESS ROAD	3	AS	0.23	96	NR	96	97	100	97	99	100	96
GRTE-0235AZ	30029	COLTER BAY BOAT LAUNCH ROAD	3	AS	0.50	85	NR	85	94	99	95	91	99	85
GRTE-0235BZ	30029	COLTER BAY BOAT LAUNCH SPUR	3	AS	0.05	96	NR	96	100	100	100	100	100	96
GRTE-0252	113734	CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD	3	AS	0.19	98	NR	98	100	100	100	98	100	99
GRTE-0253	110768	LSR ENTRANCE ROAD	3	AS	0.45	90	NR	90	100	100	100	100	100	90
GRTE-0254AZ	115374	COLTER BAY CONCESSION CABIN ROAD A	3	AS	0.30	94	NR	94	95	99	96	98	94	94
GRTE-0254BZ	115374	COLTER BAY CONCESSION CABIN ROAD B	3	AS	0.20	89	NR	89	89	99	90	97	99	95
GRTE-0254CZ	115374	COLTER BAY CONCESSION CABIN ROAD C	3	AS	0.54	94	NR	94	100	100	100	99	100	94
GRTE-0254DZ	115374	COLTER BAY CONCESSION CABIN ROAD D	3	AS	0.22	89	NR	89	100	100	100	100	96	89



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection Vehicl	<u>e (DCV)</u> Functiona Class	l Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	or Crack I	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0255AZ	115375	COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD	3	AS	0.38	86	NR	86	98	100	98	99	98	86
GRTE-0255BZ	115375	COLTER BAY CONCESSION TENT VILLAGE ROAD	3	AS	0.26	81	NR	81	99	100	99	99	99	81
GRTE-0255CZ	115375	COLTER BAY CONCESSION TENT VILLAGE LOOP	3	AS	0.24	54	NR	54	94	100	94	99	99	54
GRTE-0256AZ	115376	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A	6	AS	0.31	97	NR	97	100	100	100	99	100	97
GRTE-0256BZ	115376	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B	6	AS	0.16	97	NR	97	100	100	100	97	98	97
GRTE-0256CZ	115376	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C	6	AS	0.08	96	NR	96	100	100	100	100	100	96
GRTE-0258AZ	115377	JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A	3	AS	0.33	92	NR	92	95	100	95	92	98	92
GRTE-0258BZ	115377	JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B	3	AS	0.12	92	NR	92	93	100	93	98	92	94
GRTE-0258CZ	115377	JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C	3	AS	0.14	92	NR	92	96	100	96	96	92	93
GRTE-0259AZ	115378	JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A	3	AS	0.17	93	NR	93	99	100	99	97	99	93
GRTE-0259BZ	115378	JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B	3	AS	0.13	95	NR	95	96	100	96	99	97	95
GRTE-0259CZ	115378	JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C	3	AS	0.20	97	NR	97	100	100	100	100	99	97
GRTE-0259DZ	115378	JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D	3	AS	0.04	96	NR	96	100	100	100	100	100	96
GRTE-0260AZ	115379	JENNY LAKE LODGE CABIN ROAD A	3	AS	0.07	95	NR	95	100	100	100	100	100	95
GRTE-0260FZ	115379	JENNY LAKE LODGE CABIN ROAD F	3	AS	0.09	96	NR	96	100	100	100	100	100	96
GRTE-0260Z	115379	JENNY LAKE LODGE CABIN ACCESS ROAD	3	AS	0.31	96	NR	96	100	100	100	100	100	96
GRTE-0265	115382	TRIANGLE X RIVER ACCESS ROAD	3	AS	0.04	93	NR	93	100	100	100	100	100	93
GRTE-0266	237454	SOUTH JENNY LAKE VISITOR CENTER PICK UP / DROP OFF	3	AS	0.03	71	NR	71	84	100	84	99	100	71
GRTE-0267AZ	247199	MAIN STREET	3	AS	0.42	81	NR	81	86	99	87	94	81	92



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collectio Route Name	Functional	Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	or Crack li	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0267CZ	247199	4TH STREET	3	AS	0.20	88	NR	88	99	100	99	98	88	88
GRTE-0400AZ	4247	MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)	6	AS	0.95	17	42	0	0	99	0	62	96	93
GRTE-0400BZ	4247	MOOSE RESIDENCE AREA ROAD B	6	AS	0.15	0	NR	0	0	89	0	0	94	88
GRTE-0400CZ	4247	MOOSE RESIDENCE AREA ROAD C (BURT DRIVE)	6	AS	0.12	97	NR	97	100	100	100	100	100	97
GRTE-0401AZ	30381	BEAVER CREEK RESIDENTIAL ROAD A	6	AS	0.66	86	NR	86	86	100	86	90	98	94
GRTE-0401BZ	30381	BEAVER CREEK RESIDENTIAL ROAD B	6	AS	0.24	89	NR	89	95	100	95	97	100	89
GRTE-0401CZ	30381	BEAVER CREEK RESIDENTIAL ROAD C	6	AS	0.11	93	NR	93	99	100	99	97	98	93
GRTE-0402AZ	4244	COLTER BAY RESIDENCE AREA ROAD A	6	AS	0.56	95	NR	95	100	100	100	99	100	95
GRTE-0402BZ	4244	COLTER BAY RESIDENCE AREA ROAD B	6	AS	0.11	90	NR	90	100	100	100	100	100	90
GRTE-0402CZ	4244	COLTER BAY RESIDENCE AREA ROAD C	6	AS	0.03	92	NR	92	100	100	100	100	100	92
GRTE-0402EZ	4244	COLTER BAY RESIDENCE AREA ROAD E	6	AS	0.09	89	NR	89	95	99	96	97	99	89
GRTE-0402FZ	4244	COLTER BAY RESIDENCE AREA ROAD F	6	AS	0.10	93	NR	93	100	100	100	100	100	93
GRTE-0403	4245	COLTER BAY MAINTENANCE AREA ROAD	6	AS	0.11	97	NR	97	100	100	100	99	100	97
GRTE-0408	36420	MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)	5	AS	0.49	76	NR	76	76	100	76	77	98	93
GRTE-0414	35808	A.M.K. RANCH ROAD	5	AS	1.13	73	54	85	91	100	91	92	100	85
GRTE-0415AZ	35800	COLTER BAY CONCESSION EMPLOYEE ROAD A	6	AS	0.22	89	NR	89	97	100	97	99	96	89
GRTE-0415BZ	35800	COLTER BAY CONCESSION EMPLOYEE ROAD B	6	AS	0.14	92	NR	92	100	100	100	100	100	92
GRTE-0415CZ	35800	COLTER BAY CONCESSION EMPLOYEE ROAD C	6	AS	0.11	97	NR	97	100	100	100	100	100	97
GRTE-0438AZ	115383	SIGNAL MOUNTAIN CONCESSION CABIN LOOP A	3	AS	0.25	76	NR	76	76	96	80	98	93	84



Road Condition Summary Report for Data Collection Vehicle (DCV) Rated Roads

Grand Teton National Park

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED

Notes:

• This condition summary report contains only the roads rated with the Data Collection Vehicle (DCV).

• Condition on roads that were manually rated and parking areas are shown in separate reports.

• Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.

Route No.	<u>Route-</u> FMSS No.	Level Condition for Roads Rated with the Data Collection Vehic Route Name	t <mark>le (DCV)</mark> Functiona Class	ıl Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0438BZ	115383	SIGNAL MOUNTAIN CONCESSION CABIN LOOP B	3	AS	0.03	83	NR	83	97	100	97	93	94	83
GRTE-0439	115384	SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP	6	AS	0.12	89	NR	89	100	100	100	98	89	93
GRTE-0441	115386	JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD	6	AS	0.11	72	NR	72	86	100	86	72	99	87
GRTE-0444	115389	JENNY LAKE LODGE EMPLOYEE HOUSING ROAD	6	AS	0.05	82	NR	82	82	100	82	99	92	88
GRTE-0500	31647	JENNY LAKE LOOP ROAD	2	AS	3.99	94	100	90	90	100	90	99	100	97



Road Condition Summary Report for Manually Rated Roads

Grand Teton National Park

Notes:

- This condition summary report contains only the roads that were manually rated.
 - MRL = Manually Rated Line (a linear road)
 - MRP = Manually Rated Polygon (a non-linear road)
- Condition on roads that were rated with the Data Collection Vehicle (DCV) are shown in a separate report.
- A road is manually rated when it is determined to be unsuitable for the DCV to drive.
- Additional details on individual road ratings can be found in Section 5 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Route No.	FMSS No.	Route-Level Condition for Manually Rated Line (MRL) Roads	Functiona Class	ıl Surf. Type	Paved Length (Miles)	Pavement Condition Rating (PCR)	Roughness Condition Index (RCI)	Surface Condition Rating (SCR)	Structural Crack Index	Alligator Crack Index	Longitudinal Cracking Index	Transverse Cracking Index	Patch / Pothole Index	Rutting Index
GRTE-0260BZ	115379	JENNY LAKE LODGE CABIN ROAD B	3	AS	0.03	90	NR	90	NR	97	97	90	90	90
GRTE-0260CZ	115379	JENNY LAKE LODGE CABIN ROAD C	3	AS	0.02	90	NR	90	NR	97	90	97	97	97
GRTE-0260DZ	115379	JENNY LAKE LODGE CABIN ROAD D	3	AS	0.01	90	NR	90	NR	97	90	97	97	97
GRTE-0260EZ	115379	JENNY LAKE LODGE CABIN ROAD E	3	AS	0.05	90	NR	90	NR	97	97	90	90	90
GRTE-0428	4288	HUNTER RANCH ROAD	6	AS	1.69	30	NR	30	NR	52	30	86	59	71

Condition (Rating / Index) Legend

EXCELLENT (95 - 100)
GOOD (85 - 94)
FAIR (61 - 84)
POOR (0 - 60)
NR = NOT RATED



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

Concrete Surface Distresses

							Ĕ	sphall	SUITO		stress	<u>es</u>	Conc	rete Su	Jirrace I	Distresses	<u>></u>
		Condition Rating Details for Parking Areas	User	Surf.	Area	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	otholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs Potholes / Patching	
Route No.	FMSS No.	Route Name	Access	Туре	(Sq. Ft.)	Pav Rati	A	Ч, Г	Rı	Pe	Ŧ	Su BI	٥ſ	SI	٩ A	ă ă ă	
GRTE-0900	36018	GRAND TETON NATIONAL PARK SOUTH BOUNDARY PARKING	PUBLIC	AS	25,417	90	90	90	90	90	90	90					
GRTE-0901	36510	GROS VENTRE RIVER PARKING	PUBLIC	AS	17,054	90	90	90	90	97	90	90					_
GRTE-0902	36511	SLEEPING INDIAN PARKING	PUBLIC	AS	19,244	90	90	90	90	97	97	90					_
GRTE-0903	36412	MEADOW ROAD PARKING	PUBLIC	AS	16,450	90	90	90	90	97	97	90					_
GRTE-0904	36517	ALBRIGHT VIEW PARKING	PUBLIC	AS	19,703	90	97	90	90	97	97	90					-
GRTE-0905	30968	PRACTICE ROCKS PARKING	PUBLIC	AS	14,684	90	97	97	97	90	97	97					-
GRTE-0906AZ	35859	BLACKTAIL PONDS OVERLOOK PARKING A	PUBLIC	AS	2,288	97	97	97	97	97	97	97					-
GRTE-0906BZ	35859	BLACKTAIL PONDS OVERLOOK PARKING B	PUBLIC	AS	2,910	97	97	97	97	97	97	97					-
GRTE-0907	36010	GLACIER VIEW PARKING	PUBLIC	AS	25,218	90	97	97	97	97	97	90					-
GRTE-0908	36772	TETON POINT PARKING	PUBLIC	AS	26,652	90	97	97	90	97	97	90					-
GRTE-0909	4318	SNAKE RIVER OVERLOOK PARKING	PUBLIC	AS	54,083	97	97	97	97	97	97	97					-
GRTE-0910	35916	CUNNINGHAM CABIN PARKING	PUBLIC	AS	42,992	90	97	97	97	97	97	90					-
GRTE-0911	35856	BAR FLYING U PARKING	PUBLIC	AS	3,372	90	97	97	90	90	97	90					-
GRTE-0912	4246	MOOSE ADMINISTRATION AND POST OFFICE PARKING	PUBLIC	AS	47,779	90	90	90	90	97	97	90					-
GRTE-0913	10314	MOOSE HEADQUARTERS PARKING	NONPUBLIC	C AS	120,755	90	97	90	90	90	97	90					_
GRTE-0914	36422	MOOSE BOAT TRAILER PARKING	NONPUBLIC	C AS	14,848	53	90	53	90	90	97	73				,	-
GRTE-0915AZ	29669	MOOSE OVERFLOW PARKING A	PUBLIC	AS	15,833	90	90	90	90	97	97	90					-
GRTE-0915BZ	29669	MOOSE OVERFLOW PARKING B	PUBLIC	AS	4,063	90	97	90	97	97	97	90					-
GRTE-0915CZ	29669	MOOSE OVERFLOW PARKING C	PUBLIC	AS	3,550	90	90	90	90	97	97	90					_
GRTE-0915DZ	29669	MOOSE OVERFLOW PARKING D	PUBLIC	AS	951	90	97	97	97	97	97	90					_
GRTE-0918	30137	MOOSE ENTRANCE STATION TURNAROUND AND PARKING	PUBLIC	AS	9,392	73	73	90	90	90	97	90					-
GRTE-0919	35914	CHAPEL OF TRANSFIGURATION PARKING	PUBLIC	AS	33,326	53	90	53	73	53	97	73					-
GRTE-0920	36788	WINDY POINT PARKING	PUBLIC	AS	19,037	90	97	90	90	97	97	90					_
GRTE-0921	36559	BEAVER CREEK #10 PARKING	NONPUBLIC	C AS	6,036	30	53	90	90	30	97	73					-
GRTE-0922	30510	BEAVER CREEK MAINTENANCE YARD	NONPUBLIC	C AS	14,424	30	90	90	73	30	97	73					_
GRTE-0923	36745	TAGGART LAKE TRAILHEAD PARKING	PUBLIC	AS	36,909	90	97	90	90	97	97	90					-



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)	
GOOD (90)	
FAIR (73)	
POOR* (0, 30, 53)	
NR = NOT RATED	

							A	sphalt	Surfo	ace Di	stress	ses	<u>Conc</u>	rete S	urface	Distresse	<u>.s</u>
Route No.	FMSS No.	Condition Rating Details for Parking Areas Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs Potholes / Patchina	_
GRTE-0924	35915	COTTONWOOD CREEK PARKING	PUBLIC	AS	12,235	90	97	90	97	97	97	97					
GRTE-0926	36767	TETON GLACIER PARKING	PUBLIC	AS	25,531	90	97	90	97	97	97	90					
GRTE-0929	4342	SOUTH JENNY LAKE PARKING	PUBLIC	AS	77,709	90	90	90	90	97	97	90					
GRTE-0930	6546	JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING	PUBLIC	AS	105,412	90	90	90	90	97	97	90					
GRTE-0931	35893	CASCADE CANYON PARKING AREA	PUBLIC	AS	24,812	90	97	90	90	97	97	90					
GRTE-0933	35911	CATHEDRAL GROUP PARKING	PUBLIC	AS	19,798	90	90	90	90	97	97	90					_
GRTE-0934	11288	JENNY LAKE OVERLOOK PARKING	PUBLIC	AS	13,400	90	90	97	90	97	97	90					_
GRTE-0935AZ	4344	LEIGH LAKE TRAILHEAD PARKING A	PUBLIC	AS	41,858	90	90	90	90	97	97	90					_
GRTE-0935BZ	4344	LEIGH LAKE TRAILHEAD PARKING B	PUBLIC	AS	17,455	90	97	90	97	97	97	90					_
GRTE-0935CZ	4344	LEIGH LAKE TRAILHEAD PARKING C	PUBLIC	AS	5,509	90	97	90	97	97	97	97					
GRTE-0936	4346	STRING LAKE CANOE LAUNCH PARKING	PUBLIC	AS	35,272	90	97	90	90	97	97	90					_
GRTE-0937	36742	STRING LAKE TRAILHEAD PARKING	PUBLIC	AS	23,359	90	97	97	97	97	97	90					
GRTE-0938	4294	MOUNTAIN VIEW PARKING	PUBLIC	AS	22,631	90	97	90	97	97	97	90					_
GRTE-0939	35872	BURNED RIDGE PARKING	PUBLIC	AS	15,321	90	97	97	90	97	97	90					
GRTE-0940	36041	MT. MORAN PARKING	PUBLIC	AS	20,882	90	97	97	90	97	97	97					
GRTE-0941	36551	POTHOLES PARKING	PUBLIC	AS	21,424	90	90	90	90	97	97	90					
GRTE-0942	36591	SIGNAL MOUNTAIN BOAT TRAILER PARKING	PUBLIC	AS	20,203	90	97	97	97	97	97	90					
GRTE-0943	36248	JACKSON POINT OVERLOOK PARKING	PUBLIC	AS	2,028	90	97	97	97	97	97	90					
GRTE-0944	36593	SIGNAL MOUNTAIN SUMMIT OVERLOOK PARKING	PUBLIC	AS	10,323	90	97	97	90	97	97	90					_
GRTE-0945	36601	SIGNAL MOUNTAIN RANGER STATION PARKING	PUBLIC	AS	7,117	90	97	97	90	97	97	97					
GRTE-0946	36597	SIGNAL MOUNTAIN DUMP STATION	PUBLIC	AS	4,649	90	97	97	97	97	97	90					_
GRTE-0947	36781	SIGNAL MOUNTAIN TRAILER STORAGE PARKING	PUBLIC	AS	37,989	90	90	90	90	90	97	90					
GRTE-0948AZ	36398	SIGNAL MOUNTAIN MARINA ACCESS PARKING A	PUBLIC	AS	3,029	90	97	97	97	97	97	90					
GRTE-0948BZ	36398	SIGNAL MOUNTAIN MARINA ACCESS PARKING B	PUBLIC	AS	5,353	90	97	97	97	97	90	90					_
GRTE-0949	4355	CHAPEL OF THE SACRED HEART PICNIC AREA	PUBLIC	AS	27,311	90	97	90	97	97	97	90					_
GRTE-0950	36255	CATHOLIC BAY TURNOUT PARKING	PUBLIC	AS	9,064	90	97	90	97	97	97	90					_



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)	
GOOD (90)	
FAIR (73)	
POOR* (0, 30, 53)	
NR = NOT RATED	

Concrete Surface Distresses

							<u> </u>	sphar	r Surre		stress	<u>ies</u>	Conc	rete Su	Jrrace	Distre	sses
		Condition Rating Details for Parking Areas		6 f	•	ement Condition ing (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	/ Diste	oles / Patching	Patching	sce Raveling / ding	t Faulting	Cracking	Distresses	Delamination / Pop-Outs	otholes / Patching
Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavem Rating	Allig	Longit Tranvo	Rutting	Potholes	AMH	Surface Bleeding	Joint	Slab	Joint	Pop-	Poth
GRTE-0951	35855	JACKSON DAM PARKING (WEST)	PUBLIC	AS	31,618	90	97	97	97	97	97	90					
GRTE-0952	4357	JACKSON DAM PARKING (EAST)	PUBLIC	AS	7,820	90	97	97	97	97	97	90					
GRTE-0953AZ	31535	MORAN DEVELOPMENT PARKING A	PUBLIC	AS	2,516	90	97	90	90	97	97	90					
GRTE-0953BZ	31535	MORAN DEVELOPMENT PARKING B	PUBLIC	AS	12,930	90	97	90	97	97	97	97					
GRTE-0953CZ	31535	MORAN DEVELOPMENT PARKING C	PUBLIC	AS	13,250	90	97	97	90	97	97	90					
GRTE-0953EZ	31535	MORAN DEVELOPMENT PARKING E	PUBLIC	AS	7,254	90	97	97	90	97	97	90					
GRTE-0954	31546	MORAN RANGER STATION PARKING	PUBLIC	AS	7,585	53	53	53	90	53	97	73					
GRTE-0955	36487	PACIFIC CREEK LANDING AND PARKING	PUBLIC	AS	25,175	90	97	90	90	97	97	90					
GRTE-0956	4348	UPPER OXBOW PARKING	PUBLIC	AS	18,690	90	97	97	97	97	97	90					
GRTE-0957	00001626	OXBOW BEND PARKING	PUBLIC	AS	11,473	90	97	90	90	97	97	90					
GRTE-0958	36256	LOWER WILLOW FLATS TURNOUT PARKING	PUBLIC	AS	6,813	90	97	97	90	97	97	90					
GRTE-0959	36787	WILLOW FLATS OVERLOOK PARKING	PUBLIC	AS	28,007	90	90	90	90	90	97	90					
GRTE-0965	29999	COLTER BAY MAINTENANCE YARD	NONPUBLIC	AS	80,465	73	90	90	90	90	73	73					
GRTE-0966	37776	COLTER BAY RESIDENCE PARKING	NONPUBLIC	AS	2,629	0											
GRTE-0967AZ	35802	COLTER BAY CAMPGROUND OFFICE PARKING A	PUBLIC	AS	7,475	90	90	90	90	97	97	97					
GRTE-0967BZ	35802	COLTER BAY CAMPGROUND OFFICE PARKING B	PUBLIC	AS	4,654	90	90	90	90	97	97	97					
GRTE-0968	30025	COLTER BAY VISITOR CENTER LOOP PARKING	PUBLIC	AS	326,498	90	90	90	97	97	97	90					
GRTE-0969AZ	30027	COLTER BAY PICNIC AREA PARKING A	PUBLIC	AS	11,728	73	90	90	73	73	97	73					
GRTE-0969BZ	30027	COLTER BAY PICNIC AREA PARKING B	PUBLIC	AS	3,050	90	97	90	90	90	97	90					
GRTE-0969CZ	30027	COLTER BAY PICNIC AREA PARKING C	PUBLIC	AS	1,411	90	97	90	90	90	97	90					
GRTE-0970	4341	LEEKS MARINA BOAT TRAILER PARKING	PUBLIC	AS	37,349	53	73	53	90	97	97	73					
GRTE-0971	31651	LEEKS MARINA PARKING	PUBLIC	AS	24,821	53	73	53	90	97	97	90					
GRTE-0973	36529	SARGENT BAY PICNIC AREA PARKING	PUBLIC	AS	15,024	90	97	97	90	97	97	90					
GRTE-0974	36530	ARIZONA ISLAND PICNIC AREA PARKING	PUBLIC	AS	11,532	90	97	97	97	97	97	90					
GRTE-0977	11217	NORTH BOUNDARY PARKING	PUBLIC	AS	9,059	90	97	97	97	97	97	90					
GRTE-0983	36146	GROS VENTRE CAMPGROUND OFFICE PARKING	PUBLIC	AS	9,457	90	97	90	90	97	97	90					



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

							A	<u>sphalt</u>	Surfa	ice Di	stress	<u>es</u>	<u>Concr</u>	ete Su	urface I	<u>Distresses</u>
Route No.	FMSS No.	Condition Rating Details for Parking Areas Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Pop-Outs Pop-Outs Potholes / Patching
GRTE-0984	36124	GROS VENTRE CAMPGROUND DUMP STATION	PUBLIC	AS	7,949	73	90	90	90	97	97	73				
GRTE-0985	36117	GROS VENTRE CAMPGROUND AMPHITHEATER PARKING	PUBLIC	AS	40,643	73	90	90	90	90	97	73				
GRTE-0986	31650	JENNY LAKE CAMPGROUND PARKING	PUBLIC	AS	2,001	90	97	97	90	97	97	90				
GRTE-0992AZ	35919	DEADMANS BAR PARKING A	PUBLIC	AS	3,748	97	97	97	97	97	97	97				
GRTE-0992BZ	35919	DEADMANS BAR PARKING B	PUBLIC	AS	9,315	97	97	97	97	97	97	97				
GRTE-0999	36626	WORMHOLE PARKING	PUBLIC	AS	2,790	90	97	97	97	97	97	90				
GRTE-1004	36784	SOUTH HUCKLEBERRY TURNOUT PARKING	PUBLIC	AS	5,586	90	97	97	97	97	97	90				
GRTE-1006	62097	SIGNAL MOUNTAIN LODGE MAIN PARKING	PUBLIC	AS	69,925	90	97	90	97	97	97	97				
GRTE-1007AZ	113735	CRAIG THOMAS DISCOVER VISITOR CENTER PARKING A	NONPUBLIC	C AS	79,865	90	97	97	90	97	97	97				
GRTE-1007BZ	113735	CRAIG THOMAS DISCOVER VISITOR CENTER PARKING B	NONPUBLIC	C AS	3,020	90	97	97	97	97	97	90				
GRTE-1008	115392	WESTERN CENTER FOR HISTORIC PRESERVATION PARKING	NONPUBLIC	C AS	16,569	53	90	90	73	53	97	90				
GRTE-1010	115393	COLTER BAY CONCESSION STORE AND GAS STATION PARKING	PUBLIC	AS	24,890	90	90	90	97	97	90	97				
GRTE-1011	115394	JACKSON LAKE LODGE PARKING	PUBLIC	AS	112,363	73	90	90	73	73	90	90				
GRTE-1013	115396	ELK RANCH FLATS PARKING	PUBLIC	AS	20,346	90	97	97	97	97	97	90				
GRTE-1019	115397	SIGNAL MOUNTAIN CONCESSION ADMINISTRATIVE PARKING	NONPUBLIC	C AS	13,771	53	53	90	53	53	73	73				
GRTE-1020	115398	BRINKERHOFF PARKING	NONPUBLIC	C AS	3,702	90	97	97	90	97	97	90				
GRTE-1021	115399	GRANITE ENTRANCE STATION PARKING	NONPUBLIC	C AS	4,305	90	97	90	97	97	97	97				
GRTE-1022	115400	MORAN ENTRANCE STATION PARKING	PUBLIC	AS	30,203	90	97	90	97	97	97	90				
GRTE-1023	115401	EAST BOUNDARY PARKING	PUBLIC	AS	8,378	90	97	90	90	97	97	90				
GRTE-1024AZ	115402	SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING A	NONPUBLIC	C AS	5,235	90	97	97	90	97	97	90				
GRTE-1024BZ	115402	SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING B	NONPUBLIC	C AS	1,599	90	97	97	97	97	97	90				
GRTE-1024CZ	115402	SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING C	NONPUBLIC	C AS	1,402	90	97	97	90	97	97	90				
GRTE-1024DZ	115402	SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING D	NONPUBLIC	C AS	3,451	90	97	97	97	97	97	90				
GRTE-1024EZ	115402	SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING E	NONPUBLIC	C AS	3,271	90	97	97	90	97	97	90				
GRTE-1025AZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING A	PUBLIC	AS	623	90	97	90	97	97	97	90				
GRTE-1025BZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING B	PUBLIC	AS	1,216	90	97	90	97	97	97	90				



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)	
GOOD (90)	
FAIR (73)	
POOR* (0, 30, 53)	
NR = NOT RATED	

Concrete Surface Distresses

							Ĕ	sphalt	SUITC		stress	es	Conc	rete Su	Jrtace	Distres	ises
		Condition Rating Details for Parking Areas				It Condition (CR)	Cracking	inal / e Cracking	Distortions	/ Patching	Patching	taveling /	ulting	cking	s	Έ	/ Patching
Route No.	FMSS No.	Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavemer Rating (P	Alligator	Longitudinal Tranverse Cr	Rutting /	Potholes	HMA Pat	Surface R Bleeding	Joint Fau	Slab Cra	Joint Distr	Delaminati Pop-Outs	Potholes
GRTE-1025CZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING C	PUBLIC	AS	997	90	97	90	97	97	90	90					
GRTE-1025DZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING D	PUBLIC	AS	2,737	90	97	90	90	97	90	90					
GRTE-1025EZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING E	PUBLIC	AS	1,443	90	97	90	90	97	97	90					
GRTE-1025FZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING F	PUBLIC	AS	979	90	97	90	90	97	97	90					
GRTE-1025GZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING G	PUBLIC	AS	901	90	90	90	90	90	97	90					
GRTE-1025HZ	115403	SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING H	PUBLIC	AS	7,577	90	90	90	90	97	90	90					
GRTE-1026	115404	JENNY LAKE LODGE CABIN PARKING	PUBLIC	AS	10,049	90	97	97	90	97	97	97					
GRTE-1028	115405	JACKSON LAKE LODGE CLINIC AND SERVICE STATION PARKING	PUBLIC	AS	45,267	73	90	90	90	73	97	90					
GRTE-1029AAZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING A	PUBLIC	AS	7,243	90	97	97	97	97	90	97					
GRTE-1029ABZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING B	PUBLIC	AS	903	90	97	90	97	97	97	90					
GRTE-1029ACZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING C	PUBLIC	AS	960	73	97	97	97	97	97	73					
GRTE-1029ADZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING D	PUBLIC	AS	1,194	73	90	90	73	73	97	73					
GRTE-1029AEZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING E	PUBLIC	AS	1,165	90	97	97	90	97	97	90					
GRTE-1029AFZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING F	PUBLIC	AS	1,263	73	97	90	73	90	97	73					
GRTE-1029AGZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING G	PUBLIC	AS	822	90	97	90	90	97	97	90					
GRTE-1029AHZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING H	PUBLIC	AS	3,454	90	90	90	90	90	97	90					
GRTE-1029AIZ	115406	COLTER BAY CONCESSION CABIN ROAD A PARKING I	PUBLIC	AS	12,887	30	73	90	73	30	97	73					
GRTE-1029BAZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING A	PUBLIC	AS	1,709	73	90	90	90	90	97	73					
GRTE-1029BBZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING B	PUBLIC	AS	1,182	90	97	97	97	97	97	90					
GRTE-1029BCZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING C	PUBLIC	AS	978	90	97	97	90	97	97	90					
GRTE-1029BDZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING D	PUBLIC	AS	621	90	97	97	90	97	97	90					
GRTE-1029BEZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING E	PUBLIC	AS	870	90	97	97	90	97	97	90					
GRTE-1029BFZ	115406	COLTER BAY CONCESSION CABIN ROAD B PARKING F	PUBLIC	AS	10,125	73	97	97	73	90	97	90					
GRTE-1029CAZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING A	PUBLIC	AS	1,411	90	97	97	90	97	97	90					
GRTE-1029CBZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING B	PUBLIC	AS	1,462	90	97	97	90	97	97	90					
GRTE-1029CCZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING C	PUBLIC	AS	1,180	90	97	97	97	97	97	90					



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

							A	<u>sphalt</u>	Surfa	ice Dis	stress	<u>es</u>	<u>Concr</u>	ete Su	rface D	<u>istresses</u>
Route No.	FMSS No.	Condition Rating Details for Parking Areas	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses Delamination /	Pop-Outs Potholes / Patching
GRTE-1029CDZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING D	PUBLIC	AS	1,633	73	97	97	97	97	97	73				
GRTE-1029CEZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING E	PUBLIC	AS	475	90	97	97	90	97	97	90				
GRTE-1029CFZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING F	PUBLIC	AS	1,559	90	97	97	90	97	97	90				
GRTE-1029CGZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING G	PUBLIC	AS	1,272	90	97	97	90	97	97	97				
GRTE-1029CHZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING H	PUBLIC	AS	904	90	97	97	90	97	97	97				
GRTE-1029CIZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING I	PUBLIC	AS	1,433	90	97	97	97	97	97	90				
GRTE-1029CJZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING J	PUBLIC	AS	1,087	90	97	97	97	97	97	90				
GRTE-1029CKZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING K	PUBLIC	AS	1,385	90	97	97	90	97	97	97				
GRTE-1029CLZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING L	PUBLIC	AS	1,410	90	97	97	90	97	97	90				
GRTE-1029CMZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING M	PUBLIC	AS	1,176	90	97	97	97	90	97	90				
GRTE-1029CNZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING N	PUBLIC	AS	784	90	97	97	90	97	97	90				
GRTE-1029COZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING O	PUBLIC	AS	1,462	90	97	90	90	97	97	90				
GRTE-1029CPZ	115406	COLTER BAY CONCESSION CABIN ROAD C PARKING P	PUBLIC	AS	949	90	97	90	90	90	97	90				
GRTE-1029DAZ	115406	COLTER BAY CONCESSION CABIN ROAD D PARKING A	PUBLIC	AS	1,080	90	97	97	90	97	97	90				
GRTE-1029DBZ	115406	COLTER BAY CONCESSION CABIN ROAD D PARKING B	PUBLIC	AS	1,584	90	97	97	90	97	97	90				
GRTE-1029DCZ	115406	COLTER BAY CONCESSION CABIN ROAD D PARKING C	PUBLIC	AS	1,593	90	97	90	90	97	97	90				
GRTE-1029DDZ	115406	COLTER BAY CONCESSION CABIN ROAD D PARKING D	PUBLIC	AS	937	90	97	90	90	90	97	90				
GRTE-1030	115407	COLTER BAY SERVICE STATION	PUBLIC	AS	19,766	53	73	53	53	53	97	73				
GRTE-1031	115408	COLTER BAY CONCESSION EMPLOYEE PARKING	NONPUBLIC		29,447	73	90	90	73	73	97	73				
GRTE-1032AZ	115409	COLTER BAY DORM PARKING A	NONPUBLIC	C AS	5,123	90	90	90	97	97	97	90				
GRTE-1032BZ	115409	COLTER BAY DORM PARKING B	NONPUBLIC	C AS	3,722	90	97	90	90	97	97	90				
GRTE-1033AZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING A	PUBLIC	AS	1,321	90	97	90	90	90	97	90				
GRTE-1033BZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING B	PUBLIC	AS	1,481	73	90	90	73	97	97	90				
GRTE-1033CZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING C	PUBLIC	AS	1,453	90	97	90	90	97	97	90				
GRTE-1033DZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING D	PUBLIC	AS	1,399	90	90	90	90	90	97	90				
GRTE-1033EZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING E	PUBLIC	AS	1,028	90	97	90	90	90	97	90				



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

Concrete Surface Distresses

Route No.	FMSS No.	Condition Rating Details for Parking Areas Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Distres	Velaminarion / Pop-Outs Potholes / Patching
GRTE-1033FZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING F	PUBLIC	AS	1,041	90	97	97	90	90	97	90				
GRTE-1033GZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING G	PUBLIC	AS	2,013	73	90	90	73	73	97	73				
GRTE-1033HZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING H	PUBLIC	AS	1,535	90	90	90	90	97	97	90				
GRTE-1033IZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING I	PUBLIC	AS	1,235	90	90	90	90	97	97	90				
GRTE-1033JZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING J	PUBLIC	AS	2,070	90	90	90	90	97	97	90				
GRTE-1033KZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING K	PUBLIC	AS	1,026	90	97	97	97	97	97	90				,
GRTE-1033LZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING L	PUBLIC	AS	967	90	97	90	90	97	97	90				
GRTE-1033MZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING M	PUBLIC	AS	1,463	90	90	90	90	90	97	90				
GRTE-1033NZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING N	PUBLIC	AS	1,954	90	90	90	90	97	90	90				
GRTE-1033OZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING O	PUBLIC	AS	1,464	73	97	90	73	97	97	90				
GRTE-1033PZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING P	PUBLIC	AS	1,270	90	90	90	90	97	97	90				,
GRTE-1033QZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING Q	PUBLIC	AS	549	90	97	90	90	97	90	90				
GRTE-1033RZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING R	PUBLIC	AS	760	73	90	90	73	73	97	73				
GRTE-1033SZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING S	PUBLIC	AS	433	73	90	90	73	97	97	73				
GRTE-1033TZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING T	PUBLIC	AS	560	73	90	90	73	73	97	73				
GRTE-1033UZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING U	PUBLIC	AS	901	73	90	90	73	73	97	90				
GRTE-1033VZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING V	PUBLIC	AS	1,142	73	90	90	73	90	97	73				
GRTE-1033WZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING W	PUBLIC	AS	2,053	90	90	90	90	90	97	90				
GRTE-1033XZ	115410	JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING X	PUBLIC	AS	1,848	90	97	90	90	97	97	90				
GRTE-1034AZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING A	PUBLIC	AS	1,829	90	90	90	90	90	97	90				
GRTE-1034BZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING B	PUBLIC	AS	2,305	90	97	90	90	97	97	90				
GRTE-1034CZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING C	PUBLIC	AS	2,051	90	97	90	90	90	97	90				
GRTE-1034DZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING D	PUBLIC	AS	1,143	90	97	97	90	90	97	90				
GRTE-1034EZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING E	PUBLIC	AS	2,044	90	90	90	90	90	97	90				
GRTE-1034FZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING F	PUBLIC	AS	1,881	90	97	97	90	90	97	90				
GRTE-1034GZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING G	PUBLIC	AS	1,788	97	97	97	97	97	97	97				



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

Concrete Surface Distresses

Route No.	FMSS No.	Condition Rating Details for Parking Areas Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Joint Distresses	Delamination / Pop-Outs	Potholes / Patching
GRTE-1034HZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING H	PUBLIC	AS	3,319	97	97	97	97	97	97	97					
GRTE-1034IZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING I	PUBLIC	AS	1,885	73	90	90	73	90	97	73					
GRTE-1034JZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING J	PUBLIC	AS	1,698	73	90	90	73	90	97	73					
GRTE-1034KZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING K	PUBLIC	AS	1,011	90	97	97	90	97	97	90					
GRTE-1034LZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING L	PUBLIC	AS	1,623	90	97	90	90	97	97	90					
GRTE-1034MZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING M	PUBLIC	AS	1,283	90	97	90	90	97	97	90					
GRTE-1034NZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING N	PUBLIC	AS	2,045	90	97	90	90	90	97	90					
GRTE-1034OZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING O	PUBLIC	AS	1,367	90	97	90	90	97	97	90					
GRTE-1034PZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING P	PUBLIC	AS	989	97	97	97	97	97	97	97					
GRTE-1034QZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Q	PUBLIC	AS	1,280	97	97	97	97	97	97	97					
GRTE-1034RZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING R	PUBLIC	AS	1,522	97	97	97	97	97	97	97					
GRTE-1034SZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING S	PUBLIC	AS	1,614	97	97	97	97	97	97	97					
GRTE-1034TZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING T	PUBLIC	AS	908	97	97	97	97	97	97	97					
GRTE-1034UZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING U	PUBLIC	AS	1,673	97	97	97	97	97	97	97					
GRTE-1034VZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING V	PUBLIC	AS	1,829	97	97	97	97	97	97	97					
GRTE-1034WZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING W	PUBLIC	AS	916	97	97	97	97	97	97	97					
GRTE-1034XZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X	PUBLIC	AS	3,975	97	97	97	97	97	97	97					
GRTE-1034YZ	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Y	PUBLIC	AS	3,108	97	97	97	97	97	97	97					
GRTE-1034Z	115411	JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Z	PUBLIC	AS	3,923	97	97	97	97	97	97	97					
GRTE-1035AZ	237579	BEAVER CREEK SEASONAL HOUSING PARKING A	NONPUBLIC	C AS	19,982	90	97	90	90	97	90	90					
GRTE-1035BZ	237579	BEAVER CREEK SEASONAL HOUSING PARKING B	NONPUBLIC	C AS	3,179	90	97	90	90	97	97	97					
GRTE-1036	237581	JACKSON LAKE LODGE LOADING DOCK	NONPUBLIC	C AS	12,712	97	97	97	97	97	97	97					
GRTE-1037AZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING A	NONPUBLIC	C AS	3,296	90	97	90	90	90	97	90					
GRTE-1037BZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING B	NONPUBLIC	C AS	3,117	90	97	90	97	97	97	90					
GRTE-1037CZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING C	NONPUBLIC	C AS	3,353	90	97	90	97	97	97	90					
GRTE-1037DZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING D	NONPUBLIC	C AS	3,730	90	97	90	90	97	97	90					



Parking Area Condition Summary Report

Grand Teton National Park

Notes:

- A PCR of 0 indicates a paved parking area in very poor condition. Individual distresses could not be identified.
- Additional details on individual parking areas can be found in Section 6 of the Cycle 6 RIP Report.
- Refer to the RIP Report Appendix for an explanation of the rating system and rating methods.

Condition (Rating / Index) Legend

EXCELLENT (97)
GOOD (90)
FAIR (73)
POOR* (0, 30, 53)
NR = NOT RATED

Concrete Surface Distresses

Route No.	FMSS No.	Condition Rating Details for Parking Areas Route Name	User Access	Surf. Type	Area (Sq. Ft.)	Pavement Condition Rating (PCR)	Alligator Cracking	Longitudinal / Tranverse Cracking	Rutting / Distortions	Potholes / Patching	HMA Patching	Surface Raveling / Bleeding	Joint Faulting	Slab Cracking	Dis	Delamination / Pop-Outs	Potholes / Patching
GRTE-1037EZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING E	NONPUBLIC	C AS	2,872	97	97	97	97	97	97	97					
GRTE-1037FZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING F	NONPUBLIC	C AS	3,098	97	97	97	97	97	97	97					
GRTE-1037GZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G	NONPUBLIC	C AS	11,014	73	90	90	90	90	97	73					
GRTE-1037HZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H	NONPUBLIC	C AS	6,549	90	97	90	90	90	97	90					
GRTE-1037IZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING I	NONPUBLIC	C AS	3,392	97	97	97	97	97	97	97					
GRTE-1037JAZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING JA	NONPUBLIC	C AS	3,600	97	97	97	97	97	97	97					
GRTE-1037JZ	237583	JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING J	NONPUBLIC	C AS	2,417	97	97	97	97	97	97	97					
GRTE-1038AZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING A	NONPUBLIC	C AS	3,583	90	97	97	90	90	97	90					
GRTE-1038BZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING B	NONPUBLIC	C AS	873	90	97	97	97	97	97	90					
GRTE-1038CZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING C	NONPUBLIC	C AS	1,098	90	97	90	97	97	97	90					
GRTE-1038DZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING D	NONPUBLIC	C AS	1,423	90	97	90	97	97	97	90					
GRTE-1038EZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING E	NONPUBLIC	C AS	3,179	90	97	90	97	97	97	90					
GRTE-1038FZ	237584	JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING F	NONPUBLIC	C AS	1,821	90	97	90	97	97	97	90					
GRTE-1039AZ	237451	COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING A	PUBLIC	AS	2,608	73	97	97	90	97	97	73					
GRTE-1039BZ	237451	COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING B	PUBLIC	AS	3,958	73	97	97	90	97	97	73					

Section 4 Park Route Location Maps




Grand Teton National Park




ROUTE LOCATION MAP

Key Map




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE LOCATION MAP

Map 1



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


Note: Unique colors are used to differentiate roads

0



ROUTE LOCATION MAP

Map 1A




Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

	Miles	
0	0.5	1

ROUTE LOCATION MAP

Map 2




Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE LOCATION MAP

Map 2A



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

Note: Unique colors are used to differentiate roads



4-5


N

ROUTE LOCATION MAP


Map 2B




Sources: Esri, HERE, DeLorme, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE LOCATION MAP Map 2C




Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE LOCATION MAP

Map 3



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE LOCATION MAP

Map 3A



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



Ν 4-9

ROUTE LOCATION MAP

Map 3B



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

1

Note: Unique colors are used to differentiate roads

Miles 0.5

ROUTE LOCATION MAP

Map 4



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE LOCATION MAP


Map 4A



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE Key Map




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)									
Poo	r (0 - 60) Fair (6	1- 84) Good (85 - 94	Excellent (95 -	100) Not Rated					
		See Appendix for definition	and formulas						
	Only Data	Collection Vehicle and Manuall	y Rated Roads are displa	ayed					
	Mil	es		N					
0	20		40						
0	20)	40						

ROUTE CONDITION MAP PCR - MILE BY MILE Map 1




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE CONDITION MAP PCR - MILE BY MILE Map 1A




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE

Map 2



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



ROUTE CONDITION MAP PCR - MILE BY MILE Map 2A




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

	Route Cond	ition Legend – Pavement Cor	dition Rating (PCR)	
Poor (0 -	• 60) Fair (61- 84	Good (85 - 94)	Excellent (95 - 100)	Not Rated
	S	ee Appendix for definitions and	l formulas	
	Only Data Coll	ection Vehicle and Manually Ra	ated Roads are displayed	
L				N
	Miles			N Á
0	0.5		1	

ROUTE CONDITION MAP PCR - MILE BY MILE Map 2B



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE Map 2C




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

		Route Condition Le	gend – Pavement Cond	dition Rating (PCR)	
	Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
-		See Appe	endix for definitions and	formulas	
		Only Data Collection V	ehicle and Manually Rate	ted Roads are displayed	
					N
	Miles				N A
0	0.2	0.4			
					4.10


ROUTE CONDITION MAP PCR - MILE BY MILE Map 3




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE Map 3A



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE Map 3B




Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

	Route Condition Lo	egend – Pavement Cond	dition Rating (PCR)	
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
	See Appe	endix for definitions and	formulas	
	Only Data Collection V	ehicle and Manually Rat	ted Roads are displayed	
	Miles			Ν
	Ivilles			Â
	0.5		1	
	Poor (0 - 60)	Poor (0 - 60) Fair (61- 84) See Appe Only Data Collection V Miles	Poor (0 - 60) Fair (61- 84) Good (85 - 94) See Appendix for definitions and Only Data Collection Vehicle and Manually Rational Miles Miles	See Appendix for definitions and formulas Only Data Collection Vehicle and Manually Rated Roads are displayed Miles


ROUTE CONDITION MAP PCR - MILE BY MILE Map 4



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community




ROUTE CONDITION MAP PCR - MILE BY MILE Map 4A



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

		~		Not Rated
POOT (0 - 00)		N	. ,	Not Kaleu
				Ν
	Miles			
	0.5		1	/
	Poor (0 - 60)	Poor (0 - 60) Fair (61- 84) See Appe Only Data Collection V Miles	Poor (0 - 60) Fair (61- 84) Good (85 - 94) See Appendix for definitions and Only Data Collection Vehicle and Manually Rational Miles Miles	See Appendix for definitions and formulas Only Data Collection Vehicle and Manually Rated Roads are displayed Miles

Section 5 Paved Road Condition Rating Sheets



Grand Teton National Park



ROUTE 0010: U.S. HIGHWAY 26/89/191



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/8/2016	Beginning Section MP	0	1	2	3	4
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	95	96	96	96	96
Surface Condition Rating (SCR)	98	92	94	94	94	93
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	99	94	98	99	97	95
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	99	94	98	99	97	95
Transverse Cracking Index	98	92	94	94	94	93
Patching Index	100	100	100	100	100	100
Rutting Index	99	99	99	98	100	98
International Roughness Index (IRI)	56	80	69	90	58	70
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	34	35.2	35	38.8	35	38.1
Lane Width (ft)	11.7	11.8	12	12.5	12.3	12.5


ROUTE 0010: U.S. HIGHWAY 26/89/191



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating ((PCR)		
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for def	finitions and f	ormulas			
Inspection Date: 9/8/2016	Beginning Section MP	5	6	7	8	9
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary			•		
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	96	97	99	98	99
Surface Condition Rating (SCR)	98	94	95	98	97	98
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	99	99	96	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	99	99	96	100	100	100
Transverse Cracking Index	98	94	99	98	98	98
Patching Index	100	100	100	100	99	100
Rutting Index	99	98	95	98	97	99
International Roughness Index (IRI)	56	76	65	59	74	66
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	34	35	35.6	37.7	35.9	33.4
Lane Width (ft)	11.7	12.1	12.2	11.8	11.6	11.5


ROUTE 0010: U.S. HIGHWAY 26/89/191



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

R	oute Condition Legend – Pa	vement Cond	ition Rating (PCR)		
Poor (0 - 60)	Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for de	efinitions and f	formulas			
Inspection Date: 9/8/2016	Beginning Section M	P 10	11	12	13	14
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	100	100	100	100
Surface Condition Rating (SCR)	98	99	100	100	100	100
Roughness Condition Index (RCI)	100	N/A	100	100	100	100
Distress Index Values						
Structural Crack Index	99	100	100	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	99	100	100	100	100	100
Transverse Cracking Index	98	99	100	100	100	100
Patching Index	100	100	100	100	100	100
Rutting Index	99	99	100	100	100	100
International Roughness Index (IR	I) 56	N/A	44	39	37	41
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	34	32.1	33.6	32.3	33.2	32.3
Lane Width (ft)	11.7	11.6	11.6	11.4	11.3	11.2


ROUTE 0010: U.S. HIGHWAY 26/89/191



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/8/2016	Beginning Section MP	15	16	17	18	19
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	99	99	99	99
Surface Condition Rating (SCR)	98	99	99	99	99	99
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	99	100	100	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	99	100	100	100	100	100
Transverse Cracking Index	98	99	99	99	99	99
Patching Index	100	100	100	100	100	100
Rutting Index	99	100	100	100	100	100
International Roughness Index (IRI)	56	44	48	47	46	49
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	34	32.3	36.1	33.7	32.3	31.9
Lane Width (ft)	11.7	11.4	12.6	11	11.1	11.1

ROUTE 0010: U.S. HIGHWAY 26/89/191



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Ra	ted								
	See Appendix for def	initions and f	ormulas											
Inspection Date: 9/8/2016	Beginning Section MP	20	21	22	23	24								
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	1	1								
Surface Type: ASPHALT	Route Summary													
Roadway Condition Information														
Pavement Condition Rating (PCR)	99	99	99	100	99	99								
Surface Condition Rating (SCR)	98	99	99	100	99	99								
Roughness Condition Index (RCI)	100	100	100	100	100	100								
Distress Index Values														
Structural Crack Index	99	100	100	100	100	100								
Alligator Crack Index	100	100	100	100	100	100								
Longitudinal Crack Index	99	100	100	100	100	100								
Transverse Cracking Index	98	99	99	100	99	99								
Patching Index	100	100	100	100	100	100								
Rutting Index	99	100	100	100	100	100								
International Roughness Index (IRI)	56	56	44	51	45	46								
Lane & Width Information														
Number of Lanes	2	2	2	2	2	2								
Paved Width (ft)	34	34.7	31.3	31.6	31.4	31.5								
Lane Width (ft)	11.7	11.4	11.5	11.6	11.6	11.7								

ROUTE 0010: U.S. HIGHWAY 26/89/191




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)			
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rat	ed	
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/8/2016	Beginning Section MP	25	26	27	28		
Paved Length (Miles): 28.09	Section Length (MI)	1	1	1	0.09		
Surface Type: ASPHALT	Route Summary	oute Summary					
Roadway Condition Information							
Pavement Condition Rating (PCR)	99	99	100	100	99		
Surface Condition Rating (SCR)	98	99	100	100	99		
Roughness Condition Index (RCI)	100	100	100	100	100		
Distress Index Values							
Structural Crack Index	99	100	100	100	99		
Alligator Crack Index	100	100	100	100	100		
Longitudinal Crack Index	99	100	100	100	99		
Transverse Cracking Index	98	99	100	100	99		
Patching Index	100	100	100	100	100		
Rutting Index	99	100	100	100	100		
International Roughness Index (IRI)	56	66	51	52	84		
Lane & Width Information							
Number of Lanes	2	2	2	2	2		
Paved Width (ft)	34	39.7	31.4	31.5	32.5		
Lane Width (ft)	11.7	12.5	11.5	11.5	11.5		




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

I	Route Condition Legend – Pa	vement Cond	ition Rating ((PCR)		
Poor (0 - 60)	Fair (61- 84) Good	l (85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for d	efinitions and f	formulas			
Inspection Date: 9/8/2016	Beginning Section M	P 0	1	2	3	4
Paved Length (Miles): 20.92	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary			•		
Roadway Condition Information						
Pavement Condition Rating (PCR	.) 95	95	95	95	93	90
Surface Condition Rating (SCR)	91	96	92	92	89	84
Roughness Condition Index (RCI)	100	93	100	100	100	100
Distress Index Values						
Structural Crack Index	91	98	97	98	89	84
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	91	98	97	98	89	84
Transverse Cracking Index	99	98	98	98	98	98
Patching Index	100	100	100	100	99	100
Rutting Index	97	96	92	92	90	93
International Roughness Index (IF	RI) 66	133	90	103	105	70
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	31.1	40.1	30.6	31.1	33.6	29.8
Lane Width (ft)	11	12.1	11.6	11.1	11.2	10.7




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/8/2016	Beginning Section MP	5	6	7	8	9
Paved Length (Miles): 20.92	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95	85	87	89	87
Surface Condition Rating (SCR)	91	91	75	78	82	78
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	91	91	75	78	82	78
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	91	91	75	78	82	78
Transverse Cracking Index	99	99	97	97	98	99
Patching Index	100	100	100	100	100	100
Rutting Index	97	95	93	95	97	99
International Roughness Index (IRI)	66	59	55	55	58	48
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	31.1	29.9	29.9	34.6	30.5	29.5
Lane Width (ft)	11	10.7	10.7	10.9	10.7	10.6



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)		Not Rated				
	See Appendix for def	initions and f	ormulas						
Inspection Date: 9/8/2016	Beginning Section MP	10	11	12	13	14			
Paved Length (Miles): 20.92 Section Length (M		1	1	1	1	1			
Surface Type: ASPHALT	Route Summary								
Roadway Condition Information									
Pavement Condition Rating (PCR)	95	87	87	98	100	100			
Surface Condition Rating (SCR)	91	78	79	97	100	100			
Roughness Condition Index (RCI)	100	100	100	100	100	100			
Distress Index Values									
Structural Crack Index	91	78	79	97	100	100			
Alligator Crack Index	100	100	100	100	100	100			
Longitudinal Crack Index	91	78	79	97	100	100			
Transverse Cracking Index	99	99	97	100	100	100			
Patching Index	100	100	100	100	100	100			
Rutting Index	97	99	97	100	100	100			
International Roughness Index (IRI)	66	56	61	60	58	51			
Lane & Width Information									
Number of Lanes	2	2	2	2	2	2			
Paved Width (ft)	31.1	34.5	30.4	29	30.2	30.2			
Lane Width (ft)	11	10.8	10.9	10.8	11.1	11.2			



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Ra	ted								
	See Appendix for def	initions and f	ormulas											
Inspection Date: 9/8/2016	Beginning Section MP	15	16	17	18	19								
Paved Length (Miles): 20.92	Section Length (MI)	1	1	1	1	1								
Surface Type: ASPHALT	Route Summary													
Roadway Condition Information														
Pavement Condition Rating (PCR)	95	100	100	100	99	99								
Surface Condition Rating (SCR)	91	100	100	100	99	99								
Roughness Condition Index (RCI)	100	100	100	100	100	100								
Distress Index Values														
Structural Crack Index	91	100	100	100	100	99								
Alligator Crack Index	100	100	100	100	100	100								
Longitudinal Crack Index	91	100	100	100	100	99								
Transverse Cracking Index	99	100	100	100	99	99								
Patching Index	100	100	100	100	100	100								
Rutting Index	97	100	100	100	100	100								
International Roughness Index (IRI)	66	50	47	61	61	85								
Lane & Width Information														
Number of Lanes	2	2	2	2	2	2								
Paved Width (ft)	31.1	29.2	30.1	30.4	29.6	29.3								
Lane Width (ft)	11	10.9	11.1	11.1	10.5	10.8								



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair	(61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated						
	See Appendix for det	finitions and f	formulas							
Inspection Date: 9/8/2016	Beginning Section MP	20								
Paved Length (Miles): 20.92	Section Length (MI)	0.92								
Surface Type: ASPHALT	Route Summary			•						
Roadway Condition Information										
Pavement Condition Rating (PCR)	95	99								
Surface Condition Rating (SCR)	91	99								
Roughness Condition Index (RCI)	100	100								
Distress Index Values										
Structural Crack Index	91	100								
Alligator Crack Index	100	100								
Longitudinal Crack Index	91	100								
Transverse Cracking Index	99	99								
Patching Index	100	100								
Rutting Index	97	100								
International Roughness Index (IRI)	66	39								
Lane & Width Information										
Number of Lanes	2	2								
Paved Width (ft)	31.1	30.7								
Lane Width (ft)	11	11.2								



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (0	61-84) Good	(85 - 94)	Excellent (95 - 100)		Not Rated							
	See Appendix for def	initions and f	ormulas									
Inspection Date: 9/9/2016	Beginning Section MP	0	1	2	3	4						
Paved Length (Miles): 20.50	Section Length (MI)	1	1	1	1	1						
Surface Type: ASPHALT	Route Summary											
Roadway Condition Information												
Pavement Condition Rating (PCR)	99	98	99	99	99	99						
Surface Condition Rating (SCR)	99	96	98	98	99	99						
Roughness Condition Index (RCI)	100	100	100	100	100	100						
Distress Index Values												
Structural Crack Index	100	96	99	98	99	100						
Alligator Crack Index	100	100	100	100	100	100						
Longitudinal Crack Index	100	96	99	98	99	100						
Transverse Cracking Index	99	98	98	98	99	99						
Patching Index	100	100	100	100	100	100						
Rutting Index	100	100	100	100	100	100						
International Roughness Index (IRI)	54	65	48	49	54	61						
Lane & Width Information												
Number of Lanes	2	2	2	2	2	2						
Paved Width (ft)	30.8	39.3	29.1	28.3	28.4	30.8						
Lane Width (ft)	11.3	13.8	10.6	10.6	10.6	11.1						




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94) Excellent (95 - 100)		95 - 100)	Not Rated							
	See Appendix for def	initions and f	ormulas									
Inspection Date: 9/9/2016	Beginning Section MP	5	6	7	8	9						
Paved Length (Miles): 20.50	Section Length (MI)	1	1	1	1	1						
Surface Type: ASPHALT	Route Summary											
Roadway Condition Information												
Pavement Condition Rating (PCR)	99	100	100	100	100	100						
Surface Condition Rating (SCR)	99	100	100	100	100	100						
Roughness Condition Index (RCI)	100	100	100	100	100	100						
Distress Index Values												
Structural Crack Index	100	100	100	100	100	100						
Alligator Crack Index	100	100	100	100	100	100						
Longitudinal Crack Index	100	100	100	100	100	100						
Transverse Cracking Index	99	100	100	100	100	100						
Patching Index	100	100	100	100	100	100						
Rutting Index	100	100	100	100	100	100						
International Roughness Index (IRI)	54	47	42	49	45	48						
Lane & Width Information												
Number of Lanes	2	2	2	2	2	2						
Paved Width (ft)	30.8	35.1	29.8	29.2	29.2	27.9						
Lane Width (ft)	11.3	12.2	11.3	11.2	11.4	11.4						



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94) Excellent (95 - 100)			Not Rated					
	See Appendix for def	initions and f	ormulas							
Inspection Date: 9/9/2016	Beginning Section MP	10	11	12	13	14				
Paved Length (Miles): 20.50	Section Length (MI)	1	1	1	1	1				
Surface Type: ASPHALT	Route Summary									
Roadway Condition Information										
Pavement Condition Rating (PCR)	99	100	100	99	99	99				
Surface Condition Rating (SCR)	99	100	100	99	99	99				
Roughness Condition Index (RCI)	100	100	100	100	100	100				
Distress Index Values										
Structural Crack Index	100	100	100	100	100	100				
Alligator Crack Index	100	100	100	100	100	100				
Longitudinal Crack Index	100	100	100	100	100	100				
Transverse Cracking Index	99	100	100	99	99	99				
Patching Index	100	100	100	100	100	100				
Rutting Index	100	100	100	100	100	100				
International Roughness Index (IRI)	54	44	50	49	52	53				
Lane & Width Information										
Number of Lanes	2	2	2	2	2	2				
Paved Width (ft)	30.8	32.6	28.6	30.2	29.4	29.4				
Lane Width (ft)	11.3	11.9	11.3	11.2	11.2	11.4				



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)		Not Rated	
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/9/2016	Beginning Section MP	15	16	17	18	19
Paved Length (Miles): 20.50	Section Length (MI)	1	1	1	1	1
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99	98	99	100	100
Surface Condition Rating (SCR)	99	98	97	99	100	100
Roughness Condition Index (RCI)	100	100	100	100	100	100
Distress Index Values						
Structural Crack Index	100	100	100	100	100	100
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	100	100	100	100	100	100
Transverse Cracking Index	99	100	99	99	100	100
Patching Index	100	98	97	100	100	100
Rutting Index	100	100	99	100	100	100
International Roughness Index (IRI)	54	87	103	54	43	43
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	30.8	29.6	28.2	32.6	33.8	34
Lane Width (ft)	11.3	11.1	11.1	11.1	10.8	10.6




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route C	Condition Legend – Pav	ement Condi	tion Rating (PCR)	
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	ormulas			
Inspection Date: 9/9/2016	Beginning Section MP	20		
Paved Length (Miles): 20.50	Section Length (MI)	0.50		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	99	100		
Surface Condition Rating (SCR)	99	100		
Roughness Condition Index (RCI)	100	100		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	99	100		
Patching Index	100	100		
Rutting Index	100	100		
International Roughness Index (IRI)	54	53		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	30.8	32.6		
Lane Width (ft)	11.3	10.8		

Grand Teton National Park ROUTE 0100ZZ: MOOSE/WILSON ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community


Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	inflution Subcomponent ra	8					
	Route C	Condition Legend – H	Pavement Cond	lition Rating (PCR)			
Poor (0 - 60) Fair (6)	1- 84) Goo	od (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas							
Inspection Date:	9/8/2016						
Paved Length (Mile	es): 5.65						
Surface Type:	ASPHALT	Route Summary			•		
Roadway Condition	n Information						
Pavement Conditio	on Rating (PCR)	77					
Lane & Width Info	rmation						
Number of Lanes		2					
Paved Width (ft)		18.8					
Lane Width (ft)		9.4					

Note: Route 0100ZZ has a 1.38-mile long unpaved section from MP 4.80 to MP 6.18.

Grand Teton National Park ROUTE 0100AZ: MOOSE/WILSON ROAD

Subcomponent of Route GRTE-0100ZZ Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/7/2016	Beginning Section MP	0	1	2	3	4
Paved Length (Miles): 4.80	Section Length (MI)	1	1	1	1	0.8
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	75	81	78	69	70	70
Surface Condition Rating (SCR)	89	86	89	77	92	92
Roughness Condition Index (RCI)	53	73	62	56	38	36
Distress Index Values						
Structural Crack Index	89	86	89	77	94	99
Alligator Crack Index	100	100	100	100	100	100
Longitudinal Crack Index	89	86	89	77	94	99
Transverse Cracking Index	93	89	90	92	96	99
Patching Index	99	99	100	99	99	100
Rutting Index	94	97	96	93	92	92
International Roughness Index (IRI)	270	191	233	257	348	363
Lane & Width Information						
Number of Lanes	2	2	2	2	2	2
Paved Width (ft)	19.1	20.1	18.5	19.2	18.3	19.3
Lane Width (ft)	9.5	10	9.2	9.6	9.1	9.7

Note: Route 0100AZ is the first paved section from MP 0 to MP 4.80.

Grand Teton National Park ROUTE 0100BZ: GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD

Subcomponent of Route GRTE-0100ZZ





Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

	Route Condition Le	gend – Pavement Con	dition Rating (PCR)	
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated
	See Appe	ndix for definitions and	l formulas	
Inspection Date: 9/8/2016	Beginning S	Section MP 0		
Paved Length (Miles): 0.85	Section Len	ngth (MI) 0.85		
Surface Type: ASPHAI	T Route Sum	mary		
Roadway Condition Information	n			
Pavement Condition Rating (PC	CR) 92	2 92		
Surface Condition Rating (SCR)	94	4 94		
Roughness Condition Index (RCI) 8	8 88		
Distress Index Values				
Structural Crack Index	9′	7 97		
Alligator Crack Index	10	0 100		
Longitudinal Crack Index	9′	7 97		
Transverse Cracking Index	94	4 94		
Patching Index	10	0 100		
Rutting Index	9'	7 97		
International Roughness Index	(IRI) 14	5 145		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	17	.4 17.4		
Lane Width (ft)	9	9		

Note: Route 0100BZ is the second paved section beginning from approximately MP 6.18.

Grand Teton National Park ROUTE 0101: ANTELOPE FLATS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rat	ted
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/7/2016	Beginning Section MP	0	1	2	3	
Paved Length (Miles): 3.31	Section Length (MI)	1	1	1	0.31	
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	89	87	94	88	84	
Surface Condition Rating (SCR)	96	96	96	96	95	
Roughness Condition Index (RCI)	78	73	92	75	68	
Distress Index Values						
Structural Crack Index	99	100	99	99	98	
Alligator Crack Index	100	100	100	100	100	
Longitudinal Crack Index	99	100	99	99	98	
Transverse Cracking Index	100	99	100	100	100	
Patching Index	100	100	100	100	100	
Rutting Index	96	96	96	96	95	
International Roughness Index (IRI)	174	191	135	185	209	
Lane & Width Information						
Number of Lanes	2	2	2	2	2	
Paved Width (ft)	19.7	20.2	21.7	17.8	18	
Lane Width (ft)	9.8	10.1	10.9	8.9	9	

Grand Teton National Park ROUTE 0102: TETON FOREST ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Good (85 - 94)		Excellent (95 - 100)		Not Rated		
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	0	1	2	3	4	
Paved Length (Miles): 4.03	Section Length (MI)	1	1	1	1	0.03	
Surface Type: ASPHALT	Route Summary				•		
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	91	89	90	87	73	
Surface Condition Rating (SCR)	97	98	99	96	97	90	
Roughness Condition Index (RCI)	76	80	74	80	71	48	
Distress Index Values							
Structural Crack Index	99	99	99	98	99	100	
Alligator Crack Index	100	100	100	100	100	100	
Longitudinal Crack Index	99	99	99	98	99	100	
Transverse Cracking Index	99	100	100	97	97	99	
Patching Index	100	100	100	100	100	100	
Rutting Index	97	98	99	96	98	90	
International Roughness Index (IRI)	181	169	187	169	199	293	
Lane & Width Information							
Number of Lanes	2	2	2	2	2	2	
Paved Width (ft)	20.5	20.6	20.1	20.6	20.7	20.8	
Lane Width (ft)	10.2	10.2	10	10.3	10.4	10.4	

Grand Teton National Park ROUTE 0103: COLTER BAY ENTRANCE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.66	Section Length (MI)	0.66					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	83	83					
Surface Condition Rating (SCR)	92	92					
Roughness Condition Index (RCI)	70	70					
Distress Index Values							
Structural Crack Index	99	99					
Alligator Crack Index	100	100					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	98	98					
Patching Index	100	100					
Rutting Index	92	92					
International Roughness Index (IRI)	203	203					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	24.2	24.2					
Lane Width (ft)	11.5	11.5					

ROUTE 0104: GROS VENTRE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	61-84) Good ((85 - 94)	Excellent (95 - 100)	Not Ra	ted	
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	0	1	2	3	4	
Paved Length (Miles): 10.36	Section Length (MI)	1	1	1	1	1	
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	92	92	85	87	90	93	
Surface Condition Rating (SCR)	93	89	79	85	92	93	
Roughness Condition Index (RCI)	91	97	94	90	88	93	
Distress Index Values							
Structural Crack Index	100	100	99	100	100	100	
Alligator Crack Index	100	100	100	100	100	100	
Longitudinal Crack Index	100	100	99	100	100	100	
Transverse Cracking Index	99	98	100	98	97	98	
Patching Index	100	100	100	100	100	100	
Rutting Index	93	89	79	85	92	93	
International Roughness Index (IRI)	137	123	130	141	145	131	
Lane & Width Information							
Number of Lanes	2	2	2	2	2	2	
Paved Width (ft)	21.6	22.3	22.4	22.4	21.2	22.9	
Lane Width (ft)	9.6	9.8	9.6	9.3	9.3	9.3	


ROUTE 0104: GROS VENTRE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)	Fair (61- 84) Goo	od (85 - 94)	Excellent (95 - 100)	Not Ra	ted	
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section N	AP 5	6	7	8	9	
Paved Length (Miles): 10.36	Section Length (MI) 1	1	1	1	1	
Surface Type: ASPHAL	T Route Summary						
Roadway Condition Informatio	n						
Pavement Condition Rating (PC	R) 92	95	99	100	91	94	
Surface Condition Rating (SCR)	93	98	99	100	98	99	
Roughness Condition Index (RCI)	91	90	100	100	80	87	
Distress Index Values							
Structural Crack Index	100	100	100	100	100	100	
Alligator Crack Index	100	100	100	100	100	100	
Longitudinal Crack Index	100	100	100	100	100	100	
Transverse Cracking Index	99	98	100	100	100	100	
Patching Index	100	100	100	100	100	100	
Rutting Index	93	98	99	100	98	99	
International Roughness Index (IRI) 137	139	110	111	169	147	
Lane & Width Information							
Number of Lanes	2	2	2	2	2	2	
Paved Width (ft)	21.6	21.6	22.2	21.7	20.8	19.3	
Lane Width (ft)	9.6	9.5	9.6	9.4	10.3	9.7	


ROUTE 0104: GROS VENTRE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Cond	ition Rating (PCR)				
Poor (0 - 60) Fair (6	Good (85 - 94)		Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	10					
Paved Length (Miles): 10.36	Section Length (MI)	0.36					
Surface Type: ASPHALT	Route Summary		• •	• •			
Roadway Condition Information							
Pavement Condition Rating (PCR)	92	88					
Surface Condition Rating (SCR)	93	98					
Roughness Condition Index (RCI)	91	73					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	100					
Patching Index	100	100					
Rutting Index	93	98					
International Roughness Index (IRI)	137	192					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	21.6	19.6					
Lane Width (ft)	9.6	9.8					

Grand Teton National Park ROUTE 0105: SOUTH JENNY LAKE ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)					
Poor (0 - 60) Fair (6	Good (85 - 94)		Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/8/2016	Beginning Section MP	0						
Paved Length (Miles): 0.35	Section Length (MI)	0.35						
Surface Type: ASPHALT	Route Summary		•					
Roadway Condition Information								
Pavement Condition Rating (PCR)	78	78						
Surface Condition Rating (SCR)	78	78						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	78	78						
Alligator Crack Index	100	100						
Longitudinal Crack Index	78	78						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	99	99						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	35.7	35.7						
Lane Width (ft)	11.5	11.5						

Grand Teton National Park ROUTE 0107: MORAN DEVELOPMENT ROAD




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/8/2016	Beginning Section MP	0						
Paved Length (Miles): 0.26	Section Length (MI)	0.26						
Surface Type: ASPHALT	Route Summary		•	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	94	94						
Surface Condition Rating (SCR)	94	94						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	94	94						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	27.7	27.7						
Lane Width (ft)	13.9	13.9						

Grand Teton National Park ROUTE 0108ZZ: TETON SCIENCE SCHOOL ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend	- Pavement Cond	lition Rating (PCR)		
Poor (0 - 60) Fair (6	<mark>1- 84) (</mark>	Good (85 - 94)	Excellent (95 - 100)	Not Rated	
See Appendix for definitions and formulas						
Inspection Date:	9/7/2016					
Paved Length (Mile	s): 1.80					
Surface Type:	ASPHALT	Route Summary		•		
Roadway Condition	Information					
Pavement Condition	n Rating (PCR)	90				
Lane & Width Infor	rmation					
Number of Lanes		2				
Paved Width (ft)		17				
Lane Width (ft)		8.5				


Grand Teton National Park ROUTE 0108AZ: TETON SCIENCE SCHOOL ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95	- 100)	Not Rated			
See Appendix for definitions and formulas								
Inspection Date: 9/7/2016	Beginning Section MP	0	1					
Paved Length (Miles): 1.71	Section Length (MI)	1	0.71					
Surface Type: ASPHALT	Route Summary				• •			
Roadway Condition Information								
Pavement Condition Rating (PCR)	91	93	88					
Surface Condition Rating (SCR)	95	96	95					
Roughness Condition Index (RCI)	84	89	78					
Distress Index Values								
Structural Crack Index	100	100	100					
Alligator Crack Index	100	100	100					
Longitudinal Crack Index	100	100	100					
Transverse Cracking Index	97	97	98					
Patching Index	100	100	100					
Rutting Index	95	96	95					
International Roughness Index (IRI)	157	142	177					
Lane & Width Information								
Number of Lanes	2	2	2					
Paved Width (ft)	16.9	17	16.8					
Lane Width (ft)	8.4	8.5	8.4					

Grand Teton National Park ROUTE 0108BZ: TETON SCIENCE SCHOOL DORM ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Poor (0 - 60) Fair (61- 84) Good		(85 - 94) Excellent (95 - 100) Not Rated				
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	0					
Paved Length (Miles): 0.09	Section Length (MI)	0.09					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	64	64					
Surface Condition Rating (SCR)	64	64					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	64	64					
Alligator Crack Index	100	100					
Longitudinal Crack Index	64	64					
Transverse Cracking Index	81	81					
Patching Index	99	99					
Rutting Index	85	85					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	18.8	18.8					
Lane Width (ft)	9.4	9.4					


Grand Teton National Park ROUTE 0109: DORNAN'S ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/7/2016	Beginning Section MP	0						
Paved Length (Miles): 0.26	Section Length (MI)	0.26						
Surface Type: ASPHALT	Route Summary		• •	• •				
Roadway Condition Information								
Pavement Condition Rating (PCR)	94	94						
Surface Condition Rating (SCR)	94	94						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	99	99						
Alligator Crack Index	100	100						
Longitudinal Crack Index	99	99						
Transverse Cracking Index	94	94						
Patching Index	100	100						
Rutting Index	95	95						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	29.4	29.4						
Lane Width (ft)	11.6	11.6						


Grand Teton National Park ROUTE 0110: STRING LAKE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fa	ir (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/8/2016	Beginning Section MP	0						
Paved Length (Miles): 0.53	Section Length (MI)	0.53						
Surface Type: ASPHALT	Route Summary		•	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	96	96						
Surface Condition Rating (SCR)	94	94						
Roughness Condition Index (RCI)	100	100						
Distress Index Values								
Structural Crack Index	94	94						
Alligator Crack Index	100	100						
Longitudinal Crack Index	94	94						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	99	99						
International Roughness Index (IRI)	91	91						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	26.5	26.5						
Lane Width (ft)	12.4	12.4						

Grand Teton National Park ROUTE 0111: SIGNAL MOUNTAIN SUMMIT ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (0	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Ra	ted	
See Appendix for definitions and formulas							
Inspection Date: 9/8/2016	Beginning Section MP	0	1	2	3	4	
Paved Length (Miles): 4.76	Section Length (MI)	1	1	1	1	0.76	
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	85	83	87	87	85	84	
Surface Condition Rating (SCR)	95	95	97	96	95	93	
Roughness Condition Index (RCI)	70	66	71	73	69	70	
Distress Index Values							
Structural Crack Index	100	100	100	100	100	100	
Alligator Crack Index	100	100	100	100	100	100	
Longitudinal Crack Index	100	100	100	100	100	100	
Transverse Cracking Index	100	100	100	100	100	100	
Patching Index	100	100	100	100	100	100	
Rutting Index	95	95	97	96	95	93	
International Roughness Index (IRI)	202	216	199	192	204	200	
Lane & Width Information							
Number of Lanes	2	2	2	2	2	2	
Paved Width (ft)	18.6	18.2	18.8	18.6	19	18.4	
Lane Width (ft)	9.3	9.1	9.4	9.3	9.5	9.2	

Grand Teton National Park ROUTE 0112: SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.61	Section Length (MI)	0.61					
Surface Type: ASPHALT	Route Summary		• •	• •			
Roadway Condition Information							
Pavement Condition Rating (PCR)	96	96					
Surface Condition Rating (SCR)	98	98					
Roughness Condition Index (RCI)	92	92					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	98	98					
International Roughness Index (IRI)	135	135					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	20.5	20.5					
Lane Width (ft)	10.2	10.2					

Grand Teton National Park ROUTE 0113: JACKSON LAKE LODGE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.62	Section Length (MI)	0.62					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	92	92					
Surface Condition Rating (SCR)	92	92					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	94	94					
Alligator Crack Index	100	100					
Longitudinal Crack Index	94	94					
Transverse Cracking Index	94	94					
Patching Index	96	96					
Rutting Index	92	92					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	24.4	24.4					
Lane Width (ft)	13.2	13.2					

Grand Teton National Park ROUTE 0114: PACIFIC CREEK ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	Good (Good ((85 - 94)	Excellent (95 - 100)	Not Rat	ted		
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0	1	2	3			
Paved Length (Miles): 3.36	Section Length (MI)	1	1	1	0.36			
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	78	61	85	84	83			
Surface Condition Rating (SCR)	88	68	97	93	93			
Roughness Condition Index (RCI)	62	50	66	70	68			
Distress Index Values								
Structural Crack Index	88	68	98	93	99			
Alligator Crack Index	99	98	100	99	100			
Longitudinal Crack Index	89	70	98	94	99			
Transverse Cracking Index	92	83	99	93	93			
Patching Index	99	99	99	100	99			
Rutting Index	92	85	97	95	95			
International Roughness Index (IRI)	231	286	215	201	207			
Lane & Width Information								
Number of Lanes	2	2	2	2	2			
Paved Width (ft)	18.7	19.7	18	18.5	18.5			
Lane Width (ft)	9.4	9.8	9	9.3	9.3			

Grand Teton National Park ROUTE 0115: LEEKS MARINA ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.62	Section Length (MI)	0.62						
Surface Type: ASPHALT	Route Summary		•					
Roadway Condition Information								
Pavement Condition Rating (PCR)	84	84						
Surface Condition Rating (SCR)	92	92						
Roughness Condition Index (RCI)	72	72						
Distress Index Values								
Structural Crack Index	99	99						
Alligator Crack Index	100	100						
Longitudinal Crack Index	99	99						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	92	92						
International Roughness Index (IRI)	196	196						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	23.4	23.4						
Lane Width (ft)	11.1	11.1						

Grand Teton National Park ROUTE 0118: BLACKTAIL PONDS OVERLOOK ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair	(61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/7/2016	Beginning Section MP	0						
Paved Length (Miles): 0.27	Section Length (MI)	0.27						
Surface Type: ASPHALT	Route Summary		•	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	98	98						
Surface Condition Rating (SCR)	98	98						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	100	100						
Patching Index	100	100						
Rutting Index	98	98						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	28.2	28.2						
Lane Width (ft)	13.3	13.3						

Grand Teton National Park

ROUTE 0200: SAGE BRUSH DRIVE




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair	(61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for det	finitions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.51	Section Length (MI)	0.51			
Surface Type: ASPHALT	Route Summary		•	• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	86	86			
Surface Condition Rating (SCR)	88	88			
Roughness Condition Index (RCI)	84	84			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	98	98			
Patching Index	100	100			
Rutting Index	88	88			
International Roughness Index (IRI)	157	157			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	26.6	26.6			
Lane Width (ft)	11.5	11.5			

Grand Teton National Park ROUTE 0202ZZ: GROS VENTRE CAMPGROUND ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	viuuai subcomponent ra	8					
	Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)) Fair (6)	<mark>1- 84</mark>)	Good (85 - 94)	Excellent	(95 - 100)	Not Ra	ted
See Appendix for definitions and formulas							
Inspection Date:	9/7/2016						
Paved Length (Miles	s): 4.39						
Surface Type:	ASPHALT	Route Summa	ary				
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	92					
Lane & Width Infor	mation						
Number of Lanes		1					
Paved Width (ft)		14.9					
Lane Width (ft)		11.2					


Grand Teton National Park ROUTE 0202AZ: GROS VENTRE CAMPGROUND LOOPA

		A A	
		2	
Rie.	0202AZ		
0	2 8		

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.88	Section Length (MI)	0.88			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	97	97			
Patching Index	99	99			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	16.8	16.8			
Lane Width (ft)	11	11			


Grand Teton National Park ROUTE 0202BZ: GROS VENTRE CAMPGROUND LOOP B (SITES 90-123)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	Good Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.31	Section Length (MI)	0.31			
Surface Type: ASPHALT	Route Summary		•	• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	98	98			
Patching Index	100	100			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.5	12.5			
Lane Width (ft)	11.7	11.7			


Grand Teton National Park ROUTE 0202CZ: GROS VENTRE CAMPGROUND LOOP C (SITES 124-167)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for det	finitions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.37	Section Length (MI)	0.37			
Surface Type: ASPHALT	Route Summary			•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	93	93			
Surface Condition Rating (SCR)	93	93			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	99	99			
Patching Index	99	99			
Rutting Index	93	93			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	11.7	11.7			
Lane Width (ft)	11	11			

Grand Teton National Park ROUTE 0202DZ: GROS VENTRE CAMPGROUND LOOP D (SITES 168-207)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.35	Section Length (MI)	0.35			
Surface Type: ASPHALT	Route Summary			•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	89	89			
Surface Condition Rating (SCR)	89	89			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	99	99			
Patching Index	95	95			
Rutting Index	89	89			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	11.3	11.3			
Lane Width (ft)	10.6	10.6			

Grand Teton National Park ROUTE 0202EZ: GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.44	Section Length (MI)	0.44			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	89	89			
Surface Condition Rating (SCR)	89	89			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	99	99			
Patching Index	89	89			
Rutting Index	97	97			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.6	12.6			
Lane Width (ft)	11.9	11.9			


Grand Teton National Park ROUTE 0202FZ: GROS VENTRE CAMPGROUND LOOP F (SITES 287-336)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.43	Section Length (MI)	0.43			
Surface Type: ASPHALT	Route Summary		• •		
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	95	95			
Patching Index	100	100			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	13.7	13.7			
Lane Width (ft)	12.6	12.6			

Grand Teton National Park ROUTE 0202GZ: GROS VENTRE CAMPGROUND LOOP G (SITES 337-372)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.36	Section Length (MI)	0.36			
Surface Type: ASPHALT	Route Summary		•	•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	91	91			
Surface Condition Rating (SCR)	91	91			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	97	97			
Alligator Crack Index	100	100			
Longitudinal Crack Index	97	97			
Transverse Cracking Index	91	91			
Patching Index	99	99			
Rutting Index	91	91			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.9	12.9			
Lane Width (ft)	12.1	12.1			


Grand Teton National Park ROUTE 0202HZ: GROS VENTRE CAMPGROUND LOOP H

			b 0
	Rte. 0202H	1	
	aus companying pa cons Ventre Campanying		
5			

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.90	Section Length (MI)	0.90			
Surface Type: ASPHALT	Route Summary		•		
Roadway Condition Information					
Pavement Condition Rating (PCR)	93	93			
Surface Condition Rating (SCR)	93	93			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	97	97			
Alligator Crack Index	100	100			
Longitudinal Crack Index	97	97			
Transverse Cracking Index	94	94			
Patching Index	99	99			
Rutting Index	93	93			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	16.7	16.7			
Lane Width (ft)	10.4	10.4			

Grand Teton National Park ROUTE 0202Z: GROS VENTRE CAMPGROUND ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.35	Section Length (MI)	0.35			
Surface Type: ASPHALT	Route Summary			• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	98	98			
Surface Condition Rating (SCR)	98	98			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	99	99			
Patching Index	100	100			
Rutting Index	98	98			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	21.3	21.3			
Lane Width (ft)	10.7	10.7			

Grand Teton National Park ROUTE 0204: CHAPEL OF TRANSFIGURATION ACCESS ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	formulas		
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.55	Section Length (MI)	0.55			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	96	96			
Roughness Condition Index (RCI)	86	86			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	99	99			
Rutting Index	96	96			
International Roughness Index (IRI)	150	150			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	22.9	22.9			
Lane Width (ft)	11.4	11.4			

Grand Teton National Park ROUTE 0205ZZ: JENNY LAKE CAMPGROUND ROADS

Summary Route

<u> </u>	RIE DIDSIL	
Z		
and a state		

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	ividual subcomponent ra	8				
	Route C	Condition Legend – H	Pavement Cond	lition Rating (PCR)		
Poor (0 - 60) Fair (6)	<mark>1- 84) Goo</mark>	od (85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for definitions and formulas					
Inspection Date:	9/8/2016					
Paved Length (Mile	s): 0.94					
Surface Type:	ASPHALT	Route Summary		• •		
Roadway Condition	Information					
Pavement Condition	n Rating (PCR)	92				
Lane & Width Infor	rmation					
Number of Lanes		1				
Paved Width (ft)		10.7				
Lane Width (ft)		8.9				


Grand Teton National Park ROUTE 0205AZ: JENNY LAKE CAMPGROUND LOOP

	Rie ODSAL	
K		
R	0	

Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.87	Section Length (MI)	0.87			
Surface Type: ASPHALT	Route Summary			• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	97	97			
Alligator Crack Index	100	100			
Longitudinal Crack Index	97	97			
Transverse Cracking Index	95	95			
Patching Index	100	100			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	11	11			
Lane Width (ft)	9	9			


Grand Teton National Park ROUTE 0205BZ: JENNY LAKE CAMPGROUND CUT THROUGH



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.07	Section Length (MI)	0.07			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	84	84			
Surface Condition Rating (SCR)	84	84			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	94	94			
Alligator Crack Index	100	100			
Longitudinal Crack Index	94	94			
Transverse Cracking Index	84	84			
Patching Index	100	100			
Rutting Index	86	86			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	7.3	7.3			
Lane Width (ft)	7.3	7.3			

Grand Teton National Park ROUTE 0208: DEATH CANYON ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/7/2016	Beginning Section MP	0		
Paved Length (Miles): 0.65	Section Length (MI)	0.65		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	80	80		
Surface Condition Rating (SCR)	96	96		
Roughness Condition Index (RCI)	57	57		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	99	99		
Patching Index	100	100		
Rutting Index	96	96		
International Roughness Index (IRI)	251	251		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	17.6	17.6		
Lane Width (ft)	8.8	8.8		

Grand Teton National Park ROUTE 0209: CLIMBERS RANCH ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair ((61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and	formulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.28	Section Length (MI)	0.28			
Surface Type: ASPHALT	Route Summary		•		
Roadway Condition Information					
Pavement Condition Rating (PCR)	94	94			
Surface Condition Rating (SCR)	94	94			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	99	99			
Patching Index	100	100			
Rutting Index	94	94			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	17.2	17.2			
Lane Width (ft)	8.6	8.6			

Grand Teton National Park ROUTE 0211ZZ: SIGNAL MOUNTAIN CAMPGROUND ACCESS ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	ividual subcomponent ra	8				
Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6)	1- 84) Goo	d (85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for definitions and formulas					
Inspection Date:	9/8/2016					
Paved Length (Miles	s): 0.80					
Surface Type:	ASPHALT	Route Summary		• •	• •	
Roadway Condition	Information					
Pavement Condition	n Rating (PCR)	82				
Lane & Width Infor	rmation					
Number of Lanes		1				
Paved Width (ft)		12.6				
Lane Width (ft)		12.6				

Grand Teton National Park ROUTE 0211AZ: SIGNAL MOUNTAIN CAMPGROUND LOOPA



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.40	Section Length (MI)	0.40			
Surface Type: ASPHALT	Route Summary		•		
Roadway Condition Information					
Pavement Condition Rating (PCR)	78	78			
Surface Condition Rating (SCR)	78	78			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	83	83			
Alligator Crack Index	92	92			
Longitudinal Crack Index	91	91			
Transverse Cracking Index	99	99			
Patching Index	90	90			
Rutting Index	78	78			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	13.7	13.7			
Lane Width (ft)	13.7	13.7			

Grand Teton National Park ROUTE 0211BZ: SIGNAL MOUNTAIN CAMPGROUND LOOP B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.21	Section Length (MI)	0.21			
Surface Type: ASPHALT	Route Summary		•	•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	83	83			
Surface Condition Rating (SCR)	83	83			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	97	97			
Alligator Crack Index	99	99			
Longitudinal Crack Index	98	98			
Transverse Cracking Index	100	100			
Patching Index	98	98			
Rutting Index	83	83			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	11.7	11.7			
Lane Width (ft)	11.7	11.7			


Grand Teton National Park ROUTE 0211CZ: SIGNAL MOUNTAIN CAMPGROUND LOOP C



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	Fair (61- 84) Good (Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/8/2016	Beginning Section MP	0				
Paved Length (Miles): 0.19	Section Length (MI)	0.19				
Surface Type: ASPHALT	Route Summary		•			
Roadway Condition Information						
Pavement Condition Rating (PCR)	92	92				
Surface Condition Rating (SCR)	92	92				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	99	99				
Rutting Index	92	92				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	11.3	11.3				
Lane Width (ft)	11.3	11.3				

Grand Teton National Park ROUTE 0212: JACKSON LAKE DAM FISHING ACCESS ROAD




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair	Poor (0 - 60) Fair (61- 84) Good (Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/8/2016	Beginning Section MP	0				
Paved Length (Miles): 0.29	Section Length (MI)	0.29				
Surface Type: ASPHALT	Route Summary		• •	• •		
Roadway Condition Information						
Pavement Condition Rating (PCR)	99	99				
Surface Condition Rating (SCR)	99	99				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	99	99				
Patching Index	100	100				
Rutting Index	99	99				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	29.9	29.9				
Lane Width (ft)	12	12				

Grand Teton National Park ROUTE 0215ZZ: COLTER BAY CAMPGROUND LOOPS AND ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fai	<mark>: (61- 84</mark>)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/12/2016						
Paved Length (Miles): 7.45						
Surface Type: ASPHALT	Route Summa	nry		• •		
Roadway Condition Information						
Pavement Condition Rating (PCR)	90					
Lane & Width Information						
Number of Lanes	2					
Paved Width (ft)	14					
Lane Width (ft)	11.8					


Grand Teton National Park ROUTE 0215AZ: COLTER BAY CAMPGROUND LOOP A (SITES 1-28)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.24	Section Length (MI)	0.24				
Surface Type: ASPHALT	Route Summary		• •	•		
Roadway Condition Information						
Pavement Condition Rating (PCR)	87	87				
Surface Condition Rating (SCR)	87	87				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	87	87				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12.2	12.2				
Lane Width (ft)	12.2	12.2				

Grand Teton National Park ROUTE 0215BZ: COLTER BAY CAMPGROUND LOOP B (SITES 29-50)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	Good Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.19	Section Length (MI)	0.19		
Surface Type: ASPHALT	Route Summary		• •	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	94	94		
Rutting Index	95	95		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11.5	11.5		
Lane Width (ft)	11.5	11.5		

Grand Teton National Park ROUTE 0215CZ: COLTER BAY CAMPGROUND LOOP C (SITES 51-72)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.18	Section Length (MI)	0.18		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	90	90		
Surface Condition Rating (SCR)	90	90		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	93	93		
Rutting Index	90	90		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.8	12.8		
Lane Width (ft)	12.8	12.8		


Grand Teton National Park ROUTE 0215DAZ: COLTER BAY CAMPGROUND LOOP D (SITES 73-109)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fa	nir (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for de	finitions and	formulas	
Inspection Date: 9/9/2016	Beginning Section MI	P 0		
Paved Length (Miles): 0.27	Section Length (MI)	0.27		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	78	78		
Surface Condition Rating (SCR)	78	78		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	78	78		
Rutting Index	91	91		
International Roughness Index (IRI) N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.2	12.2		
Lane Width (ft)	12.2	12.2		


Grand Teton National Park ROUTE 0215DBZ: COLTER BAY CAMPGROUND LOOP D CROSSOVER



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.10	Section Length (MI)	0.10		
Surface Type: ASPHALT	Route Summary		•	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	72	72		
Surface Condition Rating (SCR)	72	72		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	72	72		
Rutting Index	91	91		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11.2	11.2		
Lane Width (ft)	11.2	11.2		


Grand Teton National Park ROUTE 0215EZ: COLTER BAY CAMPGROUND LOOP E (SITES 110-125)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.40	Section Length (MI)	0.40		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	83	83		
Surface Condition Rating (SCR)	83	83		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	83	83		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	16	16		
Lane Width (ft)	10.9	10.9		


Grand Teton National Park ROUTE 0215FZ: COLTER BAY CAMPGROUND LOOP F (SITES 126-137)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.14	Section Length (MI)	0.14			
Surface Type: ASPHALT	Route Summary			- · · ·	
Roadway Condition Information					
Pavement Condition Rating (PCR)	85	85			
Surface Condition Rating (SCR)	85	85			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	96	96			
Rutting Index	85	85			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	10.1	10.1			
Lane Width (ft)	10.1	10.1			


Grand Teton National Park ROUTE 0215GZ: COLTER BAY CAMPGROUND LOOP G (SITES 138-149)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.33	Section Length (MI)	0.33		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	90	90		
Surface Condition Rating (SCR)	90	90		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	90	90		
Rutting Index	91	91		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	14	14		
Lane Width (ft)	9.8	9.8		

Grand Teton National Park ROUTE 0215HZ: COLTER BAY CAMPGROUND LOOP H (SITES 150-166)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 -	100)	Not Rated
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.17	Section Length (MI)	0.17			
Surface Type: ASPHALT	Route Summary				•
Roadway Condition Information					
Pavement Condition Rating (PCR)	95	95			
Surface Condition Rating (SCR)	95	95			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	98	98			
Rutting Index	95	95			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.3	12.3			
Lane Width (ft)	12.3	12.3			


Grand Teton National Park ROUTE 0215IZ: COLTER BAY CAMPGROUND LOOP I (SITES 167-179)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.14	Section Length (MI)	0.14		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	90	90		
Surface Condition Rating (SCR)	90	90		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	96	96		
Rutting Index	90	90		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.1	12.1		
Lane Width (ft)	12.1	12.1		


Grand Teton National Park ROUTE 0215JZ: COLTER BAY CAMPGROUND LOOP J (SITES 180-207)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.25	Section Length (MI)	0.25		
Surface Type: ASPHALT	Route Summary		•	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.5	12.5		
Lane Width (ft)	12.5	12.5		


Grand Teton National Park ROUTE 0215KZ: COLTER BAY CAMPGROUND LOOP K (SITES 208-231)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair	61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.23	Section Length (MI)	0.23		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	90	90		
Surface Condition Rating (SCR)	90	90		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	90	90		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.1	12.1		
Lane Width (ft)	12.1	12.1		


Grand Teton National Park ROUTE 0215LZ: COLTER BAY CAMPGROUND LOOP L (SITES 232-259)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for det	finitions and f	formulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.27	Section Length (MI)	0.27		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	98	98		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.3	12.3		
Lane Width (ft)	12.3	12.3		


Grand Teton National Park ROUTE 0215MZ: COLTER BAY CAMPGROUND LOOP M (SITES 260-287)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.31	Section Length (MI)	0.31		
Surface Type: ASPHALT	Route Summary			•
Roadway Condition Information				
Pavement Condition Rating (PCR)	79	79		
Surface Condition Rating (SCR)	79	79		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	79	79		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.5	12.5		
Lane Width (ft)	12.5	12.5		


Grand Teton National Park ROUTE 0215NZ: COLTER BAY CAMPGROUND LOOP N (SITES 288-312)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	formulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.27	Section Length (MI)	0.27			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	76	76			
Surface Condition Rating (SCR)	76	76			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	96	96			
Alligator Crack Index	100	100			
Longitudinal Crack Index	96	96			
Transverse Cracking Index	100	100			
Patching Index	99	99			
Rutting Index	76	76			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.2	12.2			
Lane Width (ft)	12.2	12.2			


Grand Teton National Park ROUTE 02150Z: COLTER BAY CAMPGROUND LOOP O (SITES 313-350)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.39	Section Length (MI)	0.39		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	81	81		
Surface Condition Rating (SCR)	81	81		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	98	98		
Alligator Crack Index	100	100		
Longitudinal Crack Index	98	98		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	81	81		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	12.3	12.3		
Lane Width (ft)	12.3	12.3		

Grand Teton National Park ROUTE 0215PAZ: COLTER BAY CAMPGROUND GROUP SITE LOOP A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.74	Section Length (MI)	0.74		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	99	99		
Patching Index	99	99		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	13.5	13.5		
Lane Width (ft)	11.2	11.2		


Grand Teton National Park ROUTE 0215PBZ: COLTER BAY CAMPGROUND GROUP SITE LOOP B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.12	Section Length (MI)	0.12		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	98	98		
Rutting Index	94	94		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11.5	11.5		
Lane Width (ft)	11.5	11.5		


Grand Teton National Park ROUTE 0215RAZ: COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fa	ir (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for de	finitions and	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.09	Section Length (MI)	0.09		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	95	95		
Alligator Crack Index	100	100		
Longitudinal Crack Index	95	95		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10.8	10.8		
Lane Width (ft)	10.8	10.8		


Grand Teton National Park ROUTE 0215RBZ: COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6)	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.10	Section Length (MI)	0.10		
Surface Type: ASPHALT	Route Summary			•
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10.2	10.2		
Lane Width (ft)	10.2	10.2		


Grand Teton National Park ROUTE 0215RCZ: COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.08	Section Length (MI)	0.08		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	89	89		
Surface Condition Rating (SCR)	89	89		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	97	97		
Alligator Crack Index	100	100		
Longitudinal Crack Index	97	97		
Transverse Cracking Index	99	99		
Patching Index	97	97		
Rutting Index	89	89		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10.1	10.1		
Lane Width (ft)	10.1	10.1		


Grand Teton National Park ROUTE 0215RDZ: COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.07	Section Length (MI)	0.07		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	93	93		
Surface Condition Rating (SCR)	93	93		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	98	98		
Rutting Index	93	93		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11	11		
Lane Width (ft)	11	11		


Grand Teton National Park ROUTE 0215REZ: COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	formulas		
Inspection Date: 9/12/2016	Beginning Section MP	0			
Paved Length (Miles): 0.07	Section Length (MI)	0.07			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	99	99			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	9.8	9.8			
Lane Width (ft)	9.8	9.8			


Grand Teton National Park ROUTE 0215RFZ: COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary			•
Roadway Condition Information				
Pavement Condition Rating (PCR)	96	96		
Surface Condition Rating (SCR)	96	96		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	96	96		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	9.1	9.1		
Lane Width (ft)	9.1	9.1		

Grand Teton National Park ROUTE 0215RGZ: COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.05	Section Length (MI)	0.05		
Surface Type: ASPHALT	Route Summary			•
Roadway Condition Information				
Pavement Condition Rating (PCR)	90	90		
Surface Condition Rating (SCR)	90	90		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	90	90		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11	11		
Lane Width (ft)	11	11		


Grand Teton National Park ROUTE 0215RHZ: COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.05	Section Length (MI)	0.05		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	86	86		
Surface Condition Rating (SCR)	86	86		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	86	86		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11	11		
Lane Width (ft)	11	11		

Grand Teton National Park ROUTE 0215RIZ: COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	86	86		
Surface Condition Rating (SCR)	86	86		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	86	86		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11	11		
Lane Width (ft)	11	11		

Grand Teton National Park ROUTE 0215RJZ: COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	87	87		
Surface Condition Rating (SCR)	87	87		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	99	99		
Patching Index	100	100		
Rutting Index	87	87		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11	11		
Lane Width (ft)	11	11		


Grand Teton National Park ROUTE 0215RKZ: COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary			•
Roadway Condition Information				
Pavement Condition Rating (PCR)	91	91		
Surface Condition Rating (SCR)	91	91		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	98	98		
Rutting Index	91	91		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10.8	10.8		
Lane Width (ft)	10.8	10.8		


Grand Teton National Park ROUTE 0215RLZ: COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	-
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.07	Section Length (MI)	0.07		
Surface Type: ASPHALT	Route Summary		•	- · ·
Roadway Condition Information				
Pavement Condition Rating (PCR)	92	92		
Surface Condition Rating (SCR)	92	92		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	92	92		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	8.3	8.3		
Lane Width (ft)	8.3	8.3		


Grand Teton National Park ROUTE 0215RMZ: COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary		•	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	95	95		
Surface Condition Rating (SCR)	95	95		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	97	97		
Patching Index	99	99		
Rutting Index	95	95		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	9.2	9.2		
Lane Width (ft)	9.2	9.2		

Grand Teton National Park ROUTE 0215RNZ: COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.07	Section Length (MI)	0.07		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	94	94		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	8.2	8.2		
Lane Width (ft)	8.2	8.2		

Grand Teton National Park ROUTE 0215ROZ: COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.05	Section Length (MI)	0.05		
Surface Type: ASPHALT	Route Summary		•	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	94	94		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	8.2	8.2		
Lane Width (ft)	8.2	8.2		

Grand Teton National Park ROUTE 0215RPZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6)	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.04	Section Length (MI)	0.04		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	88	88		
Surface Condition Rating (SCR)	88	88		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	99	99		
Patching Index	98	98		
Rutting Index	88	88		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	9.5	9.5		
Lane Width (ft)	9.5	9.5		


Grand Teton National Park ROUTE 0215RQZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.05	Section Length (MI)	0.05		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	99	99		
Rutting Index	94	94		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10	10		
Lane Width (ft)	10	10		


Grand Teton National Park ROUTE 0215RRZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.05	Section Length (MI)	0.05		
Surface Type: ASPHALT	Route Summary		• •	• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	86	86		
Surface Condition Rating (SCR)	86	86		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	99	99		
Patching Index	95	95		
Rutting Index	86	86		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	10.8	10.8		
Lane Width (ft)	10.8	10.8		

Grand Teton National Park ROUTE 0215RSZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.06	Section Length (MI)	0.06		
Surface Type: ASPHALT	Route Summary		•	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	96	96		
Surface Condition Rating (SCR)	96	96		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	99	99		
Patching Index	99	99		
Rutting Index	96	96		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	9.8	9.8		
Lane Width (ft)	9.8	9.8		

Grand Teton National Park ROUTE 0215RTZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route C	Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/12/2016	Beginning Section MP	0			
Paved Length (Miles): 0.06	Section Length (MI)	0.06			
Surface Type: ASPHALT	Route Summary		• •	• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	92	92			
Surface Condition Rating (SCR)	92	92			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	100	100			
Patching Index	99	99			
Rutting Index	92	92			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	10.7	10.7			
Lane Width (ft)	10.7	10.7			


Grand Teton National Park ROUTE 0215RUZ: COLTER BAY CAMPGROUND RV SITE UTILITY ROAD

BAY CAMPERCURP RD		0	
	HIE COLORING	ł	
	Rieon		

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.08	Section Length (MI)	0.08		
Surface Type: ASPHALT	Route Summary		• •	
Roadway Condition Information				
Pavement Condition Rating (PCR)	96	96		
Surface Condition Rating (SCR)	96	96		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	99	99		
Patching Index	99	99		
Rutting Index	96	96		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	17.5	17.5		
Lane Width (ft)	17.5	17.5		

Grand Teton National Park ROUTE 0215RZ: COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	formulas	
Inspection Date: 9/12/2016	Beginning Section MP	0		
Paved Length (Miles): 0.69	Section Length (MI)	0.69		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	94	94		
Surface Condition Rating (SCR)	94	94		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	99	99		
Alligator Crack Index	100	100		
Longitudinal Crack Index	99	99		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	94	94		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	18	18		
Lane Width (ft)	15.9	15.9		

Grand Teton National Park ROUTE 0215Z: COLTER BAY CAMPGROUND LOOP ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route C	Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)) Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.69	Section Length (MI)	0.69			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	95	95			
Surface Condition Rating (SCR)	95	95			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	96	96			
Alligator Crack Index	100	100			
Longitudinal Crack Index	96	96			
Transverse Cracking Index	99	99			
Patching Index	98	98			
Rutting Index	95	95			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	24.8	24.8			
Lane Width (ft)	11.2	11.2			

Grand Teton National Park ROUTE 0216: CUNNINGHAM CABIN ACCESS ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	formulas	
Inspection Date: 9/8/2016	Beginning Section MP	0		
Paved Length (Miles): 0.30	Section Length (MI)	0.30		
Surface Type: ASPHALT	Route Summary		• •	•
Roadway Condition Information				
Pavement Condition Rating (PCR)	85	85		
Surface Condition Rating (SCR)	85	85		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	85	85		
Alligator Crack Index	100	100		
Longitudinal Crack Index	85	85		
Transverse Cracking Index	94	94		
Patching Index	99	99		
Rutting Index	95	95		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	22.5	22.5		
Lane Width (ft)	12.5	12.5		

Grand Teton National Park

ROUTE 0217: DEADMANS BAR ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/8/2016	Beginning Section MP	0		
Paved Length (Miles): 0.34	Section Length (MI)	0.7		
Surface Type: ASPHALT	Route Summary			• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	92	92		
Surface Condition Rating (SCR)	92	92		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	100	100		
Patching Index	100	100		
Rutting Index	92	92		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	16.9	16.9		
Lane Width (ft)	8.4	8.4		

Note: Route 0217 contains two unpaved sections that were not rated.

Grand Teton National Park ROUTE 0221: COLTER BAY PICNIC AREA DAY USE ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.31	Section Length (MI)	0.31				
Surface Type: ASPHALT	Route Summary		• •	• •		
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	94				
Surface Condition Rating (SCR)	94	94				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	94	94				
Alligator Crack Index	100	100				
Longitudinal Crack Index	94	94				
Transverse Cracking Index	94	94				
Patching Index	100	100				
Rutting Index	94	94				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	22.8	22.8				
Lane Width (ft)	15.7	15.7				

Grand Teton National Park ROUTE 0223ZZ: LIZARD CREEK CAMPGROUND ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend –	Pavement Cond	lition Rating (PCR)	
Poor (0 - 60)) Fair (6)	<mark>1- 84) Go</mark>	od (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas					
Inspection Date:	9/9/2016				
Paved Length (Mile	es): 0.95				
Surface Type:	ASPHALT	Route Summary		•	
Roadway Condition	n Information				
Pavement Conditio	n Rating (PCR)	83			
Lane & Width Info	rmation				
Number of Lanes		2			
Paved Width (ft)		15.4			
Lane Width (ft)		10.2			

Grand Teton National Park ROUTE 0223AZ: LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.82	Section Length (MI)	0.82				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	83	83				
Surface Condition Rating (SCR)	83	83				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	86	86				
Alligator Crack Index	100	100				
Longitudinal Crack Index	86	86				
Transverse Cracking Index	99	99				
Patching Index	98	98				
Rutting Index	83	83				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	16.1	16.1				
Lane Width (ft)	10	10				

Grand Teton National Park ROUTE 0223BZ: LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63)




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)				
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.13	Section Length (MI)	0.13		
Surface Type: ASPHALT	Route Summary			
Roadway Condition Information				
Pavement Condition Rating (PCR)	87	87		
Surface Condition Rating (SCR)	87	87		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	100	100		
Alligator Crack Index	100	100		
Longitudinal Crack Index	100	100		
Transverse Cracking Index	98	98		
Patching Index	99	99		
Rutting Index	87	87		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	1	1		
Paved Width (ft)	11.2	11.2		
Lane Width (ft)	11.2	11.2		

Grand Teton National Park ROUTE 0225: LUPINE MEADOWS ACCESS ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	initions and f	ormulas	
Inspection Date: 9/8/2016	Beginning Section MP	0		
Paved Length (Miles): 0.23	Section Length (MI)	0.23		
Surface Type: ASPHALT	Route Summary		•	
Roadway Condition Information				
Pavement Condition Rating (PCR)	96	96		
Surface Condition Rating (SCR)	96	96		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	97	97		
Alligator Crack Index	100	100		
Longitudinal Crack Index	97	97		
Transverse Cracking Index	99	99		
Patching Index	100	100		
Rutting Index	96	96		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	24.9	24.9		
Lane Width (ft)	12.4	12.4		

Grand Teton National Park ROUTE 0235ZZ: COLTER BAY BOAT LAUNCH ROADS

Summary Route

Collect Gay, Marines Rd	
	Re. 0333511
	.68

Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route (Condition Legend – P	avement Cond	lition Rating (P	CR)		
Poor (0 - 60) Fair (61		<mark>1- 84) Goo</mark>	d (85 - 94)	(85 - 94) Excellent (95 - 100)		Not Rated	
See Appendix for definitions and formulas							
Inspection Date:	9/9/2016						
Paved Length (Mile	es): 0.55						
Surface Type:	ASPHALT	Route Summary		•			
Roadway Condition	n Information						
Pavement Condition	n Rating (PCR)	86					
Lane & Width Info	rmation						
Number of Lanes		1					
Paved Width (ft)		14.7					
Lane Width (ft)		13.9					


Grand Teton National Park ROUTE 0235AZ: COLTER BAY BOAT LAUNCH ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
	See Appendix for def	initions and f	formulas					
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.50	Section Length (MI)	0.50						
Surface Type: ASPHALT	Route Summary		•	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	85	85						
Surface Condition Rating (SCR)	85	85						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	94	94						
Alligator Crack Index	99	99						
Longitudinal Crack Index	95	95						
Transverse Cracking Index	91	91						
Patching Index	99	99						
Rutting Index	85	85						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	1	1						
Paved Width (ft)	14.4	14.4						
Lane Width (ft)	14.4	14.4						


Grand Teton National Park ROUTE 0235BZ: COLTER BAY BOAT LAUNCH SPUR



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (61- 84) Good		(85 - 94) Excellent (95 - 100) Not Rated					
	See Appendix for def	finitions and f	formulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.05	Section Length (MI)	0.05					
Surface Type: ASPHALT	Route Summary			• •			
Roadway Condition Information							
Pavement Condition Rating (PCR)	96	96					
Surface Condition Rating (SCR)	96	96					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	96	96					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	18.2	18.2					
Lane Width (ft)	9.1	9.1					

Grand Teton National Park ROUTE 0252: CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	0					
Paved Length (Miles): 0.19	Section Length (MI)	0.19					
Surface Type: ASPHALT	Route Summary		•	•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	98	98					
Surface Condition Rating (SCR)	98	98					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	98	98					
Patching Index	100	100					
Rutting Index	99	99					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	22.9	22.9					
Lane Width (ft)	17.2	17.2					

Data Collection Vehicle (DCV) Rating

Grand Teton National Park ROUTE 0253: LSR ENTRANCE ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94) Excellent (95 - 100)		Not Rated			
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/7/2016	Beginning Section MP	0					
Paved Length (Miles): 0.45	Section Length (MI)	0.45					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	90	90					
Surface Condition Rating (SCR)	90	90					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	90	90					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	19.3	19.3					
Lane Width (ft)	12.7	12.7					

Grand Teton National Park ROUTE 0254ZZ: COLTER BAY CONCESSION CABIN AREA ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	1	ings.					
Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (61		<mark>1- 84</mark>)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
		See Appendix	for definitions and	formulas			
Inspection Date:	9/9/2016						
Paved Length (Miles)): 1.26						
Surface Type:	ASPHALT	Route Summary	r	• •			
Roadway Condition	Information						
Pavement Condition	Rating (PCR)	92					
Lane & Width Inform	nation						
Number of Lanes		2					
Paved Width (ft)		19.4					
Lane Width (ft)		9.7					


Grand Teton National Park ROUTE 0254AZ: COLTER BAY CONCESSION CABIN ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (61- 84)		(85 - 94) Excellent (95 - 100) Not Rated				
	See Appendix for def	initions and f	formulas			
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.30	Section Length (MI)	0.30				
Surface Type: ASPHALT	Route Summary		• •			
Roadway Condition Information						
Pavement Condition Rating (PCR)	94	94				
Surface Condition Rating (SCR)	94	94				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	95	95				
Alligator Crack Index	99	99				
Longitudinal Crack Index	96	96				
Transverse Cracking Index	98	98				
Patching Index	94	94				
Rutting Index	94	94				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	19.3	19.3				
Lane Width (ft)	9.7	9.7				


Grand Teton National Park ROUTE 0254BZ: COLTER BAY CONCESSION CABIN ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Cond	ition Rating (PCR)	
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated
	See Appendix for def	finitions and f	formulas	
Inspection Date: 9/9/2016	Beginning Section MP	0		
Paved Length (Miles): 0.20	Section Length (MI)	0.20		
Surface Type: ASPHALT	Route Summary		• •	• •
Roadway Condition Information				
Pavement Condition Rating (PCR)	89	89		
Surface Condition Rating (SCR)	89	89		
Roughness Condition Index (RCI)	N/A	N/A		
Distress Index Values				
Structural Crack Index	89	89		
Alligator Crack Index	99	99		
Longitudinal Crack Index	90	90		
Transverse Cracking Index	97	97		
Patching Index	99	99		
Rutting Index	95	95		
International Roughness Index (IRI)	N/A	N/A		
Lane & Width Information				
Number of Lanes	2	2		
Paved Width (ft)	19.7	19.7		
Lane Width (ft)	9.9	9.9		


Grand Teton National Park ROUTE 0254CZ: COLTER BAY CONCESSION CABIN ROAD C



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Good Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	formulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.54	Section Length (MI)	0.54					
Surface Type: ASPHALT	Route Summary		• •	•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	94	94					
Surface Condition Rating (SCR)	94	94					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	94	94					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	19.6	19.6					
Lane Width (ft)	9.8	9.8					

Grand Teton National Park ROUTE 0254DZ: COLTER BAY CONCESSION CABIN ROAD D




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair	(61- 84) Good	(85 - 94)	85 - 94) Excellent (95 - 100) Not Ra				
	See Appendix for det	finitions and f	formulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.22	Section Length (MI)	0.22					
Surface Type: ASPHALT	Route Summary		• •	•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	89					
Surface Condition Rating (SCR)	89	89					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	96	96					
Rutting Index	89	89					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	19	19					
Lane Width (ft)	9.5	9.5					

Grand Teton National Park ROUTE 0255ZZ: COLTER BAY CONCESSION TENT VILLAGE AREA ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Widdai Subcomponent Ta	8					
	Route C	Condition Leger	nd – Pavement Co	ndition Rating (PCR)		
Poor (0 - 60)	Poor (0 - 60) Fair (61-		Good (85 - 94)	Excellent (95 - 100)		Not Ra	ted
		See Appendi	x for definitions ar	d formulas			
Inspection Date:	9/9/2016						
Paved Length (Miles	s): 0.88						
Surface Type:	ASPHALT	Route Summa	ry				
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	76					
Lane & Width Infor	mation						
Number of Lanes		1					
Paved Width (ft)		16.7					
Lane Width (ft)		9.6					

Grand Teton National Park ROUTE 0255AZ: COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (61- 84)		(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.38	Section Length (MI)	0.38						
Surface Type: ASPHALT	Route Summary			•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	86	86						
Surface Condition Rating (SCR)	86	86						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	98	98						
Alligator Crack Index	100	100						
Longitudinal Crack Index	98	98						
Transverse Cracking Index	99	99						
Patching Index	98	98						
Rutting Index	86	86						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	16.6	16.6						
Lane Width (ft)	8.3	8.3						


Grand Teton National Park ROUTE 0255BZ: COLTER BAY CONCESSION TENT VILLAGE ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
	See Appendix for def	initions and f	ormulas					
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.26	Section Length (MI)	0.26						
Surface Type: ASPHALT	Route Summary			•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	81	81						
Surface Condition Rating (SCR)	81	81						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	99	99						
Alligator Crack Index	100	100						
Longitudinal Crack Index	99	99						
Transverse Cracking Index	99	99						
Patching Index	99	99						
Rutting Index	81	81						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	17.9	17.9						
Lane Width (ft)	8.9	8.9						

Grand Teton National Park ROUTE 0255CZ: COLTER BAY CONCESSION TENT VILLAGE LOOP



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)									
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Not Rated						
	See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0							
Paved Length (Miles): 0.24	Section Length (MI)	0.24							
Surface Type: ASPHALT	Route Summary								
Roadway Condition Information									
Pavement Condition Rating (PCR)	54	54							
Surface Condition Rating (SCR)	54	54							
Roughness Condition Index (RCI)	N/A	N/A							
Distress Index Values									
Structural Crack Index	94	94							
Alligator Crack Index	100	100							
Longitudinal Crack Index	94	94							
Transverse Cracking Index	99	99							
Patching Index	99	99							
Rutting Index	54	54							
International Roughness Index (IRI)	N/A	N/A							
Lane & Width Information									
Number of Lanes	1	1							
Paved Width (ft)	15.4	15.4							
Lane Width (ft)	12.5	12.5							

Grand Teton National Park

ROUTE 0256ZZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend – Pa	vement Cond	lition Rating (P	CR)		
Poor (0 - 60) Fair (61		1- 84) Good	(85 - 94)	85 - 94) Excellent (95 - 100)		Not Rated	
		See Appendix for de	finitions and	formulas			
Inspection Date:	9/9/2016						
Paved Length (Mile	es): 0.55						
Surface Type:	ASPHALT	Route Summary					
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	97					
Lane & Width Info	rmation						
Number of Lanes		1					
Paved Width (ft)		21.8					
Lane Width (ft)		10.9					


Grand Teton National Park ROUTE 0256AZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.31	Section Length (MI)	0.31						
Surface Type: ASPHALT	Route Summary		• •	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	97	97						
Surface Condition Rating (SCR)	97	97						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	97	97						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	22.9	22.9						
Lane Width (ft)	11.4	11.4						


Grand Teton National Park ROUTE 0256BZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	Good (Good (Good (85 - 94) Excellent (95 - 1		Not Rated				
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.16	Section Length (MI)	0.16						
Surface Type: ASPHALT	Route Summary		• •	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	97	97						
Surface Condition Rating (SCR)	97	97						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	97	97						
Patching Index	98	98						
Rutting Index	97	97						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	20.1	20.1						
Lane Width (ft)	10	10						

Grand Teton National Park ROUTE 0256CZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)									
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated					
See Appendix for definitions and formulas									
Inspection Date: 9/9/2016	Beginning Section MP	0							
Paved Length (Miles): 0.08	Section Length (MI)	0.08							
Surface Type: ASPHALT	Route Summary								
Roadway Condition Information									
Pavement Condition Rating (PCR)	96	96							
Surface Condition Rating (SCR)	96	96							
Roughness Condition Index (RCI)	N/A	N/A							
Distress Index Values									
Structural Crack Index	100	100							
Alligator Crack Index	100	100							
Longitudinal Crack Index	100	100							
Transverse Cracking Index	100	100							
Patching Index	100	100							
Rutting Index	96	96							
International Roughness Index (IRI)	N/A	N/A							
Lane & Width Information									
Number of Lanes	2	2							
Paved Width (ft)	21	21							
Lane Width (ft)	10.5	10.5							

Grand Teton National Park ROUTE 0258ZZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend	- Pavement Cond	ition Rating (PCR)			
Poor (0 - 60) Fair (61		<mark>1- 84</mark>)	Good (85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas							
Inspection Date:	9/9/2016						
Paved Length (Mile	es): 0.59						
Surface Type:	ASPHALT	Route Summary			• •		
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	92					
Lane & Width Info	rmation						
Number of Lanes		2					
Paved Width (ft)		19.4					
Lane Width (ft)		9.7					

Grand Teton National Park ROUTE 0258AZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (61- 84) Good	ood (85 - 94) Excellent (95 - 100)		Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.33	Section Length (MI)	0.33						
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	92	92						
Surface Condition Rating (SCR)	92	92						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	95	95						
Alligator Crack Index	100	100						
Longitudinal Crack Index	95	95						
Transverse Cracking Index	92	92						
Patching Index	98	98						
Rutting Index	92	92						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	19.9	19.9						
Lane Width (ft)	10	10						

Grand Teton National Park ROUTE 0258BZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94) Excellent (95 - 100)		Not Rated				
	See Appendix for def	initions and f	formulas					
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.12	Section Length (MI)	0.12						
Surface Type: ASPHALT	Route Summary			•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	92	92						
Surface Condition Rating (SCR)	92	92						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	93	93						
Alligator Crack Index	100	100						
Longitudinal Crack Index	93	93						
Transverse Cracking Index	98	98						
Patching Index	92	92						
Rutting Index	94	94						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	18.9	18.9						
Lane Width (ft)	9.5	9.5						

Grand Teton National Park ROUTE 0258CZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (0	61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.14	Section Length (MI)	0.14						
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	92	92						
Surface Condition Rating (SCR)	92	92						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	96	96						
Alligator Crack Index	100	100						
Longitudinal Crack Index	96	96						
Transverse Cracking Index	96	96						
Patching Index	92	92						
Rutting Index	93	93						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	18.6	18.6						
Lane Width (ft)	9.3	9.3						

Grand Teton National Park ROUTE 0259ZZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend – Pa	vement Cond	lition Rating (l	PCR)		
Poor (0 - 60) Fair (61		1- 84) Good	l (85 - 94)	(85 - 94) Excellent (95 - 100)		Not Rated	
See Appendix for definitions and formulas							
Inspection Date:	9/9/2016						
Paved Length (Mile	es): 0.54						
Surface Type:	ASPHALT	Route Summary				•	
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	95					
Lane & Width Info	rmation						
Number of Lanes		2					
Paved Width (ft)		18.7					
Lane Width (ft)		9.4					

Grand Teton National Park ROUTE 0259AZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.17	Section Length (MI)	0.17				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	93	93				
Surface Condition Rating (SCR)	93	93				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	99	99				
Alligator Crack Index	100	100				
Longitudinal Crack Index	99	99				
Transverse Cracking Index	97	97				
Patching Index	99	99				
Rutting Index	93	93				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	18.2	18.2				
Lane Width (ft)	9.1	9.1				

Grand Teton National Park ROUTE 0259BZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 1	.00) Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0				
Paved Length (Miles): 0.13	Section Length (MI)	0.13				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	95	95				
Surface Condition Rating (SCR)	95	95				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	96	96				
Alligator Crack Index	100	100				
Longitudinal Crack Index	96	96				
Transverse Cracking Index	99	99				
Patching Index	97	97				
Rutting Index	95	95				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	19.8	19.8				
Lane Width (ft)	9.9	9.9				

Grand Teton National Park ROUTE 0259CZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.20	Section Length (MI)	0.20			
Surface Type: ASPHALT	Route Summary			•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	97	97			
Surface Condition Rating (SCR)	97	97			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	99	99			
Rutting Index	97	97			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	18.1	18.1			
Lane Width (ft)	9.1	9.1			

Grand Teton National Park ROUTE 0259DZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D

Subcomponent of Route GRTE-0259ZZ

Data Collection Vehicle (DCV) Rating

JACKSON LAKE LODGE	
Rie. 0259DZ	

Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0			
Paved Length (Miles): 0.04	Section Length (MI)	0.04			
Surface Type: ASPHALT	Route Summary			• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	96	96			
Surface Condition Rating (SCR)	96	96			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	100	100			
Rutting Index	96	96			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	20	20			
Lane Width (ft)	10	10			

Grand Teton National Park ROUTE 0260ZZ: JENNY LAKE LODGE CABIN ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	viuuai subcomponent ra	8			
	Route C	Condition Legend – P	avement Cond	lition Rating (PCR)	
Poor (0 - 60)) Fair (6 2	<mark>1- 84)</mark> Goo	od (85 - 94)	Excellent (95 - 100)	Not Rated
See Appendix for definitions and formulas					
Inspection Date:	9/9/2016				
Paved Length (Miles	s): 0.58				
Surface Type:	ASPHALT	Route Summary		•	
Roadway Condition	Information				
Pavement Condition	n Rating (PCR)	95			
Lane & Width Infor	mation				
Number of Lanes		2			
Paved Width (ft)		13.2			
Lane Width (ft)		9.3			

Grand Teton National Park ROUTE 0260AZ: JENNY LAKE LODGE CABIN ROAD A




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.07	Section Length (MI)	0.07			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	95	95			
Surface Condition Rating (SCR)	95	95			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	100	100			
Rutting Index	95	95			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	10.2	10.2			
Lane Width (ft)	10.2	10.2			

Grand Teton National Park ROUTE 0260BZ: JENNY LAKE LODGE CABIN ROAD B

Subcomponent of Route GRTE-0260ZZ Manual Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good		85 - 94) Excellent (95 - 100)		Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/9/2016	Beginning Section MP	0.00			
Paved Length (Miles): 0.03	Section Length (MI)	0.03			
Surface Type: ASPHALT	Route Summary		•	•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	90	90			
Surface Condition Rating (SCR)	90	90			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	N/A	N/A			
Alligator Crack Index	97	97			
Longitudinal Crack Index	97	97			
Transverse Cracking Index	90	90			
Patching Index	90	90			
Rutting Index	90	90			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	10	10			
Lane Width (ft)	10	10			

Grand Teton National Park ROUTE 0260BZ: JENNY LAKE LODGE CABIN ROAD B

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



GRTE_0260BZ_0227.JPG



GRTE_0260BZ_0229.JPG



GRTE_0260BZ_0231.JPG



GRTE_0260BZ_0228.JPG




GRTE_0260BZ_0230.JPG



GRTE_0260BZ_0232.JPG

Grand Teton National Park ROUTE 0260CZ: JENNY LAKE LODGE CABIN ROAD C

Subcomponent of Route GRTE-0260ZZ Manual Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84)	Good (85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appe	endix for definitions and	formulas		
Inspection Date: 7/27/20	16 Beginning S	Section MP 0.00			
Paved Length (Miles): 0.02	Section Ler	ngth (MI) 0.02			
Surface Type: ASPHA	LT Route Sum	mary	• •	• •	
Roadway Condition Informati	on				
Pavement Condition Rating (P	CR) 9	0 90			
Surface Condition Rating (SCR)	9	0 90			
Roughness Condition Index (RC	CI) N/	'A N/A			
Distress Index Values					
Structural Crack Index	N/	A N/A			
Alligator Crack Index	9	7 97			
Longitudinal Crack Index	9	0 90			
Transverse Cracking Index	9	7 97			
Patching Index	9	7 97			
Rutting Index	9	7 97			
International Roughness Index	(IRI) N/	'A N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	9) 9			
Lane Width (ft)	9) 9			

Grand Teton National Park ROUTE 0260CZ: JENNY LAKE LODGE CABIN ROAD C

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



GRTE_0260CZ_6466.JPG



GRTE_0260CZ_6468.JPG



GRTE_0260CZ_6470.JPG



GRTE_0260CZ_6467.JPG




GRTE_0260CZ_6469.JPG



GRTE_0260CZ_6471.JPG

Grand Teton National Park ROUTE 0260DZ: JENNY LAKE LODGE CABIN ROAD D

Subcomponent of Route GRTE-0260ZZ Manual Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Ro	oute Condition Legend – Pay	ement Cond	ition Rating (PCR)			
Poor (0 - 60)	air (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 7/27/2016	Beginning Section MP	0.00				
Paved Length (Miles): 0.01	Section Length (MI)	0.01				
Surface Type: ASPHALT	Route Summary		•			
Roadway Condition Information						
Pavement Condition Rating (PCR)	90	90				
Surface Condition Rating (SCR)	90	90				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	N/A	N/A				
Alligator Crack Index	97	97				
Longitudinal Crack Index	90	90				
Transverse Cracking Index	97	97				
Patching Index	97	97				
Rutting Index	97	97				
International Roughness Index (IRI) N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	12	12				
Lane Width (ft)	12	12				

Grand Teton National Park ROUTE 0260DZ: JENNY LAKE LODGE CABIN ROAD D

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



GRTE_0260DZ_6472.JPG



GRTE_0260DZ_6474.JPG



GRTE_0260DZ_6476.JPG



GRTE_0260DZ_6473.JPG



GRTE_0260DZ_6475.JPG



GRTE_0260DZ_6477.JPG

Grand Teton National Park ROUTE 0260EZ: JENNY LAKE LODGE CABIN ROAD E

Subcomponent of Route GRTE-0260ZZ Manual Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fa	ir (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated		
See Appendix for definitions and formulas						
Inspection Date: 9/9/2016	Beginning Section MP	0.00				
Paved Length (Miles): 0.05	Section Length (MI)	0.05				
Surface Type: ASPHALT	Route Summary		• •	•		
Roadway Condition Information						
Pavement Condition Rating (PCR)	90	90				
Surface Condition Rating (SCR)	90	90				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	N/A	N/A				
Alligator Crack Index	97	97				
Longitudinal Crack Index	97	97				
Transverse Cracking Index	90	90				
Patching Index	90	90				
Rutting Index	90	90				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	1	1				
Paved Width (ft)	13	13				
Lane Width (ft)	13	13				

Grand Teton National Park ROUTE 0260EZ: JENNY LAKE LODGE CABIN ROAD E

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



GRTE_0260EZ_0234.JPG



GRTE_0260EZ_0236.JPG



GRTE_0260EZ_0238.JPG



GRTE_0260EZ_0235.JPG




GRTE_0260EZ_0237.JPG



GRTE_0260EZ_0239.JPG

Grand Teton National Park ROUTE 0260FZ: JENNY LAKE LODGE CABIN ROAD F



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route	Condition Legend – Pav	ement Condi	tion Rating (PCR)		
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated	
See Appendix for definitions and formulas					
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.09	Section Length (MI)	0.09			
Surface Type: ASPHALT	Route Summary			• •	
Roadway Condition Information					
Pavement Condition Rating (PCR)	96	96			
Surface Condition Rating (SCR)	96	96			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	100	100			
Rutting Index	96	96			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	12.8	12.8			
Lane Width (ft)	12.8	12.8			

Grand Teton National Park ROUTE 0260Z: JENNY LAKE LODGE CABIN ACCESS ROAD



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.31	Section Length (MI)	0.31			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	96	96			
Surface Condition Rating (SCR)	96	96			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	100	100			
Rutting Index	96	96			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	14.7	14.7			
Lane Width (ft)	7.3	7.3			

Grand Teton National Park ROUTE 0265: TRIANGLE X RIVER ACCESS ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair	(61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and t	formulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.04	Section Length (MI)	0.04			
Surface Type: ASPHALT	Route Summary		• •		
Roadway Condition Information					
Pavement Condition Rating (PCR)	93	93			
Surface Condition Rating (SCR)	93	93			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	100	100			
Alligator Crack Index	100	100			
Longitudinal Crack Index	100	100			
Transverse Cracking Index	100	100			
Patching Index	100	100			
Rutting Index	93	93			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	16.2	16.2			
Lane Width (ft)	8.1	8.1			

Grand Teton National Park ROUTE 0266: SOUTH JENNY LAKE VISITOR CENTER PICK UP / DROP OFF

Data Collection Vehicle (DCV) Rating




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fai	r (61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for definitions and formulas						
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.03	Section Length (MI)	0.03					
Surface Type: ASPHALT	Route Summary		•	•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	71	71					
Surface Condition Rating (SCR)	71	71					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	84	84					
Alligator Crack Index	100	100					
Longitudinal Crack Index	84	84					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	71	71					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	26.6	26.6					
Lane Width (ft)	13.3	13.3					

Grand Teton National Park

ROUTE 0267ZZ: KELLY ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

····	tout may not reneer man radius subcomponent radings.					
	Route C	Condition Legend	– Pavement Cond	ition Rating (PCR)		
Poor (0 - 60) Fair (6 2	<mark>1- 84</mark>) (Good (85 - 94)	Excellent (95 - 100)	Not Rated	
		See Appendix f	or definitions and f	formulas		
Inspection Date:	9/7/2016					
Paved Length (Miles	s): 0.62					
Surface Type:	ASPHALT	Route Summary				
Roadway Condition	Information					
Pavement Condition	n Rating (PCR)	83				
Lane & Width Infor	rmation					
Number of Lanes		1				
Paved Width (ft)		17.3				
Lane Width (ft)		8.6				

Grand Teton National Park

ROUTE 0267AZ: MAIN STREET




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	Poor (0 - 60) Fair (61- 84) Good (Excellent (95 - 100)	Not Rated		
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/7/2016	Beginning Section MP	0				
Paved Length (Miles): 0.42	Section Length (MI)	0.42				
Surface Type: ASPHALT	Route Summary			• •		
Roadway Condition Information						
Pavement Condition Rating (PCR)	81	81				
Surface Condition Rating (SCR)	81	81				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	86	86				
Alligator Crack Index	99	99				
Longitudinal Crack Index	87	87				
Transverse Cracking Index	94	94				
Patching Index	81	81				
Rutting Index	92	92				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	18	18				
Lane Width (ft)	9	9				

Grand Teton National Park

ROUTE 0267CZ: 4TH STREET




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good ((85 - 94) Excellent (95 - 100)		Not Rated	
	initions and f	ormulas			
Inspection Date: 9/7/2016	Beginning Section MP	0			
Paved Length (Miles): 0.20	Section Length (MI)	0.20			
Surface Type: ASPHALT	Route Summary			•	
Roadway Condition Information					
Pavement Condition Rating (PCR)	88	88			
Surface Condition Rating (SCR)	88	88			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	99	99			
Alligator Crack Index	100	100			
Longitudinal Crack Index	99	99			
Transverse Cracking Index	98	98			
Patching Index	88	88			
Rutting Index	88	88			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	15.8	15.8			
Lane Width (ft)	7.9	7.9			

Grand Teton National Park ROUTE 0400ZZ: MOOSE RESIDENCE AREA ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	i i i u subcomponent i a	8			
	Route C	Condition Legend –	Pavement Cond	lition Rating (PCR)	
Poor (0 - 60) Fair (6)	1- 84) Good (85 - 94		Excellent (95 - 100)	Not Rated
		See Appendix for	definitions and	formulas	
Inspection Date:	9/7/2016				
Paved Length (Miles): 1.22					
Surface Type:	ASPHALT	Route Summary		• •	
Roadway Condition	Information				
Pavement Condition	n Rating (PCR)	20			
Lane & Width Infor	rmation				
Number of Lanes		2			
Paved Width (ft) 19.6		19.6			
Lane Width (ft)		10			


Grand Teton National Park ROUTE 0400AZ: MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	Poor (0 - 60) Fair (61- 84) Good (Excellent (95 - 100)	Not Rated		
	See Appendix for def	finitions and f	formulas			
Inspection Date: 9/7/2016	Beginning Section MP	0				
Paved Length (Miles): 0.95	Section Length (MI)	0.95				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	17	17				
Surface Condition Rating (SCR)	0	0				
Roughness Condition Index (RCI)	42	42				
Distress Index Values						
Structural Crack Index	0	0				
Alligator Crack Index	99	99				
Longitudinal Crack Index	0	0				
Transverse Cracking Index	62	62				
Patching Index	96	96				
Rutting Index	93	93				
International Roughness Index (IRI)	328	328				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	20.1	20.1				
Lane Width (ft)	10	10				

Grand Teton National Park ROUTE 0400BZ: MOOSE RESIDENCE AREA ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6)	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated		
	See Appendix for def	initions and f	ormulas			
Inspection Date: 9/7/2016	Beginning Section MP	0				
Paved Length (Miles): 0.15	Section Length (MI)	0.15				
Surface Type: ASPHALT	Route Summary		•			
Roadway Condition Information						
Pavement Condition Rating (PCR)	0	0				
Surface Condition Rating (SCR)	0	0				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	0	0				
Alligator Crack Index	89	89				
Longitudinal Crack Index	0	0				
Transverse Cracking Index	0	0				
Patching Index	94	94				
Rutting Index	88	88				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	21.1	21.1				
Lane Width (ft)	10.6	10.6				

Grand Teton National Park ROUTE 0400CZ: MOOSE RESIDENCE AREA ROAD C (BURT DRIVE)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated		
	See Appendix for def	initions and f	formulas			
Inspection Date: 9/7/2016	Beginning Section MP	0				
Paved Length (Miles): 0.12	Section Length (MI)	0.12				
Surface Type: ASPHALT	Route Summary					
Roadway Condition Information						
Pavement Condition Rating (PCR)	97	97				
Surface Condition Rating (SCR)	97	97				
Roughness Condition Index (RCI)	N/A	N/A				
Distress Index Values						
Structural Crack Index	100	100				
Alligator Crack Index	100	100				
Longitudinal Crack Index	100	100				
Transverse Cracking Index	100	100				
Patching Index	100	100				
Rutting Index	97	97				
International Roughness Index (IRI)	N/A	N/A				
Lane & Width Information						
Number of Lanes	2	2				
Paved Width (ft)	14.1	14.1				
Lane Width (ft)	9.7	9.7				

Grand Teton National Park ROUTE 0401ZZ: BEAVER CREEK RESIDENTIAL ROADS

Summary Route

	.6632 ft	
	 Miller variant With Salar variant Wi	
Rte. 040122	 Million and Million and Milli	
	6638 P	

Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend – Pa	vement Cond	lition Rating (l	PCR)		
Poor (0 - 60) Fair (61		1- 84) Good	l (85 - 94)	Excellent (95 - 100)		Not Rated	
See Appendix for definitions and formulas							
Inspection Date:	9/8/2016						
Paved Length (Mile	es): 1.01						
Surface Type:	ASPHALT	Route Summary					
Roadway Condition	Information						
Pavement Condition	n Rating (PCR)	87					
Lane & Width Info	rmation						
Number of Lanes		2					
Paved Width (ft)		17.7					
Lane Width (ft)		10.1					

Grand Teton National Park ROUTE 0401AZ: BEAVER CREEK RESIDENTIAL ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84) Good		(85 - 94) Excellent (95 - 100)		Not Rated	
	See Appendix for def	initions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.66	Section Length (MI)	0.66			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	86	86			
Surface Condition Rating (SCR)	86	86			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	86	86			
Alligator Crack Index	100	100			
Longitudinal Crack Index	86	86			
Transverse Cracking Index	90	90			
Patching Index	98	98			
Rutting Index	94	94			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	2	2			
Paved Width (ft)	18.8	18.8			
Lane Width (ft)	9.4	9.4			

Grand Teton National Park ROUTE 0401BZ: BEAVER CREEK RESIDENTIAL ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60) Fair (61- 84)		(85 - 94)	Excellent (95 - 100)	Not Rated	
	See Appendix for def	finitions and f	ormulas		
Inspection Date: 9/8/2016	Beginning Section MP	0			
Paved Length (Miles): 0.24	Section Length (MI)	0.24			
Surface Type: ASPHALT	Route Summary				
Roadway Condition Information					
Pavement Condition Rating (PCR)	89	89			
Surface Condition Rating (SCR)	89	89			
Roughness Condition Index (RCI)	N/A	N/A			
Distress Index Values					
Structural Crack Index	95	95			
Alligator Crack Index	100	100			
Longitudinal Crack Index	95	95			
Transverse Cracking Index	97	97			
Patching Index	100	100			
Rutting Index	89	89			
International Roughness Index (IRI)	N/A	N/A			
Lane & Width Information					
Number of Lanes	1	1			
Paved Width (ft)	16.5	16.5			
Lane Width (ft)	13.4	13.4			

Grand Teton National Park ROUTE 0401CZ: BEAVER CREEK RESIDENTIAL ROAD C




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.11	Section Length (MI)	0.11					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	93	93					
Surface Condition Rating (SCR)	93	93					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	99	99					
Alligator Crack Index	100	100					
Longitudinal Crack Index	99	99					
Transverse Cracking Index	97	97					
Patching Index	98	98					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	13.8	13.8					
Lane Width (ft)	6.9	6.9					

Grand Teton National Park ROUTE 0402ZZ: COLTER BAY RESIDENCE AREA ROADS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)	Fair (6	<mark>1- 84) Goo</mark>	d (85 - 94)	Excellent (95 - 100)	Not Rated		
	See Appendix for definitions and formulas						
Inspection Date:	9/9/2016						
Paved Length (Miles)): 0.89						
Surface Type:	ASPHALT	Route Summary		• •			
Roadway Condition	Information						
Pavement Condition	Rating (PCR)	93					
Lane & Width Inform	nation						
Number of Lanes		2					
Paved Width (ft)		23.4					
Lane Width (ft)		11.9					


Grand Teton National Park ROUTE 0402AZ: COLTER BAY RESIDENCE AREA ROAD A



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.56	Section Length (MI)	0.56					
Surface Type: ASPHALT	Route Summary			•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	95	95					
Surface Condition Rating (SCR)	95	95					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	99	99					
Patching Index	100	100					
Rutting Index	95	95					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	23.9	23.9					
Lane Width (ft)	11.9	11.9					


Grand Teton National Park ROUTE 0402BZ: COLTER BAY RESIDENCE AREA ROAD B



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.11	Section Length (MI)	0.11					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	90	90					
Surface Condition Rating (SCR)	90	90					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	90	90					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	21.5	21.5					
Lane Width (ft)	10.8	10.8					


Grand Teton National Park ROUTE 0402CZ: COLTER BAY RESIDENCE AREA ROAD C



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.03	Section Length (MI)	0.03						
Surface Type: ASPHALT	Route Summary		•	•				
Roadway Condition Information								
Pavement Condition Rating (PCR)	92	92						
Surface Condition Rating (SCR)	92	92						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	100	100						
Patching Index	100	100						
Rutting Index	92	92						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	1	1						
Paved Width (ft)	11.8	11.8						
Lane Width (ft)	11.8	11.8						


Grand Teton National Park ROUTE 0402EZ: COLTER BAY RESIDENCE AREA ROAD E



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.09	Section Length (MI)	0.09					
Surface Type: ASPHALT	Route Summary		•	· ·			
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	89					
Surface Condition Rating (SCR)	89	89					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	95	95					
Alligator Crack Index	99	99					
Longitudinal Crack Index	96	96					
Transverse Cracking Index	97	97					
Patching Index	99	99					
Rutting Index	89	89					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	27.9	27.9					
Lane Width (ft)	14.4	14.4					

Grand Teton National Park ROUTE 0402FZ: COLTER BAY RESIDENCE AREA ROAD F



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.10	Section Length (MI)	0.10						
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	93	93						
Surface Condition Rating (SCR)	93	93						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	100	100						
Patching Index	100	100						
Rutting Index	93	93						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	22.5	22.5						
Lane Width (ft)	11.3	11.3						

Grand Teton National Park ROUTE 0403: COLTER BAY MAINTENANCE AREA ROAD


Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)								
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
See Appendix for definitions and formulas								
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.11	Section Length (MI)	0.11						
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	97	97						
Surface Condition Rating (SCR)	97	97						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	100	100						
Alligator Crack Index	100	100						
Longitudinal Crack Index	100	100						
Transverse Cracking Index	99	99						
Patching Index	100	100						
Rutting Index	97	97						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	2	2						
Paved Width (ft)	21.2	21.2						
Lane Width (ft)	10.6	10.6						

Grand Teton National Park ROUTE 0408: MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/7/2016	Beginning Section MP	0					
Paved Length (Miles): 0.49	Section Length (MI)	0.49					
Surface Type: ASPHALT	Route Summary		•	•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	76	76					
Surface Condition Rating (SCR)	76	76					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	76	76					
Alligator Crack Index	100	100					
Longitudinal Crack Index	76	76					
Transverse Cracking Index	77	77					
Patching Index	98	98					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	25.8	25.8					
Lane Width (ft)	12.5	12.5					

Grand Teton National Park ROUTE 0414: A.M.K. RANCH ROAD

Data Collection Vehicle (DCV) Rating




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60)	(61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
See Appendix for definitions and formulas							
Inspection Date: 9/9/2016	Beginning Section MP	0	1				
Paved Length (Miles): 1.13	Section Length (MI)	1	0.13				
Surface Type: ASPHALT	Route Summary		•	• •			
Roadway Condition Information							
Pavement Condition Rating (PCR)	73	73	76				
Surface Condition Rating (SCR)	85	86	76				
Roughness Condition Index (RCI)	54	54	N/A				
Distress Index Values							
Structural Crack Index	91	91	88				
Alligator Crack Index	100	100	100				
Longitudinal Crack Index	91	91	88				
Transverse Cracking Index	92	95	76				
Patching Index	100	100	100				
Rutting Index	85	86	78				
International Roughness Index (IRI)	264	264	N/A				
Lane & Width Information							
Number of Lanes	1	1	1				
Paved Width (ft)	12.1	12.3	11.3				
Lane Width (ft)	11.9	12	11.3				

Grand Teton National Park ROUTE 0415ZZ: COLTER BAY CONCESSION EMPLOYEE ROADS

Summary Route



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route Con	dition Legend – Pa	vement Cond	ition Rating (PCR)		
Poor (0 - 60)	Fair (61- 8	84) Goo	d (85 - 94)	Excellent (95 - 100)	Not Ra	ted
		See Appendix for d	efinitions and f	formulas			
Inspection Date: 9/9/2016							
Paved Length (Miles): 0.47							
Surface Type: ASPHAL	.Т 🛛 🛛 🗖 🗖	oute Summary				•	
Roadway Condition Informatio	n						
Pavement Condition Rating (PC	CR)	92					
Lane & Width Information							
Number of Lanes		2					
Paved Width (ft)		18.9					
Lane Width (ft)		10.7					

Grand Teton National Park ROUTE 0415AZ: COLTER BAY CONCESSION EMPLOYEE ROAD A

Subcomponent of Route GRTE-0415ZZ Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	formulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.22	Section Length (MI)	0.22					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	89					
Surface Condition Rating (SCR)	89	89					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	97	97					
Alligator Crack Index	100	100					
Longitudinal Crack Index	97	97					
Transverse Cracking Index	99	99					
Patching Index	96	96					
Rutting Index	89	89					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	18.9	18.9					
Lane Width (ft)	12.1	12.1					

Grand Teton National Park ROUTE 0415BZ: COLTER BAY CONCESSION EMPLOYEE ROAD B

Subcomponent of Route GRTE-0415ZZ Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (0	61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.14	Section Length (MI)	0.14					
Surface Type: ASPHALT	Route Summary			• •			
Roadway Condition Information							
Pavement Condition Rating (PCR)	92	92					
Surface Condition Rating (SCR)	92	92					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	92	92					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	17.9	17.9					
Lane Width (ft)	8.9	8.9					

Grand Teton National Park ROUTE 0415CZ: COLTER BAY CONCESSION EMPLOYEE ROAD C

Subcomponent of Route GRTE-0415ZZ Data Collection Vehicle (DCV) Rating




Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/9/2016	Beginning Section MP	0					
Paved Length (Miles): 0.11	Section Length (MI)	0.11					
Surface Type: ASPHALT	Route Summary			- · · ·			
Roadway Condition Information							
Pavement Condition Rating (PCR)	97	97					
Surface Condition Rating (SCR)	97	97					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	100	100					
Patching Index	100	100					
Rutting Index	97	97					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	2	2					
Paved Width (ft)	20.2	20.2					
Lane Width (ft)	10.1	10.1					

Grand Teton National Park

ROUTE 0428: HUNTER RANCH ROAD

Manual Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Good (85 - 94)	Excellent (95 - 100)	Not Rat	ed	
	See Appendix for def	initions and f	ormulas				
Inspection Date: 7/27/2016	Beginning Section MP	0.00	0.50	1.00	1.50		
Paved Length (Miles): 1.69	Section Length (MI)	0.50	0.50	0.50	0.19		
Surface Type: ASPHALT	Route Summary				•		
Roadway Condition Information							
Pavement Condition Rating (PCR)	30	30	30	30	30		
Surface Condition Rating (SCR)	30	30	30	30	30		
Roughness Condition Index (RCI)	N/A	N/A	N/A	N/A	N/A		
Distress Index Values							
Structural Crack Index	N/A	N/A	N/A	N/A	N/A		
Alligator Crack Index	52	30	53	73	53		
Longitudinal Crack Index	30	30	30	30	30		
Transverse Cracking Index	86	90	90	90	53		
Patching Index	59	53	73	53	53		
Rutting Index	71	73	73	73	53		
International Roughness Index (IRI)	N/A	N/A	N/A	N/A	N/A		
Lane & Width Information							
Number of Lanes	1	1	1	1	1		
Paved Width (ft)	14.5	14.5	14.5	14.5	14.5		
Lane Width (ft)	14.5	14.5	14.5	14.5	14.5		

Grand Teton National Park ROUTE 0428: HUNTER RANCH ROAD

Condition Photos

Condition photos are shown only for manually rated roads. Use the PathView program to see images of DCV rated roads.



GRTE_0428_6484.JPG



GRTE_0428_6486.JPG



GRTE_0428_6488.JPG



GRTE_0428_6485.JPG




GRTE_0428_6487.JPG



GRTE_0428_6489.JPG

Grand Teton National Park ROUTE 0438ZZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOPS

Summary Route




Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Note: The weighted average summary PCR value is calculated from only the sections of road where the PCR was collected. The overall PCR for the summary route may not reflect individual subcomponent ratings.

	Route C	Condition Legend – Pav	ement Cond	ition Rating (PCR))	
Poor (0 - 60)) Fair (6 2	1- 84) Good (85 - 94)		Excellent (95 - 1	00) Not Ra	ited
		See Appendix for de	finitions and f	ormulas		
Inspection Date:	9/8/2016					
Paved Length (Miles	s): 0.28					
Surface Type:	ASPHALT	Route Summary			•	
Roadway Condition	Information					
Pavement Condition	n Rating (PCR)	77				
Lane & Width Infor	mation					
Number of Lanes		1				
Paved Width (ft)		15.8				
Lane Width (ft)		15.8				

Grand Teton National Park ROUTE 0438AZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOPA

Subcomponent of Route GRTE-0438ZZ Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	61-84) Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	finitions and f	formulas				
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.25	Section Length (MI)	0.25					
Surface Type: ASPHALT	Route Summary		•				
Roadway Condition Information							
Pavement Condition Rating (PCR)	76	76					
Surface Condition Rating (SCR)	76	76					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	76	76					
Alligator Crack Index	96	96					
Longitudinal Crack Index	80	80					
Transverse Cracking Index	98	98					
Patching Index	93	93					
Rutting Index	84	84					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	15	15					
Lane Width (ft)	15	15					

Grand Teton National Park ROUTE 0438BZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP B


Subcomponent of Route GRTE-0438ZZ Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (0	Poor (0 - 60) Fair (61- 84) Good (8		Excellent (95 - 100)	Not Rated			
	See Appendix for def	finitions and f	formulas				
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.03	Section Length (MI)	0.03					
Surface Type: ASPHALT	Route Summary			•			
Roadway Condition Information							
Pavement Condition Rating (PCR)	83	83					
Surface Condition Rating (SCR)	83	83					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	97	97					
Alligator Crack Index	100	100					
Longitudinal Crack Index	97	97					
Transverse Cracking Index	93	93					
Patching Index	94	94					
Rutting Index	83	83					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	22.8	22.8					
Lane Width (ft)	22.8	22.8					

Grand Teton National Park ROUTE 0439: SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP



Data Collection Vehicle (DCV) Rating

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.12	Section Length (MI)	0.12					
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	89	89					
Surface Condition Rating (SCR)	89	89					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	100	100					
Alligator Crack Index	100	100					
Longitudinal Crack Index	100	100					
Transverse Cracking Index	98	98					
Patching Index	89	89					
Rutting Index	93	93					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	22.7	22.7					
Lane Width (ft)	22.7	22.7					

Grand Teton National Park ROUTE 0441: JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD



Data Collection Vehicle (DCV) Rating

Sources: Esri, DeLorme, NAVTEQ, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route C	Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	1- 84) Good ((85 - 94)	Excellent (95 - 100)	Not Rated				
	See Appendix for def	initions and f	ormulas					
Inspection Date: 9/9/2016	Beginning Section MP	0						
Paved Length (Miles): 0.11	Section Length (MI)	0.11						
Surface Type: ASPHALT	Route Summary							
Roadway Condition Information								
Pavement Condition Rating (PCR)	72	72						
Surface Condition Rating (SCR)	72	72						
Roughness Condition Index (RCI)	N/A	N/A						
Distress Index Values								
Structural Crack Index	86	86						
Alligator Crack Index	100	100						
Longitudinal Crack Index	86	86						
Transverse Cracking Index	72	72						
Patching Index	99	99						
Rutting Index	87	87						
International Roughness Index (IRI)	N/A	N/A						
Lane & Width Information								
Number of Lanes	1	1						
Paved Width (ft)	15.1	15.1						
Lane Width (ft)	10.8	10.8						

Grand Teton National Park ROUTE 0444: JENNY LAKE LODGE EMPLOYEE HOUSING ROAD





Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (6	Good Good	(85 - 94)	Excellent (95 - 100)	Not Rated			
	See Appendix for def	initions and f	formulas				
Inspection Date: 9/8/2016	Beginning Section MP	0					
Paved Length (Miles): 0.05	Section Length (MI)	0.05					
Surface Type: ASPHALT	Route Summary		•				
Roadway Condition Information							
Pavement Condition Rating (PCR)	82	82					
Surface Condition Rating (SCR)	82	82					
Roughness Condition Index (RCI)	N/A	N/A					
Distress Index Values							
Structural Crack Index	82	82					
Alligator Crack Index	100	100					
Longitudinal Crack Index	82	82					
Transverse Cracking Index	99	99					
Patching Index	92	92					
Rutting Index	88	88					
International Roughness Index (IRI)	N/A	N/A					
Lane & Width Information							
Number of Lanes	1	1					
Paved Width (ft)	13.2	13.2					
Lane Width (ft)	13.2	13.2					

Grand Teton National Park ROUTE 0500: JENNY LAKE LOOP ROAD

Data Collection Vehicle (DCV) Rating



Sources: Esri, DeLorme, NAVTEQ, TomTom, Internap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, and the GIS User Community

Route Condition Legend – Pavement Condition Rating (PCR)							
Poor (0 - 60) Fair (0	61- 84) Good	(85 - 94)	Excellent (95 - 100)	Not Rat	ted	
	See Appendix for def	initions and f	ormulas				
Inspection Date: 9/8/2016	Beginning Section MP	0	1	2	3		
Paved Length (Miles): 3.99	Section Length (MI)	1	1	1	0.99		
Surface Type: ASPHALT	Route Summary						
Roadway Condition Information							
Pavement Condition Rating (PCR)	94	89	89	95	99		
Surface Condition Rating (SCR)	90	81	82	95	98		
Roughness Condition Index (RCI)	100	100	100	94	100		
Distress Index Values							
Structural Crack Index	90	81	82	100	99		
Alligator Crack Index	100	100	100	100	100		
Longitudinal Crack Index	90	81	82	100	99		
Transverse Cracking Index	99	99	99	100	100		
Patching Index	100	100	100	100	100		
Rutting Index	97	98	97	95	98		
International Roughness Index (IRI)	92	53	82	129	110		
Lane & Width Information							
Number of Lanes	1	2	1	1	1		
Paved Width (ft)	22.7	30.2	25.1	17.8	17.6		
Lane Width (ft)	12.3	10.8	12.4	13	12.9		

Section 6 Paved Parking Area Condition Rating Sheets



Grand Teton National Park




Grand Teton National Park ROUTE 0900: GRAND TETON NATIONAL PARK SOUTH BOUNDARY PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.57 ON RIGHT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 0.64 ON RIGHT




Grand Teton National Park ROUTE 0901: GROS VENTRE RIVER PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 1.70 ON LEFT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 1.81 ON LEFT




Grand Teton National Park ROUTE 0902: SLEEPING INDIAN PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 5.28 ON RIGHT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 5.36 ON RIGHT




Grand Teton National Park ROUTE 0903: MEADOW ROAD PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.11 ON LEFT

TO MEADOW ROAD




Grand Teton National Park ROUTE 0904: ALBRIGHT VIEW PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.68 ON LEFT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 6.75 ON LEFT




Grand Teton National Park ROUTE 0905: PRACTICE ROCKS PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 8.88 ON RIGHT

TO PARKING



Grand Teton National Park ROUTE 0906ZZ: BLACKTAIL PONDS OVERLOOK PARKING AREAS

Summary Route


Manual Rating

ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/26/2016	35859	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
5,198	0.089	SUMMARY / 97			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0906ZZ




Grand Teton National Park ROUTE 0906AZ: BLACKTAIL PONDS OVERLOOK PARKING A

Subcomponent of Route GRTE-0906ZZ

Manual Rating

ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD) AT MP 0.22 ON RIGHT




Grand Teton National Park ROUTE 0906BZ: BLACKTAIL PONDS OVERLOOK PARKING B

Subcomponent of Route GRTE-0906ZZ

Manual Rating

ADJACENT TO ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD)

AT MP 0.19 ON LEFT




Grand Teton National Park ROUTE 0907: GLACIER VIEW PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 11.33 ON LEFT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 11.43 ON LEFT




Grand Teton National Park ROUTE 0908: TETON POINT PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 13.34 ON LEFT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 13.45 ON LEFT




Grand Teton National Park ROUTE 0909: SNAKE RIVER OVERLOOK PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 16.43 ON LEFT

TO END OF PARKING LOOP




Grand Teton National Park ROUTE 0910: CUNNINGHAM CABIN PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 20.43 ON LEFT


TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 20.53 ON LEFT



Grand Teton National Park ROUTE 0911: BAR FLYING U PARKING

Manual Rating

ADJACENT TO END OF ROUTE 0216 (CUNNINGHAM CABIN ACCESS ROAD) ON LEFT




Grand Teton National Park ROUTE 0912: MOOSE ADMINISTRATION AND POST OFFICE PARKING

Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.03

TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.46




Grand Teton National Park ROUTE 0913: MOOSE HEADQUARTERS PARKING

Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.38 ON LEFT

THROUGH MAINTENANCE YARD AND PARKING




Grand Teton National Park ROUTE 0914: MOOSE BOAT TRAILER PARKING

Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.23 ON RIGHT

TO ROUTE 1008 (WESTERN CENTER FOR HISTORIC PRESERVATION PARKING)



Grand Teton National Park ROUTE 0915ZZ: MOOSE OVERFLOW PARKING AREAS


Summary Route Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) ON LEFT AND RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type		
7/26/2016	29669	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
24,397	0.42	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.




Grand Teton National Park ROUTE 0915AZ: MOOSE OVERFLOW PARKING A

Subcomponent of Route GRTE-0915ZZ Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.07 ON RIGHT


TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.13 ON RIGHT



Grand Teton National Park ROUTE 0915BZ: MOOSE OVERFLOW PARKING B

Subcomponent of Route GRTE-0915ZZ Manual Rating


ADJACENT TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.09 ON LEFT



Grand Teton National Park ROUTE 0915CZ: MOOSE OVERFLOW PARKING C

Subcomponent of Route GRTE-0915ZZ Manual Rating

ADJACENT TO ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.10 ON RIGHT




Grand Teton National Park ROUTE 0915DZ: MOOSE OVERFLOW PARKING D

Subcomponent of Route GRTE-0915ZZ

Manual Rating

ADJACENT TO ROUTE 1040 (MOOSE OVERFLOW PARKING) AT MP 0.04 ON LEFT




Grand Teton National Park

ROUTE 0918: MOOSE ENTRANCE STATION TURNAROUND AND PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 1.01 ON RIGHT




Grand Teton National Park ROUTE 0919: CHAPEL OF TRANSFIGURATION PARKING

Manual Rating

FROM ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD) AT MP 0.51 ON RIGHT

TO ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD) AT MP 0.53 ON RIGHT




Grand Teton National Park ROUTE 0920: WINDY POINT PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.19 ON RIGHT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 2.19 ON RIGHT




Grand Teton National Park ROUTE 0921: BEAVER CREEK #10 PARKING

Manual Rating

ADJACENT TO ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS)

AT MP 0.63 ON LEFT




Grand Teton National Park ROUTE 0922: BEAVER CREEK MAINTENANCE YARD

Manual Rating

FROM ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) AT MP 0.22 ON RIGHT

TO ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS)




Grand Teton National Park ROUTE 0923: TAGGART LAKE TRAILHEAD PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.40 ON LEFT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.45 ON LEFT




Grand Teton National Park ROUTE 0924: COTTONWOOD CREEK PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.75 ON RIGHT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 3.79 ON RIGHT




Grand Teton National Park ROUTE 0926: TETON GLACIER PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 4.95 ON LEFT


TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 5.02 ON LEFT



Grand Teton National Park ROUTE 0929: SOUTH JENNY LAKE PARKING

Manual Rating

FROM END OF ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)




Grand Teton National Park

ROUTE 0930: JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING

Manual Rating

FROM ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD) AT MP 0.28 ON RIGHT

TO ROUTE 0205ZZ (JENNY LAKE CAMPGROUND ROADS)




Grand Teton National Park ROUTE 0931: CASCADE CANYON PARKING AREA

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 9.42 ON LEFT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 9.49 ON LEFT




Grand Teton National Park ROUTE 0933: CATHEDRAL GROUP PARKING

Manual Rating

FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 0.76 ON RIGHT

TO ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 0.82 ON RIGHT




Grand Teton National Park ROUTE 0934: JENNY LAKE OVERLOOK PARKING

Manual Rating

FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 2.96 ON RIGHT

TO ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 2.99 ON RIGHT



Grand Teton National Park ROUTE 0935ZZ: LEIGH LAKE TRAILHEAD PARKING AREAS

Summary Route Manual Rating


FROM ROUTE 0110 (STRING LAKE ROAD) ON LEFT

THROUGH PARKING TO ROUTE 0110 (STRING LAKE ROAD)

Inspection Date	FMSS Number	User Access	Surface Type		
7/27/2016	4344	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
64,822	1.117	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park ROUTE 0935AZ: LEIGH LAKE TRAILHEAD PARKING A

Subcomponent of Route GRTE-0935ZZ Manual Rating

FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.30 ON LEFT

TO ROUTE 0110 (STRING LAKE ROAD) AT MP 0.48 ON LEFT




Grand Teton National Park ROUTE 0935BZ: LEIGH LAKE TRAILHEAD PARKING B

Subcomponent of Route GRTE-0935ZZ Manual Rating

FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.35 ON LEFT


TO ROUTE 0110 (STRING LAKE ROAD) AT MP 0.44 ON LEFT



Grand Teton National Park ROUTE 0935CZ: LEIGH LAKE TRAILHEAD PARKING C

Subcomponent of Route GRTE-0935ZZ Manual Rating


FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.40 ON LEFT



Grand Teton National Park ROUTE 0936: STRING LAKE CANOE LAUNCH PARKING

Manual Rating

FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.21 ON LEFT




Grand Teton National Park ROUTE 0937: STRING LAKE TRAILHEAD PARKING

Manual Rating

FROM ROUTE 0110 (STRING LAKE ROAD) AT MP 0.04 ON LEFT


TO ROUTE 0110 (STRING LAKE ROAD) AT MP 0.11 ON LEFT



Grand Teton National Park ROUTE 0938: MOUNTAIN VIEW PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 11.19 ON LEFT



Grand Teton National Park ROUTE 0939: BURNED RIDGE PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 13.50 ON RIGHT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 13.55 ON RIGHT




Grand Teton National Park

ROUTE 0940: MT. MORAN PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 14.50 ON LEFT

TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) ON LEFT




Grand Teton National Park ROUTE 0941: POTHOLES PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 15.17 ON RIGHT


TO END OF PARKING LOOP



Grand Teton National Park ROUTE 0942: SIGNAL MOUNTAIN BOAT TRAILER PARKING

Manual Rating


FROM ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD) AT MP 0.03 ON LEFT



Grand Teton National Park ROUTE 0943: JACKSON POINT OVERLOOK PARKING

Manual Rating


ADJACENT TO ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD) AT MP 3.99 ON LEFT



Grand Teton National Park ROUTE 0944: SIGNAL MOUNTAIN SUMMIT OVERLOOK PARKING

Manual Rating

FROM END OF ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD)




Grand Teton National Park ROUTE 0945: SIGNAL MOUNTAIN RANGER STATION PARKING

Manual Rating

FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.05 ON RIGHT

TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.08 ON RIGHT




Grand Teton National Park ROUTE 0946: SIGNAL MOUNTAIN DUMP STATION

Manual Rating

FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.05 ON LEFT


TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.09 ON LEFT



Grand Teton National Park ROUTE 0947: SIGNAL MOUNTAIN TRAILER STORAGE PARKING

Manual Rating

FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.37 ON RIGHT



Grand Teton National Park ROUTE 0948ZZ: SIGNAL MOUNTAIN MARINA ACCESS PARKING AREAS


Summary Route Manual Rating


FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON LEFT AND RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type		
7/27/2016	36398	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
8,382	0.144	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park ROUTE 0948AZ: SIGNAL MOUNTAIN MARINA ACCESS PARKING A

Subcomponent of Route GRTE-0948ZZ Manual Rating

FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.56 ON LEFT

TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.60 ON LEFT




Grand Teton National Park ROUTE 0948BZ: SIGNAL MOUNTAIN MARINA ACCESS PARKING B

Subcomponent of Route GRTE-0948ZZ

Manual Rating

ADJACENT TO ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)

AT MP 0.56 ON RIGHT




Grand Teton National Park ROUTE 0949: CHAPEL OF THE SACRED HEART PICNIC AREA

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 18.43 ON LEFT


TO PICNIC AREA



Grand Teton National Park ROUTE 0950: CATHOLIC BAY TURNOUT PARKING

Manual Rating

ADJACENT TO ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 18.93 ON LEFT




Grand Teton National Park

ROUTE 0951: JACKSON DAM PARKING (WEST)

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.54 ON LEFT




Grand Teton National Park

ROUTE 0952: JACKSON DAM PARKING (EAST)

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.55 ON RIGHT



Grand Teton National Park ROUTE 0953ZZ: MORAN DEVELOPMENT PARKING AREAS


Summary Route Manual Rating


FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) ON LEFT AND RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
7/26/2016	31535	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR
35,950	0.619	SUMMA	RY / 90
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park ROUTE 0953AZ: MORAN DEVELOPMENT PARKING A

Subcomponent of Route GRTE-0953ZZ Manual Rating

FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.10 ON LEFT

TO PARKING




Grand Teton National Park ROUTE 0953BZ: MORAN DEVELOPMENT PARKING B

Subcomponent of Route GRTE-0953ZZ Manual Rating

FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.10 ON RIGHT

TO PARKING




Grand Teton National Park ROUTE 0953CZ: MORAN DEVELOPMENT PARKING C

Subcomponent of Route GRTE-0953ZZ Manual Rating

FROM ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.15 ON RIGHT

TO ROUTE 0107 (MORAN DEVELOPMENT ROAD) AT MP 0.21 ON RIGHT




Grand Teton National Park ROUTE 0953EZ: MORAN DEVELOPMENT PARKING E

Subcomponent of Route GRTE-0953ZZ

Manual Rating

ADJACENT TO ROUTE 0107 (MORAN DEVELOPMENT ROAD)

AT MP 0.15 ON LEFT




Grand Teton National Park ROUTE 0954: MORAN RANGER STATION PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.20 ON RIGHT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 0.24 ON RIGHT




Grand Teton National Park ROUTE 0955: PACIFIC CREEK LANDING AND PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.47 ON LEFT

TO LANDING




Grand Teton National Park ROUTE 0956: UPPER OXBOW PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 2.40 ON LEFT

TO PARKING




Grand Teton National Park

ROUTE 0957: OXBOW BEND PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 2.79 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 2.84 ON LEFT




Grand Teton National Park ROUTE 0958: LOWER WILLOW FLATS TURNOUT PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 4.26 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 4.28 ON LEFT




Grand Teton National Park ROUTE 0959: WILLOW FLATS OVERLOOK PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 4.49 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 4.60 ON LEFT




Grand Teton National Park ROUTE 0965: COLTER BAY MAINTENANCE YARD

Manual Rating

FROM END OF ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD)

THROUGH MAINTENANCE YARD




Grand Teton National Park ROUTE 0966: COLTER BAY RESIDENCE PARKING

Manual Rating

ADJACENT TO ROUTE 0402ZZ (COLTER BAY RESIDENCE AREA ROADS)

AT MP 0.5 ON LEFT



Grand Teton National Park ROUTE 0967ZZ: COLTER BAY CAMPGROUND OFFICE PARKING AREAS


Summary Route Manual Rating

FROM ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS)

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type
7/25/2016	35802	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR
12,129	0.209	SUMMA	RY / 90
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.




Grand Teton National Park ROUTE 0967AZ: COLTER BAY CAMPGROUND OFFICE PARKING A

Subcomponent of Route GRTE-0967ZZ Manual Rating

FROM ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD) AT MP 0.01 ON RIGHT

TO ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.02 ON RIGHT




Grand Teton National Park ROUTE 0967BZ: COLTER BAY CAMPGROUND OFFICE PARKING B

Subcomponent of Route GRTE-0967ZZ Manual Rating

FROM ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125)) AT MP 0.02 ON RIGHT

TO ROUTE 0215AZ (COLTER BAY CAMPGROUND LOOP A (SITES 1-28))




Grand Teton National Park ROUTE 0968: COLTER BAY VISITOR CENTER LOOP PARKING

Manual Rating

FROM INTERSECTION OF ROUTE 0103 (COLTER BAY ENTRANCE ROAD), ROUTE 0215ZZ (COLTER BAY CAMPGROUND LOOPS AND ROADS), AND ROUTE 0254ZZ (COLTER BAY CONCESSION CABIN AREA ROADS)

TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) AND ROUTE 0235ZZ (COLTER BAY BOAT LAUNCH ROADS)



Grand Teton National Park ROUTE 0969ZZ: COLTER BAY PICINIC PARKING AREAS


Summary Route

Manual Rating

ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD) ON LEFT AND RIGHT SIDES


Inspection Date	FMSS Number	User Access	Surface Type
7/25/2016	30027	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR
16,189	0.279	SUMMA	RY / 78
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good	(85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.



Rte. 0969ZZ

(3 Subcomponents)




Grand Teton National Park ROUTE 0969AZ: COLTER BAY PICNIC AREA PARKING A

Subcomponent of Route GRTE-0969ZZ

Manual Rating

ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)

AT MP 0.13 ON LEFT




Grand Teton National Park ROUTE 0969BZ: COLTER BAY PICNIC AREA PARKING B

Subcomponent of Route GRTE-0969ZZ

Manual Rating

ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)

AT MP 0.27 ON RIGHT




Grand Teton National Park ROUTE 0969CZ: COLTER BAY PICNIC AREA PARKING C

Subcomponent of Route GRTE-0969ZZ

Manual Rating

ADJACENT TO ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)

AT MP 0.29 ON RIGHT




Grand Teton National Park ROUTE 0970: LEEKS MARINA BOAT TRAILER PARKING

Manual Rating

FROM ROUTE 0414 (A.M.K. RANCH ROAD) AT MP 0.02 ON LEFT

TO ROUTE 0115 (LEEKS MARINA ACCESS ROAD) AT MP 0.61 ON RIGHT




Grand Teton National Park ROUTE 0971: LEEKS MARINA PARKING

Manual Rating

FROM END OF ROUTE 0115 (LEEKS MARINA ACCESS ROAD)

TO PARKING AND MARINA BOAT LAUNCH




Grand Teton National Park ROUTE 0973: SARGENT BAY PICNIC AREA PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 11.42 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD)




Grand Teton National Park ROUTE 0974: ARIZONA ISLAND PICNIC AREA PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 13.74 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD)




Grand Teton National Park ROUTE 0977: NORTH BOUNDARY PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 20.39 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD) AT MO 20.43 ON LEFT




Grand Teton National Park ROUTE 0983: GROS VENTRE CAMPGROUND OFFICE PARKING

Manual Rating

FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.29 ON RIGHT

TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.33 ON RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
7/28/2016	36146	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation
9,457	0.163	NOT APPLICABLE	DO NOTHING
Curb Type		Curb & Gutter Type	
NO CURB		CONCRETE	
Pavement Rec	Pavement Recommendation Condition Rating / PCR		lating / PCR
PREVENTIVE N	IAINTENANCE	GOOD / 90	
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			




Grand Teton National Park ROUTE 0984: GROS VENTRE CAMPGROUND DUMP STATION

Manual Rating

FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.28 ON LEFT

TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.32 ON LEFT




Grand Teton National Park ROUTE 0985: GROS VENTRE CAMPGROUND AMPHITHEATER PARKING

Manual Rating

FROM ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.17 ON LEFT


TO ROUTE 0202ZZ (GROS VENTRE CAMPGROUND ROADS) AT MP 0.30 ON LEFT



Grand Teton National Park ROUTE 0986: JENNY LAKE CAMPGROUND PARKING

Manual Rating

ADJACENT TO ROUTE 0205ZZ (JENNY LAKE CAMPGROUND ROADS) AT MP 0.13 ON RIGHT



Grand Teton National Park ROUTE 0992ZZ: DEADMANS BAR PARKING AREAS

Summary Route


Manual Rating

ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON RIGHT AND LEFT

Inspection Date	FMSS Number	User Access	Surface Type
7/27/2016	35919	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR
13,063	0.225	SUMMA	RY / 97
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good	(85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 0992ZZ (2 Subcomponents)




6-89

Grand Teton National Park ROUTE 0992AZ: DEADMANS BAR PARKING A

Subcomponent of Route GRTE-0992ZZ

Manual Rating

ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON LEFT




Grand Teton National Park ROUTE 0992BZ: DEADMANS BAR PARKING B

Subcomponent of Route GRTE-0992ZZ

Manual Rating

ADJACENT TO ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION ON RIGHT




Grand Teton National Park ROUTE 0999: WORMHOLE PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 20.52 ON RIGHT


TO PARKING



Grand Teton National Park ROUTE 1004: SOUTH HUCKLEBERRY TURNOUT PARKING

Manual Rating

ADJACENT TO ROUTE 0013 (NORTH PARK ROAD) AT MP 18.43 ON RIGHT




Grand Teton National Park ROUTE 1006: SIGNAL MOUNTAIN LODGE MAIN PARKING

Manual Rating

FROM ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD) AT MP 0.03 ON RIGHT

TO PARKING



Grand Teton National Park ROUTE 1007ZZ: CRAIG THOMAS DISCOVER VISITOR CENTER PARKING AREAS

Summary Route Manual Rating


FROM ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.04 ON RIGHT


TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)

Inspection Date	FMSS Number	User Access	Surface Type		
7/26/2016	113735	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
82,885	1.427	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 1007ZZ (2 Subcomponents)






Grand Teton National Park ROUTE 1007AZ: CRAIG THOMAS DISCOVER VISITOR CENTER PARKING A

Subcomponent of Route GRTE-1007ZZ Manual Rating

FROM ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.04 ON RIGHT


TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.06 ON RIGHT



Grand Teton National Park ROUTE 1007BZ: CRAIG THOMAS DISCOVER VISITOR CENTER PARKING B

Subcomponent of Route GRTE-1007ZZ Manual Rating

ADJACENT TO ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD) AT MP 0.14 ON RIGHT




Grand Teton National Park ROUTE 1008: WESTERN CENTER FOR HISTORIC PRESERVATION PARKING

Manual Rating

FROM ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)) AT MP 0.25 ON RIGHT

TO PARKING




Grand Teton National Park

ROUTE 1010: COLTER BAY CONCESSION STORE AND GAS STATION PARKING

Manual Rating

FROM ROUTE 0103 (COLTER BAY ENTRANCE ROAD) AT MP 0.04 ON LEFT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 9.48 ON LEFT




Grand Teton National Park ROUTE 1011: JACKSON LAKE LODGE PARKING

Manual Rating

FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.25 ON LEFT

TO ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.48 ON LEFT




Grand Teton National Park ROUTE 1013: ELK RANCH FLATS PARKING

Manual Rating

FROM ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 23.54 ON LEFT

TO ROUTE 0010 (U.S. HIGHWAY 26/89/191) AT MP 23.60 ON LEFT




Grand Teton National Park

ROUTE 1019: SIGNAL MOUNTAIN CONCESSION ADMINISTRATIVE PARKING

Manual Rating

FROM ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)

TO PARKING




Grand Teton National Park ROUTE 1020: BRINKERHOFF PARKING

Manual Rating

FROM ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD)) AT MP 19.10 ON LEFT

TO PARKING




Grand Teton National Park ROUTE 1021: GRANITE ENTRANCE STATION PARKING

Manual Rating

FROM ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 0.74 ON LEFT

TO ROUTE 0100ZZ (MOOSE/WILSON ROADS) AT MP 0.78 ON LEFT




Grand Teton National Park ROUTE 1022: MORAN ENTRANCE STATION PARKING

Manual Rating

FROM ROUTE 0013 (NORTH PARK ROAD) AT MP 0.33 ON RIGHT

TO ROUTE 0013 (NORTH PARK ROAD) AT MP 0.40 ON RIGHT




Grand Teton National Park ROUTE 1023: EAST BOUNDARY PARKING

Manual Rating

ADJACENT TO ROUTE 0010 (U.S. HIGHWAY 26/89/191)

AT MP 27.98 ON LEFT



Grand Teton National Park

ROUTE 1024ZZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING AREAS


Summary Route

Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/27/2016	115402	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
14,958	0.257	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park

ROUTE 1024AZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING A

Subcomponent of Route GRTE-1024ZZ


Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.04 ON RIGHT



Grand Teton National Park ROUTE 1024BZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING B

Subcomponent of Route GRTE-1024ZZ


Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.03 ON LEFT



Grand Teton National Park ROUTE 1024CZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING C

Subcomponent of Route GRTE-1024ZZ


Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.05 ON LEFT




Grand Teton National Park ROUTE 1024DZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING D

Subcomponent of Route GRTE-1024ZZ

Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.08 ON RIGHT






Rte. 1024AZ

Rte. 1024BZ

Grand Teton National Park ROUTE 1024EZ: SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING E

Subcomponent of Route GRTE-1024ZZ

Manual Rating ADJACENT TO ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP) AT MP 0.09 ON LEFT



Grand Teton National Park

ROUTE 1025ZZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING AREAS


Summary Route

Manual Rating ADJACENT TO ROUTE 0438ZZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOPS) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/27/2016	115403	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR		
16,473	0.284	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.


Rte. 1025ZZ (8 Subcomponents)



Grand Teton National Park ROUTE 1025AZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING A

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.01 ON LEFT



Grand Teton National Park ROUTE 1025BZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING B

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.05 ON LEFT



Grand Teton National Park ROUTE 1025CZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING C

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.08 ON LEFT



Grand Teton National Park ROUTE 1025DZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING D

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.10 ON RIGHT



Grand Teton National Park ROUTE 1025EZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING E

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.12 ON RIGHT



Grand Teton National Park ROUTE 1025FZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING F

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.13 ON LEFT



Grand Teton National Park ROUTE 1025GZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING G

Subcomponent of Route GRTE-1025ZZ


Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.16 ON RIGHT



Grand Teton National Park ROUTE 1025HZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING H

Subcomponent of Route GRTE-1025ZZ

Manual Rating ADJACENT TO ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A) AT MP 0.21 ON RIGHT




Grand Teton National Park ROUTE 1026: JENNY LAKE LODGE CABIN PARKING

Manual Rating

FROM ROUTE 0500 (JENNY LAKE LOOP ROAD) AT MP 1.72 ON LEFT

TO ROUTE 0260ZZ (JENNY LAKE LODGE CABIN ROADS)




Grand Teton National Park

ROUTE 1028: JACKSON LAKE LODGE CLINIC AND SERVICE STATION PARKING

Manual Rating

FROM ROUTE 0113 (JACKSON LAKE LODGE ROAD) AT MP 0.57 ON RIGHT

TO PARKING



Grand Teton National Park ROUTE 1029ZZ: COLTER BAY CONCESSION CABIN PARKING AREAS

Summary Route

Manual Rating


ADJACENT TO ROUTE 0254ZZ (COLTER BAY CONCESSION

CABIN AREA ROADS) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/25/2016	115406	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
70,152	1.207	SUMMARY / 75			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good	(85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 1029ZZ (35 Subcomponents)




Grand Teton National Park ROUTE 1029AAZ: COLTER BAY CONCESSION CABIN ROAD A PARKING A

Subcomponent of Route GRTE-1029ZZ Manual Rating

FROM ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B) AT MP 0.007 ON LEFT

TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.006 ON RIGHT




Grand Teton National Park ROUTE 1029ABZ: COLTER BAY CONCESSION CABIN ROAD A PARKING B

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.10 ON RIGHT




Grand Teton National Park ROUTE 1029ACZ: COLTER BAY CONCESSION CABIN ROAD A PARKING C

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.15 ON RIGHT




Grand Teton National Park ROUTE 1029ADZ: COLTER BAY CONCESSION CABIN ROAD A PARKING D

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.21 ON RIGHT




Grand Teton National Park ROUTE 1029AEZ: COLTER BAY CONCESSION CABIN ROAD A PARKING E

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.21 ON LEFT




Grand Teton National Park ROUTE 1029AFZ: COLTER BAY CONCESSION CABIN ROAD A PARKING F

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.25 ON RIGHT




Grand Teton National Park ROUTE 1029AGZ: COLTER BAY CONCESSION CABIN ROAD A PARKING G

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254AZ (COLTER BAY CONCESSION

CABIN ROAD A) AT MP 0.25 ON LEFT




Grand Teton National Park ROUTE 1029AHZ: COLTER BAY CONCESSION CABIN ROAD A PARKING H

Subcomponent of Route GRTE-1029ZZ

Manual Rating

FROM END OF ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)

TO PARKING




Grand Teton National Park ROUTE 1029AIZ: COLTER BAY CONCESSION CABIN ROAD A PARKING I

Subcomponent of Route GRTE-1029ZZ Manual Rating

FROM ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A) AT MP 0.07 ON LEFT

TO INTERSECTION OF ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AND ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)




Grand Teton National Park ROUTE 1029BAZ: COLTER BAY CONCESSION CABIN ROAD B PARKING A

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION

CABIN ROAD B) AT MP 0.02 ON LEFT




Grand Teton National Park ROUTE 1029BBZ: COLTER BAY CONCESSION CABIN ROAD B PARKING B

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION

CABIN ROAD B) AT MP 0.08 ON LEFT




Grand Teton National Park ROUTE 1029BCZ: COLTER BAY CONCESSION CABIN ROAD B PARKING C

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION

CABIN ROAD B) AT MP 0.13 ON LEFT




Grand Teton National Park ROUTE 1029BDZ: COLTER BAY CONCESSION CABIN ROAD B PARKING D

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION

CABIN ROAD B) AT MP 0.15 ON LEFT




Grand Teton National Park ROUTE 1029BEZ: COLTER BAY CONCESSION CABIN ROAD B PARKING E

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254BZ (COLTER BAY CONCESSION

CABIN ROAD B) AT MP 0.17 ON LEFT




Grand Teton National Park ROUTE 1029BFZ: COLTER BAY CONCESSION CABIN ROAD B PARKING F

Subcomponent of Route GRTE-1029ZZ

Manual Rating

FROM END OF ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B)

TO PARKING




Grand Teton National Park ROUTE 1029CAZ: COLTER BAY CONCESSION CABIN ROAD C PARKING A

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.03 ON RIGHT




Grand Teton National Park ROUTE 1029CBZ: COLTER BAY CONCESSION CABIN ROAD C PARKING B

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.02 ON LEFT




Grand Teton National Park ROUTE 1029CCZ: COLTER BAY CONCESSION CABIN ROAD C PARKING C

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.05 ON LEFT




Grand Teton National Park ROUTE 1029CDZ: COLTER BAY CONCESSION CABIN ROAD C PARKING D

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.09 ON RIGHT




Grand Teton National Park ROUTE 1029CEZ: COLTER BAY CONCESSION CABIN ROAD C PARKING E

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.11 ON RIGHT




Grand Teton National Park ROUTE 1029CFZ: COLTER BAY CONCESSION CABIN ROAD C PARKING F

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.13 ON RIGHT




Grand Teton National Park ROUTE 1029CGZ: COLTER BAY CONCESSION CABIN ROAD C PARKING G

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.16 ON RIGHT




Grand Teton National Park ROUTE 1029CHZ: COLTER BAY CONCESSION CABIN ROAD C PARKING H

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION


CABIN ROAD C) AT MP 0.17 ON RIGHT



Grand Teton National Park ROUTE 1029CIZ: COLTER BAY CONCESSION CABIN ROAD C PARKING I

Subcomponent of Route GRTE-1029ZZ Manual Rating


ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.19 ON RIGHT




Grand Teton National Park ROUTE 1029CJZ: COLTER BAY CONCESSION CABIN ROAD C PARKING J

Subcomponent of Route GRTE-1029ZZ

Manual Rating ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C) AT MP 0.22 ON RIGHT






Grand Teton National Park ROUTE 1029CKZ: COLTER BAY CONCESSION CABIN ROAD C PARKING K

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.25 ON RIGHT




Grand Teton National Park ROUTE 1029CLZ: COLTER BAY CONCESSION CABIN ROAD C PARKING L

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.28 ON RIGHT




Grand Teton National Park ROUTE 1029CMZ: COLTER BAY CONCESSION CABIN ROAD C PARKING M

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.29 ON LEFT




Grand Teton National Park ROUTE 1029CNZ: COLTER BAY CONCESSION CABIN ROAD C PARKING N

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.40 ON RIGHT




Grand Teton National Park ROUTE 1029COZ: COLTER BAY CONCESSION CABIN ROAD C PARKING O

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) T MP 0.50 ON LEFT




Grand Teton National Park ROUTE 1029CPZ: COLTER BAY CONCESSION CABIN ROAD C PARKING P

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254CZ (COLTER BAY CONCESSION

CABIN ROAD C) AT MP 0.52 ON RIGHT




Grand Teton National Park ROUTE 1029DAZ: COLTER BAY CONCESSION CABIN ROAD D PARKING A

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION

CABIN ROAD D) AT MP 0.02 ON RIGHT




Grand Teton National Park ROUTE 1029DBZ: COLTER BAY CONCESSION CABIN ROAD D PARKING B

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION

CABIN ROAD D) AT MP 0.02 ON LEFT




Grand Teton National Park ROUTE 1029DCZ: COLTER BAY CONCESSION CABIN ROAD D PARKING C

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION

CABIN ROAD D) AT MP 0.04 ON LEFT




Grand Teton National Park ROUTE 1029DDZ: COLTER BAY CONCESSION CABIN ROAD D PARKING D

Subcomponent of Route GRTE-1029ZZ

Manual Rating

ADJACENT TO ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D)

AT MP 0.04 ON RIGHT




Grand Teton National Park ROUTE 1030: COLTER BAY SERVICE STATION

Manual Rating

FROM ROUTE 0415ZZ (COLTER BAY CONCESSION EMPLOYEE ROADS) AT MP 0.03 ON LEFT

TO PARKING




Grand Teton National Park ROUTE 1031: COLTER BAY CONCESSION EMPLOYEE PARKING

Manual Rating

FROM ROUTE 0415ZZ (COLTER BAY CONCESSION EMPLOYEE ROADS) AT MP 0.09 ON RIGHT

TO PARKING



Grand Teton National Park ROUTE 1032ZZ: COLTER BAY DORM PARKING AREAS


Summary Route


Manual Rating


ADJACENT TO ROUTE 0402ZZ (COLTER BAY RESIDENCE AREA ROADS) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/25/2016	115409	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
8,845	0.152	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84)Good	(85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.








Grand Teton National Park ROUTE 1032AZ: COLTER BAY DORM PARKING A

Subcomponent of Route GRTE-1032ZZ

Manual Rating

ADJACENT TO ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E) AT MP 0.03 ON RIGHT




Grand Teton National Park ROUTE 1032BZ: COLTER BAY DORM PARKING B

Subcomponent of Route GRTE-1032ZZ

Manual Rating

ADJACENT TO ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E) AT MP 0.03 ON LEFT



Grand Teton National Park

ROUTE 1033ZZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING AREAS


Summary Route Manual Rating

ADJACENT TO ROUTE 0258ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/26/2016	115410	PUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
30,966	0.534	SUMMARY / 85			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.


Rte. 1033ZZ (24 Subcomponents)



Grand Teton National Park ROUTE 1033AZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING A

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.02 ON LEFT



Grand Teton National Park ROUTE 1033BZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING B

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.05 ON LEFT



Grand Teton National Park ROUTE 1033CZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING C

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.07 ON LEFT



Grand Teton National Park ROUTE 1033DZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING D

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.19 ON LEFT



Grand Teton National Park ROUTE 1033EZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING E

Subcomponent of Route GRTE-1033ZZ Manual Rating

ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.23 ON LEFT




Grand Teton National Park ROUTE 1033FZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING F

Subcomponent of Route GRTE-1033ZZ

Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.26 ON LEFT



Grand Teton National Park ROUTE 1033GZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING G

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.30 ON LEFT



Grand Teton National Park ROUTE 1033HZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING H

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A) AT MP 0.31 ON RIGHT



Grand Teton National Park ROUTE 1033IZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING I

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.02 ON RIGHT



Grand Teton National Park ROUTE 1033JZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING J

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.03 ON LEFT



Grand Teton National Park ROUTE 1033KZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING K

Subcomponent of Route GRTE-1033ZZ Manual Rating

ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.06 ON RIGHT



Grand Teton National Park ROUTE 1033LZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING L

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.06 ON LEFT



Grand Teton National Park ROUTE 1033MZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING M

Subcomponent of Route GRTE-1033ZZ Manual Rating

ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.09 ON RIGHT




Grand Teton National Park ROUTE 1033NZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING N

Subcomponent of Route GRTE-1033ZZ

Manual Rating


ADJACENT TO ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B) AT MP 0.09 ON LEFT



Grand Teton National Park ROUTE 10330Z: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING O

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.11 ON LEFT



Grand Teton National Park ROUTE 1033PZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING P

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.11 ON RIGHT



Grand Teton National Park ROUTE 1033QZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING Q

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.094 ON LEFT



Grand Teton National Park ROUTE 1033RZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING R

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.09 ON RIGHT



Grand Teton National Park ROUTE 1033SZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING S

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.09 ON LEFT



Grand Teton National Park ROUTE 1033TZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING T

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.08 ON LEFT



Grand Teton National Park ROUTE 1033UZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING U

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.07 ON RIGHT



Grand Teton National Park ROUTE 1033VZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING V

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.06 ON LEFT



Grand Teton National Park ROUTE 1033WZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING W

Subcomponent of Route GRTE-1033ZZ Manual Rating


ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.03 ON RIGHT



Grand Teton National Park ROUTE 1033XZ: JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING X

Subcomponent of Route GRTE-1033ZZ Manual Rating

ADJACENT TO ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C) AT MP 0.03 ON LEFT



Grand Teton National Park

ROUTE 1034ZZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING AREAS


Summary Route Manual Rating


ADJACENT TO ROUTE 0259ZZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type
7/26/2016	115411	PUBLIC	ASPHALT
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR	
49,009	0.843	SUMMARY / 93	
Route Condition Legend – Pavement Condition Rating (PCR)			
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated
See Appendix for definitions and formulas			

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.

Rte. 1034ZZ (26 Subcomponents)






Grand Teton National Park ROUTE 1034AZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING A

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.02 ON LEFT



Grand Teton National Park ROUTE 1034BZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING B

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.03 ON RIGHT



Grand Teton National Park ROUTE 1034CZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING C

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.06 ON LEFT



Grand Teton National Park ROUTE 1034DZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING D

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.06 ON RIGHT



Grand Teton National Park ROUTE 1034EZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING E

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.10 ON RIGHT



Grand Teton National Park ROUTE 1034FZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING F

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.10 ON LEFT



Grand Teton National Park ROUTE 1034GZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING G

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A) AT MP 0.12 ON RIGHT



Grand Teton National Park ROUTE 1034HZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING H

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259DZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D) AT MP 0.02 ON RIGHT



Grand Teton National Park route 1034iz: Jackson Lake Lodge concession cottage south parking i

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.11 ON RIGHT



Grand Teton National Park route 1034jz: jackson lake lodge concession cottage south parking j

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.10 ON LEFT



Grand Teton National Park ROUTE 1034KZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING K

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.07 ON LEFT



Grand Teton National Park ROUTE 1034LZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING L

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.06 ON RIGHT



Grand Teton National Park route 1034mz: jackson lake lodge concession cottage south parking m

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.04 ON LEFT



Grand Teton National Park ROUTE 1034NZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING N

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.02 ON RIGHT



Grand Teton National Park ROUTE 10340Z: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING O

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B) AT MP 0.02 ON LEFT



Grand Teton National Park ROUTE 1034PZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING P

Subcomponent of Route GRTE-1034ZZ Manual Rating

ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.02 ON RIGHT



Feet 25


50

6-206

Grand Teton National Park ROUTE 1034QZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Q

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.02 ON LEFT



Grand Teton National Park ROUTE 1034RZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING R

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.05 ON RIGHT



Grand Teton National Park route 1034sz: jackson lake lodge concession cottage south parking s

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.05 ON LEFT



Grand Teton National Park ROUTE 1034TZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING T

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.08 ON RIGHT



Grand Teton National Park ROUTE 1034UZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING U

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.08 ON LEFT



Grand Teton National Park ROUTE 1034VZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING V

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.11 ON RIGHT



Grand Teton National Park ROUTE 1034WZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING W

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.12 ON LEFT



Grand Teton National Park ROUTE 1034XZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X

Subcomponent of Route GRTE-1034ZZ Manual Rating


ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.16 ON LEFT



Grand Teton National Park ROUTE 1034YZ: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Y

Subcomponent of Route GRTE-1034ZZ Manual Rating

ADJACENT TO ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C) AT MP 0.17 ON RIGHT




ROUTE 1034Z: JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Z

Subcomponent of Route GRTE-1034ZZ

Manual Rating

FROM END OF ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)



Grand Teton National Park ROUTE 1035ZZ: BEAVER CREEK SEASONAL HOUSING PARKING


Summary Route Manual Rating


FROM ROUTE 0401ZZ (BEAVER CREEK RESIDENTIAL ROADS) ON RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type		
7/26/2016	237579	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
23,161	0.399	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good	(85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park ROUTE 1035AZ: BEAVER CREEK SEASONAL HOUSING PARKING A

Subcomponent of Route GRTE-1035ZZ Manual Rating


FROM ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B) AT MP 0.14 ON RIGHT



Grand Teton National Park ROUTE 1035BZ: BEAVER CREEK SEASONAL HOUSING PARKING B

Subcomponent of Route GRTE-1035ZZ Manual Rating


FROM ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B) AT MP 0.11 ON RIGHT



Grand Teton National Park ROUTE 1036: JACKSON LAKE LODGE LOADING DOCK

Manual Rating

FROM ROUTE 0441 (JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD) AT MP 0.04 ON RIGHT



ROUTE 1037ZZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING


Summary Route Manual Rating

FROM ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT

TO PARKING

Inspection Date	FMSS Number	User Access	Surface Type		
7/25/2016	237583	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
46,438	0.8	SUMMARY / 88			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.




6-221

Grand Teton National Park ROUTE 1037AZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING A

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.14 ON LEFT



Grand Teton National Park ROUTE 1037BZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING B

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.14 ON RIGHT



Grand Teton National Park ROUTE 1037CZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING C

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.20 ON LEFT



Grand Teton National Park ROUTE 1037DZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING D

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.20 ON RIGHT



Grand Teton National Park ROUTE 1037EZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING E

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.27 ON LEFT



Grand Teton National Park ROUTE 1037FZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING F

Subcomponent of Route GRTE-1037ZZ Manual Rating

ADJACENT TO ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A) AT MP 0.27 ON RIGHT




Grand Teton National Park ROUTE 1037GZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G

Subcomponent of Route GRTE-1037ZZ

Manual Rating

FROM END OF ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)

Inspection Date	FMSS Number	User Access	Surface Type		
7/25/2016	237583	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Curb Reveal (Inches)	Curb Recommendation		
11,014	0.19	NOT APPLICABLE	LIGHT REPAIR		
Curb Type		Curb & Gutter Type			
NO CURB		CONCRETE			
Pavement Recommendation		Condition Rating / PCR			
LIGHT 3R TREATMENTS		FAIR / 73			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)Fair (61- 84)Good (85 - 94)Excellent (95 - 100)Not RatedSee Appendix for definitions and formulas					




Grand Teton National Park ROUTE 1037HZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H

Subcomponent of Route GRTE-1037ZZ

Manual Rating


FROM END OF ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)



Grand Teton National Park ROUTE 1037IZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING I

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.06 ON LEFT



Grand Teton National Park ROUTE 1037JAZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING JA

Subcomponent of Route GRTE-1037ZZ Manual Rating


ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.01 ON RIGHT



Grand Teton National Park ROUTE 1037JZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING J

Subcomponent of Route GRTE-1037ZZ Manual Rating

ADJACENT TO ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) AT MP 0.07 ON RIGHT




ROUTE 1038ZZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING


Summary Route Manual Rating

ADJACENT TO ROUTE 0256ZZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROADS) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type		
7/25/2016	237584	NONPUBLIC	ASPHALT		
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition Rating / PCR			
11,977	0.207	SUMMARY / 90			
Route Condition Legend – Pavement Condition Rating (PCR)					
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated		
See Appendix for definitions and formulas					

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






ROUTE 1038AZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING A

Subcomponent of Route GRTE-1038ZZ Manual Rating


ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.04 ON RIGHT



ROUTE 1038BZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING B

Subcomponent of Route GRTE-1038ZZ Manual Rating


ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.3 ON LEFT



ROUTE 1038CZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING C

Subcomponent of Route GRTE-1038ZZ Manual Rating


ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.06 ON LEFT



ROUTE 1038DZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING D

Subcomponent of Route GRTE-1038ZZ Manual Rating


ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.08 ON RIGHT



ROUTE 1038EZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING E

Subcomponent of Route GRTE-1038ZZ Manual Rating

ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.10 ON LEFT




Grand Teton National Park

ROUTE 1038FZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING F

Subcomponent of Route GRTE-1038ZZ Manual Rating

ADJACENT TO ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B) AT MP 0.11 ON RIGHT




Grand Teton National Park ROUTE 1039ZZ: COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING


Summary Route Manual Rating

ADJACENT TO ROUTE 0255ZZ (COLTER BAY CONCESSION TENT VILLAGE AREA ROADS) ON LEFT AND RIGHT

Inspection Date	FMSS Number	User Access	Surface Type				
7/26/2016	237451	PUBLIC	ASPHALT				
Area (Sq. Ft.)	Lane Miles (11' Widths)	Condition R	ating / PCR				
6,566	0.113	SUMMARY / 73					
	Route Condition Legend – Pavement Condition Rating (PCR)						
Poor (0 - 60)	Fair (61- 84) Good ((85 - 94) Excellent (95 - 10	0) Not Rated				
See Appendix for definitions and formulas							

The condition shown on this page reflects the overall route condition and may not reflect individual subcomponent ratings.






Grand Teton National Park ROUTE 1039AZ: COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING A

Subcomponent of Route GRTE-1039ZZ Manual Rating


ADJACENT TO ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AT MP 0.36 ON RIGHT




Grand Teton National Park ROUTE 1039BZ: COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING B

Subcomponent of Route GRTE-1039ZZ Manual Rating

ADJACENT TO ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD) AT MP 0.34 ON LEFT



Section 7 Road Milepost Information



Grand Teton National Park



Road Milepost Information

This report section contains road milepost information for all paved roads in the park that were collected with the Data Collection Vehicle (DCV). The milepost data is obtained from the DCV by using a distance measuring instrument (DMI) that is calibrated to record mileage to the nearest thousandth of a mile. Park roads that were manually rated did not have milepost data collected, and thus are not included in this report section.

For Cycle 6, the information presented in this section differs from previous RIP cycles in that it does not contain the roadside features inventories for the paved park roads. Some examples of the features previously collected are signs, culverts/drop inlets, guardrails, curbing, pullouts, etc. If the park was collected in a previous RIP cycle, then the latest features data can be obtained by referencing the following:

Where to find the latest Features Inventories for NPS Parks:

- For Small Parks (parks with less than 10 miles of paved roads):
 - Refer to Cycle 5 data (collected 2010 2014)
 - Features were reported in Section 9 of the *Cycle 5* RIP report
 - Video of features can be viewed using the *PathViewVO* program and *Cycle 5* data
- For Large Parks (parks with more than 10 miles of paved roads):
 - Refer to Cycle 4 data (collected 2006 2009)
 - Features were reported in Section 9 of the *Cycle 4* RIP report
 - Video of features can be viewed using the *VisiData* program and *Cycle 4* data
 - Note: Features inventories were updated in Large Parks in *Cycle 5* only on a route by route basis if the route was new or modified in *Cycle 5*. If this is the case for a particular route, then features for the route can be obtained using the *PathViewVO* program and *Cycle 5* data (same as above for Small parks).

Milepost Events Verified in Cycle 6

In Cycle 6, the following events were collected and reported in Section 7 of this report:

- Intersections with roads and parking areas
- All bridges and culverts with BIP Numbers (bridge inspection program numbers)
- Mile Marker Signs
- One-Way travel directions
- Overpasses
- Tunnels
- Low Water Crossings (LWCR)
- Surface type changes
- Construction areas where no pavement condition data was obtained

GPS Mileage Matching

A consistent survey milepost and constant route length as recorded by the Data Collection Vehicle (DCV) is a challenge to maintain from one collection cycle to the next. The challenge is due to many factors such as driver characteristics, DMI calibration, tire pressure etc. After Cycle 4 (~2010), a decision was made to hold constant the length of roads so long as there was no physical change from reconstruction projects or realignments that would result in a change to the length of a road. Consequently, the "GPS Mileage Match" was implemented to specify which cycle the route length is being matched. Route mileages and GPS are matched to a previous collection whenever there is no physical change to a route alignment. The route mileage and GPS is not matched to previous cycles whenever it is determined that a road length and GPS needs to be updated. When this happens the GPS and length is updated to the cycle that displays the change, and that collection cycle is used as the matching cycle in subsequent collections of the road. Thus, the Cycle 6 GIS could be either the survey length collected in Cycle 4, Cycle 5, or Cycle 6 and therefore, may not match the survey milepost displayed in the latest Cycle 6 DCV video which is viewable in *PathView VO*.

The features inventories and road logs collected on NPS routes contain mileposts that are determined from the corresponding cycle that the GPS is matched to. Therefore, the mileposts contained in the Cycle 4 or 5 features inventories or the Cycle 6 road logs may not exactly match the survey milepost collected in the latest Cycle 6 video of the road.

Locating Mile Marker Signs

For routes that have mile marker signs along them, the milepost reported by RIP will most likely not line up exactly with the sign located in the field. This could be happening for many reasons, most likely due to either the error falling within the acceptable calibration range of the vehicle, or the level of accuracy that the mile marker signs were placed in the field.

Because mile marker signs are important features in many project plans and location descriptions, RIP is reporting locations of mile marker signs in three ways in Cycle 6:

- 1. Mileposts from Cycle 6 GIS: the official RIP milepost taken from the features inventories and the matching GPS/mileage cycle as described above. This is the milepost that should be used on project plans and when finding locations in the field
- 2. Mileposts from Cycle 6 Video: milepost shown to help locate the mile marker sign in the latest *PathView VO* video.
- 3. Latitude / Longitude: a constant way of locating a mile marker sign so long as the park has not moved the sign

The mileposts from Cycle 6 Video and GIS should be nearly the same, but on longer roads it has been observed that the Video milepost deviates more from the official GIS milepost that comes from the matching cycle.

ROUTE 0010: U.S. HIGHWAY 26/89/191

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	PAVED ROUTE (US HWY 191 (STATE MAINTAINED / NON NPS))
0.01	0.01	PARK BOUNDARY	N/A	N/A
0.04	0.04	INTERSECTION	L	ROUTE 0433 (NICHOL SPRINGS ROAD)
0.16	0.16	MILE MARKER	R	MILE MARKER 159
0.33	0.33	INTERSECTION	L	ROUTE 0434 (WARM SPRINGS (TANKE) RESIDENCE ROAD)
0.57	0.57	INTERSECTION	R	ROUTE 0900 (GRAND TETON NATIONAL PARK SOUTH BOUNDARY PARKING)
0.64	0.64	INTERSECTION	R	ROUTE 0900 (GRAND TETON NATIONAL PARK SOUTH BOUNDARY PARKING)
1.17	1.17	MILE MARKER	N/A	MILE MARKER 160 (LOCATION NOT VERIFIED IN VIDEO)
1.40	1.40	INTERSECTION	R	UNPAVED ROUTE (FISH HATCHERY ROAD)
1.70	1.70	INTERSECTION	L	ROUTE 0901 (GROS VENTRE RIVER PARKING)
1.81	1.81	INTERSECTION	L	ROUTE 0901 (GROS VENTRE RIVER PARKING)
1.94	1.94	INTERSECTION	R	PAVED ROUTE (ELK REFUGE ACCESS ROAD / NON NPS)
1.97	2.02	BRIDGE	N/A	1460-002 (GROS VENTRE RIVER BRIDGE)
2.17	2.17	MILE MARKER	N/A	MILE MARKER 161 (LOCATION NOT VERIFIED IN VIDEO)
2.20	2.21	BRIDGE	N/A	1460-008 (GROS VENTRE IRRIGATION DITCH BRIDGE)
2.51	2.51	INTERSECTION	R	ROUTE 0104 (GROS VENTRE ROAD)
2.51	2.51	INTERSECTION	L	ROUTE 0200 (SAGE BRUSH DRIVE)
3.17	3.17	MILE MARKER	R	MILE MARKER 162
4.08	4.08	INTERSECTION	R	ROUTE 0430 (BLACKTAIL STORAGE AREA ROAD)
4.18	4.18	MILE MARKER	R	MILE MARKER 163
4.42	4.42	INTERSECTION	L	PAVED ROUTE (E AIRPORT ROAD (STATE MAINTAINED / NON NPS))
5.18	5.18	MILE MARKER	R	MILE MARKER 164
5.28	5.28	INTERSECTION	R	ROUTE 0902 (SLEEPING INDIAN PARKING)
5.36	5.36	INTERSECTION	R	ROUTE 0902 (SLEEPING INDIAN PARKING)
6.11	6.11	INTERSECTION	L	ROUTE 0903 (MEADOW ROAD PARKING)
6.18	6.18	MILE MARKER	R	MILE MARKER 165
6.68	6.68	INTERSECTION	L	ROUTE 0904 (ALBRIGHT VIEW PARKING)

ROUTE 0010: U.S. HIGHWAY 26/89/191

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
6.75	6.75	INTERSECTION	L	ROUTE 0904 (ALBRIGHT VIEW PARKING)
7.08	7.08	INTERSECTION	L	UNPAVED ROUTE (CIRCLE EW RANCH ROAD)
7.19	7.19	MILE MARKER	R	MILE MARKER 166
8.02	8.02	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
8.19	8.19	MILE MARKER	R	MILE MARKER 167
8.88	8.88	INTERSECTION	R	ROUTE 0905 (PRACTICE ROCKS PARKING)
9.19	9.19	MILE MARKER	R	MILE MARKER 168
9.20	9.20	INTERSECTION	R	ROUTE 0101 (ANTELOPE FLATS ROAD)
9.28	9.28	INTERSECTION	L	ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD)
10.20	10.20	MILE MARKER	R	MILE MARKER 169
11.20	11.20	MILE MARKER	R	MILE MARKER 170
11.33	11.33	INTERSECTION	L	ROUTE 0907 (GLACIER VIEW PARKING)
11.43	11.43	INTERSECTION	L	ROUTE 0907 (GLACIER VIEW PARKING)
11.99	11.99	INTERSECTION	L	ROUTE 0231 (SCHWABACHER LANDING ROAD)
12.20	12.20	MILE MARKER	R	MILE MARKER 171
13.21	13.21	MILE MARKER	R	MILE MARKER 172
13.34	13.34	INTERSECTION	L	ROUTE 0908 (TETON POINT PARKING)
13.45	13.45	INTERSECTION	L	ROUTE 0908 (TETON POINT PARKING)
14.21	14.21	MILE MARKER	R	MILE MARKER 173
15.21	15.21	MILE MARKER	R	MILE MARKER 174
16.17	16.17	MILE MARKER	R	MILE MARKER 175
16.18	16.18	INTERSECTION	R	ROUTE 0119 (LOST CREEK RANCH ROAD)
16.34	16.34	INTERSECTION	L	ROUTE 0909 (SNAKE RIVER OVERLOOK PARKING)
17.01	17.01	INTERSECTION	L	ROUTE 0217 (DEADMANS BAR ROAD) UNPAVED SECTION
17.22	17.22	MILE MARKER	R	MILE MARKER 176
18.17	18.17	MILE MARKER	R	MILE MARKER 177
19.17	19.17	INTERSECTION	L	ROUTE 0265 (TRIANGLE X RIVER ACCESS ROAD)
19.23	19.23	MILE MARKER	R	MILE MARKER 178
19.70	19.70	INTERSECTION	L	UNPAVED ROUTE

ROUTE 0010: U.S. HIGHWAY 26/89/191

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
19.71	19.71	INTERSECTION	R	ROUTE 0219 (TRIANGLE X RANCH ROAD)
20.24	20.24	MILE MARKER	R	MILE MARKER 179
20.43	20.43	INTERSECTION	R	ROUTE 0218 (BRUSH CREEK FOREST ACCESS ROAD)
20.43	20.43	INTERSECTION	L	ROUTE 0910 (CUNNINGHAM CABIN PARKING)
20.53	20.53	INTERSECTION	L	ROUTE 0910 (CUNNINGHAM CABIN PARKING)
21.24	21.24	MILE MARKER	R	MILE MARKER 180
21.39	21.39	INTERSECTION	R	ROUTE 0213 (SPREAD CREEK ROAD)
21.80	21.80	INTERSECTION	L	UNPAVED ROUTE (MOOSE HEAD RANCH ROAD)
22.03	22.06	BRIDGE	N/A	1460-003 (SPREAD CREEK BRIDGE)
22.24	22.24	MILE MARKER	R	MILE MARKER 181
22.34	22.34	INTERSECTION	R	ROUTE 0214 (WOLF RANCH ROAD)
23.24	23.24	MILE MARKER	R	MILE MARKER 182
23.54	23.54	INTERSECTION	L	ROUTE 1013 (ELK RANCH FLATS PARKING)
23.60	23.60	INTERSECTION	L	ROUTE 1013 (ELK RANCH FLATS PARKING)
24.24	24.24	MILE MARKER	N/A	MILE MARKER 183 (LOCATION NOT VERIFIED IN VIDEO)
25.12	25.12	INTERSECTION	R	ROUTE 0431 (ELK RANCH ROAD)
25.25	25.25	MILE MARKER	R	MILE MARKER 184
25.67	25.71	BRIDGE	N/A	1460-004 (BUFFALO FORK BRIDGE)
25.86	25.86	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
26.05	26.05	INTERSECTION	L	ROUTE 0107 (MORAN DEVELOPMENT ROAD)
26.88	26.88	MILE MARKER	R	MILE MARKER 1
27.22	27.22	INTERSECTION	R	UNPAVED ROUTE
27.76	27.76	INTERSECTION	R	UNPAVED ROUTE (PINTO RANCH ACCESS)
27.88	27.88	MILE MARKER	R	MILE MARKER 2
27.98	27.98	INTERSECTION	L	ROUTE 1023 (EAST BOUNDARY PARKING)
28.08	28.08	PARK BOUNDARY	N/A	N/A
28.08	28.08	MILE MARKER	R	MILE MARKER 2.2
28.09	28.09	INTERSECTION	N/A	PAVED ROUTE (US HWY 26/287 (STATE MAINTAINED / NON NPS))

ROUTE 0011: TETON PARK ROAD (INSIDE ROAD)

0.000.00INTERSECTIONLROUTE 0010 (NORTH-SOUTH HIGHWAY)0.190.19INTERSECTIONRROUTE 0109 (DORNAN'S ACCESS ROAD)0.360.44BRIDGEN/A1460-005 (SNAKE RIVER BRIDGE #1)0.520.52INTERSECTIONLROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)0.520.52INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0100AZ (MOOSE/WILSON ROAD)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNI AND PARKING)	FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.190.19INTERSECTIONRROUTE 0109 (DORNAN'S ACCESS ROAD)0.360.44BRIDGEN/A1460-005 (SNAKE RIVER BRIDGE #1)0.520.52INTERSECTIONLROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)0.520.52INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0100AZ (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRPAVED ROUTE (TURNAROUND)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0924 (COTTONWODD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWODD CREEK PARKING)3.793.99	0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.360.44BRIDGEN/A1460-005 (SNAKE RIVER BRIDGE #1)0.520.52INTERSECTIONLROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)0.520.52INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNT AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNT AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0921 (TAGGART LAKE TRAILHEAD PARKING)3.463.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #	0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.520.52INTERSECTIONLROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)0.520.52INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRPAVED ROUTE (TURNAROUND)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNT AND PARKING)1.031.03INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONRROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.403.40INTERSECTIONLROUTE 0921 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK	0.19	0.19	INTERSECTION	R	ROUTE 0109 (DORNAN'S ACCESS ROAD)
CENTER ENTRANCE ROAD)0.520.52INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD) (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0100AZ (MOOSE BOAT LAUNCH ACCESS ROAD)0.680.68INTERSECTIONLROUTE 0100AZ (MOOSE BOAT LAUNCH ACCESS ROAD)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNI AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNI AND PARKING)1.211.21INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0920 (WINDY POINT PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.99INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.83 </td <td>0.36</td> <td>0.44</td> <td>BRIDGE</td> <td>N/A</td> <td>1460-005 (SNAKE RIVER BRIDGE #1)</td>	0.36	0.44	BRIDGE	N/A	1460-005 (SNAKE RIVER BRIDGE #1)
(ALBRIGHT LOOP))0.680.68INTERSECTIONRROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0100AZ (MOOSE/WILSON ROAD)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.211.21INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)2.192.19INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 02020 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.45INTERSECTIONLROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSEC	0.52	0.52	INTERSECTION	L	
(ALBRIGHT LOOP))0.680.68INTERSECTIONLROUTE 0100AZ (MOOSE/WILSON ROAD)0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0920 (WINDY POINT PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0229 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0229 (CLIMBERS RANCH ROAD)	0.52	0.52	INTERSECTION	R	
0.860.86INTERSECTIONRPAVED ROUTE (TURNAROUND)0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.211.21INTERSECTIONRROUTE 0920 (WINDSE ENTRANCE STATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0920 (WINDY POINT PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)	0.68	0.68	INTERSECTION	R	
0.890.89INTERSECTIONRPAVED ROUTE (TURNAROUND)1.011.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)	0.68	0.68	INTERSECTION	L	ROUTE 0100AZ (MOOSE/WILSON ROAD)
1.01I.01INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0229 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	0.86	0.86	INTERSECTION	R	PAVED ROUTE (TURNAROUND)
AND PARKING)1.031.03INTERSECTIONRROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUNE AND PARKING)1.211.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0924 (COTTONWOOD CREEK PARKING)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0206 (TETON GLACIER PARKING)	0.89	0.89	INTERSECTION	R	PAVED ROUTE (TURNAROUND)
AND PARKING)1.21INTERSECTIONRROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0920 (WINDY POINT PARKING)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0923 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	1.01	1.01	INTERSECTION	R	ROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND AND PARKING)
ROAD)2.192.19INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK PARKING)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	1.03	1.03	INTERSECTION	R	ROUTE 0918 (MOOSE ENTRANCE STATION TURNAROUND AND PARKING)
2.272.27INTERSECTIONRROUTE 0920 (WINDY POINT PARKING)2.912.91INTERSECTIONLROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	1.21	1.21	INTERSECTION	R	
2.912.91INTERSECTIONLROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	2.19	2.19	INTERSECTION	R	ROUTE 0920 (WINDY POINT PARKING)
3.403.40INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	2.27	2.27	INTERSECTION	R	ROUTE 0920 (WINDY POINT PARKING)
3.453.45INTERSECTIONLROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	2.91	2.91	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
3.663.66INTERSECTIONLROUTE 0419 (TAGGART LAKE SERVICE ROAD)3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.40	3.40	INTERSECTION	L	ROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)
3.753.75INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.45	3.45	INTERSECTION	L	ROUTE 0923 (TAGGART LAKE TRAILHEAD PARKING)
3.793.79INTERSECTIONRROUTE 0924 (COTTONWOOD CREEK PARKING)3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.66	3.66	INTERSECTION	L	ROUTE 0419 (TAGGART LAKE SERVICE ROAD)
3.833.85BRIDGEN/A1460-001 (COTTONWOOD CREEK BRIDGE #1)3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.75	3.75	INTERSECTION	R	ROUTE 0924 (COTTONWOOD CREEK PARKING)
3.993.99INTERSECTIONRROUTE 0229 (BAR BC RANCH ROAD)4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.79	3.79	INTERSECTION	R	ROUTE 0924 (COTTONWOOD CREEK PARKING)
4.744.74INTERSECTIONLROUTE 0209 (CLIMBERS RANCH ROAD)4.954.95INTERSECTIONLROUTE 0926 (TETON GLACIER PARKING)	3.83	3.85	BRIDGE	N/A	1460-001 (COTTONWOOD CREEK BRIDGE #1)
4.95 4.95 INTERSECTION L ROUTE 0926 (TETON GLACIER PARKING)	3.99	3.99	INTERSECTION	R	ROUTE 0229 (BAR BC RANCH ROAD)
	4.74	4.74	INTERSECTION	L	ROUTE 0209 (CLIMBERS RANCH ROAD)
5.02 5.02 INTERSECTION L ROUTE 0926 (TETON GLACIER PARKING)	4.95	4.95	INTERSECTION	L	ROUTE 0926 (TETON GLACIER PARKING)
	5.02	5.02	INTERSECTION	L	ROUTE 0926 (TETON GLACIER PARKING)

ROUTE 0011: TETON PARK ROAD (INSIDE ROAD)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
5.28	5.28	INTERSECTION	L	ROUTE 0418 (LUCAS FABIAN ACCESS ROAD)
7.17	7.17	INTERSECTION	L	ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD)
7.88	7.88	INTERSECTION	L	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
8.51	8.51	INTERSECTION	L	ROUTE 0500 (JENNY LAKE LOOP ROAD)
9.42	9.42	INTERSECTION	L	ROUTE 0931 (CASCADE CANYON PARKING AREA)
9.49	9.49	INTERSECTION	L	ROUTE 0931 (CASCADE CANYON PARKING AREA)
10.81	10.81	INTERSECTION	L	ROUTE 0500 (JENNY LAKE LOOP ROAD)
11.19	11.19	INTERSECTION	L	ROUTE 0938 (MOUNTAIN VIEW PARKING)
12.16	12.16	INTERSECTION	L	ROUTE 0227 (SPALDING BAY ACCESS ROAD)
13.50	13.50	INTERSECTION	R	ROUTE 0939 (BURNED RIDGE PARKING)
13.55	13.55	INTERSECTION	R	ROUTE 0939 (BURNED RIDGE PARKING)
14.42	14.42	INTERSECTION	L	ROUTE 0940 (MT. MORAN PARKING)
14.50	14.50	INTERSECTION	L	ROUTE 0940 (MT. MORAN PARKING)
15.17	15.17	INTERSECTION	R	ROUTE 0941 (POTHOLES PARKING)
16.20	16.20	INTERSECTION	R	ROUTE 0435 (RKO PIT ROAD)
16.52	16.52	INTERSECTION	R	ROUTE 0228 (SNAKE RIVER (RKO) ACCESS ROAD)
16.52	16.52	INTERSECTION	L	ROUTE 0423 (SOUTH LANDING LAGOON ROAD)
16.78	16.78	INTERSECTION	R	ROUTE 0111 (SIGNAL MOUNTAIN SUMMIT ROAD)
17.88	17.88	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
18.43	18.43	INTERSECTION	L	ROUTE 0949 (CHAPEL OF THE SACRED HEART PICNIC AREA)
18.93	18.93	INTERSECTION	L	ROUTE 0950 (CATHOLIC BAY TURNOUT PARKING)
19.10	19.10	INTERSECTION	L	ROUTE 1020 (BRINKERHOFF PARKING)
19.48	19.48	INTERSECTION	R	PAVED ROUTE (SERVICE ROAD)
19.52	19.52	INTERSECTION	R	PAVED ROUTE (SERVICE ROAD)
19.54	19.54	INTERSECTION	L	ROUTE 0951 (JACKSON DAM PARKING (WEST))
19.55	19.55	INTERSECTION	R	ROUTE 0952 (JACKSON DAM PARKING (EAST))
19.57	19.62	BRIDGE	N/A	A BIP STRUCTURE NUMBER HAS NOT BEEN ASSIGNED TO THIS BRIDGE
19.68	19.68	INTERSECTION	L	UNPAVED ROUTE (GATED / NON NPS)

Data Collected on 9/2016

GRTE: Route Milepost Log

ROUTE 0011: TETON PARK ROAD (INSIDE ROAD)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
19.87	19.87	INTERSECTION	L	UNPAVED ROUTE
19.87	19.87	INTERSECTION	R	ROUTE 0212 (JACKSON LAKE DAM FISHING ACCESS ROAD)
20.52	20.52	INTERSECTION	R	ROUTE 0999 (WORMHOLE PARKING)
20.92	20.92	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
20.92	20.92	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)

ROUTE 0013: NORTH PARK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.20	0.20	INTERSECTION	R	ROUTE 0954 (MORAN RANGER STATION PARKING)
0.21	0.21	INTERSECTION	L	ROUTE 0416 (SNAKE RIVER LAND / BUFFALO DORMITORY ROAD)
0.24	0.24	INTERSECTION	R	ROUTE 0954 (MORAN RANGER STATION PARKING)
0.33	0.33	INTERSECTION	R	ROUTE 1022 (MORAN ENTRANCE STATION PARKING)
0.40	0.40	INTERSECTION	R	ROUTE 1022 (MORAN ENTRANCE STATION PARKING)
0.47	0.47	INTERSECTION	L	ROUTE 0955 (PACIFIC CREEK LANDING AND PARKING)
0.54	0.54	INTERSECTION	L	ROUTE 0955 (PACIFIC CREEK LANDING AND PARKING)
0.87	0.89	BRIDGE	N/A	1460-009 (PACIFIC CREEK BRIDGE)
1.18	1.18	INTERSECTION	R	ROUTE 0114 (PACIFIC CREEK ROAD)
2.40	2.40	INTERSECTION	R	ROUTE 0247 (THREE RIVERS RANCH ROAD)
2.40	2.40	INTERSECTION	L	ROUTE 0956 (UPPER OXBOW PARKING)
2.79	2.79	INTERSECTION	L	ROUTE 0957 (OXBOW BEND PARKING)
2.84	2.84	INTERSECTION	L	ROUTE 0957 (OXBOW BEND PARKING)
3.47	3.47	INTERSECTION	L	ROUTE 0236 (CATTLEMAN'S BRIDGE ROAD)
4.02	4.02	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
4.26	4.26	INTERSECTION	L	ROUTE 0958 (LOWER WILLOW FLATS TURNOUT PARKING)
4.28	4.28	INTERSECTION	L	ROUTE 0958 (LOWER WILLOW FLATS TURNOUT PARKING)
4.49	4.49	INTERSECTION	L	ROUTE 0959 (WILLOW FLATS OVERLOOK PARKING)
4.59	4.59	INTERSECTION	L	ROUTE 0959 (WILLOW FLATS OVERLOOK PARKING)
4.59	4.59	INTERSECTION	R	ROUTE 0250 (DOUG'S BARN WILLOW FLATS ROAD)
4.80	4.90	BRIDGE	N/A	1460-006 (CHRISTIAN CREEK BRIDGE)
5.09	5.09	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
5.99	5.99	INTERSECTION	R	ROUTE 0230 (GRAND VIEW ACCESS ROAD)
7.05	7.12	BRIDGE	N/A	1460-007 (PILGRIM CREEK BRIDGE)
7.52	7.52	INTERSECTION	R	ROUTE 0116 (PILGRIM CREEK ROAD)
8.79	8.79	INTERSECTION	R	ROUTE 0232 (COLTER BAY STORAGE ROAD)

ROUTE 0013: NORTH PARK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
9.48	9.48	INTERSECTION	L	ROUTE 1010 (COLTER BAY CONCESSION STORE AND GAS STATION PARKING)
9.52	9.52	INTERSECTION	L	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
10.37	10.37	INTERSECTION	L	ROUTE 0115 (LEEKS MARINA ACCESS ROAD)
10.61	10.61	INTERSECTION	R	UNPAVED ROUTE
11.42	11.42	INTERSECTION	L	ROUTE 0973 (SARGENT BAY PICNIC AREA PARKING)
11.48	11.48	INTERSECTION	L	ROUTE 0973 (SARGENT BAY PICNIC AREA PARKING)
11.96	11.96	INTERSECTION	R	ROUTE 0210 (ARIZONA LAKE TRAILHEAD ROAD)
12.73	12.73	INTERSECTION	R	ROUTE 0233 (BAILEY CREEK ROAD)
13.74	13.74	INTERSECTION	L	ROUTE 0974 (ARIZONA ISLAND PICNIC AREA PARKING)
13.80	13.80	INTERSECTION	L	ROUTE 0974 (ARIZONA ISLAND PICNIC AREA PARKING)
14.36	14.36	INTERSECTION	R	ROUTE 0206 (ARIZONA CREEK TRAILHEAD ROAD)
14.89	14.89	INTERSECTION	L	ROUTE 1003 (LAKEVIEW PICNIC PARKING AREA)
17.45	17.45	INTERSECTION	R	ROUTE 0436 (LIZARD CREEK PIT ROAD)
17.54	17.54	INTERSECTION	L	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
18.43	18.43	INTERSECTION	R	ROUTE 1004 (SOUTH HUCKLEBERRY TURNOUT PARKING)
19.70	19.70	INTERSECTION	R	UNPAVED ROUTE (POWER LINE ACCESS)
20.39	20.39	INTERSECTION	L	ROUTE 0977 (NORTH BOUNDARY PARKING)
20.43	20.43	INTERSECTION	L	ROUTE 0977 (NORTH BOUNDARY PARKING)
20.50	20.50	INTERSECTION	R	JODR ROUTE 0978 (JDR SOUTH ENTRANCE PARKING)
20.50	20.50	INTERSECTION	N/A	JODR ROUTE 0013 (JDR PARKWAY ROAD)
20.50	20.50	PARK BOUNDARY	N/A	NORTH PARK BOUNDARY

ROUTE 0100AZ: MOOSE/WILSON ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.06	0.06	INTERSECTION	L	ROUTE 0220 (MURIE CENTER ACCESS ROAD)
1.23	1.23	INTERSECTION	L	ROUTE 0988 (SAWMILL PONDS PARKING)
2.62	2.62	INTERSECTION	L	UNPAVED ROUTE (SPUR)
2.64	2.64	INTERSECTION	L	UNPAVED ROUTE
3.00	3.00	INTERSECTION	L	UNPAVED ROUTE
3.07	3.07	INTERSECTION	R	ROUTE 0208 (DEATH CANYON ROAD)
3.74	3.74	INTERSECTION	L	ROUTE 0253 (LSR ENTRANCE ROAD)
4.49	4.50	BRIDGE	N/A	1460-013 (LAKE CREEK BRIDGE)
4.80	4.80	INTERSECTION	N/A	ROUTE 0100AZ (MOOSE/WILSON ROAD) UNPAVED SECTION

GRTE: Route Milepost Log

ROUTE 0100BZ: GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0100AZ (MOOSE/WILSON ROAD) UNPAVED SECTION
0.45	0.45	INTERSECTION	R	UNPAVED ROUTE
0.74	0.74	INTERSECTION	L	ROUTE 1021 (GRANITE ENTRANCE STATION PARKING)
0.78	0.78	INTERSECTION	L	ROUTE 1021 (GRANITE ENTRANCE STATION PARKING)
0.80	0.80	INTERSECTION	L	ROUTE 0100BZ (GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD) OPPOSITE LANE
0.85	0.85	INTERSECTION	L	ROUTE 0100BZ (GRANITE ENTRANCE STATION ROAD / MOOSE/WILSON ROAD) OPPOSITE LANE
0.85	0.85	INTERSECTION	N/A	PAVED ROUTE (COUNTY ROAD 390 / WILSON ROAD - NON NPS)

ROUTE 0101: ANTELOPE FLATS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.17	0.17	INTERSECTION	R	ROUTE 0440 (WAGON ROAD)
0.76	0.76	INTERSECTION	L	UNPAVED ROUTE (GATED)
1.66	1.66	INTERSECTION	R	ROUTE 0101 (ANTELOPE FLATS ROAD)
1.66	1.66	INTERSECTION	L	UNPAVED TURN-AROUND
3.31	3.31	INTERSECTION	R	ROUTE 0102 (TETON FOREST ACCESS ROAD)
3.31	3.31	INTERSECTION	L	ROUTE 0102 (TETON FOREST ACCESS ROAD)
3.31	3.31	INTERSECTION	N/A	ROUTE 0428 (HUNTER RANCH ROAD)

GRTE: Route Milepost Log

ROUTE 0102: TETON FOREST ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0104 (GROS VENTRE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0104 (GROS VENTRE ROAD)
0.90	0.90	INTERSECTION	L	ROUTE 0264 (POWER LINE/POLE LINE ROAD)
0.91	0.91	INTERSECTION	R	ROUTE 0108AZ (TETON SCIENCE SCHOOL ROAD)
2.46	2.46	INTERSECTION	R	ROUTE 0428 (HUNTER RANCH ROAD)
2.46	2.46	INTERSECTION	L	ROUTE 0101 (ANTELOPE FLATS ROAD)
2.97	2.97	INTERSECTION	L	ROUTE 0442 (MCCOLLISTER RESIDENCE ROAD)
4.02	4.02	INTERSECTION	L	UNPAVED ROUTE (SHADOW MOUNTAIN ROAD)
4.03	4.03	INTERSECTION	N/A	ROUTE 0102 (TETON FOREST ACCESS ROAD) UNPAVED SECTION

ROUTE 0103: COLTER BAY ENTRANCE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 1010 (COLTER BAY CONCESSION STORE AND GAS STATION PARKING)
0.19	0.19	INTERSECTION	R	ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD)
0.49	0.49	INTERSECTION	R	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)
0.66	0.66	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.66	0.66	INTERSECTION	N/A	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.66	0.66	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

ROUTE 0104: GROS VENTRE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	N/A	ROUTE 0200 (SAGE BRUSH DRIVE)
0.14	0.14	INTERSECTION	R	UNPAVED ROUTE (GATED)
1.21	1.21	INTERSECTION	R	UNPAVED ROUTE
2.07	2.07	INTERSECTION	R	UNPAVED ROUTE
2.20	2.20	INTERSECTION	R	UNPAVED ROUTE
4.59	4.59	INTERSECTION	R	ROUTE 0202Z (GROS VENTRE CAMPGROUND ACCESS ROAD)
5.00	5.00	INTERSECTION	L	ROUTE 0201 (MORMON ROW ROADS)
5.51	5.51	INTERSECTION	R	ROUTE 0432 (KELLY PIT ROAD)
6.27	6.27	INTERSECTION	R	UNPAVED ROUTE (GATED)
6.82	6.82	INTERSECTION	R	ROUTE 0989 (KELLY WARM SPRING PARKING)
6.84	6.84	INTERSECTION	R	ROUTE 0989 (KELLY WARM SPRING PARKING)
7.01	7.01	INTERSECTION	R	ROUTE 0267AZ (MAIN STREET)
7.10	7.10	INTERSECTION	R	UNPAVED ROUTE (TETON VALLEY RANCH ROAD / NON NPS)
8.01	8.01	INTERSECTION	L	ROUTE 0263 (WARM DITCH ROAD)
8.12	8.12	INTERSECTION	L	ROUTE 0102 (TETON FOREST ACCESS ROAD)
8.50	8.50	INTERSECTION	L	UNPAVED PARKING
8.55	8.55	INTERSECTION	L	UNPAVED PARKING
10.36	10.36	INTERSECTION	N/A	PAVED ROUTE (GROS VENTRE ROAD (STATE MAINTAINED / NON NPS))
10.36	10.36	PARK BOUNDARY	N/A	N/A

ROUTE 0105: SOUTH JENNY LAKE ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.12	0.12	INTERSECTION	R	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.28	0.28	INTERSECTION	R	ROUTE 0930 (JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING)
0.29	0.29	INTERSECTION	R	ROUTE 0266 (SOUTH JENNY LAKE VISITOR CENTER PICK UP / DROP OFF)
0.32	0.32	INTERSECTION	R	ROUTE 0266 (SOUTH JENNY LAKE VISITOR CENTER PICK UP / DROP OFF)
0.33	0.33	INTERSECTION	L	ROUTE 0929 (SOUTH JENNY LAKE PARKING)
0.35	0.35	INTERSECTION	N/A	ROUTE 0929 (SOUTH JENNY LAKE PARKING)

GRTE: Route Milepost Log

ROUTE 0107: MORAN DEVELOPMENT ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.10	0.10	INTERSECTION	L	ROUTE 0953AZ (MORAN DEVELOPMENT PARKING A)
0.10	0.10	INTERSECTION	R	ROUTE 0953BZ (MORAN DEVELOPMENT PARKING B)
0.15	0.15	INTERSECTION	L	ROUTE 0953EZ (MORAN DEVELOPMENT PARKING E)
0.18	0.18	INTERSECTION	R	ROUTE 0953CZ (MORAN DEVELOPMENT PARKING C)
0.21	0.21	INTERSECTION	R	ROUTE 0953CZ (MORAN DEVELOPMENT PARKING C)
0.21	0.21	INTERSECTION	L	ROUTE 0107 (MORAN DEVELOPMENT ROAD)
0.26	0.26	INTERSECTION	N/A	ROUTE 0953CZ (MORAN DEVELOPMENT PARKING C)
0.26	0.26	INTERSECTION	L	ROUTE 0107 (MORAN DEVELOPMENT ROAD)
0.26	0.26	INTERSECTION	R	ROUTE 0107 (MORAN DEVELOPMENT ROAD)

ROUTE 0108AZ: TETON SCIENCE SCHOOL ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0102 (TETON FOREST ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0102 (TETON FOREST ACCESS ROAD)
1.68	1.68	INTERSECTION	L	ROUTE 1012 (TETON SCIENCE SCHOOL PARKING)
1.70	1.70	INTERSECTION	L	ROUTE 0108BZ (TETON SCIENCE SCHOOL DORM ACCESS ROAD)
1.71	1.71	INTERSECTION	N/A	ROUTE 0108AZ (TETON SCIENCE SCHOOL ROAD) UNPAVED SECTION

GRTE: Route Milepost Log

ROUTE 0108BZ: TETON SCIENCE SCHOOL DORM ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM	ТО			
MILEPOST	MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0108AZ (TETON SCIENCE SCHOOL ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0108AZ (TETON SCIENCE SCHOOL ROAD)
0.09	0.09	INTERSECTION	N/A	UNPAVED PARKING

GRTE: Route Milepost Log

ROUTE 0109: DORNAN'S ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.26	0.26	INTERSECTION	N/A	PAVED PARKING (CONCESSIONAIRE AREA)

ROUTE 0110: STRING LAKE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0500 (JENNY LAKE LOOP ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0500 (JENNY LAKE LOOP ROAD)
0.04	0.04	INTERSECTION	L	ROUTE 0937 (STRING LAKE TRAILHEAD PARKING)
0.11	0.11	INTERSECTION	L	ROUTE 0937 (STRING LAKE TRAILHEAD PARKING)
0.21	0.21	INTERSECTION	L	ROUTE 0936 (STRING LAKE CANOE LAUNCH PARKING)
0.26	0.26	INTERSECTION	L	ROUTE 0110 (STRING LAKE ROAD)
0.30	0.30	INTERSECTION	L	ROUTE 0935AZ (LEIGH LAKE TRAILHEAD PARKING A)
0.33	0.33	INTERSECTION	L	ROUTE 0935AZ (LEIGH LAKE TRAILHEAD PARKING A)
0.35	0.35	INTERSECTION	L	ROUTE 0935BZ (LEIGH LAKE TRAILHEAD PARKING B)
0.40	0.40	INTERSECTION	L	ROUTE 0935CZ (LEIGH LAKE TRAILHEAD PARKING C)
0.44	0.44	INTERSECTION	L	ROUTE 0935BZ (LEIGH LAKE TRAILHEAD PARKING B)
0.46	0.46	INTERSECTION	L	ROUTE 0935AZ (LEIGH LAKE TRAILHEAD PARKING A)
0.48	0.48	INTERSECTION	L	ROUTE 0935AZ (LEIGH LAKE TRAILHEAD PARKING A)
0.53	0.53	INTERSECTION	L	ROUTE 0110 (STRING LAKE ROAD)
0.53	0.53	INTERSECTION	R	ROUTE 0110 (STRING LAKE ROAD)

GRTE: Route Milepost Log

ROUTE 0111: SIGNAL MOUNTAIN SUMMIT ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.03	0.03	INTERSECTION	L	ROUTE 0942 (SIGNAL MOUNTAIN BOAT TRAILER PARKING)
1.20	1.20	INTERSECTION	L	ROUTE 0424 (SIGNAL MOUNTAIN RESERVOIR ROAD)
3.99	3.99	INTERSECTION	L	ROUTE 0943 (JACKSON POINT OVERLOOK PARKING)
4.76	4.76	INTERSECTION	N/A	ROUTE 0944 (SIGNAL MOUNTAIN SUMMIT OVERLOOK PARKING)

ROUTE 0112: SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.03	0.03	INTERSECTION	R	ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)
0.05	0.05	INTERSECTION	R	ROUTE 0945 (SIGNAL MOUNTAIN RANGER STATION PARKING)
0.05	0.05	INTERSECTION	L	ROUTE 0946 (SIGNAL MOUNTAIN DUMP STATION)
0.08	0.08	INTERSECTION	R	ROUTE 0945 (SIGNAL MOUNTAIN RANGER STATION PARKING)
0.09	0.09	INTERSECTION	L	ROUTE 0946 (SIGNAL MOUNTAIN DUMP STATION)
0.09	0.09	INTERSECTION	R	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.22	0.22	INTERSECTION	R	ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP)
0.24	0.24	INTERSECTION	R	ROUTE 0439 (SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP)
0.37	0.37	INTERSECTION	R	ROUTE 0947 (SIGNAL MOUNTAIN TRAILER STORAGE PARKING)
0.54	0.54	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.54	0.54	ONE-WAY START	N/A	N/A
0.56	0.56	INTERSECTION	L	ROUTE 0948AZ (SIGNAL MOUNTAIN MARINA ACCESS PARKING A)
0.56	0.56	INTERSECTION	R	ROUTE 0948BZ (SIGNAL MOUNTAIN MARINA ACCESS PARKING B)
0.60	0.60	INTERSECTION	L	ROUTE 0948AZ (SIGNAL MOUNTAIN MARINA ACCESS PARKING A)
0.61	0.61	INTERSECTION	N/A	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.61	0.61	ONE-WAY END	N/A	N/A
0.61	0.61	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)

ROUTE 0113: JACKSON LAKE LODGE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
0.17	0.17	INTERSECTION	R	ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)
0.19	0.19	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.23	0.23	INTERSECTION	R	ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A)
0.25	0.25	INTERSECTION	R	ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B)
0.25	0.25	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.26	0.26	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.28	0.28	INTERSECTION	R	ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C)
0.28	0.28	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.29	0.29	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.30	0.30	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.30	0.30	INTERSECTION	R	ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A)
0.32	0.32	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.41	0.41	INTERSECTION	R	ROUTE 0441 (JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD)
0.41	0.41	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.43	0.43	INTERSECTION	R	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)
0.43	0.43	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.44	0.44	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.45	0.45	INTERSECTION	R	ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B)
0.45	0.45	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.47	0.47	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.48	0.48	INTERSECTION	L	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.48	0.48	INTERSECTION	R	ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)
0.57	0.57	INTERSECTION	R	ROUTE 1028 (JACKSON LAKE LODGE CLINIC AND SERVICE STATION PARKING)

Data Collected on 9/2016

ROUTE 0113: JACKSON LAKE LODGE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.58	0.58	INTERSECTION	R	ROUTE 1028 (JACKSON LAKE LODGE CLINIC AND SERVICE STATION PARKING)
0.62	0.62	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.62	0.62	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)

GRTE: Route Milepost Log

ROUTE 0114: PACIFIC CREEK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
0.41	0.41	INTERSECTION	R	ROUTE 1000 (PACIFIC CREEK HUNT CAMP)
2.08	2.08	INTERSECTION	L	ROUTE 0120 (TWO OCEAN LAKE ROAD)
2.19	2.19	INTERSECTION	L	ROUTE 0207 (PACIFIC CREEK WILDERNESS ACCESS ROAD)
3.36	3.36	PARK BOUNDARY	N/A	N/A
3.36	3.36	INTERSECTION	N/A	PAVED ROUTE (PACIFIC CREEK ROAD (STATE MAINTAINED / NON NPS))

ROUTE 0115: LEEKS MARINA ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
0.53	0.53	INTERSECTION	R	ROUTE 0414 (A.M.K. RANCH ROAD)
0.61	0.61	INTERSECTION	R	ROUTE 0970 (LEEKS MARINA BOAT TRAILER PARKING)
0.62	0.62	INTERSECTION	N/A	ROUTE 0971 (LEEKS MARINA PARKING)

GRTE: Route Milepost Log

ROUTE 0118: BLACKTAIL PONDS OVERLOOK ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.19	0.19	INTERSECTION	L	ROUTE 0906BZ (BLACKTAIL PONDS OVERLOOK PARKING B)
0.22	0.22	INTERSECTION	L	ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD)
0.22	0.22	INTERSECTION	R	ROUTE 0906AZ (BLACKTAIL PONDS OVERLOOK PARKING A)
0.27	0.27	INTERSECTION	L	ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD)
0.27	0.27	INTERSECTION	R	ROUTE 0118 (BLACKTAIL PONDS OVERLOOK ROAD)
0.27	0.27	INTERSECTION	N/A	ROUTE 0906AZ (BLACKTAIL PONDS OVERLOOK PARKING A)

ROUTE 0200: SAGE BRUSH DRIVE

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	L	ROUTE 0010 (NORTH-SOUTH HIGHWAY)
0.00	0.00	INTERSECTION	N/A	ROUTE 0104 (GROS VENTRE ROAD)
0.51	0.51	INTERSECTION	L	PAVED ROUTE (SPRING GULCH ROAD (STATE MAINTAINED / NON NPS))
0.51	0.51	PARK BOUNDARY	N/A	N/A
0.51	0.51	INTERSECTION	R	PAVED ROUTE (SPRING GULCH ROAD (STATE MAINTAINED / NON NPS))
0.51	0.51	INTERSECTION	N/A	PAVED ROUTE (SAGEBRUSH DRIVE (STATE MAINTAINED / NON NPS))

ROUTE 0202AZ: GROS VENTRE CAMPGROUND LOOP A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0202Z (GROS VENTRE CAMPGROUND ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.03	0.03	INTERSECTION	R	ROUTE 0202DZ (GROS VENTRE CAMPGROUND LOOP D (SITES 168-207))
0.17	0.17	INTERSECTION	L	ROUTE 0985 (GROS VENTRE CAMPGROUND AMPHITHEATER PARKING)
0.21	0.21	INTERSECTION	R	ROUTE 0202CZ (GROS VENTRE CAMPGROUND LOOP C (SITES 124-167))
0.30	0.30	INTERSECTION	L	ROUTE 0985 (GROS VENTRE CAMPGROUND AMPHITHEATER PARKING)
0.38	0.38	INTERSECTION	R	ROUTE 0202BZ (GROS VENTRE CAMPGROUND LOOP B (SITES 90-123))
0.49	0.49	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.49	0.49	ONE-WAY START	N/A	N/A
0.88	0.88	INTERSECTION	R	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.88	0.88	ONE-WAY END	N/A	N/A
0.88	0.88	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)

ROUTE 0202BZ: GROS VENTRE CAMPGROUND LOOP B (SITES 90-123)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.00	0.00	INTERSECTION	R	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.03	0.03	ONE-WAY START	N/A	N/A
0.03	0.03	INTERSECTION	L	ROUTE 0202BZ (GROS VENTRE CAMPGROUND LOOP B (SITES 90-123))
0.31	0.31	ONE-WAY END	N/A	N/A
0.31	0.31	INTERSECTION	L	ROUTE 0202BZ (GROS VENTRE CAMPGROUND LOOP B (SITES 90-123))
0.31	0.31	INTERSECTION	R	ROUTE 0202BZ (GROS VENTRE CAMPGROUND LOOP B (SITES 90-123))

GRTE: Route Milepost Log

ROUTE 0202CZ: GROS VENTRE CAMPGROUND LOOP C (SITES 124-167)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.00	0.00	INTERSECTION	R	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.03	0.03	ONE-WAY START	N/A	N/A
0.03	0.03	INTERSECTION	L	ROUTE 0202CZ (GROS VENTRE CAMPGROUND LOOP C (SITES 124-167))
0.37	0.37	ONE-WAY END	N/A	N/A
0.37	0.37	INTERSECTION	L	ROUTE 0202CZ (GROS VENTRE CAMPGROUND LOOP C (SITES 124-167))
0.37	0.37	INTERSECTION	R	ROUTE 0202CZ (GROS VENTRE CAMPGROUND LOOP C (SITES 124-167))

ROUTE 0202DZ: GROS VENTRE CAMPGROUND LOOP D (SITES 168-207)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.00	0.00	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.03	0.03	ONE-WAY START	N/A	N/A
0.03	0.03	INTERSECTION	L	ROUTE 0202DZ (GROS VENTRE CAMPGROUND LOOP D (SITES 168-207))
0.35	0.35	ONE-WAY END	N/A	N/A
0.35	0.35	INTERSECTION	R	ROUTE 0202DZ (GROS VENTRE CAMPGROUND LOOP D (SITES 168-207))
0.35	0.35	INTERSECTION	L	ROUTE 0202DZ (GROS VENTRE CAMPGROUND LOOP D (SITES 168-207))

GRTE: Route Milepost Log

ROUTE 0202EZ: GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY) Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.00	0.00	INTERSECTION	L	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.05	0.05	INTERSECTION	L	ROUTE 0202EZ (GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY))
0.44	0.44	INTERSECTION	R	ROUTE 0202EZ (GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY))
0.44	0.44	INTERSECTION	L	ROUTE 0202EZ (GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY))

ROUTE 0202FZ: GROS VENTRE CAMPGROUND LOOP F (SITES 287-336)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.00	0.00	INTERSECTION	L	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.06	0.06	INTERSECTION	L	ROUTE 0202FZ (GROS VENTRE CAMPGROUND LOOP F (SITES 287-336))
0.06	0.06	ONE-WAY START	N/A	N/A
0.43	0.43	INTERSECTION	L	ROUTE 0202FZ (GROS VENTRE CAMPGROUND LOOP F (SITES 287-336))
0.43	0.43	INTERSECTION	R	ROUTE 0202FZ (GROS VENTRE CAMPGROUND LOOP F (SITES 287-336))
0.43	0.43	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0202GZ: GROS VENTRE CAMPGROUND LOOP G (SITES 337-372)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.00	0.00	INTERSECTION	R	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.03	0.03	INTERSECTION	L	ROUTE 0202GZ (GROS VENTRE CAMPGROUND LOOP G (SITES 337-372))
0.03	0.03	ONE-WAY START	N/A	N/A
0.36	0.36	INTERSECTION	R	ROUTE 0202GZ (GROS VENTRE CAMPGROUND LOOP G (SITES 337-372))
0.36	0.36	INTERSECTION	L	ROUTE 0202GZ (GROS VENTRE CAMPGROUND LOOP G (SITES 337-372))
0.36	0.36	ONE-WAY END	N/A	N/A

ROUTE 0202HZ: GROS VENTRE CAMPGROUND LOOP H

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0202Z (GROS VENTRE CAMPGROUND ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)
0.03	0.03	INTERSECTION	R	UNPAVED ROUTE (CAMPGROUND HOST AREA)
0.18	0.18	INTERSECTION	L	ROUTE 0202EZ (GROS VENTRE CAMPGROUND LOOP E (EMPLOYEE RESIDENCE ONLY))
0.39	0.39	INTERSECTION	L	ROUTE 0202FZ (GROS VENTRE CAMPGROUND LOOP F (SITES 287-336))
0.57	0.57	INTERSECTION	L	ROUTE 0202GZ (GROS VENTRE CAMPGROUND LOOP G (SITES 337-372))
0.59	0.59	INTERSECTION	L	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.59	0.59	ONE-WAY START	N/A	N/A
0.90	0.90	ONE-WAY END	N/A	N/A
0.90	0.90	INTERSECTION	L	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.90	0.90	INTERSECTION	R	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)

ROUTE 0202Z: GROS VENTRE CAMPGROUND ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0104 (GROS VENTRE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0104 (GROS VENTRE ROAD)
0.28	0.28	INTERSECTION	L	ROUTE 0984 (GROS VENTRE CAMPGROUND DUMP STATION)
0.29	0.29	INTERSECTION	R	ROUTE 0983 (GROS VENTRE CAMPGROUND OFFICE PARKING)
0.32	0.32	INTERSECTION	L	ROUTE 0984 (GROS VENTRE CAMPGROUND DUMP STATION)
0.33	0.33	INTERSECTION	R	ROUTE 0983 (GROS VENTRE CAMPGROUND OFFICE PARKING)
0.35	0.35	INTERSECTION	R	ROUTE 0202HZ (GROS VENTRE CAMPGROUND LOOP H)
0.35	0.35	INTERSECTION	L	ROUTE 0202AZ (GROS VENTRE CAMPGROUND LOOP A)

ROUTE 0204: CHAPEL OF TRANSFIGURATION ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.46	0.46	ONE-WAY START	N/A	N/A
0.46	0.46	INTERSECTION	L	ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)
0.51	0.51	INTERSECTION	R	ROUTE 0919 (CHAPEL OF TRANSFIGURATION PARKING)
0.53	0.53	INTERSECTION	R	ROUTE 0919 (CHAPEL OF TRANSFIGURATION PARKING)
0.55	0.55	INTERSECTION	L	ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)
0.55	0.55	INTERSECTION	R	ROUTE 0204 (CHAPEL OF TRANSFIGURATION ACCESS ROAD)
0.55	0.55	ONE-WAY END	N/A	N/A

ROUTE 0205AZ: JENNY LAKE CAMPGROUND LOOP

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
0.02	0.02	INTERSECTION	L	ROUTE 0930 (JENNY LAKE RANGER STATION AND RV OVERFLOW PARKING)
0.13	0.13	INTERSECTION	R	ROUTE 0986 (JENNY LAKE CAMPGROUND PARKING)
0.15	0.15	ONE-WAY START	N/A	N/A
0.15	0.15	INTERSECTION	R	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.28	0.28	INTERSECTION	R	ROUTE 0205BZ (JENNY LAKE CAMPGROUND CUT THROUGH)
0.82	0.82	INTERSECTION	R	ROUTE 0205BZ (JENNY LAKE CAMPGROUND CUT THROUGH)
0.87	0.87	ONE-WAY END	N/A	N/A
0.87	0.87	INTERSECTION	L	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.87	0.87	INTERSECTION	N/A	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)

GRTE: Route Milepost Log

ROUTE 0205BZ: JENNY LAKE CAMPGROUND CUT THROUGH

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.07	0.07	INTERSECTION	N/A	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)
0.07	0.07	ONE-WAY END	N/A	N/A
0.07	0.07	INTERSECTION	R	ROUTE 0205AZ (JENNY LAKE CAMPGROUND LOOP)

GRTE: Route Milepost Log

ROUTE 0208: DEATH CANYON ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0100AZ (MOOSE/WILSON ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0100AZ (MOOSE/WILSON ROAD)
0.65	0.65	INTERSECTION	N/A	ROUTE 0208 (DEATH CANYON ROAD) UNPAVED SECTION
0.65	0.65	INTERSECTION	R	UNPAVED ROUTE (GATED)

GRTE: Route Milepost Log

ROUTE 0209: CLIMBERS RANCH ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.18	0.18	INTERSECTION	L	ROUTE 0993 (HIGHLANDS RESIDENTIAL PARKING)
0.26	0.27	BRIDGE	N/A	1460-014 (CLIMBERS RANCH BRIDGE)
0.28	0.28	INTERSECTION	N/A	ROUTE 0209 (CLIMBERS RANCH ROAD) UNPAVED SECTION

ROUTE 0211AZ: SIGNAL MOUNTAIN CAMPGROUND LOOP A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.02	0.02	INTERSECTION	L	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.02	0.02	ONE-WAY START	N/A	N/A
0.24	0.24	INTERSECTION	R	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)
0.28	0.28	INTERSECTION	R	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)
0.40	0.40	ONE-WAY END	N/A	N/A
0.40	0.40	INTERSECTION	N/A	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.40	0.40	INTERSECTION	R	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)

ROUTE 0211BZ: SIGNAL MOUNTAIN CAMPGROUND LOOP B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.10	0.10	INTERSECTION	R	ROUTE 0211CZ (SIGNAL MOUNTAIN CAMPGROUND LOOP C)
0.17	0.17	INTERSECTION	R	ROUTE 0211CZ (SIGNAL MOUNTAIN CAMPGROUND LOOP C)
0.21	0.21	INTERSECTION	R	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)
0.21	0.21	ONE-WAY END	N/A	N/A
0.21	0.21	INTERSECTION	L	ROUTE 0211AZ (SIGNAL MOUNTAIN CAMPGROUND LOOP A)

GRTE: Route Milepost Log

ROUTE 0211CZ: SIGNAL MOUNTAIN CAMPGROUND LOOP C

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)
0.00	0.00	INTERSECTION	L	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)
0.00	0.00	ONE-WAY START	N/A	N/A
0.19	0.19	ONE-WAY END	N/A	N/A
0.19	0.19	INTERSECTION	L	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)
0.19	0.19	INTERSECTION	R	ROUTE 0211BZ (SIGNAL MOUNTAIN CAMPGROUND LOOP B)

ROUTE 0212: JACKSON LAKE DAM FISHING ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.08	0.08	INTERSECTION	R	ROUTE 0997 (JACKSON DAM PICNIC PARKING)
0.14	0.14	INTERSECTION	R	ROUTE 0997 (JACKSON DAM PICNIC PARKING)
0.20	0.20	INTERSECTION	R	UNPAVED ROUTE (GATED)
0.28	0.28	INTERSECTION	R	UNPAVED PARKING
0.29	0.29	INTERSECTION	N/A	ROUTE 0212 (JACKSON LAKE DAM FISHING ACCESS ROAD) UNPAVED SECTION

GRTE: Route Milepost Log

ROUTE 0215AZ: COLTER BAY CAMPGROUND LOOP A (SITES 1-28)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.00	0.00	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.24	0.24	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.24	0.24	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))

ROUTE 0215BZ: COLTER BAY CAMPGROUND LOOP B (SITES 29-50)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.00	0.00	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.19	0.19	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.19	0.19	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))

GRTE: Route Milepost Log

ROUTE 0215CZ: COLTER BAY CAMPGROUND LOOP C (SITES 51-72)

FROM MILEPOS	TO T MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.00	0.00	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.18	0.18	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.18	0.18	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))

ROUTE 0215DAZ: COLTER BAY CAMPGROUND LOOP D (SITES 73-109)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.00	0.00	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.11	0.11	INTERSECTION	L	ROUTE 0215DBZ (COLTER BAY CAMPGROUND LOOP D CROSSOVER)
0.26	0.26	INTERSECTION	L	ROUTE 0215DBZ (COLTER BAY CAMPGROUND LOOP D CROSSOVER)
0.27	0.27	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.27	0.27	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))

GRTE: Route Milepost Log

ROUTE 0215DBZ: COLTER BAY CAMPGROUND LOOP D CROSSOVER

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))
0.00	0.00	INTERSECTION	R	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))
0.10	0.10	INTERSECTION	R	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))
0.10	0.10	INTERSECTION	L	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))

ROUTE 0215EZ: COLTER BAY CAMPGROUND LOOP E (SITES 110-125)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.01	0.01	INTERSECTION	R	ROUTE 0967AZ (COLTER BAY CAMPGROUND OFFICE PARKING A)
0.02	0.02	INTERSECTION	R	ROUTE 0967BZ (COLTER BAY CAMPGROUND OFFICE PARKING B)
0.03	0.03	INTERSECTION	R	ROUTE 0215AZ (COLTER BAY CAMPGROUND LOOP A (SITES 1-28))
0.05	0.05	INTERSECTION	L	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.06	0.06	INTERSECTION	R	ROUTE 0215AZ (COLTER BAY CAMPGROUND LOOP A (SITES 1-28))
0.08	0.08	INTERSECTION	R	ROUTE 0215BZ (COLTER BAY CAMPGROUND LOOP B (SITES 29-50))
0.10	0.10	INTERSECTION	R	ROUTE 0215BZ (COLTER BAY CAMPGROUND LOOP B (SITES 29-50))
0.12	0.12	INTERSECTION	R	ROUTE 0215CZ (COLTER BAY CAMPGROUND LOOP C (SITES 51-72))
0.15	0.15	INTERSECTION	R	ROUTE 0215CZ (COLTER BAY CAMPGROUND LOOP C (SITES 51-72))
0.17	0.17	INTERSECTION	R	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))
0.20	0.20	INTERSECTION	R	ROUTE 0215DAZ (COLTER BAY CAMPGROUND LOOP D (SITES 73-109))
0.22	0.22	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.22	0.22	ONE-WAY START	N/A	N/A
0.40	0.40	ONE-WAY END	N/A	N/A
0.40	0.40	INTERSECTION	N/A	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.40	0.40	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))

ROUTE 0215FZ: COLTER BAY CAMPGROUND LOOP F (SITES 126-137)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.00	0.00	INTERSECTION	L	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.01	0.01	ONE-WAY START	N/A	N/A
0.01	0.01	INTERSECTION	L	ROUTE 0215FZ (COLTER BAY CAMPGROUND LOOP F (SITES 126-137))
0.14	0.14	INTERSECTION	L	ROUTE 0215FZ (COLTER BAY CAMPGROUND LOOP F (SITES 126-137))
0.14	0.14	ONE-WAY END	N/A	N/A
0.14	0.14	INTERSECTION	R	ROUTE 0215FZ (COLTER BAY CAMPGROUND LOOP F (SITES 126-137))

GRTE: Route Milepost Log

ROUTE 0215GZ: COLTER BAY CAMPGROUND LOOP G (SITES 138-149)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.00	0.00	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.12	0.12	INTERSECTION	L	ROUTE 0215FZ (COLTER BAY CAMPGROUND LOOP F (SITES 126-137))
0.15	0.15	INTERSECTION	L	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.15	0.15	ONE-WAY START	N/A	N/A
0.33	0.33	INTERSECTION	N/A	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.33	0.33	INTERSECTION	L	ROUTE 0215GZ (COLTER BAY CAMPGROUND LOOP G (SITES 138-149))
0.33	0.33	ONE-WAY END	N/A	N/A

ROUTE 0215HZ: COLTER BAY CAMPGROUND LOOP H (SITES 150-166)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215IZ (COLTER BAY CAMPGROUND LOOP I (SITES 167-179))
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.17	0.17	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.17	0.17	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.17	0.17	INTERSECTION	N/A	ROUTE 0215IZ (COLTER BAY CAMPGROUND LOOP I (SITES 167-179))

GRTE: Route Milepost Log

ROUTE 0215IZ: COLTER BAY CAMPGROUND LOOP I (SITES 167-179)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215HZ (COLTER BAY CAMPGROUND LOOP H (SITES 150-166))
0.14	0.14	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.14	0.14	INTERSECTION	N/A	ROUTE 0215HZ (COLTER BAY CAMPGROUND LOOP H (SITES 150-166))
0.14	0.14	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

ROUTE 0215JZ: COLTER BAY CAMPGROUND LOOP J (SITES 180-207)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215KZ (COLTER BAY CAMPGROUND LOOP K (SITES 208-231))
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.25	0.25	INTERSECTION	N/A	ROUTE 0215KZ (COLTER BAY CAMPGROUND LOOP K (SITES 208-231))
0.25	0.25	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.25	0.25	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

GRTE: Route Milepost Log

ROUTE 0215KZ: COLTER BAY CAMPGROUND LOOP K (SITES 208-231)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215JZ (COLTER BAY CAMPGROUND LOOP J (SITES 180-207))
0.23	0.23	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.23	0.23	INTERSECTION	N/A	ROUTE 0215JZ (COLTER BAY CAMPGROUND LOOP J (SITES 180-207))
0.23	0.23	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

ROUTE 0215LZ: COLTER BAY CAMPGROUND LOOP L (SITES 232-259)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215MZ (COLTER BAY CAMPGROUND LOOP M (SITES 260-287))
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.27	0.27	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.27	0.27	INTERSECTION	N/A	ROUTE 0215MZ (COLTER BAY CAMPGROUND LOOP M (SITES 260-287))
0.27	0.27	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

GRTE: Route Milepost Log

ROUTE 0215MZ: COLTER BAY CAMPGROUND LOOP M (SITES 260-287)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215LZ (COLTER BAY CAMPGROUND LOOP L (SITES 232-259))
0.31	0.31	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.31	0.31	INTERSECTION	N/A	ROUTE 0215LZ (COLTER BAY CAMPGROUND LOOP L (SITES 232-259))
0.31	0.31	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

ROUTE 0215NZ: COLTER BAY CAMPGROUND LOOP N (SITES 288-312)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0215OZ (COLTER BAY CAMPGROUND LOOP O (SITES 313-350))
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.27	0.27	ONE-WAY END	N/A	N/A
0.27	0.27	INTERSECTION	N/A	ROUTE 0215OZ (COLTER BAY CAMPGROUND LOOP O (SITES 313-350))
0.27	0.27	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

GRTE: Route Milepost Log

ROUTE 02150Z: COLTER BAY CAMPGROUND LOOP O (SITES 313-350)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215NZ (COLTER BAY CAMPGROUND LOOP N (SITES 288-312))
0.39	0.39	INTERSECTION	N/A	ROUTE 0215NZ (COLTER BAY CAMPGROUND LOOP N (SITES 288-312))
0.39	0.39	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.39	0.39	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)

FDOM

то

ROUTE 0215PAZ: COLTER BAY CAMPGROUND GROUP SITE LOOP A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.17	0.17	ONE-WAY START	N/A	N/A
0.17	0.17	INTERSECTION	L	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.19	0.19	INTERSECTION	L	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A) CUT-THRU
0.34	0.34	INTERSECTION	L	ROUTE 0215PBZ (COLTER BAY CAMPGROUND GROUP SITE LOOP B)
0.68	0.68	INTERSECTION	L	ROUTE 0215PBZ (COLTER BAY CAMPGROUND GROUP SITE LOOP B)
0.72	0.72	INTERSECTION	L	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A) CUT-THRU
0.74	0.74	INTERSECTION	L	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.74	0.74	INTERSECTION	N/A	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.74	0.74	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215PBZ: COLTER BAY CAMPGROUND GROUP SITE LOOP B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.12	0.12	INTERSECTION	N/A	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.12	0.12	INTERSECTION	R	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)

ROUTE 0215RAZ: COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.01	0.01	INTERSECTION	L	ROUTE 0215RTZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5)
0.02	0.02	INTERSECTION	L	ROUTE 0215RSZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4)
0.04	0.04	INTERSECTION	L	ROUTE 0215RRZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3)
0.05	0.05	INTERSECTION	L	ROUTE 0215RQZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2)
0.06	0.06	INTERSECTION	L	ROUTE 0215RPZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1)
0.09	0.09	ONE-WAY END	N/A	N/A
0.09	0.09	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.09	0.09	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)

GRTE: Route Milepost Log

ROUTE 0215RBZ: COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.10	0.10	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.10	0.10	ONE-WAY END	N/A	N/A
0.10	0.10	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)

ROUTE 0215RCZ: COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.08	0.08	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.08	0.08	ONE-WAY END	N/A	N/A
0.08	0.08	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)

GRTE: Route Milepost Log

ROUTE 0215RDZ: COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.08	0.08	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.08	0.08	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.08	0.08	ONE-WAY END	N/A	N/A

ROUTE 0215REZ: COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.07	0.07	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RFZ: COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

ROUTE 0215RGZ: COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63)

59-63) Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RHZ: COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	ONE-WAY END	N/A	N/A

ROUTE 0215RIZ: COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RJZ: COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

ROUTE 0215RKZ: COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RLZ: COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	R	ROUTE 0215RMZ (COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97))
0.07	0.07	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	ONE-WAY END	N/A	N/A

ROUTE 0215RMZ: COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RLZ (COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95))
0.06	0.06	INTERSECTION	R	ROUTE 0215RLZ (COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95))
0.06	0.06	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RNZ: COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.07	0.07	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.07	0.07	ONE-WAY END	N/A	N/A

ROUTE 0215ROZ: COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RPZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	INTERSECTION	R	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	ONE-WAY START	N/A	N/A
0.04	0.04	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.04	0.04	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.04	0.04	ONE-WAY END	N/A	N/A

ROUTE 0215RQZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	INTERSECTION	R	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RRZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	INTERSECTION	R	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	ONE-WAY END	N/A	N/A

ROUTE 0215RSZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	INTERSECTION	R	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0215RTZ: COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	INTERSECTION	R	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.00	0.00	ONE-WAY START	N/A	N/A
0.06	0.06	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	INTERSECTION	N/A	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.06	0.06	ONE-WAY END	N/A	N/A

ROUTE 0215RUZ: COLTER BAY CAMPGROUND RV SITE UTILITY ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.03	0.03	INTERSECTION	R	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD) CUT-THRU
0.05	0.05	INTERSECTION	R	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD) CUT-THRU
0.08	0.08	INTERSECTION	N/A	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD) UNPAVED SECTION

ROUTE 0215RZ: COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.01	0.01	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) SPUR
0.05	0.05	INTERSECTION	L	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD)
0.07	0.07	INTERSECTION	L	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD) CUT-THRU
0.08	0.08	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.08	0.08	ONE-WAY START	N/A	N/A
0.14	0.14	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.16	0.16	INTERSECTION	L	ROUTE 0215RBZ (COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30))
0.18	0.18	INTERSECTION	L	ROUTE 0215RCZ (COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40))
0.19	0.19	INTERSECTION	L	ROUTE 0215RDZ (COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49))
0.20	0.20	INTERSECTION	L	ROUTE 0215REZ (COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55))
0.21	0.21	INTERSECTION	L	ROUTE 0215RFZ (COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58))
0.22	0.22	INTERSECTION	L	ROUTE 0215RGZ (COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63))
0.23	0.23	INTERSECTION	L	ROUTE 0215RHZ (COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68))
0.24	0.24	INTERSECTION	L	ROUTE 0215RIZ (COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74))
0.25	0.25	INTERSECTION	L	ROUTE 0215RJZ (COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80))
0.26	0.26	INTERSECTION	L	ROUTE 0215RKZ (COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87))
0.28	0.28	INTERSECTION	L	ROUTE 0215RLZ (COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95))
0.30	0.30	INTERSECTION	L	ROUTE 0215RMZ (COLTER BAY CAMPGROUND RV LOOP M (TRAILER SITES 96-97))

ROUTE 0215RZ: COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.32	0.32	INTERSECTION	L	ROUTE 0215RNZ (COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104))
0.34	0.34	INTERSECTION	L	ROUTE 0215ROZ (COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109))
0.40	0.40	INTERSECTION	L	ROUTE 0215ROZ (COLTER BAY CAMPGROUND RV LOOP O ((TRAILER SITES 105-109))
0.41	0.41	INTERSECTION	L	ROUTE 0215RNZ (COLTER BAY CAMPGROUND RV LOOP N (TRAILER SITES 98-104))
0.42	0.42	INTERSECTION	L	ROUTE 0215RLZ (COLTER BAY CAMPGROUND RV LOOP L (TRAILER SITES 88-95))
0.43	0.43	INTERSECTION	L	ROUTE 0215RKZ (COLTER BAY CAMPGROUND RV LOOP K (TRAILER SITES 81-87))
0.45	0.45	INTERSECTION	L	ROUTE 0215RJZ (COLTER BAY CAMPGROUND RV LOOP J (TRAILER SITES 75-80))
0.46	0.46	INTERSECTION	L	ROUTE 0215RIZ (COLTER BAY CAMPGROUND RV LOOP I (TRAILER SITES 69-74))
0.47	0.47	INTERSECTION	L	ROUTE 0215RHZ (COLTER BAY CAMPGROUND RV LOOP H (TRAILER SITES 64-68))
0.48	0.48	INTERSECTION	L	ROUTE 0215RGZ (COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63)) SPUR
0.50	0.50	INTERSECTION	L	ROUTE 0215RGZ (COLTER BAY CAMPGROUND RV LOOP G (TRAILER SITES 59-63))
0.52	0.52	INTERSECTION	L	ROUTE 0215RFZ (COLTER BAY CAMPGROUND RV LOOP F (TRAILER SITES 56-58))
0.53	0.53	INTERSECTION	L	ROUTE 0215REZ (COLTER BAY CAMPGROUND RV LOOP E (TRAILER SITES 50-55))
0.55	0.55	INTERSECTION	L	ROUTE 0215RDZ (COLTER BAY CAMPGROUND RV LOOP D (TRAILER SITES 41-49))
0.56	0.56	INTERSECTION	L	ROUTE 0215RCZ (COLTER BAY CAMPGROUND RV LOOP C (TRAILER SITES 31-40))
0.58	0.58	INTERSECTION	L	ROUTE 0215RBZ (COLTER BAY CAMPGROUND RV LOOP B (TRAILER SITES 25-30))
0.60	0.60	INTERSECTION	L	ROUTE 0215RAZ (COLTER BAY CAMPGROUND RV LOOP A (TRAILER SITES 1-24))
0.63	0.63	INTERSECTION	L	ROUTE 0215RPZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 1)
0.64	0.64	INTERSECTION	L	ROUTE 0215RQZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 2)
0.65	0.65	INTERSECTION	L	ROUTE 0215RRZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 3)

Data Collected on 9/2016

ROUTE 0215RZ: COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.66	0.66	INTERSECTION	L	ROUTE 0215RSZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 4)
0.67	0.67	INTERSECTION	R	ROUTE 0215RUZ (COLTER BAY CAMPGROUND RV SITE UTILITY ROAD) CUT-THRU
0.67	0.67	INTERSECTION	L	ROUTE 0215RTZ (COLTER BAY CAMPGROUND RV SITE A ACCESS ROAD 5)
0.69	0.69	INTERSECTION	R	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.69	0.69	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.69	0.69	ONE-WAY END	N/A	N/A

ROUTE 0215Z: COLTER BAY CAMPGROUND LOOP ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.00	0.00	INTERSECTION	N/A	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD)
0.05	0.05	INTERSECTION	L	ROUTE 0215RZ (COLTER BAY CAMPGROUND RV LOOPS ACCESS ROAD) SPUR
0.23	0.23	INTERSECTION	L	ROUTE 0215EZ (COLTER BAY CAMPGROUND LOOP E (SITES 110-125))
0.28	0.28	INTERSECTION	L	ROUTE 0967AZ (COLTER BAY CAMPGROUND OFFICE PARKING A)
0.38	0.38	INTERSECTION	R	ROUTE 0215PAZ (COLTER BAY CAMPGROUND GROUP SITE LOOP A)
0.43	0.43	INTERSECTION	R	ROUTE 0215HZ (COLTER BAY CAMPGROUND LOOP H (SITES 150-166))
0.43	0.43	INTERSECTION	L	ROUTE 0215IZ (COLTER BAY CAMPGROUND LOOP I (SITES 167-179))
0.46	0.46	INTERSECTION	R	ROUTE 0215HZ (COLTER BAY CAMPGROUND LOOP H (SITES 150-166))
0.46	0.46	INTERSECTION	L	ROUTE 0215IZ (COLTER BAY CAMPGROUND LOOP I (SITES 167-179))
0.49	0.49	INTERSECTION	R	ROUTE 0215JZ (COLTER BAY CAMPGROUND LOOP J (SITES 180-207))
0.49	0.49	INTERSECTION	L	ROUTE 0215KZ (COLTER BAY CAMPGROUND LOOP K (SITES 208-231))
0.52	0.52	INTERSECTION	L	ROUTE 0215KZ (COLTER BAY CAMPGROUND LOOP K (SITES 208-231))
0.52	0.52	INTERSECTION	R	ROUTE 0215JZ (COLTER BAY CAMPGROUND LOOP J (SITES 180-207))
0.56	0.56	INTERSECTION	L	ROUTE 0215MZ (COLTER BAY CAMPGROUND LOOP M (SITES 260-287))
0.56	0.56	INTERSECTION	R	ROUTE 0215LZ (COLTER BAY CAMPGROUND LOOP L (SITES 232-259))
0.59	0.59	INTERSECTION	L	ROUTE 0215MZ (COLTER BAY CAMPGROUND LOOP M (SITES 260-287))
0.59	0.59	INTERSECTION	R	ROUTE 0215LZ (COLTER BAY CAMPGROUND LOOP L (SITES 232-259))

ROUTE 0215Z: COLTER BAY CAMPGROUND LOOP ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.65	0.65	INTERSECTION	R	ROUTE 0215NZ (COLTER BAY CAMPGROUND LOOP N (SITES 288-312))
0.65	0.65	INTERSECTION	L	ROUTE 0215OZ (COLTER BAY CAMPGROUND LOOP O (SITES 313-350))
0.69	0.69	INTERSECTION	L	ROUTE 0215OZ (COLTER BAY CAMPGROUND LOOP O (SITES 313-350))
0.69	0.69	INTERSECTION	N/A	ROUTE 0215NZ (COLTER BAY CAMPGROUND LOOP N (SITES 288-312))

GRTE: Route Milepost Log

ROUTE 0216: CUNNINGHAM CABIN ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0910 (CUNNINGHAM CABIN PARKING)
0.29	0.29	INTERSECTION	L	ROUTE 0911 (BAR FLYING U PARKING)
0.30	0.30	INTERSECTION	N/A	ROUTE 0216 (CUNNINGHAM CABIN ACCESS ROAD)

ROUTE 0217: DEADMANS BAR ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (U.S. HIGHWAY 26/89/191)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (U.S. HIGHWAY 26/89/191)
0.29	0.29	SURFACE TYPE	N/A	GRAVEL
0.51	0.51	SURFACE TYPE	N/A	ASPHALT
0.56	0.56	SURFACE TYPE	N/A	GRAVEL
0.71	0.71	INTERSECTION	N/A	UNPAVED PARKING

GRTE: Route Milepost Log

ROUTE 0221: COLTER BAY PICNIC AREA DAY USE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.13	0.13	INTERSECTION	L	ROUTE 0969AZ (COLTER BAY PICNIC AREA PARKING A)
0.20	0.20	INTERSECTION	L	ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)
0.20	0.20	ONE-WAY START	N/A	N/A
0.27	0.27	INTERSECTION	R	ROUTE 0969BZ (COLTER BAY PICNIC AREA PARKING B)
0.29	0.29	INTERSECTION	R	ROUTE 0969CZ (COLTER BAY PICNIC AREA PARKING C)
0.31	0.31	INTERSECTION	R	ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)
0.31	0.31	INTERSECTION	L	ROUTE 0221 (COLTER BAY PICNIC AREA DAY USE ROAD)
0.31	0.31	ONE-WAY END	N/A	N/A

ROUTE 0223AZ: LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47)

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0013 (NORTH PARK ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0013 (NORTH PARK ROAD)
0.20	0.20	INTERSECTION	L	ROUTE 0223BZ (LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63))
0.33	0.33	INTERSECTION	L	ROUTE 0223BZ (LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63))
0.54	0.54	INTERSECTION	L	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
0.54	0.54	ONE-WAY START	N/A	N/A
0.82	0.82	ONE-WAY END	N/A	N/A
0.82	0.82	INTERSECTION	N/A	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
0.82	0.82	INTERSECTION	L	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))

GRTE: Route Milepost Log

ROUTE 0223BZ: LIZARD CREEK CAMPGROUND ROAD B (SITES 48-63)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
0.00	0.00	INTERSECTION	R	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
0.13	0.13	INTERSECTION	L	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))
0.13	0.13	INTERSECTION	R	ROUTE 0223AZ (LIZARD CREEK CAMPGROUND ROAD A (SITES 1-47))

ROUTE 0225: LUPINE MEADOWS ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.13	0.13	INTERSECTION	L	ROUTE 0421 (LUPINE RESIDENTIAL ROAD (EAST))
0.18	0.20	BRIDGE	N/A	1460-015 (LUPINE MEADOW BRIDGE)
0.22	0.22	INTERSECTION	R	UNPAVED ROUTE
0.23	0.23	INTERSECTION	N/A	ROUTE 0225 (LUPINE MEADOWS ACCESS ROAD) UNPAVED SECTION

GRTE: Route Milepost Log

ROUTE 0235AZ: COLTER BAY BOAT LAUNCH ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.00	0.00	INTERSECTION	R	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.00	0.00	ONE-WAY START	N/A	N/A
0.04	0.04	INTERSECTION	L	ROUTE 0235BZ (COLTER BAY BOAT LAUNCH SPUR)
0.04	0.04	ONE-WAY END	N/A	N/A
0.04	0.04	INTERSECTION	R	ROUTE 0235AZ (COLTER BAY BOAT LAUNCH ROAD)
0.50	0.50	INTERSECTION	N/A	ROUTE 0235AZ (COLTER BAY BOAT LAUNCH ROAD) UNPAVED SECTION

ROUTE 0235BZ: COLTER BAY BOAT LAUNCH SPUR

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0235AZ (COLTER BAY BOAT LAUNCH ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0235AZ (COLTER BAY BOAT LAUNCH ROAD)
0.00	0.00	ONE-WAY START	N/A	N/A
0.05	0.05	INTERSECTION	L	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.05	0.05	INTERSECTION	R	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.05	0.05	ONE-WAY END	N/A	N/A

GRTE: Route Milepost Log

ROUTE 0252: CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.04	0.04	INTERSECTION	R	ROUTE 1007AZ (CRAIG THOMAS DISCOVER VISITOR CENTER PARKING A)
0.06	0.06	INTERSECTION	R	ROUTE 1007AZ (CRAIG THOMAS DISCOVER VISITOR CENTER PARKING A)
0.08	0.08	ONE-WAY START	N/A	N/A
0.08	0.08	INTERSECTION	L	ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)
0.14	0.14	INTERSECTION	R	ROUTE 1007BZ (CRAIG THOMAS DISCOVER VISITOR CENTER PARKING B)
0.19	0.19	INTERSECTION	L	ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)
0.19	0.19	ONE-WAY END	N/A	N/A
0.19	0.19	INTERSECTION	R	ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)

ROUTE 0253: LSR ENTRANCE ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0100AZ (MOOSE/WILSON ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0100AZ (MOOSE/WILSON ROAD)
0.30	0.30	ONE-WAY START	N/A	N/A
0.30	0.30	INTERSECTION	L	ROUTE 0253 (LSR ENTRANCE ROAD)
0.45	0.45	ONE-WAY END	N/A	N/A
0.45	0.45	INTERSECTION	N/A	ROUTE 0253 (LSR ENTRANCE ROAD)
0.45	0.45	INTERSECTION	L	ROUTE 0253 (LSR ENTRANCE ROAD)

ROUTE 0254AZ: COLTER BAY CONCESSION CABIN ROAD A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0215Z (COLTER BAY CAMPGROUND LOOP ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0968 (COLTER BAY VISITOR CENTER LOOP PARKING)
0.00	0.00	INTERSECTION	L	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 0254BZ (COLTER BAY CONCESSION CABIN ROAD B)
0.05	0.05	INTERSECTION	L	UNPAVED PARKING (SEASONAL BOAT TRAILER PARKING)
0.07	0.07	INTERSECTION	L	ROUTE 1029AIZ (COLTER BAY CONCESSION CABIN ROAD A PARKING I)
0.07	0.07	INTERSECTION	R	ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C)
0.10	0.10	INTERSECTION	R	ROUTE 1029ABZ (COLTER BAY CONCESSION CABIN ROAD A PARKING B)
0.12	0.12	INTERSECTION	L	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.12	0.12	INTERSECTION	R	ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D)
0.15	0.15	INTERSECTION	R	ROUTE 1029ACZ (COLTER BAY CONCESSION CABIN ROAD A PARKING C)
0.17	0.17	INTERSECTION	R	ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C)
0.21	0.21	INTERSECTION	R	ROUTE 1029ADZ (COLTER BAY CONCESSION CABIN ROAD A PARKING D)
0.21	0.21	INTERSECTION	L	ROUTE 1029AEZ (COLTER BAY CONCESSION CABIN ROAD A PARKING E)
0.25	0.25	INTERSECTION	R	ROUTE 1029AFZ (COLTER BAY CONCESSION CABIN ROAD A PARKING F)
0.25	0.25	INTERSECTION	L	ROUTE 1029AGZ (COLTER BAY CONCESSION CABIN ROAD A PARKING G)
0.30	0.30	INTERSECTION	N/A	ROUTE 1029AHZ (COLTER BAY CONCESSION CABIN ROAD A PARKING H)

ROUTE 0254BZ: COLTER BAY CONCESSION CABIN ROAD B

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.01	0.01	INTERSECTION	L	ROUTE 1029AAZ (COLTER BAY CONCESSION CABIN ROAD A PARKING A)
0.02	0.02	INTERSECTION	L	ROUTE 1029BAZ (COLTER BAY CONCESSION CABIN ROAD B PARKING A)
0.08	0.08	INTERSECTION	L	ROUTE 1029BBZ (COLTER BAY CONCESSION CABIN ROAD B PARKING B)
0.13	0.13	INTERSECTION	L	ROUTE 1029BCZ (COLTER BAY CONCESSION CABIN ROAD B PARKING C)
0.15	0.15	INTERSECTION	L	ROUTE 1029BDZ (COLTER BAY CONCESSION CABIN ROAD B PARKING D)
0.17	0.17	INTERSECTION	L	ROUTE 1029BEZ (COLTER BAY CONCESSION CABIN ROAD B PARKING E)
0.20	0.20	INTERSECTION	N/A	ROUTE 1029BFZ (COLTER BAY CONCESSION CABIN ROAD B PARKING F)

ROUTE 0254CZ: COLTER BAY CONCESSION CABIN ROAD C

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	N/A	ROUTE 1029AIZ (COLTER BAY CONCESSION CABIN ROAD A PARKING I)
0.00	0.00	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.01	0.01	INTERSECTION	R	ROUTE 1029AAZ (COLTER BAY CONCESSION CABIN ROAD A PARKING A)
0.02	0.02	INTERSECTION	L	ROUTE 1029CBZ (COLTER BAY CONCESSION CABIN ROAD C PARKING B)
0.02	0.02	INTERSECTION	R	ROUTE 1029CAZ (COLTER BAY CONCESSION CABIN ROAD C PARKING A)
0.05	0.05	INTERSECTION	L	ROUTE 1029CCZ (COLTER BAY CONCESSION CABIN ROAD C PARKING C)
0.09	0.09	INTERSECTION	R	ROUTE 1029CDZ (COLTER BAY CONCESSION CABIN ROAD C PARKING D)
0.11	0.11	INTERSECTION	R	ROUTE 1029CEZ (COLTER BAY CONCESSION CABIN ROAD C PARKING E)
0.13	0.13	INTERSECTION	R	ROUTE 1029CFZ (COLTER BAY CONCESSION CABIN ROAD C PARKING F)
0.16	0.16	INTERSECTION	R	ROUTE 1029CGZ (COLTER BAY CONCESSION CABIN ROAD C PARKING G)
0.17	0.17	INTERSECTION	R	ROUTE 1029CHZ (COLTER BAY CONCESSION CABIN ROAD C PARKING H)
0.19	0.19	INTERSECTION	R	ROUTE 1029CIZ (COLTER BAY CONCESSION CABIN ROAD C PARKING I)
0.22	0.22	INTERSECTION	R	ROUTE 1029CJZ (COLTER BAY CONCESSION CABIN ROAD C PARKING J)
0.25	0.25	INTERSECTION	R	ROUTE 1029CKZ (COLTER BAY CONCESSION CABIN ROAD C PARKING K)
0.28	0.28	INTERSECTION	R	ROUTE 1029CLZ (COLTER BAY CONCESSION CABIN ROAD C PARKING L)
0.29	0.29	INTERSECTION	L	ROUTE 1029CMZ (COLTER BAY CONCESSION CABIN ROAD C PARKING M)
0.33	0.33	INTERSECTION	L	ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D)
0.40	0.40	INTERSECTION	R	ROUTE 1029CNZ (COLTER BAY CONCESSION CABIN ROAD C PARKING N)
0.50	0.50	INTERSECTION	L	ROUTE 1029COZ (COLTER BAY CONCESSION CABIN ROAD C PARKING O)

ROUTE 0254CZ: COLTER BAY CONCESSION CABIN ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.52	0.52	INTERSECTION	R	ROUTE 1029CPZ (COLTER BAY CONCESSION CABIN ROAD C PARKING P)
0.54	0.54	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.54	0.54	INTERSECTION	R	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)

GRTE: Route Milepost Log

ROUTE 0254DZ: COLTER BAY CONCESSION CABIN ROAD D

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.02	0.02	INTERSECTION	R	ROUTE 1029DAZ (COLTER BAY CONCESSION CABIN ROAD D PARKING A)
0.02	0.02	INTERSECTION	L	ROUTE 1029DBZ (COLTER BAY CONCESSION CABIN ROAD D PARKING B)
0.04	0.04	INTERSECTION	R	ROUTE 1029DDZ (COLTER BAY CONCESSION CABIN ROAD D PARKING D)
0.04	0.04	INTERSECTION	L	ROUTE 1029DCZ (COLTER BAY CONCESSION CABIN ROAD D PARKING C)
0.22	0.22	INTERSECTION	R	ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C)
0.22	0.22	INTERSECTION	L	ROUTE 0254CZ (COLTER BAY CONCESSION CABIN ROAD C)

ROUTE 0255AZ: COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 1029AIZ (COLTER BAY CONCESSION CABIN ROAD A PARKING I)
0.00	0.00	INTERSECTION	R	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.28	0.28	INTERSECTION	R	ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD)
0.33	0.33	INTERSECTION	R	ROUTE 0413 (COLTER BAY LAGOON ACCESS ROAD)
0.34	0.34	INTERSECTION	L	ROUTE 1039BZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING B)
0.36	0.36	INTERSECTION	R	ROUTE 1039AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL PARKING A)
0.38	0.38	INTERSECTION	R	ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD)
0.38	0.38	INTERSECTION	L	ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD)

ROUTE 0255BZ: COLTER BAY CONCESSION TENT VILLAGE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0254AZ (COLTER BAY CONCESSION CABIN ROAD A)
0.00	0.00	INTERSECTION	N/A	ROUTE 0254DZ (COLTER BAY CONCESSION CABIN ROAD D)
0.02	0.02	INTERSECTION	L	ROUTE 1029AIZ (COLTER BAY CONCESSION CABIN ROAD A PARKING I)
0.02	0.02	INTERSECTION	R	ROUTE 0255AZ (COLTER BAY CONCESSION TENT VILLAGE CORRAL ROAD)
0.10	0.10	INTERSECTION	L	ROUTE 0255CZ (COLTER BAY CONCESSION TENT VILLAGE LOOP)
0.23	0.23	INTERSECTION	L	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.23	0.23	ONE-WAY START	N/A	N/A
0.26	0.26	ONE-WAY END	N/A	N/A
0.26	0.26	INTERSECTION	L	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.26	0.26	INTERSECTION	N/A	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)

GRTE: Route Milepost Log

ROUTE 0255CZ: COLTER BAY CONCESSION TENT VILLAGE LOOP

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0255BZ (COLTER BAY CONCESSION TENT VILLAGE ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 0255CZ (COLTER BAY CONCESSION TENT VILLAGE LOOP)
0.24	0.24	INTERSECTION	L	ROUTE 0255CZ (COLTER BAY CONCESSION TENT VILLAGE LOOP)
0.24	0.24	INTERSECTION	R	ROUTE 0255CZ (COLTER BAY CONCESSION TENT VILLAGE LOOP)

ROUTE 0256AZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.05	0.05	INTERSECTION	R	ROUTE 0256BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B)
0.14	0.14	INTERSECTION	L	ROUTE 1037AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING A)
0.14	0.14	INTERSECTION	R	ROUTE 1037BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING B)
0.20	0.20	INTERSECTION	L	ROUTE 1037CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING C)
0.20	0.20	INTERSECTION	R	ROUTE 1037DZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING D)
0.27	0.27	INTERSECTION	R	ROUTE 1037FZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING F)
0.27	0.27	INTERSECTION	L	ROUTE 1037EZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING E)
0.31	0.31	INTERSECTION	L	ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C)
0.31	0.31	INTERSECTION	N/A	ROUTE 1037HZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H)
0.31	0.31	INTERSECTION	R	ROUTE 1037GZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G)

ROUTE 0256BZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)
0.03	0.03	INTERSECTION	L	ROUTE 1038BZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING B)
0.04	0.04	INTERSECTION	R	ROUTE 1038AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING A)
0.06	0.06	INTERSECTION	L	ROUTE 1038CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING C)
0.08	0.08	INTERSECTION	R	ROUTE 1038DZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING D)
0.10	0.10	INTERSECTION	L	ROUTE 1038EZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING E)
0.11	0.11	INTERSECTION	R	ROUTE 1038FZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE PARKING F)
0.16	0.16	INTERSECTION	N/A	DEAD END

GRTE: Route Milepost Log

ROUTE 0256CZ: JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C

TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	INTERSECTION	N/A	ROUTE 1037GZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING G)
0.00	INTERSECTION	R	ROUTE 1037HZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING H)
0.00	INTERSECTION	L	ROUTE 0256AZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD A)
0.01	INTERSECTION	R	ROUTE 1037JAZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING JA)
0.06	INTERSECTION	L	ROUTE 1037IZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING I)
0.07	INTERSECTION	R	ROUTE 1037JZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE DORM PARKING J)
0.08	INTERSECTION	N/A	ROUTE 0256CZ (JACKSON LAKE LODGE CONCESSION EMPLOYEE RESIDENCE ROAD C) UNPAVED SECTION
	MILEPOST 0.00 0.00 0.00 0.01 0.06 0.07	MILEPOSTFEATURE0.00INTERSECTION0.00INTERSECTION0.00INTERSECTION0.01INTERSECTION0.06INTERSECTION0.07INTERSECTION	MILEPOSTFEATURESIDE0.00INTERSECTIONN/A0.00INTERSECTIONR0.00INTERSECTIONL0.01INTERSECTIONR0.06INTERSECTIONL0.07INTERSECTIONR

ROUTE 0258AZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.02	0.02	INTERSECTION	L	ROUTE 1033AZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING A)
0.05	0.05	INTERSECTION	L	ROUTE 1033BZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING B)
0.07	0.07	INTERSECTION	L	ROUTE 1033CZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING C)
0.12	0.12	INTERSECTION	L	ROUTE 0258BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B)
0.14	0.14	INTERSECTION	L	ROUTE 0258CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C)
0.19	0.19	INTERSECTION	L	ROUTE 1033DZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING D)
0.23	0.23	INTERSECTION	L	ROUTE 1033EZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING E)
0.26	0.26	INTERSECTION	L	ROUTE 1033FZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING F)
0.30	0.30	INTERSECTION	L	ROUTE 1033GZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING G)
0.31	0.31	INTERSECTION	R	ROUTE 1033HZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING H)
0.33	0.33	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.33	0.33	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.33	0.33	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)

ROUTE 0258BZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD B

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.02	0.02	INTERSECTION	R	ROUTE 1033IZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING I)
0.03	0.03	INTERSECTION	L	ROUTE 1033JZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING J)
0.06	0.06	INTERSECTION	R	ROUTE 1033KZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING K)
0.06	0.06	INTERSECTION	L	ROUTE 1033LZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING L)
0.09	0.09	INTERSECTION	L	ROUTE 1033NZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING N)
0.09	0.09	INTERSECTION	R	ROUTE 1033MZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING M)
0.12	0.12	INTERSECTION	L	ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A)
0.12	0.12	INTERSECTION	R	ROUTE 0258AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD A)

ROUTE 0258CZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA NORTH ROAD C Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 1033XZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING X)
0.03	0.03	INTERSECTION	R	ROUTE 1033WZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING W)
0.06	0.06	INTERSECTION	L	ROUTE 1033VZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING V)
0.07	0.07	INTERSECTION	R	ROUTE 1033UZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING U)
0.08	0.08	INTERSECTION	L	ROUTE 1033TZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING T)
0.09	0.09	INTERSECTION	L	ROUTE 1033SZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING S)
0.09	0.09	INTERSECTION	R	ROUTE 1033RZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING R)
0.09	0.09	INTERSECTION	L	ROUTE 1033QZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING Q)
0.11	0.11	INTERSECTION	R	ROUTE 1033PZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING P)
0.11	0.11	INTERSECTION	L	ROUTE 1033OZ (JACKSON LAKE LODGE CONCESSION COTTAGE NORTH PARKING O)
0.14	0.14	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.14	0.14	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)

ROUTE 0259AZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.02	0.02	INTERSECTION	L	ROUTE 1034AZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING A)
0.03	0.03	INTERSECTION	R	ROUTE 1034BZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING B)
0.06	0.06	INTERSECTION	L	ROUTE 1034CZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING C)
0.06	0.06	INTERSECTION	R	ROUTE 1034DZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING D)
0.10	0.10	INTERSECTION	L	ROUTE 1034FZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING F)
0.10	0.10	INTERSECTION	R	ROUTE 1034EZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING E)
0.12	0.12	INTERSECTION	R	ROUTE 1034GZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING G)
0.14	0.14	INTERSECTION	R	ROUTE 0259DZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D)
0.15	0.15	INTERSECTION	L	ROUTE 0259BZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B)
0.17	0.17	INTERSECTION	R	ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)
0.17	0.17	INTERSECTION	L	ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)
0.17	0.17	INTERSECTION	N/A	ROUTE 1034XZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X)

ROUTE 0259BZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD B

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.02	0.02	INTERSECTION	L	ROUTE 1034OZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING O)
0.02	0.02	INTERSECTION	R	ROUTE 1034NZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING N)
0.04	0.04	INTERSECTION	L	ROUTE 1034MZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING M)
0.06	0.06	INTERSECTION	R	ROUTE 1034LZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING L)
0.07	0.07	INTERSECTION	L	ROUTE 1034KZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING K)
0.10	0.10	INTERSECTION	L	ROUTE 1034JZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING J)
0.11	0.11	INTERSECTION	R	ROUTE 1034IZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING I)
0.13	0.13	INTERSECTION	L	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)
0.13	0.13	INTERSECTION	R	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)

ROUTE 0259CZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 1011 (JACKSON LAKE LODGE PARKING)
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.02	0.02	INTERSECTION	L	ROUTE 1034QZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Q)
0.02	0.02	INTERSECTION	R	ROUTE 1034PZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING P)
0.05	0.05	INTERSECTION	L	ROUTE 1034SZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING S)
0.05	0.05	INTERSECTION	R	ROUTE 1034RZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING R)
0.08	0.08	INTERSECTION	R	ROUTE 1034TZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING T)
0.08	0.08	INTERSECTION	L	ROUTE 1034UZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING U)
0.11	0.11	INTERSECTION	R	ROUTE 1034VZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING V)
0.12	0.12	INTERSECTION	L	ROUTE 1034WZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING W)
0.14	0.14	INTERSECTION	R	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)
0.15	0.15	INTERSECTION	R	ROUTE 0259DZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D)
0.16	0.16	INTERSECTION	L	ROUTE 1034XZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X)
0.17	0.17	INTERSECTION	R	ROUTE 1034YZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Y)
0.20	0.20	INTERSECTION	N/A	ROUTE 1034Z (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING Z)

ROUTE 0259DZ: JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD D

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0259AZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD A)
0.02	0.02	INTERSECTION	R	ROUTE 1034HZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING H)
0.04	0.04	INTERSECTION	N/A	ROUTE 1034XZ (JACKSON LAKE LODGE CONCESSION COTTAGE SOUTH PARKING X)
0.04	0.04	INTERSECTION	L	ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)
0.04	0.04	INTERSECTION	R	ROUTE 0259CZ (JACKSON LAKE LODGE CONCESSION COTTAGE AREA SOUTH ROAD C)

ROUTE 0260AZ: JENNY LAKE LODGE CABIN ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOS	TO F MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.07	0.07	INTERSECTION	N/A	DEAD END

GRTE: Route Milepost Log

ROUTE 0260FZ: JENNY LAKE LODGE CABIN ROAD F

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.07	0.07	INTERSECTION	L	ROUTE 0445 (JENNY LAKE PUMPHOUSE ROAD)
0.09	0.09	INTERSECTION	N/A	DEAD END

ROUTE 0260Z: JENNY LAKE LODGE CABIN ACCESS ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0500 (JENNY LAKE LOOP ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0500 (JENNY LAKE LOOP ROAD)
0.00	0.00	INTERSECTION	N/A	ROUTE 0110 (STRING LAKE ROAD)
0.12	0.12	INTERSECTION	R	ROUTE 0260AZ (JENNY LAKE LODGE CABIN ROAD A)
0.15	0.15	INTERSECTION	R	ROUTE 0260BZ (JENNY LAKE LODGE CABIN ROAD B)
0.16	0.16	INTERSECTION	R	ROUTE 0260CZ (JENNY LAKE LODGE CABIN ROAD C)
0.18	0.18	INTERSECTION	R	ROUTE 0260DZ (JENNY LAKE LODGE CABIN ROAD D)
0.19	0.19	INTERSECTION	L	ROUTE 0444 (JENNY LAKE LODGE EMPLOYEE HOUSING ROAD)
0.20	0.20	INTERSECTION	R	ROUTE 0260EZ (JENNY LAKE LODGE CABIN ROAD E)
0.20	0.20	INTERSECTION	L	ROUTE 0444 (JENNY LAKE LODGE EMPLOYEE HOUSING ROAD) SPUR
0.21	0.21	INTERSECTION	L	ROUTE 0260FZ (JENNY LAKE LODGE CABIN ROAD F)
0.27	0.27	INTERSECTION	R	ROUTE 1026 (JENNY LAKE LODGE CABIN PARKING)
0.29	0.29	INTERSECTION	R	ROUTE 1026 (JENNY LAKE LODGE CABIN PARKING)
0.31	0.31	INTERSECTION	R	ROUTE 0500 (JENNY LAKE LOOP ROAD)
0.31	0.31	INTERSECTION	L	ROUTE 0500 (JENNY LAKE LOOP ROAD)

GRTE: Route Milepost Log

ROUTE 0265: TRIANGLE X RIVER ACCESS ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0010 (U.S. HIGHWAY 26/89/191)
0.00	0.00	INTERSECTION	R	ROUTE 0010 (U.S. HIGHWAY 26/89/191)
0.04	0.04	INTERSECTION	N/A	ROUTE 0265 (TRIANGLE X RIVER ACCESS ROAD) UNPAVED SECTION

ROUTE 0266: SOUTH JENNY LAKE VISITOR CENTER PICK UP / DROP OFF

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
0.03	0.03	INTERSECTION	R	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 0105 (SOUTH JENNY LAKE ACCESS ROAD)

ROUTE 0267AZ: MAIN STREET

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0104 (GROS VENTRE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0104 (GROS VENTRE ROAD)
0.20	0.20	INTERSECTION	L	ROUTE 0267BZ (SHORTCUT STREET)
0.29	0.29	INTERSECTION	R	ROUTE 0267DZ (EASY STREET)
0.29	0.29	INTERSECTION	L	ROUTE 0267CZ (4TH STREET)
0.42	0.42	INTERSECTION	N/A	ROUTE 0267AZ (MAIN STREET) UNPAVED SECTION

GRTE: Route Milepost Log

ROUTE 0267CZ: 4TH STREET

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	N/A	ROUTE 0267DZ (EASY STREET)
0.00	0.00	INTERSECTION	L	ROUTE 0267AZ (MAIN STREET)
0.00	0.00	INTERSECTION	R	ROUTE 0267AZ (MAIN STREET)
0.17	0.17	INTERSECTION	L	ROUTE 0267EZ (HILL STREET)
0.20	0.20	INTERSECTION	R	ROUTE 0267FZ (NORTH BRIDGE LANE)
0.20	0.20	INTERSECTION	N/A	ROUTE 0267CZ (4TH STREET) UNPAVED SECTION

ROUTE 0400AZ: MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))
0.00	0.00	INTERSECTION	R	ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))
0.00	0.00	INTERSECTION	N/A	ROUTE 0913 (MOOSE HEADQUARTERS PARKING)
0.14	0.14	INTERSECTION	R	ROUTE 0409 (4 LAZY F RANCH ROAD)
0.34	0.34	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.34	0.34	INTERSECTION	L	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.57	0.57	INTERSECTION	R	ROUTE 0400BZ (MOOSE RESIDENCE AREA ROAD B)
0.79	0.79	INTERSECTION	R	ROUTE 0400BZ (MOOSE RESIDENCE AREA ROAD B)
0.86	0.86	INTERSECTION	R	ROUTE 0400CZ (MOOSE RESIDENCE AREA ROAD C (BURT DRIVE))
0.89	0.89	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.89	0.89	INTERSECTION	L	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.95	0.95	INTERSECTION	R	ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))
0.95	0.95	INTERSECTION	L	ROUTE 0408 (MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP))
0.95	0.95	INTERSECTION	N/A	ROUTE 0913 (MOOSE HEADQUARTERS PARKING)

ROUTE 0400BZ: MOOSE RESIDENCE AREA ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.00	0.00	INTERSECTION	L	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.06	0.06	INTERSECTION	R	ROUTE 0400CZ (MOOSE RESIDENCE AREA ROAD C (BURT DRIVE))
0.15	0.15	INTERSECTION	L	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.15	0.15	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))

GRTE: Route Milepost Log

ROUTE 0400CZ: MOOSE RESIDENCE AREA ROAD C (BURT DRIVE)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.00	0.00	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.12	0.12	INTERSECTION	L	ROUTE 0400BZ (MOOSE RESIDENCE AREA ROAD B)
0.12	0.12	INTERSECTION	R	ROUTE 0400BZ (MOOSE RESIDENCE AREA ROAD B)

ROUTE 0401AZ: BEAVER CREEK RESIDENTIAL ROAD A

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.11	0.11	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.22	0.22	INTERSECTION	R	ROUTE 0922 (BEAVER CREEK MAINTENANCE YARD)
0.25	0.25	INTERSECTION	R	ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B)
0.31	0.31	INTERSECTION	R	ROUTE 0401BZ (BEAVER CREEK RESIDENTIAL ROAD B)
0.60	0.60	INTERSECTION	R	ROUTE 0401CZ (BEAVER CREEK RESIDENTIAL ROAD C)
0.62	0.62	INTERSECTION	R	ROUTE 0401CZ (BEAVER CREEK RESIDENTIAL ROAD C)
0.63	0.63	INTERSECTION	L	ROUTE 0921 (BEAVER CREEK #10 PARKING)
0.66	0.66	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.66	0.66	INTERSECTION	N/A	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)

GRTE: Route Milepost Log

ROUTE 0401BZ: BEAVER CREEK RESIDENTIAL ROAD B

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.11	0.11	INTERSECTION	R	ROUTE 1035BZ (BEAVER CREEK SEASONAL HOUSING PARKING B)
0.14	0.14	INTERSECTION	R	ROUTE 1035AZ (BEAVER CREEK SEASONAL HOUSING PARKING A)
0.24	0.24	INTERSECTION	R	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.24	0.24	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)

ROUTE 0401CZ: BEAVER CREEK RESIDENTIAL ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.11	0.11	INTERSECTION	L	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)
0.11	0.11	INTERSECTION	R	ROUTE 0401AZ (BEAVER CREEK RESIDENTIAL ROAD A)

GRTE: Route Milepost Log

ROUTE 0402AZ: COLTER BAY RESIDENCE AREA ROAD A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0403 (COLTER BAY MAINTENANCE AREA ROAD)
0.06	0.06	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.09	0.09	INTERSECTION	L	ROUTE 0402BZ (COLTER BAY RESIDENCE AREA ROAD B)
0.10	0.10	INTERSECTION	L	PAVED PARKING
0.14	0.14	INTERSECTION	L	ROUTE 0402CZ (COLTER BAY RESIDENCE AREA ROAD C)
0.15	0.15	INTERSECTION	L	ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E)
0.18	0.18	INTERSECTION	L	ROUTE 0402EZ (COLTER BAY RESIDENCE AREA ROAD E)
0.43	0.43	INTERSECTION	R	ROUTE 0402FZ (COLTER BAY RESIDENCE AREA ROAD F)
0.47	0.47	INTERSECTION	R	ROUTE 0402FZ (COLTER BAY RESIDENCE AREA ROAD F)
0.50	0.50	INTERSECTION	L	ROUTE 0966 (COLTER BAY RESIDENCE PARKING)
0.56	0.56	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.56	0.56	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)

ROUTE 0402BZ: COLTER BAY RESIDENCE AREA ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.01	0.01	INTERSECTION	R	PAVED PARKING
0.11	0.11	INTERSECTION	N/A	ROUTE 0402BZ (COLTER BAY RESIDENCE AREA ROAD B)

GRTE: Route Milepost Log

ROUTE 0402CZ: COLTER BAY RESIDENCE AREA ROAD C

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 6.

FROM MILEPOS	TO T MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.03	0.03	INTERSECTION	N/A	END

GRTE: Route Milepost Log

ROUTE 0402EZ: COLTER BAY RESIDENCE AREA ROAD E

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.03	0.03	INTERSECTION	R	ROUTE 1032AZ (COLTER BAY DORM PARKING A)
0.03	0.03	INTERSECTION	L	ROUTE 1032BZ (COLTER BAY DORM PARKING B)
0.09	0.09	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.09	0.09	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)

ROUTE 0402FZ: COLTER BAY RESIDENCE AREA ROAD F

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.00	0.00	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.10	0.10	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.10	0.10	INTERSECTION	N/A	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)

GRTE: Route Milepost Log

ROUTE 0403: COLTER BAY MAINTENANCE AREA ROAD

FROM	ТО			
MILEPOST	MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.05	0.05	INTERSECTION	L	ROUTE 0402AZ (COLTER BAY RESIDENCE AREA ROAD A)
0.11	0.11	INTERSECTION	N/A	ROUTE 0965 (COLTER BAY MAINTENANCE YARD)

ROUTE 0408: MOOSE BOAT LAUNCH ACCESS ROAD (ALBRIGHT LOOP)

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	N/A	ROUTE 0252 (CRAIG THOMAS DISCOVERY VISITOR CENTER ENTRANCE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.03	0.03	INTERSECTION	L	ROUTE 0912 (MOOSE ADMINISTRATION AND POST OFFICE PARKING)
0.04	0.04	INTERSECTION	L	ROUTE 1040 (MOOSE OVERFLOW PARKING)
0.07	0.07	INTERSECTION	R	ROUTE 0915AZ (MOOSE OVERFLOW PARKING A)
0.09	0.09	INTERSECTION	L	ROUTE 0915BZ (MOOSE OVERFLOW PARKING B)
0.10	0.10	INTERSECTION	R	ROUTE 0915CZ (MOOSE OVERFLOW PARKING C)
0.13	0.13	INTERSECTION	R	ROUTE 0915AZ (MOOSE OVERFLOW PARKING A)
0.23	0.23	INTERSECTION	R	ROUTE 0914 (MOOSE BOAT TRAILER PARKING)
0.25	0.25	INTERSECTION	R	ROUTE 1008 (WESTERN CENTER FOR HISTORIC PRESERVATION PARKING)
0.32	0.32	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.33	0.33	INTERSECTION	L	ROUTE 0913 (MOOSE HEADQUARTERS PARKING)
0.38	0.38	INTERSECTION	R	ROUTE 0400AZ (MOOSE RESIDENCE AREA ROAD A (MATHER CIRCLE))
0.38	0.38	INTERSECTION	L	ROUTE 0913 (MOOSE HEADQUARTERS PARKING)
0.42	0.42	INTERSECTION	L	UNPAVED ROUTE
0.46	0.46	INTERSECTION	L	ROUTE 0912 (MOOSE ADMINISTRATION AND POST OFFICE PARKING)
0.49	0.49	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.49	0.49	INTERSECTION	N/A	ROUTE 0100AZ (MOOSE/WILSON ROAD)
0.49	0.49	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))

ROUTE 0414: A.M.K. RANCH ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0115 (LEEKS MARINA ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0115 (LEEKS MARINA ACCESS ROAD)
0.02	0.02	INTERSECTION	L	ROUTE 0970 (LEEKS MARINA BOAT TRAILER PARKING)
0.97	0.97	INTERSECTION	L	ROUTE 1002 (A.M.K. PARKING)
1.06	1.06	INTERSECTION	L	ROUTE 0414 (A.M.K. RANCH ROAD)
1.13	1.13	INTERSECTION	R	ROUTE 0414 (A.M.K. RANCH ROAD)
1.13	1.13	INTERSECTION	L	ROUTE 0414 (A.M.K. RANCH ROAD)

GRTE: Route Milepost Log

ROUTE 0415AZ: COLTER BAY CONCESSION EMPLOYEE ROAD A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0103 (COLTER BAY ENTRANCE ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 1030 (COLTER BAY SERVICE STATION)
0.09	0.09	INTERSECTION	R	ROUTE 1031 (COLTER BAY CONCESSION EMPLOYEE PARKING)
0.11	0.11	INTERSECTION	R	ROUTE 0415BZ (COLTER BAY CONCESSION EMPLOYEE ROAD B)
0.13	0.13	INTERSECTION	R	ROUTE 0415BZ (COLTER BAY CONCESSION EMPLOYEE ROAD B)
0.22	0.22	INTERSECTION	N/A	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)

ROUTE 0415BZ: COLTER BAY CONCESSION EMPLOYEE ROAD B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)
0.00	0.00	INTERSECTION	R	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)
0.05	0.05	INTERSECTION	R	ROUTE 0415CZ (COLTER BAY CONCESSION EMPLOYEE ROAD C)
0.14	0.14	INTERSECTION	R	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)
0.14	0.14	INTERSECTION	L	ROUTE 0415AZ (COLTER BAY CONCESSION EMPLOYEE ROAD A)

GRTE: Route Milepost Log

ROUTE 0415CZ: COLTER BAY CONCESSION EMPLOYEE ROAD C

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0415BZ (COLTER BAY CONCESSION EMPLOYEE ROAD B)
0.00	0.00	INTERSECTION	L	ROUTE 0415BZ (COLTER BAY CONCESSION EMPLOYEE ROAD B)
0.11	0.11	INTERSECTION	N/A	ROUTE 0415CZ (COLTER BAY CONCESSION EMPLOYEE ROAD C)

ROUTE 0438AZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP A

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)
0.01	0.01	INTERSECTION	L	ROUTE 1025AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING A)
0.05	0.05	INTERSECTION	L	ROUTE 1025BZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING B)
0.06	0.06	INTERSECTION	L	ROUTE 0438BZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP B)
0.08	0.08	INTERSECTION	L	ROUTE 1025CZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING C)
0.09	0.09	INTERSECTION	R	PAVED PARKING
0.10	0.10	INTERSECTION	R	ROUTE 1025DZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING D)
0.12	0.12	INTERSECTION	R	ROUTE 1025EZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING E)
0.13	0.13	INTERSECTION	L	ROUTE 1025FZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING F)
0.16	0.16	INTERSECTION	R	ROUTE 1025GZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING G)
0.18	0.18	INTERSECTION	L	ROUTE 0438BZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP B)
0.21	0.21	INTERSECTION	R	ROUTE 1025HZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING H)
0.25	0.25	ONE-WAY END	N/A	N/A
0.25	0.25	INTERSECTION	R	ROUTE 1006 (SIGNAL MOUNTAIN LODGE MAIN PARKING)
0.25	0.25	INTERSECTION	L	ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A)

FDOM

то

ROUTE 0438BZ: SIGNAL MOUNTAIN CONCESSION CABIN LOOP B

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 4.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 1025BZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP PARKING B)
0.00	0.00	ONE-WAY START	N/A	N/A
0.00	0.00	INTERSECTION	N/A	ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A)
0.03	0.03	INTERSECTION	L	ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A)
0.03	0.03	ONE-WAY END	N/A	N/A
0.03	0.03	INTERSECTION	R	ROUTE 0438AZ (SIGNAL MOUNTAIN CONCESSION CABIN LOOP A)

GRTE: Route Milepost Log

ROUTE 0439: SIGNAL MOUNTAIN CONCESSION EMPLOYEE LOOP

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	R	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.00	0.00	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.03	0.03	INTERSECTION	L	ROUTE 1024BZ (SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING B)
0.04	0.04	INTERSECTION	R	ROUTE 1024AZ (SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING A)
0.05	0.05	INTERSECTION	L	ROUTE 1024CZ (SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING C)
0.08	0.08	INTERSECTION	R	ROUTE 1024DZ (SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING D)
0.09	0.09	INTERSECTION	L	ROUTE 1024EZ (SIGNAL MOUNTAIN CONCESSION EMPLOYEE DORM PARKING E)
0.12	0.12	INTERSECTION	L	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)
0.12	0.12	INTERSECTION	R	ROUTE 0112 (SIGNAL MOUNTAIN MARINA BOAT RAMP ROAD)

ROUTE 0441: JACKSON LAKE LODGE CONCESSION MANAGER RESIDENCE ROAD

Road logs are verified in Cycle 6 and mileposts for this route are matched to GPS collected in Cycle 5.

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0113 (JACKSON LAKE LODGE ROAD)
0.04	0.04	INTERSECTION	R	ROUTE 1036 (JACKSON LAKE LODGE LOADING DOCK)
0.11	0.11	INTERSECTION	N/A	DEAD END

GRTE: Route Milepost Log

ROUTE 0444: JENNY LAKE LODGE EMPLOYEE HOUSING ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.00	0.00	INTERSECTION	R	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
0.05	0.05	INTERSECTION	N/A	ROUTE 0444 (JENNY LAKE LODGE EMPLOYEE HOUSING ROAD) UNPAVED SECTION

ROUTE 0500: JENNY LAKE LOOP ROAD

FROM MILEPOST	TO MILEPOST	FEATURE	SIDE	COMMENT
0.00	0.00	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.00	0.00	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
0.76	0.76	INTERSECTION	R	ROUTE 0933 (CATHEDRAL GROUP PARKING)
0.82	0.82	INTERSECTION	R	ROUTE 0933 (CATHEDRAL GROUP PARKING)
1.50	1.50	INTERSECTION	L	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
1.50	1.50	INTERSECTION	R	ROUTE 0110 (STRING LAKE ROAD)
1.51	1.51	ONE-WAY START	N/A	N/A
1.72	1.72	INTERSECTION	L	ROUTE 1026 (JENNY LAKE LODGE CABIN PARKING)
1.74	1.74	INTERSECTION	L	ROUTE 0260Z (JENNY LAKE LODGE CABIN ACCESS ROAD)
2.95	2.95	INTERSECTION	R	ROUTE 0934 (JENNY LAKE OVERLOOK PARKING)
2.99	2.99	INTERSECTION	R	ROUTE 0934 (JENNY LAKE OVERLOOK PARKING)
3.99	3.99	INTERSECTION	L	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
3.99	3.99	INTERSECTION	R	ROUTE 0011 (TETON PARK ROAD (INSIDE ROAD))
3.99	3.99	ONE-WAY END	N/A	N/A

Section 8 Appendix



Grand Teton National Park



Improvements to the RIP Index Equations and Determination of PCR

In 2005, the Federal Highway Administration (FHWA) began implementing the use of a Pavement Management System (PMS) to assist the National Park Service (NPS) in prioritizing Pavement Maintenance and Rehabilitation activities. The PMS used by FHWA is the Highway Pavement Management Application (HPMA) which has the ability to store inventory and condition data from the Road Inventory Program (RIP) and forecast future performance using prediction models. Outputs include performance and condition reports at the National, Region, Park, or Route level. A regional prioritized list and optimization have been produced for most regions and the Federal Highway Deferred Maintenance is calculated via the HPMA as well.

In an effort to improve the accuracy of treatment recommendations and pavement condition descriptions the distresses and indexes that comprise the Pavement Condition Rating (PCR), an extensive study was completed throughout 2010 that has resulted in changes to the RIP condition reporting method and specifically, the calculation of PCR. It was determined that a better representation of PCR could be achieved by modifying the relative impact certain distresses would have on the overall rating.

Through the use of HPMA data, it was noted that false failure indicators existed with the existing PCR model, and that it would be necessary to reduce their impact. The distresses affected in this way were Rutting and Roughness. Conversely, experience showed that roadways with extensive cracking present were often shown to have a high PCR. Therefore, the crack index models were adjusted to be more sensitive to changes in crack severity or quantity. It was also determined that these issues were not due to a problem with data acquisition (i.e. the RIP "van"), but with the way the collected data was processed. The final change was to provide guidance on when to use the Roughness Condition Index (RCI) in the PCR calculation. Roughness data is of little value to determining overall condition on routes that, due to their length or geometrics, have lower vehicle operating speeds. Therefore, in Cycle 5, only routes that have lengths of one half mile or greater and posted speed limits of 25 mph or greater will have RCI reported and included in the PCR calculations.

Additionally, methodologies were updated in 2013 for Manually Rated Routes (paved routes that the collection vehicle is unable to drive) as well as Parking Areas to provide more accurate condition data to the HPMA. These updated methodologies allow for the efficient assessment of pavement conditions using a visual inspection method to denote specific distresses. These distresses are indicative of current conditions, the causes for current and future deterioration, and identify the level of targeted repair and rehabilitation practices required.

The changes that were implemented were endorsed by management at both the FHWA and NPS. In order to show the effectiveness of these changes, several sites were ground truth tested in early 2014 to ensure that an improvement was achieved between the relationship of PCR and the actual Maintenance and Rehabilitation needs that were represented. The changes will allow greater use of RIP and HPMA data for not simply condition data reporting, but also as a reliable tool for project identification and selection.

Description of the Rating System

The Federal Highway Administration, National Park Service Road Inventory Program (NPS-RIP), collects roadway condition data on paved surfaces (asphalt, concrete, brick, and cobblestone) on roads, parkways, and parking areas in national parks nationwide. The road surface condition data is collected using an automated Data Collection Vehicle (DCV) and manually using Manually Rated Route (MRR) procedures. Roads having brick or cobblestone surfacing are not normally surveyed with the DCV, but are manually rated for condition rating.

The FHWA RIP is implemented based on the premise that an accurate pavement surface condition assessment can be accomplished using automated crack detection technology as applied to digital images. Various methods of pavement condition assessment have been developed over the years with varying degrees of accuracy and acceptance. The use of digital photography to record pavement images and subsequent crack detection and classification has undergone continuous improvements over the past decade. Digital cameras with increasingly superior resolution and high definition have become more affordable, and the proprietary programming code and algorithms have been improved in crack detection software.

With the use of quality digital photography and automated crack detection software, FHWA RIP is tasked with executing a pavement condition assessment on a network of roughly 5,700 miles of National Park Service roads and parkways. Because a subset of roads will be collected multiple times this cycle, the total collection length will be around 13,000 miles. Foremost in setting up the basis of pavement distress identification is employing the distress identification protocols used by FHWA. There is no single distress identification system that is universal among entities conducting a program of distress identification. For the purpose of the NPS RIP, FHWA employs distress identification protocols that are specific to this program.

FHWA has referenced the "Distress Identification Manual for the Long-Term Pavement Performance Program", Publication No. FHWA-RD 03-031, June 2003, as the point-of- reference for distress types on NPS pavement. In truth, the FHWA RIP distress types are similar to those described in the LTPP manual with some modifications. This document, "Distress Identification Manual for the NPS Road Inventory Program, Cycle 6, 2014-2020" was developed using the "Distress Identification Manual for the Long-Term Pavement Performance Program" as a guideline. Definitions of severity levels based on crack width contained in this document adhere to the LTPP Distress ID Manual. Modifications have been made to the definition of Alligator and Longitudinal Cracking and determination of Alligator Cracking severity. This manual also addresses Rutting and Roughness and its application to RIP.

Cycle 6 has launched in the spring of 2014 and will again comprise all parks, large and small, that are served by paved roads and/or parking areas. For Cycle 6, roughly 333 large and small parks will have all paved routes and parking areas collected at least once in the cycle, some will have multiple collections depending on the size of the park and the functional class of the route.


This "Distress Identification Manual for the NPS Road Inventory Program, Cycle 6, 2014-2020" will be used as a reference resource in crack detection and classification, determination of distress severity and extent, and in the calculation of distress index values for the FHWA RIP Cycle 6.

Explanation of the Condition Descriptions

In addition to the RIP Index changes that were implemented in Cycle 5, we will also aim to provide greater assistance in translating good/fair/poor categories into pavement needs categories. The PCR can be used to indicate the place in the Pavement Life Cycle and the types of treatments that should be considered now and into the future.

- Excellent/New: PCR of 95-100. Pavements in this range will require only spot repairs
- Good: PCR of 85-94. Pavements in this range will likely be candidates for preventive maintenance. Examples include Chip and Slurry Seals, Micro Surfacing and Thin Overlays.
- Fair: PCR of 61-84. Pavements in this range will likely be candidates of Light Rehabilitation (L3R). Examples include single-lift overlays up to 2.5 inches in total thickness, milling and overlays.
- Poor: PCR of 60 or below. Pavements in this range will likely be candidates of Heavy Rehabilitation or Reconstruction (H3R or 4R). Examples include Pulverization, Multiple Lift Overlays, and Reconstruction.

At this time, specific maintenance and rehabilitation activities should be evaluated and recommended at the project level. Site-specific conditions that influence treatment type should be determined based on performing a subsurface investigation and/or pavement condition survey, and not be based solely on RIP data. Additionally, RIP produces a snapshot of conditions the year in which the data was collected. For further information or to obtain additional PMS data from our (HPMA) please contact the Eastern Federal Lands pavement team.



Condition Categories and Treatments

Pavement Age

Description of Pavement Treatment Types

- 1. **Preventive Maintenance** is a planned strategy of cost-effective treatments to an existing roadway system and its appurtenances that preserves the system, retards future deterioration, and maintains or improves the functional condition of the system (without significantly increasing the structural capacity). Preventive maintenance is typically applied to pavements in good condition having significant remaining service life. As a major component of pavement preservation, preventive maintenance is a strategy of extending the service life by applying cost-effective treatments to the surface or near-surface of structurally sound pavements. Examples of preventive treatments include asphalt crack sealing, chip sealing, slurry or micro-surfacing, thin and ultrathin hot-mix asphalt overlay, concrete joint sealing, diamond grinding, dowel-bar retrofit, and isolated, partial and/or full-depth concrete repairs to restore functionality of individual slabs.
- 2. Pavement Rehabilitation consists of structural enhancements that extend the service life of an existing pavement and/or improve its load carrying capacity. Rehabilitation techniques include restoration treatments and structural overlays. Rehabilitation projects extend the life of existing pavement structures either by restoring existing structural capacity through the elimination of age-related, environmental cracking of embrittled pavement surface or by increasing pavement thickness to strengthen existing pavement sections to accommodate existing or projected traffic loading conditions. Two sub-categories result from these distinctions, which are directly related to the restoration or increase of structural capacity.
 - Light Rehabilitation (L3R) Examples include single-lift overlays up to 2.5 inches in total thickness and milling and overlays for flexible pavements
 - Heavy Rehabilitation (H3R) Requires rehabilitation with grade improvement. H3R stands for resurfacing, restoration, and rehabilitation projects. H3R projects typically involve multi-depth (overlays greater than 2.5 inches) pavement improvement work (short of full-depth replacement) and targeted safety improvements. H3R projects generally involve retention of the existing three-dimensional alignment.
- 3. **Reconstruction** (4**R**) is defined as the replacement of the entire existing pavement structure by the placement of the equivalent or increased pavement structure. Reconstruction usually requires the complete removal and replacement of the existing pavement structure. Reconstruction may utilize either new or recycled materials incorporated into the materials used for the reconstruction of the complete pavement section. Reconstruction is required when a pavement has either failed or has become functionally obsolete.

Appendix A

Methodology for Determining Condition Ratings with the Data Collection Vehicle (DCV)

Surface Distresses Identified by the Data Collection Vehicle

Surface Condition Rating – SCR

Surface distresses are measured in the primary lane only. In the classification and measurement of all paved surface condition data, results will be reported in the database in record intervals of 0.02 miles (105.6 feet) (smallest granularity) along the route.

Surface distresses and rutting are determined from digital images that provide both the longitudinal and transverse profile. The images also provide an elevation profile of the road, creating a 3-dimensional image of the paved surface.

- Transverse Cracks
- Longitudinal Cracks
- Alligator Cracks
- Patching/Potholes
- Rutting

Each of the five surface distresses is assigned a computed surface distress index

- Transverse Crack Index
- Longitudinal Crack Index
- Alligator Crack Index
- Patching/Pothole Index
- Rutting Index

Surface distress data are classified as listed above, measured for severity, and quantified for extent. Classification, severity, and extent of these five surface distresses comprise the three main elements for calculation of Surface Condition Rating (SCR).

In addition to the five surface distresses, a Structural Crack Index is computed, which is a combination of the Longitudinal Crack Index and the Alligator Crack Index. The Structural Crack Index is then used in lieu of the LC and AC indices to compute SCR.

Roughness Condition Index - RCI

Additional condition data measured by DCV (lasers and accelerometers)

• Roughness (IRI)

Roughness is measured by FHWA's DCV and reported as International Roughness Index (IRI) in inches/mile. Using IRI, the Roughness Condition Index (RCI) is computed.

Pavement Condition Rating - PCR

Using the SCR (computed from the five surface distresses) and the RCI, an overall Pavement Condition Rating (PCR) is computed. The formula for PCR is:

Asphalt PCR = (0.60 * SCR) + (0.40 * RCI)Concrete PCR = RCI

A detailed description of each distress index formula, roughness index formula, SCR and PCR is provided in this document.

Each classified surface distress will fall into one or more severity - LOW, MEDIUM, or HIGH based on criteria listed. For each severity, an extent is established based on the measured quantity of the distress within that severity. Within each severity individual distresses are assigned a Maximum Allowable Extent (MAE). For example, LOW severity transverse cracking may be allowed up to 21.1 cracks within a 0.02 mile interval before it reaches MAE and fails.

The index formulas are based on a scale of 0 to 100. A PCR index value of 100 would indicate a "new" road with no measurable distresses or rough ride. A PCR value of 60 is determined to be terminable serviceability and the road is considered failed. The range of index values with condition descriptors is:

POOR = (less than or equal to 60), **FAIR**= (61 – 84), GOOD= (85 - 94), **EXCELLENT**= (95 - 100)

Index values are generally computed based on cumulative deducts of the measured severities. As shown in the index formulas below, as any single severity reaches or exceeds MAE, the index computes to a value of 60 or less, and the road fails for that 0.02 interval.

<u>Note:</u> As a result of a unique combination of measured surface distresses and IRI, index values occasionally compute to less than 0 or greater than 100. In this instance, an index value less than 0 defaults to 0. Index values greater than 100 defaults to 100. For all indices, a higher value indicates a better road condition, and a lower value indicates a poorer road condition.

On the following page, Table 1 summarizes the different types of distresses measured.

ASPHALT-SURFACED PAVEMENT DISTRESS TYPES WITH RUTTING AND ROUGHNESS				
Distress Type	Units Of Measure	Converted To	Defined Severity Levels?	Measured By
Alligator Cracking	Square Feet	Percent of Lane Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Transverse Cracking	Linear feet	Number of Cracks Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Longitudinal Cracking	Linear feet	Percent of Lane Length Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Patching / Potholes	Square Feet	Percent of Lane Per 0.02 Mile	No	3 Dimensional pavement imaging system
Rutting	Inches	Rut Depth Per 0.02 Mile	Yes	3 Dimensional pavement imaging system
Roughness	IRI	*RCI Per 0.02 Mile	No	DCV – Lasers / Accelerometers

*Note: *Roughness is measured on concrete roadways, but surface distresses and rutting are not measured.* For concrete, PCR = RCI

Table 1. Distress summary

Alligator Cracking

Description:

Alligator cracking is considered a combination of fatigue and block cracking. It is a series of interconnected cracks in various stages of development. Alligator cracking develops into a many-sided pattern that resembles chicken wire or alligator skin. It can occur anywhere in the road lane. Alligator cracking must have a quantifiable area.

Severity Levels:

LOW

An area with little to no interconnecting cracks with no visible spalling. Cracks are less than or equal to a mean width of 0.25 in. (6mm). Cracks in the pattern are no further apart than 1 foot (0.328 m). May be sealed cracks with sealant in good condition and a crack width that cannot be determined.

MEDIUM

An area of interconnected cracks that form a complete pattern. Cracks may be slightly spalled. Cracks are greater than 0.25 in. (6 mm) but less than or equal to 0.75 in. (19 mm) or any crack with a mean width less than or equal to 0.75 in. (19 mm) and adjacent low severity cracking. Cracks in the pattern are no further apart than 6 in. (150 mm).

HIGH

An area of interconnected cracks forming a complete pattern. Cracks are moderately or severely spalled. Cracks are greater than 0.75 in. (19mm) or any crack with a mean width less than or equal to 0.75 in. (19mm) and adjacent medium to high severity random cracking.

A combination of observed crack width and crack pattern is used to determine overall severity of alligator cracking. Based on above description of each severity, the highest level of crack width and crack pattern determines overall severity as shown in Table 2.

ALLIGATOR CRACKING SEVERITY LEVELS				
	CRACK	CRACK PATTERN		
	SEVERITY	LOW	MED	HIGH
	LOW	LOW	MED	HIGH
CRACK WIDTH	MED	MED	MED	HIGH
	HIGH	HIGH	HIGH	HIGH

 Table 2. Alligator Crack Severity Levels

Longitudinal Cracking

Description:

Longitudinal cracking occurs predominantly parallel to the pavement centerline. It can occur anywhere within the lane. Longitudinal cracks occurring in the wheelpath may be noteworthy.

Severity Levels:

LOW

Cracks with a mean width less than or equal to 0.25 in. (6 mm). This also includes sealed cracks with sealant in good condition and a width that cannot be determined.

MEDIUM

Cracks with a mean width greater than 0.25 in. (6 mm) but less than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width greater than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

Transverse Cracking

Description:

Transverse cracking occurs predominantly perpendicular to the pavement centerline. It can occur anywhere within the lane.

Severity Levels:

LOW

Cracks with a mean width of less than or equal to 0.25 in. (6 mm). Sealed cracks with sealant in good condition and a width that cannot be determined.

MEDIUM

Cracks with a mean width greater 0.25 in. (6 mm) and less than or equal to 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random low severity cracking.

HIGH

Cracks with a mean width greater than 0.75 in. (19 mm). Also, any crack with a mean width less than 0.75 in. (19 mm) and adjacent random medium to high severity cracking.

Patching and Potholes

Description:

Patching is an area of pavement surface that has been removed and replaced with patching material or an area of pavement surface that has had additional patching material applied. Patching may encompass partial lane or full lane width. On full lane width patching; the total, contiguous length of patch may not exceed 0.100 mi. (0.161 km). (Any full-lane patch exceeding 0.100 mi. in length is considered a pavement change). Patching must have a quantifiable area.

Potholes are bowl-shaped holes of various sizes occurring in the pavement surface.

Manhole covers should not be rated as patches unless there is obvious patching around the manhole.

Speed bumps should not be rated as patches

Severity Levels:

There are no stratified severities for Patching and Potholes. They either are present or they are not.

RUTTING

Description:

Rutting is a longitudinal surface depression in the wheelpath.

Severity Levels:

LOW

Ruts with a measured depth of 0.20 inches to 0.49 inches Ruts less than 0.20 in. are not included in the distress calculations.

MEDIUM

Ruts with a measured depth of 0.50 inches to 0.99 inches

HIGH

Ruts with a measured depth greater than 1.00 inch

ROUGHNESS

Description:

Roughness is the measurement of the unevenness of the pavement in the direction of travel. It is measured in units of IRI (International Roughness Index), inches per mile, and is indicative of ride comfort.

Severity Levels:

There are no stratified severity levels for roughness. The roughness (or smoothness) of a road surface can be defined by IRI in the following table.

IRI DESCRIPTIONS		
Type of Road	Typical IRI (in/mile)	
New Road, no noticeable roughness	<90	
Small level of roughness	90 - 126	
Road of average roughness	126 - 190	
Road with above average roughness	190 – 253	
Road with severe roughness	253 - 380	
Nearly impassable	>380	

Table 3. International Roughness Index

Roughness Collection Parameters

On shorter roads with a lower speed limit the usefulness in collecting and reporting IRI is negligible. Lower, inconsistent speeds can lead to a less accurate IRI value. Therefore RIP has put in place the following protocols for reporting IRI.

International Roughness Index (IRI) is not reported on routes with the following criteria:

- Posted speed limit is less than 25 mph
- Length of route is less than 0.50 miles

When a collected route has a posted speed limit of at least 25 mph and length of at least 0.50 miles, IRI will be collected except on road sections where the speed is less than 20 mph

Other situations may arise where the speed and length factors are met, but reporting IRI could lead to an inaccurate PCR. RIP will determine whether or not it is reasonable to report IRI on these routes on a case by case basis.

Index Formulas

Note: All index formulas listed below contain MAE applicable to 0.02 mile (105.6 feet) interval.

Alligator Crack Index

 $AC_{INDEX} = 100 - 40 * [(\% LOW / 35) + (\% MED / 15) + (\% HI / 5)]$

Where:

The values %LOW, %MED and %HI report the percentage of the observed pavement (0.02 mile, primary lane) that contains alligator cracking within the respective severities. These values range from 0 to 100.

%LOW = Percent of total area (primary lane, 0.02 in length), low severity %MED = Percent of total area (primary lane, 0.02 in length), medium severity %HI = Percent of total area (primary lane, 0.02 in length), high severity

Percent of total area is computed as:

square foot area of alligator crack severity (0.02 mile)*(lane width)

In AC_INDEX, the denominators 35, 15, and 5 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 35% of low severity alligator cracking for a 0.02 interval before failure, 15% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Longitudinal Crack Index

 $LC_INDEX = 100 - 40 * [(\% LOW / 175) + (\% MED / 75) + (\% HI / 25)]$

Where:

The values %LOW, %MED, and %HI report the length of longitudinal cracking within each severity as a percent of the section length (0.02 mile, primary lane). These values are greater than or equal to 0 and can exceed 100.

%LOW = Percent of interval length (primary lane, 0.02 in length), low severity %MED = Percent of interval length (primary lane, 0.02 in length), medium severity %HI = Percent of interval length (primary lane, 0.02 in length), high severity

Percent of interval length is computed as:

length of respective longitudinal cracking (0.02 mile)*(105.6 ft.)

In LC_INDEX, the denominators 175, 75, and 25 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 175% of low severity longitudinal cracking for a 0.02 interval before failure, 75% for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Structural Crack Index

 $SC_INDEX = [100 - ((100 - AC_INDEX) + (100 - LC_INDEX))]$

Structural Crack Index is a combination of Alligator Cracking and Longitudinal Cracking, and is used in the SCR formula in lieu of AC and LC separately.

Transverse Crack Index

 $TC_INDEX = 100 - 40 * [(LOW / 21.1) + (MED / 4.4) + (HI / 2.6)]$

Where:

The values LOW, MED and HI report a count of the total number of transverse cracks (reported to three decimals) within each severity level, where one transverse crack is equal to the lane width. These values are greater than or equal to 0.

LOW = Number of cracks in interval (primary lane, 0.02 in length), low severity MED = Number of cracks in interval (primary lane, 0.02 in length), medium severity HI = Number of cracks in interval (primary lane, 0.02 in length), high severity

Number of cracks is computed as:

Total length of transverse cracks Lane width

In TC_INDEX, the denominators 21.1, 4.4, and 2.6 are the Maximum Allowable Extents (MAE) for each severity. In other words, we will allow up to 21.1 low severity transverse cracks for a 0.02 interval before failure, 4.4 cracks for medium severity, and so on. As you can see, if any single severity reaches MAE the resulting index value is 60, or failure.

Patching Index

PATCH_INDEX = (100 - 40) * (% PATCHING / 80)

Where:

The value %PATCHING reports the percentage of the observed pavement (0.02 mile, primary lane) that contains patching/potholes. This value ranges from 0 to 100.

%PATCHING = Percent of total area (primary lane, 0.02 in length)

Percent of total area is computed as:

square foot area of patching/potholes (0.02 mile)*(lane width)

There are no severity levels for patching. It either exists or does not.

There are no severity levels for patching. It either exists or does not. In PATCH_INDEX, the denominator 80 is the Maximum Allowable Extent (MAE) for each severity. In other words, we will allow up to 80% patching for a 0.02 interval before failure. As you can see, if patching/potholes reaches MAE the resulting index value is 60, or failure.

Rutting Index

RUT_INDEX = 100 - 40 * [(% LOW / 535) + (% MED / 205) + (% HI / 40)]

Where:

20 rut depth measurements are taken per 0.02 interval for each of 2 wheel paths (left and right), resulting in a total of 40 measurements taken for both wheel paths. Each wheelpath is analyzed independently for rut severities. The values %LOW, %MED and %HI report the percentage of the 40 measurements within that severity. These values range from 0 to 200.

- %LOW = Percent of LOW ruts in left wheelpath based on 20 ruts, plus percent of LOW ruts in right wheelpath based on 20 ruts.
- %MED = Percent of MED ruts in left wheelpath based on 20 ruts, plus percent of MED ruts in right wheelpath based on 20 ruts.
- %HI = Percent of HI ruts in left wheelpath based on 20 ruts, plus percent of HI ruts in right wheel path based on 20 ruts.

Percent of rut measurements within each severity can also be computed as:

(total number of ruts within each severity in both wheelpaths) 20 × 100

In RUT_INDEX, the denominators 535, 205, and 40 are the Maximum Allowable Extents for each severity; Low, Medium, and High, respectively. Only the MAE for high severity rutting can fail a section, since 200% of *only* low severity ruts would yield a rut index of 85 and 200% of *only* medium severity ruts would yield a rut index of 61.

Roughness Condition Index (Asphalt)

$$\mathbf{RCI} = 32 * [5 * (2.718282^{(-.0041 * AVG IRI)})]$$

Where:

The value AVG IRI reports the average value of the Left IRI and Right IRI measurements for the interval (0.02 mile, primary lane). This value can range from approximately 40 to 999.0.

Average IRI is computed as:

(Left wheelpath IRI) + (Right wheelpath IRI) 2

There is no applicable threshold for failure for this index.

Roughness Condition Index (Concrete)

 $\mathbf{RCI} = (-0.0012)(\mathbf{IRI}^2) + (0.0499)(\mathbf{IRI}) + 99.542$

For concrete, PCR = RCI

Surface Condition Rating Index

SCR = Lowest Index Value Of: [SC_INDEX, TC_INDEX, PATCH_INDEX, RUT_INDEX]

Note: The modified SCR equation above combines AC_INDEX and LC_INDEX, and considers that a single AC/LC index value of the Structural Crack Index (SC_INDEX). The lowest of the four computed index values (SC_INDEX, TC_INDEX, PATCH_INDEX, or RUT_INDEX) becomes the SCR.

Where:

See above for determinations of SC_INDEX, TC_INDEX, PATCH_INDEX and RUT_INDEX.

The threshold for failure for this index is SCR = 60.Data Collection Vehicle Subsystems

Data on paved roads is collected by FHWA using a Pathway Services Inc. Data Collection Vehicle (DCV), called a PathRunner. The DCV is driven in the primary-direction lane at posted speed limits and less.

Cameras

Forward-facing and rear-facing video is collected as jpeg digital imagery files at a frequency of every 26.4feet.

Two forward-facing cameras are mounted above the vehicle cab, one pointed straight ahead and the other to the right shoulder providing seamless roughly 120 degree viewing. A third camera is mounted in the rear of the vehicle, recording the left shoulder.

CAMERA SPECIFICATIONS TWO FORWARD / ONE REAR FACING CAMERA		
Camera lens/type	Prosilica GT 2750 (GigE Technology)	
Image format	*.jpg	
Image resolution	2750 x 2200, 18 frames/second	
Image pixel size	depends on distance	
Zoom ratio	16mm Fixed	
	Aperture Range F 1.8 – Infinity (P-Iris,	
Iris range	Automatic	

Pavement Imaging and Rutting

High resolution rutting data and surface imaging are collected in a single data stream using a threedimensional (3D) pavement surface transverse profile data acquisition system. The 3D camera captures a laser line as it is projected over the pavement surface and uses the location of this line to measure the height deviations of the pavement surface. These height deviations can be used to calculate rutting in both wheelpaths. These deviations also provide a grayscale image detailing the change in height throughout the surface, i.e. providing depth measurements for cracking.

PAVEMENT SURFACE AND TRANSVERSE PROFILE DATA ACQUISITION SYSTEM		
Surface Image Specifications		
Image size	1536 pixels/scan @3000 Hz	
Image width	4 meters (3950 mm nominal)	
Laser class	3B	
Power	16W (Two lasers @ 8W Ea)	
Vehicle speed limitations	62 mph	
Environment	Dry pavement, day or night	
Sensor size (approximate)	1536 pixels x 512 pixels	
Image display length	26.4 feet	
Rutting Specifications		
Reported rut depth units	Inches	
Vehicle speed limitations	Up to 62 mph	
Sampling rate	3000 profiles/second	
Transverse resolution	1536 points/profile	
Transverse field-of-view	14 feet	
Depth accuracy (nominal)	<1mm	
Environment	Dry pavement, day or night, above 32 degrees F	
Adherence to specifications	ASTM E1703M-95 (reapproved 2005)	

THREE-DIMENSIONAL

Distance Measuring Instrument (DMI)

The DMI (Distance Measuring Instrument) obtains road length measurements that are accurate to 0.15%for speeds up to 60 mph. The DMI is connected to the hub of the rear wheel on the driver's side, and is calibrated to the revolutions of the rear vehicle axle on a regular basis.

Roughness (IRI)

IRI SPECIFICATIONS		
Reported IRI units	Inches/mile	
Vehicle speed limitations	12-62 mph	
IRI equipment certification	Texas Transportation Institute (TTI)	
Wavelengths accommodated	0.5 feet to 300 feet	
IRI computed & reported	World Bank Technical Paper Number 46	
Environment	Dry pavement, day or night, above 32 degrees	
Adherence to specifications	ASTM E950 Class 1 & AASHTO M 328	

The collection system includes a South Dakota type laser profiler manufactured based on active Class 1 ASTM E950 standards. The dynamic profile of the pavement surface is collected from which the IRI roughness data is computed. The sensors include one accelerometer on each wheelpath, one height sensor (laser) on each wheelpath, and a distance transducer.

GPS & Inertial Systems

GPS is collected by an onboard system employing Omnistar real time correction and a spinning gyroscope to provide accurate positioning data in instances of satellite obstruction. All GPS coordinates are tied to an image and linear distance measurements.

GPS SPECIFICATIONS		
Static accuracy	Sub-meter	
Dynamic accuracy	2-3 meters	
Receiver	12 satellite tracking	
Coordinate system	Lat Lon WGS 84	
Environment	Day or night	
Cross-slope	± 1.75%	
Grade	± 1.75%	
Adherence to specifications	ASTM E1703M-95 (reapproved 2005)	

*NOTE – GPS accuracy is dependent on many different factors. Satellite constellation, tree coverage, GPS receiver quality, and real-time correction availability can all affect the locational and elevation accuracies. The elevation (z coordinate) accuracy is less dependable than locational or horizontal accuracy (x/y coordinates or latitude/longitude). In areas of heavy tree coverage or poor satellite constellations, elevation data can vary by as much as +/- 100 feet.

Appendix B

Methodology for Determining Condition Ratings Using Manual Rating Procedures

Description of Manual Rating Methods

In 2013, the Federal Highway Administration updated existing Manual Rating Procedures in an effort to better align pavement conditions for Manually Rated Routes and Parking with the Highway Pavement Management Application (HPMA). HPMA is the Pavement Management System used by the FHWA to store inventory and condition data from the Road Inventory Program (RIP) and forecast future performance using prediction models. HPMA uses pavement condition data (collected by the Road Inventory Program) to develop life cycles for pavements and recommend treatments to maximize useable pavement life while minimizing costs associated with maintenance and repair.

The Federal Highway Administration (FHWA) developed a set of manual rating methods for pavement that are appropriate for Federal Roadways. Two different methods were developed for linear roads and a separate method was developed for parking areas and nonlinear roads. These methods employ a 0 to 100 rating scale and improve consistency and objectivity in the manual evaluation of surface distresses. They are compatible with ratings that are collected by the automated Data Collection Vehicle (DCV).

- The first of the two manual evaluation methods for roads uses rating criteria to assign index values to each distress type based on a visual evaluation of severity and extent.
- The second manual evaluation method for roads is very time demanding and is best employed on only a select set of routes which may have the highest visitor use and require a more intensive assessment. This method will be used for the Manual Rating of Function Class 1, 2, 7, and 8 Roads. This method is based on measurements that are recorded for each instance of a surface distress. These measurements are converted into index values using conversion formulas.
- Parking areas and non-linear roads are rated similar to the first method shown above, however, there are some slight differences due to the non-linear nature.

The details and criteria used for each of these rating methods are outlined below.

Visual Inspection Method for Manually Rating Secondary Roads

The visual inspection method for manually rated roads uses condition rating criteria that have been developed by FHWA. This criteria is based on a visual evaluation of the severity and extent of distresses to determine the overall condition of the roadway. This method is used for secondary roads that are Functional Class 3, 4, 5, and 6. This constitutes the majority of manually rated roads collected by the Road Inventory Program.

Rating Section Lengths

For this method, Manually Rated Roads are rated in sections. These sections may be made based on length of changes in surface type or condition as described below. The ratings are then aggregated to give an overall rating for the Route:

- Rating sections should be no longer than 0.25 miles in order to keep the area being rated manageable.
- A new rating section may be started based on changes in condition, width, or surface type if these changes represent a significant portion of the route (are not isolated instances).
- If the road condition, width, and surface type remain constant then new sections do not need to be created unless the road exceeds 0.25 miles.

Rating Criteria

For this method, Manually Rated Roads are evaluated using a visual inspection of the six distress types listed below. Each distress is assigned one of five index values. An overall Surface Condition Rating (SCR) and Pavement Condition Rating (PCR) are calculated based on these index values.

- Alligator Cracking
 - o Rating based on percentage of road surface affected
- Longitudinal Cracking
 - o Rating based on severity level (crack width) and percentage of road section length of longitudinal cracks
- Transverse Cracking
 - o Rating based on crack width, crack spacing, and percentage of surface affected
- Patching
 - o Rating based on percentage of road surface affected
- Rutting
 - o Rating based on percentage of road section length affected by visible rutting (>1 inch depth) that requires remediation
- Roughness
 - o Manual assessments of roughness are not made due to the subjectivity of the measurement. Therefore, roughness is not incorporated into the PCR calculation of manually rated roads.

Concrete Routes also receive a PCR rating based on visual evaluation of the following six distress types.

- Slab Faulting at Joints
- Slab Cracking and breakup
- Surface Delamination and Pop-outs
- Joint Distresses
- Patching

Distress Measurement Method for Manually Rating Primary Roads

A more intensive and time demanding assessment than our standard method was developed for Primary roads that are functional class 1, 2, 7, or 8. These high visitation roads are usually accessible by the automated Data Collection Vehicle but in rare instances may need to be manually rated. The method developed is based on measuring each instance of a distress. These measurements are totaled over each section length being measured and are then converted into index values between 0 and 100 (100 being a road with no distress) using index formula equations outlined below. The goal of this method is to produce measured index values which are directly comparable to the automated DCV.

Rating Section Lengths

For the distress measurement method roads are broken into sections in order to rate. Distress measurements are totaled for each section separately in order to determine the index value for that particular section. The section length to be rated is determined based on the following rules:

- Rating sections are between 0.25 and 0.50 miles long
- A new rating section is created if there is a significant change in condition or pavement width
- If there are no significant changes in condition or pavement width, rating sections are broken at equal intervals, typically 0.50 miles

Manual Distress Measurements

Alligator Cracking

- Alligator cracking is measured by area (square feet). Instances of Alligator cracking are measured along the length and multiplied by the average width of the distressed area.
- The index for alligator cracking takes the total area of cracking compared to the interval length and converts it to a percentage. That percentage is then input into an index formula that yields a value between 0 and 100 (0 being the most distressed).
- Severity levels are not defined for manually measured Alligator cracks. The Alligator Crack Index formula is calculated based on an assumption of medium severity.

Longitudinal Cracking

- Longitudinal cracking (cracking in the direction parallel to the roadway) is measured by length (ft.).
- The index for longitudinal cracking takes the total length of cracking compared to the interval length and converts it to a percentage broken down by severity. That percentage is then input into a formula that yields a value between 0 and 100 (0 being the most distressed).
- Two severity levels are defined for manually measured Longitudinal Cracks. Lower severity cracks are those with a mean width of less than 0.25 inches. Sealed cracks with sealant in good condition are also considered lower severity. Higher severity cracks are those with a mean width of greater than 0.25 inches.

Transverse Cracking

- Transverse cracking (cracking in the direction perpendicular to the roadway) is measured by length (ft).
- The index for transverse cracking takes the total number of cracks (1 crack would encompass the full lane) broken down by severity. The total numbers of each severity are then put into a formula that yields a value between 0 and 100 (0 being the most distressed).
- Two severity levels are defined for manually measured Transverse Cracks. Lower severity cracks are those with a mean width of less than or equal to 0.25 inches. Sealed cracks with sealant in

good condition are also considered lower severity. Higher severity cracks are those with a mean width of greater than 0.25 inches.

Patching and Potholes

- Patching and Potholes are measured by area (square feet). Instances of Patching are measured along the length and multiplied by the average width of the patch.
- Instances of full lane width patching cannot be longer than 0.100 miles, otherwise is should be considered a pavement change rather than a distress.
- There are no stratified severities for Patching. It is either present or it is not.

Rutting

- Visible rutting is measured by length (ft.) in each wheel path. Only visible ruts are rated, which are ruts greater than 1 inch deep.
- All rutting recorded in a manual rating is considered to be high severity (> 1 inch). Lesser severities are generally not distinguishable in a visual inspection.

Roughness

• Manual assessments of roughness are not made due to the subjectivity of the measurement. Therefore, roughness is not incorporated into the PCR calculation of manually rated roads.

Index Formulas for Distress Measurement Method:

The method used to convert distress measurements into index values is shown below. The Surface Condition Rating and Pavement Condition Rating are calculated based on these index values.

Alligator Crack Index for Manual Rating:

AC_INDEX = 100 – 40 * (% ALLIGATOR / 15)

Where:

%ALLIGATOR = Percent of total area of section being rated that contains Alligator cracking.

Longitudinal Crack Index for Manual Rating:

 $LC_{INDEX} = 100 - 40 * [(\% LOW / 175) + (\% MED / 75)]$

Where:

%LOW = Percent length of longitudinal cracks where crack width less than or equal to 0.25 inches

%HIGH = Percent length of longitudinal cracks where crack width greater than 0.25 inches

Transverse Crack Index for Manual Rating:

 $TC_INDEX = (100 - 40) * [(LOW / 21.1) + (MED / 4.4)]$

Where:

LOW = Count of the total number of transverse cracks within the section length whereone transverse crack is equal to the lane width and the crack width <= 0.25 inchesHIGH = Count of the total number of transverse cracks within the section length whereone transverse crack is equal to the lane width and the crack width > 0.25 inches Number of cracks is computed as: Total length of transverse cracks/Lane width

Patching Index for Manual Rating:

PATCH_INDEX =(100 – 40) * (%PATCHING / 80)

Where:

%PATCHING = Percentage of pavement section that contains patching/potholes.

Rutting Index for Manual Rating:

RUT_INDEX = 100 - 40 * (% RUTTING / 40)

Where:

%RUTTING = Percentage length of high severity rutting within the section being measured.

Method for Manually Rating Paved Parking Areas and Non-Linear Roads

Parking areas are evaluated based on a visual inspection using condition rating criteria that has been developed by FHWA. This criteria is based on a visual evaluation of the severity and extent of distresses to determine the overall condition of the parking area. This overall condition rating is linked to the level of repair and rehabilitation practices required.

A distress index is determined for each of the distresses listed below for Asphalt and Concrete Parking areas. The overall Pavement Condition Rating (PCR) of the parking lot is driven by the most severe distress present.

Rating Criteria:

Asphalt Parking Distress Types

- Alligator Cracking
 - o Rating based on percentage of road surface affected
- Longitudinal, Transverse and Block cracking
 - o Rating based on crack width, crack spacing, and percentage of surface affected
- Rutting and Distortions
 - o Rating based on percentage of road surface affected
- Hot Mix Asphalt Patches
 - o Rating based on overall percentage of HMA patches
- Potholes and Cold Patches
 - o Rating based on percentage of road surface affected
- Surface Raveling and Bleeding
 - o Rating based on percentage of road surface affected

Concrete Parking Distress Types

- Slab Faulting at Joints
 - o Rating based on height differential between adjacent slabs or pieces of broken slabs
- Slab Cracking and breakup
 - o Rating based on quantity of cracks and if slab is acting to able distribute load as designed
- Surface Delamination and Pop-outs
 - o Rating based on percentage of road surface affected to include pop-outs, spalls and surface delamination
- Joint Distresses
 - o Rating based on sealant condition and concrete distresses at/or adjacent to joints
- Patching
 - o Rating based on percentage of road surface affected

Curb Inspection and Treatments

During inspections of manually rated parking lots and routes, the curb reveal and overall curb condition are evaluated. The curb condition is used to determine a recommendation.

Curb Reveal

The vertical distance on the curb face from the gutter flow line or pavement surface to the top of curb. When resurfacing adjacent to curb, the resulting curb reveal should be no less than 4 inches. Additionally, when resurfacing adjacent to a gutter, the resulting pavement surface should be flush with the gutter pan. In cases where a resurfacing would violate either of these parameters, the surface may need to be milled or removed to adjust to these field conditions.

Curb Recommendations

The following treatment categories are based on the overall percentage of distresses along the entire curb structure for a specific pavement structure. Distresses include spalling, cracking, loss of material and any other damage which prevents the curb from conveying storm runoff or failing to perform in its intended function.

- Overall curb damage ranging 0%-5%: o DO NOTHING
- Overall curb damage ranging 5%-20% o LIGHT REPAIR
- Overall curb damage ranging 20%-50% o MODERATE REPAIR
- Overall curb damage greater than 50%: o REPLACE

GPS for Manually Rated Roads and Parking

GPS information for Manually Collected Cycle 6 Routes will be recorded using the latest hardware and software by TRIMBLE 6000 Series GeoXT. Cycle 6 GPS collection units will allow access to GPS and GLONASS, improving overall GPS reliability, accuracy and precision to submeter accuracy. Additionally, the new GPS units have an enhanced ability to collect accurate signals underneath tree cover or adjacent to buildings or natural terrain with extreme vertical gradations that typically reduce GPS accuracy. Trees and buildings create "satellite shadows", limiting the areas where you can reliably collect high-accuracy GPS data. The updated GPS receiver will deliver improved usable data under tree canopy or in natural or urban canyons. Routes that were previously collected accurately will not be recollected in Cycle 6.

TRIMBLE 6000 SERIES GeoXT GPS SPECIFICATIONS		
Receiver	Trimble Maxwell [™] 6 GNSS chipset	
Channels	220 channels	
Systems	GPS / GLONASS / WAAS	
Accuracy	Sub-meter	
Operation Temperature	-20 °C to +60 °C (-4 °F to +140 °F)	
Cellular and Wireless	UMTS / HSDPA / GPRS / EDGE / Wi-Fi / Bluetooth	
Internal Still Camera w/ GEOTAG ability	Autofocus 5 MP (JPG) and WMV w/ Audio	

Appendix C Description of Cycle 6 Deliverables

Interim Report Delivery

Partial report will be primarily focused on manually collected routes. The report will be released approximately four months after manual collection of parking lots and other manually collected routes to provide NPS an immediate report on the condition of routes collected manually.

The Interim Report Delivery consists of an Interim Report PDF that contains the following:

- Parking lot and manually rated route conditions
- Route ID Reports
- Route ID Changes Report.

Please note that since the Data Collection Vehicle will have not collected data at this point in time, the following will not be in the Interim Report:

- No park summary information will be provided in the report
- No DCV data will be provided in report
- No road logs will be provided in report
- No maps will be provided in report
- Any mileages collected will be approximate

All data provided in the Interim Report will also be included in the Final Report.

Final Report Delivery

The Final Report will contain all data collected by Manual Inspection and the Data Collection Vehicle. All information provided in the Interim Report will be included in the Final report. Manually collected information reported in the Interim Report may be updated in the Final Report if pavement conditions have substantially changed between the Manual Inspection and Data Collection Vehicle Inspection or other unforeseen circumstances.

The final report will be released approximately 8 months after the Data Collection Vehicle completes its collection of that specific park.

Data included in the Final Report package consists of the following:

- Condition Photos: All photos taken during Cycle 6.
- **Data Video:** Data and video of each route collected by the DCV will viewable through PATHVIEW software. PATHVIEW Software and training will be provided to NPS personnel by Eastern Federal Lands.
- **GPS on All Rated Routes:** All GPS data collected from the DCV will be provided. Parking areas, some roads, and other paved areas that are not fully drivable with the DCV are collected manually by field technicians. GPS is collected for these routes using portable Trimble GPS units.
 - o GPS will be provided as Shapefiles and KMLs
 - o All GPS data related to road collection with be linear referenced to the collected length
- **Geodatabase Background and Metadata:** In addition to this park report, a geodatabase containing both tabular and spatial data specific to this park has been provided.
 - All data disseminated in the preceding report has been obtained from the tables and fields within said geodatabase. The geodatabase can be referenced for tabular data via Microsoft Access or for both tabular and spatial data via ESRI's ArcGIS Suite of software which consists of; ArcMap, ArcCatalog and ArcExplorer.
 - Consolidating the RIP data into one database creates a seamless relationship of tables and geographic data. It allows RIP to facilitate easier updates and enhancements in the future. A geodatabase can be thought of as simply a database containing spatial data. A complete and thorough description of the tables and fields contained within this geodatabase can be found in the metadata. The metadata is attached directly within the geodatabase and can be accessed via ESRI's ArcCatalog.
- **Report (RIP Report and Route ID):** A PDF report will be provided that includes a list of all routes and key data. Condition reports for each route will be included. All changes, additions and deletions to any route will be included in the report. Features along routes will not be collected in Cycle 6.

Partial DCV Collections

Additional Partial DCV Collections may be done on specific parks depending on their size and overall mileage of routes within its boundaries during Cycle 6. Parks with greater than 10 miles of paved roadways will receive at least one additional Partial DCV collection during Cycle 6. Data collected during these Partial DCV Collections will not result in the delivery of an additional report to the park.

Data collected by the DCV during Partial DCV Collection will be used to improve HPMA modeling by providing additional "snapshots in time" of park pavement conditions. This improved HMPA modeling will assist in the programing and budgeting of future projects which will help maximize the life of pavement infrastructures.

Instead of receiving a report of conditions collected during the Partial DCV collection, the park will receive a formal letter from the Road Inventory Program requesting coordination for the additional Partial DCV collection, identifying the dates of the Partial DCV Collection and will reinforce the purpose and importance of the Partial DCV Collection.

Appendix D

Glossary of Terms and Abbreviations

Glossary of Term	s and Abbreviations
-------------------------	---------------------

TERM OR ABBREVIATION	DESCRIPTION OR DEFINITION
AC	Alligator Cracking
CRS	Condition Rating Sheets (Section 5)
Curb Recommendation	Curb remediation based on overall percentage of curb distress
Curb Reveal	Height of curb exposed from gutter flow line to top of curb
DCV	Data Collection Vehicle
Excellent	Excellent rating with an index value of 95 to 100
Fair	Fair rating with an index value from 61 to 84
FUNCT_CLASS	Functional Classification (see Route ID, Section 2)
Good	Good rating with an index value from 85 to 94
IRI	International Roughness Index
НРМА	Highway Pavement Management Application
Lane Width	Width from road centerline to fogline, or from centerline to edge- of-pavement when no fogline exists
LC	Longitudinal Cracking
MRR	Manually Rated Route
MRL	Manually Rated Line
MRP	Manually Rated Polygon
N/A	Not Applicable
NC	Not Collected
РАТСН	Patching and Potholes
Paved Width	Width from edge-of-pavement to edge-of-pavement
PCR	Pavement Condition Rating
PKG	Parking Area
Poor	Poor rating with an index value of 0 to 60
RCI	Roughness Condition Index
SC	Structural Cracking
SCR	Surface Condition Rating
ТС	Transverse Cracking